



CONDENSED PROFILE AND TRACK CHART


FARGO DIV. BRANCH LINES
MANDAN NO. LINE (13)


TRUAX BR. (14)

HOR. SCALE: 1 Inch = 2 Miles
VERT. " " " = 100 Feet

Office of Chief Engineer
St. Paul, Minn. July 1922

Revised Jan. 1, 1970.





54-Beulah
1/4 SECTION
1/4 SECTION
1/4 SECTION

5003 Pass. Trk.

BEULAH

HAZEN

Truax Brch. Cont.

N.P. EL. 1738-D.S. EL. 1743

PT-68

PT-67

BW-67

BW-66

qgs. Cr. Stone

Crushed Chips


30 M.P.H. - E.B.
15 M.P.H. - W.B.

40

15

40

40



1875

1060 1509
2614

120

KILLDEER

NP.EL. 2236 - U.S. EL. 2739

2241.45

2232.82
2239.00
2241.15
2243.05
2244.0
2244.5

2218.0
2216.05
2208.00

2190.0
2184.5
2185.6
2181.4

2160.0
2159.0
2158.0

2143.0
2140.05
2140.17
2144.06
2144.07

2133.0
2132.8
2125.0
2115.0

2107.6
2107.0
2107.0

2095.16
2097.50

115

DUNN CENTER

2160.8

PT. 68
3800

503
573

2132.0
2131.0

2119.0
2118.0

2107.0
2107.0

2095.16
2097.50

110

U.S. EL. 2101

2095.16
2097.50

EQUATION

2095.16
2097.50

2095.16
2097.50

2095.16
2097.50

2095.16
2097.50

