

NORTHERN PACIFIC RAILWAY COMPANY.

SEATTLE DIVISION

TIME 310 TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time.

(One hour slower than Mountain or 105th Meridian Time.)

SUNDAY, June 5th, 1910.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

H. C. NUTT,
General Manager.

F. E. WEYMOUTH,
Superintendent.

I. B. RICHARDS,
General Superintendent.

C. E. McMULLIN,
Superintendent Seattle Terminals.

P. H. McCAULEY
Superintendent of Transportation.

J. C. ROTH,
Assistant Superintendent of Transportation.

WEST BOUND.

FIRST DISTRICT.

EAST BOUND.

SECOND CLASS			FIRST CLASS TRAINS.							FIRST CLASS TRAINS.							SECOND CLASS.							
601	605	603	5	1	7	3	257	41	Time Table 31C							258	8	4	42	2	6	684	602	
Freight	Freight	Freight	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	June 5, 1910. Succeeding No. 31B.							Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Freight	Freight	
DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	STATIONS.							DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY
10.15PM	5.50PM	11.55AM	5.00PM	3.15PM	9.25AM	5.05AM 684	4.00AM	3.15AM	Telegraph Offices and Calls							4.25AM	1.00PM	1.25PM	9.25PM	11.45PM	12.45AM	5.00AM 3	8.15AM	
									Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Ellensburg	EB...ELLENSBURG...N 3.6	105.6	800	4.15 257	12.50	1.18	9.15	11.36	12.36	4.40	7.42		
											SHOSKIN..... 4.0	102.0	70	4.10 684	12.42	1.18	9.10	11.32	12.30	4.25 3.54 257-258	7.18		
												TP...THORP.....N 3.0	98.0	140	4.06	12.37 603	1.09	9.05	11.29	12.24	3.40 3.35 41	7.05		
											DUDLEY..... 3.9	95.0	140	3.58	12.30	1.02 603	8.58	11.22 601	12.17	3.20	6.50		
											KOUNTZE..... 2.4	91.1	80	3.54 41	12.25	12.58	8.53	11.18	12.12	3.12	6.40		
									W 1 M W	1865	16.9	BR...BRISTOL...N 3.9	88.7	140	3.47	12.18	12.52	8.46	11.11	12.05AM	3.00	6.25		
											TEANAWAY..... 4.0	84.8	150	3.40	12.10PM	12.47	8.40	11.05	11.59PM 601	2.45	6.10 6.00 3		
									WCY	1873	24.8	CL...CLE ELUM...N 4.2	80.8	500	3.30	11.56AM	12.40	8.25	10.56	11.51	2.30	5.40		
											BAKER..... 2.4	76.6	80	3.26	11.50	12.37	8.21	10.53	11.46	2.20	5.35		
												NS...NELSON'S...N 3.0	74.2	140	3.21	11.43	12.34	8.16 605	10.49	11.41	2.10	5.20 5.15		
											TALMAGE..... 3.7	71.2	80	3.16	11.37	12.30	8.11	10.44	11.35	1.55	4.45 4.40 41		
									W C T Y	1886	38.1	ES...EASTON...N 4.0	67.5	295	3.09	11.27	12.22	8.03	10.36	11.25	1.34 601	4.25		
												UP...UPHAM...N 3.9	63.5	150	3.01	11.17	12.14	7.55	10.28	11.16	1.18	4.10		
												RT...MARTIN...N 2.8	59.6	200	2.49	11.05	12.02PM	7.43	10.16 605	11.04	1.02	3.55		
												SI...STAMPEDE...N 3.3	56.8	170	2.40 601	10.55	11.52AM	7.31	10.06	10.54	12.35	3.35		
												BO...BORUP...N 3.0	53.5	150	2.32	10.43	11.42	7.18	9.56	10.42 605	12.10AM	3.15		
											KENNEDY..... 2.2	50.5	70	2.26	10.37	11.29	7.11 5	9.51	10.34	11.50PM	3.05 601		
												WN...WESTON...N 4.8	48.3	140	2.15 602	10.25	11.18	7.00	9.40	10.22	11.25	2.26 1.52		
									WCT	1911	62.1	DM...LESTER...N 2.0	43.5	290	2.04	10.15	11.07	6.45	9.27	10.12	11.07 605	1.30		
											HOT SPRINGS..... 4.9	41.5	100	1.52	10.04	10.57	6.36 603	9.17	10.00	10.42	1.00		
												MY...MAYWOOD...D 4.2	36.6	140	1.43	9.55	10.47	6.28	9.08	9.49	10.20	12.30		
												CU...HUMPHREY...N 3.7	32.4	140	1.34	9.45	10.38	6.21	8.59	9.40	10.00	12.05AM 605		
												EG...EAGLE GORGE...D 2.6	28.7	140	1.28	9.39	10.33	6.15 1	8.54	9.32 684	9.40 9.20	11.46PM		
												Mx...LEMOLO...N 4.3	26.1	50	1.18	9.29	10.21	5.58	8.44 684	9.21	8.55PM 2	11.29		
												JC...PALMER JCT...N 1.2	21.8	70	1.15 605	9.25	10.19	5.55	8.40	9.17		11.15		
									W Y	A 1	85.0	GV...KANASKAT...N 3.1	20.6	140	1.04	9.12	10.05	5.40	8.29	9.06		10.40		
											BYRD..... 2.2	17.5	80	12.58	9.05	10.01	5.33	8.24 5	9.01		10.30		
												AR...RAVENS DALE...N 7.0	15.3	280	12.43	8.50 3	9.47	5.16	8.10 603	8.41 5		9.55		
									W	A 14	97.3	CO...COVINGTON...D 3.3	8.3	140	12.37	8.40	9.40	5.08	8.05	8.35 603		9.25		
												WY...WYNACO...N 5.0	5.0	70	12.25AM	8.25AM	9.30AM 3	4.55PM	7.55PM	8.25PM		9.05PM 5-803		
									Y	C F 9	105.6	AU...AUBURN...N	0.0	250	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY		
												Time Over District			4.00	4.35	3.55	4.30	3.50	4.20	8.05	11.10		
												Average Speed per Hour			26.5	23.0	27.1	23.4	27.7	24.2	10.4	9.3		

SPECIAL RULES FOR FIRST DISTRICT (Main Line).

All trains will observe same precautions in yard limits Ellensburg, Cle Elum and Auburn as required of second and inferior class trains, Rule 298-F, book transportation rules.

At Palmer Junction, the upper Semaphore arms govern movement of trains via main line; lower arms govern movements to and from Buckley line.

Switch at Palmer Jet, will be set for the Auburn line. Speed of freight trains over switches at Palmer Jct. must not exceed twenty (20) miles per hour. Engines must not run on Page Lumber Co.'s spur.

Derail switches are located as follows and must be kept set in derailing position when not in use:—Ellensburg (east end of east yard); Bristol (east end of loading track); Cle Elum (east end of extension and at east end House Track, Easton (east end of yard); Easton (east end of No. 2 track; Upham (west end of west passing track); Borup (east end of east passing track); Eagle Gorge (west end of west bound passing track); Soos Creek (spur track).

Interlocking derails are located as follows:—Kountz (east end of passing track); Teanaway (east end of passing track); Cle Elum (east end of yard); Cle Elum (east end of extension to house track); Upham (east end of passing track); Martin (east end of east passing track); Martin (east end of West passing track); Borup (west end of east passing track); Borup (west end of east passing track); Kennedy (west end of passing track); Lester (west end of round house track); Lester (west end of yard); Hot Springs (west end of freight siding); Maywood (west end of east passing track); Eagle Gorge (west end of east passing track); Lemolo (west end of passing track); Byrd (west end of passing track); Covington (west end of east bound passing track); Wynaco (west end of passing track). Deraill is connected with main line switch and the deraill is closed when main line switch is thrown for passing track; deraill is open when main line switch is not thrown for passing track. Switch lamps will not be maintained upon derailing switches in above locations.

Derailing switches at Borup and Upham will be operated as follows: Descending freight trains must not be allowed to follow passenger train from Stampede, Borup or Martin, after the operator at next block office below has reported block clear for following train, unless the operator at next block office reports that derailing switch has been opened after descending passenger train has passed, in order to protect it against following freight, in case the freight train should get beyond control before passenger train cleared at foot of grade. In protecting trains at meeting point when they meet at Borup or Upham, operator will open deraill and see that it is kept open until descending train has been brought to a stop above derailing switch, or ascending train is known to be into clear on siding.

Speed of trains must not exceed 15 miles per hour between west switch, Ellensburg yard and depot.

All trains will reduce speed to 10 miles per hour through incorporated city limits of Cle Elum.

At Dudley, Weston and Humphrey, Track No. 1, located next to main track, will be known as East Bound Passing Track. Track No. 2 will be known as West Bound Passing Track. At Martin, the track on South side of main line is the East Bound Siding; the track on North side of main line is West Bound Siding.

At Cle Elum, West Bound Trains taking siding will use Track No. 7, heading in at crossover located between the Depot and the extreme East switch. East bound trains taking siding, will use track No. 6 heading in just West of passenger Depot.

The passing track located between the Depot and the extreme West switch near Gravel Pit, will be known as West extension, authority for using to be given on A B C block card. Trains authorized to use this passing track will be governed as follows:—

East bound trains will head in at extreme West switch. West bound trains will head in at crossover just West of coal bunkers unless they are occupying passing track No. 7, in which case they will reach West extension by using the track back of the coal bunkers.

At Stampede, passing track No. 1 will be west bound passing track, and passing tracks Nos. 2 and 3 east bound passing tracks.

In tunnel section, Stampede to Martin, head and tail lights will be used.

East bound freight trains will stop at Lester to make terminal test and will stop at Easton to examine wheels and brakes.

West bound freight trains will stop at Easton to make terminal test and will stop at Lester to examine wheels and brakes.

NOTE.—Maximum speed of passenger trains is one minute, or sixty seconds, per mile. This limit must not be exceeded. Speed of passenger trains must not exceed thirty miles per hour, and speed of freight trains twenty miles per hour, between Martin and Easton, and between Stampede and Weston. Speed of all trains through Stampede tunnel must not exceed fifteen miles per hour. Local freight trains are authorized to carry male passengers between Auburn and Ellensburg. No. 41 will stop at Covington and Wynaco to discharge passengers. No. 6 will connect with Tacoma Division 398 at Kanaskat.

SYNOPSIS OF RULES GOVERNING A B C OPERATION.

All the running rights that a train has are conferred upon it through the medium of a block card.

A block is understood to mean the section of main line extending from the signal semaphore at one telegraph office to the signal semaphore at the next telegraph office in advance.

Train and engine men are prohibited from accepting or running on a card purporting to authorize them to pass an open telegraph office.

No matter what may be the position of signal semaphore no train will, except under flag protection, be allowed to leave a terminal or pass a telegraph office without both the conductor and engineer first securing a block card authorizing the train to use the block in advance.

Station semaphore signal when on the lower angle or showing "Green" indicates "Block ahead Clear."

When on upward angle or showing "Yellow" indicate "Caution, block not clear."

When on the horizontal or showing "Red" indicates "Stop."

Trains approaching telegraph offices and finding signal at "Clear" will understand from this that the block ahead is clear and will pass the telegraph office, catching the block cards as they pass. If, however, from any cause, the block cards should not be secured, the train will be brought to an immediate stop and will not proceed until the cards are secured.

Signal at "Caution" will indicate:—

- (1) Block is obstructed and approaching train will receive card to meet or pass another train at station where card is issued, and that train may proceed after complying with instructions upon card.
- (2) Block is occupied by train ahead and card issued authorizing approaching train to follow.
- (3) Approaching train will receive card to meet or pass one or more trains at intermediate siding.

Signal at "Danger" indicates "Stop, block not clear." Trains must not pass signal in this position.

Conductors and engineers will immediately examine the block card following its receipt by them and make sure that it is correctly made out. They will follow implicitly all instructions given thereon. If directed to take siding at a station they will do so, disregarding signal to come down main line. If the exceptions state a train is to be met, it must state which train will "hold main line" or "Take siding," otherwise must be treated as an improper card and must not be acted upon. If there are no exceptions the operator will insert the word "Blank" where exceptions should appear on the card, and if this information is not shown on card, it must be treated as an improper card and not acted upon.

Each train will be designated by the number of its leading engine.

When necessary for the purpose of doing switching or other work, to occupy the main line at a station, the dispatcher will give the train required to do such work, a block switching card on the usual form, limiting the time that the main line can be occupied. On no account must the main line be occupied beyond the limit expressed in such card.

Trains taking side track will head in at the first switch excepting at station where passing tracks are specially assigned as indicated in Special Rules for First District, on page No. 2.

A train receiving a block card bearing exceptions of any nature, will, in all cases, fulfill the exceptions on card, irrespective of position of signals or hand signals received.

Information as to slow orders, etc., will be bulletined and may be written in manifold on train order Form 19, and copy be delivered to conductor and to each engineer together with block card as above.

Conductors or engineers must not report train as ready to leave any station until train is actually ready to move, air tested, all preliminaries gone through with and conductor positive that engineer is ready to pull open the throttle and depart.

Information should be given dispatchers as to any work to be done before reaching next block office.

Operators at Weston, Borup, Stampede, Martin and Upham will not report block clear for descending trains if there is a train on main track at their station. If train is between passing track switches, with switch above train set for passing track, operator will notify dispatcher, who may authorize issuance of permissive card, notifying descending trains that train is on main track at station with switch set for passing track.

Operators at Lester and Easton will not report block clear for descending trains when there is a train on main track above crossover switches in front of station. Dispatcher may, if weather is clear, authorize card to freight train to follow if preceding freight train is inside outer switches and markers have been seen by operator, or operator been so notified by conductor.

Except on mountain grade, trains may proceed when block is occupied by work train if block card states that work train is in block. Work train provided with card will be permitted to follow freight trains at the expiration of fifteen minutes without waiting until block is clear. Two or more work trains may work in the block protecting against each other.

On mountain grade ascending freight train may proceed when block is occupied by work train, when both the freight and work trains are notified, the same as is practised elsewhere in the block DISTRICT; it being understood that the block card is not to be depended upon for the protection of work trains, but that other necessary flagging is to be done.

A train running on a block card, bearing an exception to hold main line to meet an opposing train at station in advance will, in no case, run beyond the first switch at the meeting point if there is but one passing track there; or at station where passing tracks are parallel until it is seen that the opposing train has taken siding, after which they may proceed through the block. If there is a lap siding at the station where the meeting point is made, train having card to hold the main line and meet the opposing train will not proceed beyond the first switch at the lap until they have seen that the opposing train is on the siding, after which they may proceed through the block.

RULES GOVERNING STAFF OPERATION IN A B C TERRITORY.

Following rules will govern the operation of trains in A B C territory, where telegraph communication cannot be had account of wire failure; A wooden staff has been provided one inch in diameter and 16 inches long, having attached to it a plate bearing thereon the inscription "Train staff good between and" One of these staffs will be located in telegraph office at the end of each block and when authorized by train dispatcher to make use of it, this staff will be authority for a train to proceed from the first station West of territory in trouble to the next block office East, at which point the train will procure a staff for the block ahead, proceeding through that block, repeating the operation until they reach a block office where telegraph communication can be had with another dispatcher's office. The authority to make use of staff at the initial office will be issued by the dispatcher's office in the form of a block card, authorizing the use of staff over the trouble territory, but on no account will the staff be used out of a station where the operator has previously pledged the block for a West bound train. After having run through a block with the staff the crew using it for that purpose will leave it with the operator at the end of the block, who will return it to the office at the

West end of the block by the first train running in that direction. A West bound train may make use of this staff to run from one block office to the next whenever the staff can be obtained by them at the East end of the block concerned. It is permissible for the dispatcher to order the staff taken by section men or messenger from the office at the West end of the block to the office at the East end of the block for the purpose of moving a West bound train whenever necessity requires that it be done. In the event of a wire failure occurring between telegraph offices, dispatchers on the opposite side of the break from the dispatcher in whose territory the break occurred will be advised of the facts by the operator closest to the break and it will be understood to be the duty of the dispatcher so notified to pick up the work of moving trains over the detached territory until repairs to the wire have been made, and the detached territory can again be handled by the dispatching office in whose jurisdiction the trouble occurred. Operators will keep staff in a given place readily accessible.

RULINGS IN REGARD TO TELEGRAPH BLOCK SIGNAL RULES.

(Always have for reference copy of Block Signal Rules).

Rule 20—The attention of operators is particularly directed to the fact that this rule provides that when there are no orders, and the block ahead is clear for an approaching train, signal should be changed to clear, so train can enter without reducing speed. This means that if an operator has no orders for this particular train, and the block ahead is clear, the signal will be changed to clear, so that this train may enter the block, regardless of the fact that operator may have orders for other trains. He must, however, display Stop signal when he has seen the markers of the train and train has passed three hundred (300) feet beyond block signal. Under this rule only one train is affected by the clear signal and this the train which is immediately approaching on main track to enter block. A CLEAR Signal MUST NOT BE Displayed Under Any Other Circumstances.

An engine may pass a block signal at Danger in order to take coal or water or do switching in yards under the restrictions provided by general rules, but must in such case receive Block Clearance before departing from station.

Train and engine men must realize that Block Signal Rules in no way modify train rules or time table regulations and do not relieve trainmen from necessity of flagging. Conductors must impress this upon their brakemen, and train and engine men understand that train must at all times be as fully protected as prior to Block System Operation.

Rule 43—Any train which has taken siding must have block clearance before proceeding. Therefore, a clear block signal will not clear a passenger train which runs through siding in meeting a freight train, and operator should, if block is clear, be out and hand clearance to passenger train, so train will not be delayed.

Operators MUST display stop signal immediately after train has entered block and rear of train passed three hundred (300) feet beyond signal and markers been seen by operator, and not until this has been done should he notify preceding operator that block is clear except as per Rule 9.

The matter of displaying block signal at Stop at the proper time must be given preference over other duties. If it is desired to cancel a block or change arrangement of a block, if block clearance has been delivered, operator must not cancel the block or make any change until conductor's and engineer's copies of clearance have been returned to him.

If block signal at a station is at Danger when train is approaching on main track and is changed to Clear before engine is within three hundred (300) feet of the signal, train may proceed without block clearance. Engineer will signal for block by four (4) short blasts of engine whistle.

A train intending to go to an intermediate siding to meet or be passed by a train must obtain caution card before entering the block, stating that "Train No. — and Train No. — will meet or pass at (naming the intermediate siding) as per time table or as per Train Order No. —." This will permit the opposing train to proceed with caution card to the intermediate siding without delay, beyond which point it cannot go unless the train named has arrived or receives further orders as per Block Rules Nos. 53 and 54, notwithstanding it may have train rights which would otherwise permit it to do so.

After a train has entered a block with ample time and intention to go through to end of same for a certain train and for any reason cannot make the end of block for the certain train it will go upon intermediate siding and the opposing train cannot enter the block until the train on intermediate siding has notified the signalman by telephone of its arrival and clearance at intermediate siding. If from failure of telephone the conductor at intermediate siding is unable to communicate with block office the opposing train must not enter block except under protection of flag. If however, the trains are moving in the same direction caution cards will be issued to permit the following train to enter the block. It must be borne in mind that a train must not only have train rights permitting it to go, but block rights also.

WEST BOUND

FIRST DISTRICT (Seattle Line).

Water, Coal, Scales, Tables and Wyes		Station Numbers		Time Table No. 31C June 5, 1910. Succeeding No. 31B.		FIRST CLASS TRAINS.																						
						STATIONS																						
						Telegraph Offices and Calls																						
						Distance from Seattle	301	325	309	315	395	321	335	307	305	303	327	7	333	323	317	313	345	349	397	331	351	5
Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger			
DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY			
Seattle Portland Express	Gt. Nor. No. 27	No. 8's Connection	No. 41's Connection	Kanaskat Accommodation	Grays Harbor Limited	No. 257's Connection	Seattle Portland Express	No. 4	No. 3's Connection	Gt. Nor. No. 3	Puget Sound Limited	Grays Harbor Express	No. 42.	Portland & Vancouver Special	North Bend Accommodation	No. 2	Kanaskat Accommodation	No. 6's Connection	No. 1's Connection			Gt. Nor. No. 1	No. 258					
T W Y	CF 31	U.D. KING STREET STATION N 0.9	0.0	12.15AM	6.00AM	7.30AM			7.45AM		8.00AM	8.45AM		10.35AM	1.15PM	3.45PM	4.00PM	4.10PM	4.25PM	7.10PM			7.30PM			8.35PM	11.30PM	
W C S T	CF 31	Y.D. SEATTLE YARD N 2.4	0.9*	*	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	CF 27	AG. ARGO N 6.8	3.3*	12.26	6.10	7.41			7.55		8.11	8.56		10.46	1.26	3.56	4.11	4.21	4.36	7.21			7.41			8.48	11.41	
		C. M. & P. S. R. R. CROSSING 0.1	10.1	*	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
W Y	CF 21	BI. BLACK RIVER N 2.4	10.2*	12.36	6.19	7.52			8.04		8.21	9.07		10.57	1.37	4.06	4.21	4.31	4.50PM	7.31			7.52			9.05	11.52PM	
	CF 19	ORILLIA 2.1	12.6*	*	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	CF 17	O'BRIEN'S 2.0	14.7*	*	*	8.03			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	CF 15	KN. KENT N 2.0	16.7f	12.47	6.27				8.12		8.32	9.17		11.07	1.49	4.17	4.31	4.41		7.40			8.08			9.18	12.03AM	
	CF 13	THOMAS 1.4	18.7*	*	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	CF 11	CHRISTOPHER 1.9	20.1*	*	*	*			*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	CF 10	GR. FIRST ST. N 0.5	22.0*	12.57	6.35	8.13			8.20		f 8.42	9.25AM		11.17	2.01	f 4.27	4.41	4.50		7.50PM			8.13			9.30	12.13	
Y	CF 9	AU. AUBURN N 4.4	22.5f	12.59	6.36	8.15AM	7.45AM		8.21	8.26AM	8.44		9.30AM	11.73	1.45PM	2.05	4.30	4.45PM	4.51				8.15PM	7.30PM	9.15PM	9.32	12.15AM	
	CF 4	DIERINGER 2.5	26.9*	1.09	6.42		f 7.57		8.27	8.32	8.54		9.42	11.26	1.50	2.15	f 4.39		4.59							7.42	9.25	9.41
	CF 2	SN. SUMNER D 1.6	29.4f	1.13	6.45		8.08		8.31	8.38	8.59		9.49	11.30	1.57	2.20	4.46		5.08							7.49	9.32	9.45
Y W	1966	MEEKER 1.3	31.0*	1.17	6.47		8.08		8.33	8.41	9.04		9.53	11.33	2.00	2.25	4.50		5.06							7.53	9.35	9.48
	1967	PY. PUYALLUP N 6.7	32.3	1.22	6.50		8.13	8.30AM	8.35	8.43	9.10		9.58	11.36	2.05	2.30	4.55		5.10				6.53PM			7.53	9.40	9.52
	1972	RN. TIDEWATER N 1.7	39.0*	1.35	7.00		8.25	8.40	8.47	8.55	9.20		10.10	11.56AM	2.25	2.45	5.10		5.20				7.05			8.10	9.50	10.05
W		Q. TACOMA N 1.3	40.7	1.45AM	7.05AM		8.30AM	8.45AM	8.55AM	9.00AM	9.25AM		10.15AM	12.01PM	2.30PM	2.50PM	5.15PM		5.25PM				7.10PM			8.15PM	10.00PM	10.10PM
W C S T Y	1976	TACOMA WHARF 42.0																										
				DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY
		Time Over District		1.30	1.05	.45	.45	.15	1.10	.34	1.25	.40	.45	1.26	.45	1.35	1.30	.45	1.15	.25	.40	.15	.45	.45	.45	1.35	.45	
		Average speed per hour		27.1	38.7	30.0	24.3	33.7	35.9	34.4	28.7	32.9	24.3	28.7	24.3	25.7	27.1	30.0	32.6	24.5	32.9	33.7	30.0	24.3	24.3	25.7	30.0	

Registering Stations—Black River, Auburn, Puyallup, Tacoma and Tacoma Wharf. At Black River, Auburn and Puyallup all trains register by ticket. No clearance will be issued to trains at any point specified above except when red signal is displayed.

First Street will be register station for trains terminating or which do not have time shown at Auburn. Engineers will not be required to consult register, except at initial or starting point.

Bulletin Stations—Tacoma, Tacoma Wharf, Auburn and Seattle.

Standard Clocks—Tacoma and Seattle.

Position of Double Track switches, First Street, Auburn, Puyallup and Argo will be determined before using. Speed of trains over crossover switches at Tidewater and Puyallup and over 15th Street Bridge, entering Tacoma passenger yard, must not exceed fifteen (15) miles per hour.

Puyallup Yard extends to Meeker, and Tacoma Yard to Tidewater.

All trains will approach Meeker under full control and be sure that the gauntlet track in front of water tank is clear before proceeding.

All trains using track between Tide water and Tacoma Wharf will be governed by instructions issued by Superintendent Tacoma Division.

Trains originating or terminating at Tacoma will run via Head of Bay yard. Trains from Seattle line for Tacoma Division main line, or vice versa, will run via Draw Bridge line.

Class W and heavier power must not cross drawbridge or enter on approach to drawbridge at Tacoma.

Train 335 will stop at Sumner when running in advance of No. 315.

At Tacoma, a signal of the single arm semaphore pattern located near junction of temporary line leading to passenger station and the draw bridge line at 15th Street; another signal of the same pattern at the North end of passenger yard. The two signals are to be controlled by switch tender at 15th St. and will govern single track passenger line between 15th Street and Tacoma passenger station. No train from the draw bridge line or Tacoma Division Main Line will enter passenger station yard when signal at 15th Street is at "Danger" and no train will proceed from passenger station yard to draw bridge line or Tacoma Division Main Line when signal at the north end of the yard is at "Danger."

Trains will keep to the right on double track between King Street station, Seattle, and Tacoma Wharf.

Between Tidewater and Tacoma engineer will obtain card order at Tidewater or Tacoma as authority to use draw-bridge line. Interlocking signals at east and west approach to drawbridge control use of bridge, and trains will not proceed unless Home semaphore shows clear indication. Trains must not exceed 15 miles per hour over Tacoma Draw Bridge and 8 miles per hour over switches leading to Tacoma Passenger Station.

Train No. 306 will connect with No. 4 and No. 350 with No. 2 at First Street.

Trains will approach Tidewater under full control, and will not proceed until tracks are known to be clear and signal is received from switch tender.

Conductors of trains carrying logs, before using double tracks, will carefully inspect loading, and, if insecure, will obtain orders insuring that other trains will not be met while running.

Conductors and engineers must supply themselves with copy of Block Signal Rules, governing the use of track between King Street station, Seattle, and Tidewater.

WEST BOUND

FIRST DISTRICT (Seattle Line)

Time Table No. 31C June 5, 1910. Succeeding No. 31B.		FIRST CLASS TRAINS.				SECOND CLASS TRAINS.				THIRD CLASS TRAINS.					
						605	679	677	603	935	937	961	971		
						Freight	Freight	Freight	Freight	Way Fr'ght	Way Fr'ght	Freight	Way Fr'ght		
						DAILY	DAILY	DAILY	DAILY	EXCEPT SUNDAY	EXCEPT MONDAY	EXCEPT SUNDAY	EXCEPT SUNDAY		
STATIONS.		Distance from Seattle													
Telegraph Offices and Calls.															
T W	CF 31	UD King Street Station N	0 0												
		0.9													
W	CF 31	YD.. SEATTLE YARD.. N	0.9			6.15 PM	7.25 PM			9.00 AM					
		2.4													
	CF 27	AG..... ARGO..... N	3.3			6.28	7.45			9.15					
		6.8													
		C. M. & P. S. R.R. Crossing	10.1												
		0.1													
W	CF 21	BI...BLACK RIVER... N	10.2			6.48	8.05			9.40 AM					
		2.4													
	CF 19ORILLIA.....	12.6							See page 10					
		2.1													
	CF 17O'BRIEN'S.....	14.7												
		2.0													
	CF 15	KN.....KENT..... N	16.7			1.57	8.20								
		2.0													
	CF 13THOMAS.....	18.7												
		1.4													
	CF 11CHRISTOPHER.....	20.1												
		1.9													
	CF 10	GR.....FIRST ST..... N	22.0				7.10	8.40 PM							
		0.5													
Y	CF 9	AU.....AUBURN..... N	22.5			2.30 AM	7.12	See Page 1	9.45 PM		10.45 AM				
		4.4													
	CF 4DIERINGER.....	26.9			2.50			9.50		11.00				
		2.5													
	CF 2	SN.....SUMNER..... D	29.4			3.00	7.32		10.00		11.15				
		1.6													
Y W	1966MEEKER.....	31.0			3.05	7.37		10.05		11.20				
		1.3													
	1967	PY.....PUYALLUP..... N	32.3			3.10	7.42		10.08		11.30 AM	1.30 PM		4.20 PM	
		6.7									12.25 PM				
	1972	RN..TIDEWATER..... N	39.0			3.40	8.00		10.30		12.45	1.50		4.50	
		1.7													
W	1976	Q.....TACOMA..... N	40.7												
		1.3													
W C STY	TACOMA WHARF....	42.0			4.00 AM	8.10 PM		10.45 PM		1.10 PM	2.05 PM		5.00 PM	
		Time Over District				1.30	1.55	1.15	1.0		.40	2.25	.35	.40	
		Average speed per hour				13.0	21.3	16.5	19.5		15.1	8.3	17.1	15.0	

First-Class trains when fifteen (15) minutes or more late, and extra trains running on schedule, will observe same precautions in yard limits at Seattle and Auburn as are required of second and inferior class trains by Rule 298F.

Speed must not exceed ten miles per hour within the corporate limits of Puyallup, Sumner, Auburn and Kent.

Derailing switches at the south ends of interior siding at C. & S. brewery and Van Asselt must be left set for derail when not in use.

Before entering double track at Tidewater, First Street and Argo all trains will be under full control, and will not pass switches until tracks are known to be clear and signal is received from switch tender.

Yard limits at Auburn on Seattle Line extend from Yard Limit Board west of station to east leg of Wye and limits of First Street from east Wye switch to east Yard Limit Board towards Seattle.

Road crossing at Dieringer will be passenger stop for trains authorized.

At Puyallup, the upper Semaphore arms govern movement of trains using Seattle Line; lower Semaphore arms govern movements to and from Buckley Line.

Buckley line extends to Puyallup, and the new or extreme left-hand track coming west between Meeker and Puyallup is main track for Buckley line, also passing track and operated under yard limit rules. Buckley line trains in either direction will use east bound main track of Seattle line in running around water tank at Meeker. All trains must approach this point under full control and be sure track is clear before proceeding. Buckley line trains will protect by flag when using this gauntlet.

Trains from Buckley line that have loads for Seattle line will leave them at Meeker on siding located between east and west legs of the wye. Any loads for the industries at Meeker will be taken to Puyallup and from there handled to the industries by using west bound main line to passing track switch just west of the Jurin mill under protection of flag while occupying main track. Block must be obtained and the work handled in such way as not to delay passenger trains.

In using the Buckley line between Meeker and Puyallup for passing track, following rules will govern with regard to obtaining block before again occupying main track of Seattle line. EXAMPLE: An east bound train which pulls in on Buckley line at Puyallup must, before re-entering block, obtain right to use same either by telephone from Meeker or through operator at Puyallup. The same rule to apply with regard to west bound trains which pull in on west bound passing track. They must also report clear by telephone from Meeker or direct to operator at Puyallup, and before again using the block obtain right to do so in the same manner.

In order to fully safeguard operation of the track known as the Buckley line, between Meeker and Puyallup, and which track is also used as a passing track for main line trains, and for safeguarding the gauntlet in front of the tank in which Buckley line trains use the east bound main line, following will govern during foggy weather; Conductors and Engineers of trains from Buckley line, before leaving Meeker, will obtain from Operator at Puyallup by telephone, block, indicating position of trains on east bound track between Puyallup and Meeker, and, in addition to this, before using gauntlet, will fully protect by flag. Will also ascertain from Operator the position of trains on Buckley line between Puyallup and Meeker. No trains, either main line or Buckley line, will use this portion of the track during foggy weather, without obtaining block from Operator at Puyallup, and in addition to such precaution will keep under full control, moving at slow speed, taking such precautions, that in case track occupied, that there will be no possibility of accident.

The train order signal arm at Black River governing trains on east bound track is connected up with electric track circuit so that if railroad crossing is clear and there are no train orders the signal will show clear until after the engine has passed about 300 feet beyond train order signal post; at which time it will automatically go to danger. As train order signal will be in stop position when rear of train passes signal it will be necessary for conductor to secure proper clearance from operator authorizing him to pass telegraph office with signal set in stop position.

All trains using track between Argo and King St. Station will be governed by regular block rules. All trains using King St. Station Line must observe crossing rules where N. P. and C. & P. S. and O. & W. tracks cross at Argo, and will proceed slowly and under full control until "Y" switches at Spokane avenue have been passed. All trains will observe crossing rules at intersection of N. P. and King Street Station tracks between Massachusetts and Holgate Streets.

No. 396 will wait at Puyallup for connection with No. 307. No. 398 will wait at Puyallup for connection with No. 323. No. 324 will wait at Puyallup for connection with No. 397. Trains must procure Colorado Street Line Card forms A or B, before using Colorado Street Line between Argo and Seattle yard. Nos. 308 and 334 will stop at Kent to let off passengers from points south of Tacoma. Nos. 335, 303, 351 and 5 will stop at Sumner and Puyallup and Nos. 316, 336, 304, 310, 352 and 332 will stop at Kent, to let off passengers from points east of Auburn. Nos. 309, 317, 331 and 337 will stop at Kent to pick up passengers for points east of Auburn. No. 350 will return to Auburn after connecting with No. 2.

FIRST DISTRICT (Seattle Line)

EAST BOUND

Time Table No. 31C		FIRST CLASS TRAINS.																								
June 5, 1910.		326	302	316	328	8	336	306	396	304	346	310	308	314	318	330	398	324	350	6	352	332	334	322	338	
Succeeding No. 31B.		Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger
STATIONS		DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY
Telegraph Offices and Calls.		Gt. Nor. No. 28	Portland Seattle Express	No. 41	Gt. Nor. No. 4		No. 257	No. 4's and Buckley Line Connection	Kanaskat Accommodation	No. 3	North Bend Accommodation	No. 7's Connection	Portland Seattle Express	Portland Vancouver Special	No. 42's Connection	Gt. Nor. No. 2	Kanaskat Accommodation	Grays Harbor Express	No. 2's Connection		No. 1	No. 5's Connection	Puget Sound Limited	Grays Harbor Limited	258's Connection	
42.0	U.D. KING STREET STATION N 0.9	1.20AM	7.30AM	8.30AM	8.40AM		9.00AM	10.05AM		10.15AM	10.30AM	2.30PM	3.00PM	4.15PM		6.50PM										
41.1	Y.D. SEATTLE YARD N 2.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
38.7	AG. ARGO N 6.8	* 1.08	* 7.18	* 8.15	* 8.28		* 8.48	* 9.55		* 10.08	* 10.17	* 2.18	* 2.48	* 4.04		* 6.38										
31.9	C. M. & P. S. R. R. CROSSING 0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
31.8	BI. BLACK RIVER N 2.4	* 12.57	* 7.05	* 8.05	* 8.18		* 8.38	* 9.45		* 9.52	10.05AM	* 2.07	* 2.36	* 3.53		* 6.27										
29.4	ORILLIA 2.1	*	*	*	*	*	*	f 9.42			See page 10	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
27.3	O'BRIEN'S 2.0	*	*	*	*	*	*	f 9.39				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25.3	KN. KENT N 2.0	* 12.46	f 6.51	* 7.56	* 8.07		* 8.28	9.35		* 9.42		* 1.57	f 2.25	* 3.43		* 6.17										
23.3	THOMAS 1.4	*	*	*	*	*	*	f 9.31				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
21.9	CHRISTOPHER 1.9	*	*	*	*	*	*	f 9.28				*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
20.0	GR. FIRST ST. N 0.5	* 12.36	* 6.42	* 7.47	* 7.57		* 8.18	9.25 9.20		* 9.32																
19.5	AU. AUBURN N 4.4	* 12.34	f 6.40	7.45AM	* 7.56	8.15AM	8.15AM	9.15		9.30AM		1.45PM	2.13	* 3.34	4.45PM	* 6.06										
15.1	DIERINGER 2.5	* 12.26	* 6.30		* 7.44	* 8.06		f 9.00					* 2.03	* 3.23	* 4.30	* 5.54										
12.6	SN. SUMNER D 1.6	* 12.23	f 6.25		* 7.39	7.59		8.55					1.53	* 3.24	4.25	* 5.49										
11.0	MEEKER 1.3	* 12.20	* 6.18		* 7.35	* 7.54		* 8.50					* 1.53	* 3.21	* 4.20	* 5.45										
9.7	PY. PUYALLUP N 6.7	* 12.15	6.15		* 7.33	7.50		8.47	9.35AM				1.50	* 3.19	4.17	* 5.43	5.20PM	7.05	7.16	7.50						
3.0	RN. TIDEWATER N 1.7	* 12.06	* 6.05		* 7.20	* 7.35		* 8.35	* 9.20				* 1.35	* 3.09	* 4.05	* 5.30	* 5.05	* 6.50	* 7.05	* 7.35						
1.3	Q. TACOMA N 1.3	12.01AM	6.00AM		7.15AM	7.30AM		8.30AM	9.15AM				1.30PM	3.05PM	4.00PM	5.25PM	5.00PM	6.45PM	7.00PM	7.30PM						
0.0	TACOMA WHARF																									
	Time Over District	1.19	1.30	.45	1.35	.45	.45	1.35	.20	.45	.25	.45	1.30	1.10	.45	1.25	.20	1.25	.50	.45	.45	.45	1.30	1.15	.45	
	Average Speed per Hour	31.4	27.1	30.0	25.7	24.3	30.0	25.7	28.3	30.0	24.5	30.0	27.1	35.9	24.3	28.7	25.7	28.7	22.8	24.3	30.0	30.0	27.1	32.6	24.3	

SEE SPECIAL RULES, PAGES 2, 3, 4, 5, 6, 12 AND 14.

SPECIAL RULES GOVERNING USE OF DOUBLE TRACK BETWEEN TACOMA WHARF AND KING ST. STATION, SEATTLE.

- (1) Double track extends from Tacoma Wharf to King Street Station, Seattle.
- (2) Trains must keep to the right unless otherwise provided.
- (3) Before clearing any train entering double track at Junction of initial points, operators must secure dispatcher's authority.
- (4) Work extras must move with current of traffic unless otherwise directed.
- (5) Any train making reverse movement on double track against the current of traffic must have train order authority and receive clearance or clearance and caution card at every block office they pass.

- (6) If a train should part while in motion, the enginemen and trainmen of front portion must give the Train Parted signal to trains running on opposite track. A train receiving this signal or being otherwise notified that a train on the opposite track has parted must immediately reduce speed and proceed with caution until the separated train is passed.
- (7) Caution must be used by Engineers of trains approaching stations where any train is receiving or discharging passenger full stop being made before passing such train.

RULES GOVERNING AUTOMATIC SIGNALS BETWEEN TIDEWATER AND HOLGATE STREET, SEATTLE.

Automatic signals of the three position upper quadrant semaphore type, govern train movements between Tidewater and Holgate Street, Seattle. When semaphore arm is at horizontal position or shows red light by night, indicates STOP; when semaphore arm is at 45 degrees upwards or shows yellow light by night, indicates CAUTION; when semaphore arm is at 90 degrees upwards or shows green light by night, indicates CLEAR. All semaphore arms that govern are displayed to the right of signal mast as seen from approaching train. When semaphore arm is in horizontal position or shows red light by night, it is a signal to stop and then proceed with caution, expecting to find train in block, misplaced switch, broken rail or car on side track fouling main track; when semaphore arm is at 45 degrees upwards or shows yellow light by night, it is a caution signal, indicates to proceed with caution, prepared to stop at next semaphore signal. When semaphore arm is at 90 degrees upwards or shows green light by night, it is a clear signal and indicates block is clear. Should any signal show a white light by night or should a signal lamp be found not burning, such should be considered a stop signal, train to be stopped, cause and position of signal ascertained and report made from next telegraph office.

Switch indicators are located at all switches and crossovers except at the following places: Orilla, O'Briens, Thomas, Christopher and Reservation. At these spur tracks indicators are not used. These indicators are of semaphore pattern, the normal position of which is STOP. They are constructed with a push button underneath in the left hand corner and in order to ascertain the condition of the block, this button must be pushed, which, if the block is clear, will clear the indicator, which will remain clear until switch is thrown, when it will again go to stop. If the indicator does not clear when button is pushed, this will indicate there is a train in the block or approaching and switch must not be opened until train shall have passed the switch and cleared the block. In case the indicator which has been cleared by pushing the button does not go to stop position when switch is opened, it is an indication that the signals governing this track have not gone to stop, and in such cases movement must be made under protection of flag. If switch indicator cannot be cleared after waiting five minutes and a train does not appear,

switches may be used provided movement is fully protected by flag. Indicator at main track crossovers indicate the condition of the opposite track and not the track on which they are located, in other words, eastbound indicators are located on westbound tracks and vice-versa. At a siding crossover the indicator is located on the siding end of crossover and will indicate the condition of the main track to which crossover leads. At single switches the indicator indicates the condition of track to which switch leads. Switch instruments are connected to main line switches and both ends of crossover switches within automatic signal limits. The opening of any switch will set and hold signal of that block at STOP until switch is again closed. The opening of any switch at either end of main track crossover will hold signals on both tracks at stop. If either end of a siding crossover is opened, it will set and hold the signal at stop that controls block on main track to which it leads. Neither switch or crossover must, therefore, be opened until movement of train is to be made and must be closed immediately after movement has been made and switches locked. When it is necessary to stop at any signal, stop must be made 30 ft. before reaching signal in order not to foul track circuits. Cars and engine on side tracks must stand back of insulated joints in order that signals will not be held at stop. Whenever a train is mentioned in these rules, the term "Train" applies to either a road or switch engine with or without cars. The practice of dumping cinders from engines within automatic block limits is prohibited, as it interferes with operation of signals. Signals governing east bound trains are numbered and located as follows: Signal No. 2 is located 150 ft. east of Tidewater Telegraph office, No. 4, 2800 ft. east of M. P. 3, No. 6, 2900 ft. east of M. P. 4, No. 8, 4000 ft. east of M. P. 6, No. 10, 4600 ft. east of M. P. 8, No. 12, 2200 ft. east of M. P. 10 (outside of passing track), No. 14, 250 ft. east of M. P. 12, No. 16, 3300 ft. east of M. P. 13, No. 18, 4900 ft. east of M. P. 15, No. 20, 4300 ft. east of M. P. 17, No. 22, 900 ft. east of M. P. 19 (located between east and west bound tracks), No. 24, 4500 ft. east of M. P. 19, No. 26, 2500 ft. east of M. P. 20 (outside of passing track), No. 28, 500 ft. east of M. P. 22, No. 30, 4100 ft. east of M. P. 23, No. 32, 3600 ft. east of M. P. 24, No. 34, 3900 ft. east of M. P. 26, No. 36, 4600 ft. east of M. P. 28, No. 38, 2500 ft. east of M. P. 30, No.

FIRST DISTRICT (Seattle Line)

EAST BOUND

Time Table No. 31C		FIRST CLASS TRAINS.				SECOND CLASS TRAINS.							THIRD CLASS TRAINS.							
June 5, 1910						678	676	680	682	684	602	686	962	972	938	936				
Succeeding No. 31B.						Freight	Freight	Freight	Freight	Freight	Freight	Freight	Freight	Way Fr'ght	Way Fr'ght	Way Fr'ght				
STATIONS						DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY				
Telegraph Offices and Calls						No. 605			No. 601				No. 603							
42.0	UD King Street Station N 0.9																			
41.1	YD...SEATTLE YARD...N 2.4	500				4.00AM	5.45AM	7.10AM	8.50AM										6.05PM	
38.7	AG.....ARGO.....N 6.8	500				8.25	5.30	6.55	8.38										5.50	
31.9	C. M. & P. S. R. R. Crossing 0.1																			
31.8	BL...BLACK RIVER...N 2.4	60				8.05	5.00AM	6.40	8.28										5.20PM	
29.4ORILLIA..... 2.1	5 Spur					See page 10												See page 10	
27.3O'BRIEN'S..... 2.0	3 Spur																		
25.3	KN.....KENT.....N 2.0	90				2.50		6.25	8.18										10.00	
23.3THOMAS..... 1.4	8 Spur																		
21.9CHRISTOPHER..... 1.9	4 Spur																		
20.0	GR.....FIRST ST.....N 0.5	70				2.30AM		6.12	8.07AM										9.42PM	
19.5	AU.....AUBURN.....N 4.4	300						6.10											10.10AM	
15.1DIERINGER..... 2.5	No Sdg.						6.00											9.50	
12.6	SN....SUMNER.....D 1.6	No Sdg.						5.55											9.40	
11.0MEEKER..... 1.3	70						5.50											9.80	
9.7	PY....PUYALLUP.....N 6.7	70						5.45		4.50PM	8.40PM		4.35AM	5.40AM					9.15	
3.0	RN....TIDEWATER...N 1.7	No Sdg.						5.20		4.30	8.10		4.15	5.10					8.50	
1.3	Q.....TACOMA.....N 1.3																			
0.0	...TACOMA WHARF... 3000							5.10AM		4.10PM	8.00PM		4.00AM	5.00AM					8.40AM	
						DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EX. SUN.	EX. SUN.	EX. SUN.	EX. SUN.				
	Time Over District					1.30	.45	2.00	.43	.40	.40	1.18	.35	.40	1.30	.45				
	Average Speed per Hour					18.7	13.1	20.5	29.2	15.0	15.0	16.5	17.1	15.0	13.0	13.1				

SEE SPECIAL RULES PAGES 2, 3, 4, 5, 6, 12 AND 14.

RULES GOVERNING AUTOMATIC SIGNALS—Continued.

40, 2900 ft. east of M. P. 31, No. 42, 400 ft. east of M. P. 32 (located outside of west-bound main line); No. 44, 2700 ft. east of M. P. (located outside of west-bound main line), No. 46, 2200 ft. east of M. P. 36 (located outside of west-bound main line) No. 48, 3900 ft. east of M. P. 37 (located outside of west-bound main line), No. 50, near M. P. 39, No. 52, 1700 ft. west of Holgate Street, No. 49, 3400 ft. west of Holgate Street, No. 47, near M. P. 42, No. 45, 2400 ft. west of M. P. 3, No. 43, 500 ft. west of M. P. 4, No. 41, 2500 ft. west of M. P. 6, No. 39, 1500 ft. west of M. P. 8, No. 37, 1300 ft. west of M. P. 9, No. 35, 3100 ft. west of M. P. 9, No. 33, 1900 ft. west of M. P. 11, No. 31, 1900 ft. west of M. P. 13, No. 29, 1500 ft. west of M. P. 15, No. 27, 2800 ft. west of M. P. 17, No. 25, 4800 ft. west of M. P. 18, No. 23, 2500 ft. west of M. P. 20, No. 21, 700 ft. west of M. P. 21, No. 19, 4300 ft. west of M. P. 21 (located between east and west bound main line), No. 17, 3600 ft. west of M. P. 23, No. 15, 3000 ft. west of M. P. 25, No. 13, 5000 ft. west of M. P. 26, No. 11, 2100 ft. west of M. P. 29, No. 9, 1800 ft. west of M. P. 30 (outside of passing track), No. 7, 600 ft. west of M. P. 32, No. 5, 300 ft. west of M. P. 34, No. 3, 1000 ft. west of M. P. 36, No. 1, 3500 ft. west of M. P. 37.

Signals numbers 38 and 39, C. M. & P. S. crossing, formerly distant signals now operated semi-automatic assuming the caution and stop position automatically and cleared through operation of home signals, numbers 37 and 40. When signals No. 37 and 40 are

in caution or clear position signals Nos. 39 and 38 will show clear. Signals 37 and 40 will go to stop position as soon as train has passed signal and cannot be placed in caution position by towerman until train has cleared block ahead and cannot be placed in clear position until train clears second signal ahead.

Signal number 52 located 1700 ft. west of Holgate Street, Seattle, operates in two positions only—Clear and Stop, and will go to stop position when head end of train passes signal and will go to clear when rear of train passes Holgate Street. Signal No. 1 located 3500 ft. west of M. P. 37, operates in three positions, going to stop position when head end of train passes signal and will go to caution position when rear of train has passed 2000 ft. beyond and will go to clear position when rear of train has passed crossover at Tidewater. Mile posts and signals are numbered from Tacoma to Seattle on east and west bound tracks. Trains will run with current of traffic by block signals. The movement of trains will be supervised by superintendent, who will issue instructions to operators. A train having work to do which may detain it more than 10 minutes must obtain permission from operator at the last station before entering block in which work is to be done. Operator must obtain authority to give this permission from dispatcher. Except as affected by these rules all block signal and train rules remain in force.

RULES GOVERNING INTERLOCKING PLANT C. M. & P. S. CROSSING (Black River).

All movements and the direction of traffic are governed by "Home Signal" No. 40 east bound track, and "Home Signal" No. 39 on west bound track, which are located 500 feet from crossing.

All movements against regular movements of traffic are governed by back-up or dwarf signals. These signals are located 390 feet from crossing and on opposite side of track from "Home Signals" Nos. 39 and 40. Signals Nos. 39 and 40 are equipped with two blades and two lights: Dwarf signals are equipped with one blade and one light.

"DAY INDICATIONS."

"Home Signals." Both upper and lower arm horizontal—Stop. Upper arm inclined upward 90 degrees to vertical position; lower arm horizontal—Proceed at regular speed. Upper arm at 45 degrees, upward position—Proceed with caution.
"Dwarf Signals." Arm horizontal—Stop. Arm inclined upward 90 degrees to vertical position—Proceed at usual speed. Used in back-up movements.

"NIGHT INDICATIONS."

"Home Signals." Both upper and lower lights red—Stop. Upper light green; lower light red—Proceed at usual speed. Upper light yellow; lower light red—Proceed with caution.
"Dwarf Signals." Red light—Stop. Green light—Proceed at usual speed. Used in back-up movements.

WEST BOUND.

SECOND DISTRICT

THIRD CLASS TRAINS.

SECOND CLASS

Time Table No. 31C.

June 5, 1910.
Succeeding No. 31B.

FIRST CLASS TRAINS.

THIRD CLASS TRAINS.				SECOND CLASS				Capacity of Sidings	Distance from Yesler Way	STATIONS. Telegraph Offices and Calls	Station Numbers	Water, Coal, Scales, Tables and Wyes	FIRST CLASS TRAINS.		
931	929	927	925	565	563	675	687						343	341	347
Way Freight EXCEPT SUNDAY	Way Freight EXCEPT SUNDAY	Way Freight EXCEPT SUNDAY	Way Freight EXCEPT SUNDAY	Mixed EXCEPT SUNDAY	Mixed EXCEPT SUNDAY	Freight DAILY	Freight EXCEPT MONDAY	Passenger DAILY	Passenger DAILY	Passenger DAILY					
			6.45AM			9.15PM	1.40AM	1250	YD.....SEATTLE YARD.....N 0.9	CF 31	W C S T				
			7.00						UD.....KING STREET STATION...N 0.3			7.40AM	12.20PM	4.20PM	
									0.0.....Yesler Way..... 1.6						
			7.25			9.50	2.10	300	4.0BA.....INTERBAY.....D 1.9	CF 35	W S	f 7.55	* 12.35 344	f 4.35	
			7.30			10.00	2.15	80	5.9FR.....FREMONT.....D 2.1	CF 37		8.00	* 12.42	4.40	
									8.0BK.....BROOKLYN.....D 3.1	CF 39		8.08	* 12.50	4.48	
			7.50			10.50	2.50	50	11.1.....KEITH..... 4.0	CF 42		f 8.20	* 1.00	f 4.58	
			8.20 343 8.40			11.10 683	3.05	60	15.1.....LAKE..... 6.8	CF 46	W	f 8.30 925	* 1.10	f 5.08	
			9.30			11.30	3.25	50	21.9B.....BOTHELL.....D 1.7	CF 53		8.47	* 1.25 342-324	5.25	
			9.55AM			11.45PM	3.40 676	100	23.6CJ.....WOODINVILLE.....N 5.9	CF 55	W C T	8.52	1.30	5.30	
			See page 9 Snoq Branch			12.45AM	4.30	80	29.5MB.....MALTBY.....N 8.5	CF 60		9.15	* 1.50	5.50	
			8.00AM			9.15AM	1.30 676	150	38.0OM.....SNOHOMISH.....N 5.2	CF 69	W C S Y	9.40	2.15 926	6.15	
			8.30			9.40	1.45	45	43.2MA.....MACHIAS.....D 3.1	CF 74	W	9.55	2.25	6.30	
			9.00			9.55AM 343	2.00	102	46.3FD.....HARTFORD.....D 4.4	CF 77		10.05 563	* 2.32	6.40 348	
			343 344 9.45 10.30			See page 9	2.20	60	50.7Sg.....GETCHELL.....N 6.2	CF 82		10.15 344-927	* 2.42	6.52	
			11.00			(To Monte Cristo Bch)	2.35	45	56.9.....EDGEComb..... 3.0	CF 88	W M B	f 10.32	* 2.55	7.07	
			11.25 342-926 11.30AM				2.55	132	59.9A.....ARLINGTON.....N 3.8	CF 91	Y M B	10.40	3.03	7.15	
			12.01PM				3.10	40	63.7 {BT...M. & N. CROSSING.....D BRYANT.....}	CF 95		10.50 926	* 3.12	7.25	
			12.45				3.30	65	70.0MU.....McMURRAY.....D 5.6	CF 101	W	11.05 342	3.25	7.40	
			1.35				3.50	25	75.6.....MONTBORNE..... 1.7	CF 107		11.20	* 3.40	7.55	
			1.40				3.55	70	77.3BG.....BIG LAKE.....D 5.4	CF 109		11.23	* 3.45	7.58	
			2.25				4.10	135	82.7CA.....CLEAR LAKE.....D 3.2	CF 114		11.35	* 4.00	8.10	
			7.30AM	8.40AM 344	2.45PM		4.20 4.45	290	85.9 {WL...SEDRO-WOOLLEY.....N 2.....G. N. CROSSING.....}	CF 117	W C T	11.45AM	4.03 930	8.20	
									86.3.....P. S. & B. R. CROSSING..... 5.1						
			344 8.20 8.25	9.15		From Bghm Branch	5.15	45	91.4.....THORNWOOD..... 5.8	CF 122		f 12.01PM	* 4.20 932	f 8.35 676	
			8.45 564	9.40AM 342		3.45PM 930	5.30AM	75	97.2WK.....WICKERSHAM.....D 2.8	CF 128	Y W	12.15PM	4.35 348	8.50PM	
			8.55	See page 10		8.52		Spur 50	100.0.....SAXON..... 2.2	CF 131		See page 10	* 4.42	See page 10	
			9.25 9.40 342	To Bham Bch		8.59		18	102.2.....ACME..... 7.9	CF 133	W	To Bham Bch	4.50	To Bham Bch	
			10.05			4.20		20	110.1DM.....DEMING.....D 0.6	CF 141			5.10		
			10.15			4.21		18	110.7.....ABBOTT..... 8.9	CF 142			* 5.11		
			10.40			4.45		18	119.6NC.....NOOKSACK.....D 5.4	CF 151			5.35		
								125.0B. B. & B. C. CROSSING..... 0.9						
			11.00AM				5.00PM	110	125.9SU.....SUMAS.....D	CF 157	W C S T		5.50PM		
			EX. SUN.	EX. SUN.	EX. SUN.	EX. SUN.	EX. SUN.						DAILY	DAILY	DAILY
			3.30	1.00	6.45	3.10	1.15						4.35	5.30	4.30
			11.4	11.3	7.1	7.4	23.0						21.2	22.9	21.6

All trains doing station work at Fremont and Brooklyn must stop to clear street car crossings at these points.
REGISTER STATIONS—Seattle Yard, King-street Station, Woodinville, Snohomish, Sedro-Woolley, Wickersham and Sumas.

Engineers will not be required to examine registers except at initial or starting points. No. 563 will register arrival at Hartford.
Trains will not obtain clearance at Wickersham from 8 p. m. to 8 a. m. unless red signal is displayed.

BULLETIN STATIONS—Seattle Yard, King St. Station, Everett, Arlington, Sedro-Woolley, Bellingham and Sumas.
STANDARD CLOCKS—Seattle Yard, King St. Station, Everett and Sedro-Woolley.

No. 675 has right over No. 676 Woodinville to Wickersham.
No. 931 has right over No. 930 Sedro-Woolley to Sumas.
No. 675 has right over No. 688 Seattle Yard to Snohomish.

Time Over District
Average Speed per Hour

SECOND DISTRICT.

EAST BOUND.

FIRST CLASS TRAINS.			Time Table No. 31C June 5, 1910 Succeeding No. 31B.				SECOND CLASS.			THIRD CLASS TRAINS.				
348	342	344	Water, Coal, Scales, Tables and Wyes	Station Numbers	STATIONS. Telegraph Offices and Calls.	Distance from Sumas	Capacity of Sidings	564	688	676	924	926	930	932
Passenger	Passenger	Passenger						Mixed	Freight	Freight	Way Freight	Way Freight	Way Freight	Way Freight
DAILY	DAILY	DAILY	WC ST	CF 31	YD..... SEATTLE YARD..... N	127.1	1250	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	EXCEPT MONDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY
9.00PM	2.30PM	12.5(PM)			UD..... KING STREET STATION..... N	126.2					3.30PM			
				 Yesler Way	125.9								
				 G. N. CROSSING.....	124.3								
8.45	* 2.15	f 12.35	W S	CF 35	BA..... INTERBAY..... D	121.9	300	EXCEPT SUNDAY	12.01AM		3.10			
8.40	2.10	12.28		CF 37	FR..... FREMONT..... D	120.0	80	EXCEPT SUNDAY	11.50PM		2.55			
8.28	* 2.02	12.16		CF 39	BK..... BROOKLYN..... D	117.9								
8.18	* 1.55	f 12.06PM		CF 42 KEITH	114.8	50		11.30		2.25			
8.07	* 1.45	f 11.55AM	W	CF 46 LAKE	110.8	60		11.10		2.05			
7.50	f 1.25	11.35		CF 53	B..... BOTHELL..... D	103.9	50		10.30	See page 10	1.35			
7.45	1.20	11.30	WC T	CF 55	CJ..... WOODINVILLE..... N	102.2	100	EXCEPT SUNDAY	10.20		2.50AM	1.00PM		
7.30	* 1.02	11.15		CF 60	MB..... MALTBY..... N	96.4	80		9.45		2.30			
7.05	12.35	10.50	WC SY	CF 69	OM..... SNOHOMISH..... N	87.9	150		8.35PM	See 933, p6 Everett Branch	1.30	2.00PM		
6.50	12.18	10.35	W	CF 74	MA..... MACHIAS..... D	82.7	45				12.50	1.45		
6.40	* 12.08PM	10.25		CF 77	FD..... HARTFORD..... D	79.6	102				12.25	1.25		
6.30	* 11.58AM	10.15		CF 82	Sg..... GETCHELL..... N	75.2	60				12.10AM	12.55		
6.18	* 11.38	f 9.58	W	CF 88 EDGEComb.....	69.0	45				11.30PM	12.10PM		
6.05	11.30	9.50	Y	CF 91	A..... ARLINGTON..... N	66.0	132				11.15	11.50AM		
5.55	* 11.20	9.40	10 ME	CF 95	{..... M. & N. CROSSING.....}	62.2	40				11.00	11.20		
5.40	* 11.05	9.25	W	CF 101	{ BT..... BRYANT..... D }							10.50	10.40	
5.25	* 10.50	9.10		CF 107	MU..... McMURRAY..... D	55.9	65				10.40	9.40	9.10	
5.22	* 10.47	9.05		CF 109 MONTBORNE.....	50.3	25				10.20	8.80		
5.10	* 10.32	8.50		CF 109	BG..... BIG LAKE..... D	48.6	70				10.15	8.15		
5.00	10.25	8.40	WC T	CF 117	CA..... CLEAR LAKE..... D	43.2	135				9.55	7.80		
				CF 117	WL..... SEDRO-WOOLLEY..... N	40.0	290				9.45	7.00AM	4.00PM	4.50PM
				CF 117	{ 2..... G. N. CROSSING.....}						8.55		3.41	3.45
				 P. S. & B. R. CROSSING.....	39.6		See 571 page 10						
4.48	* 10.08	f 8.25		CF 122 THORNWOOD.....	34.5	45	BELLINGHAM Branch			8.35	8.80	4.20	4.10
4.35PM	9.53	8.10AM	Y W	CF 128	WK..... WICKERSHAM..... D	28.7	75		8.05AM		8.00PM	3.00	3.40PM	
	* 9.45	(From BELLINGHAM Branch)		CF 131 SAXON.....	25.9	Spur 50		7.55		(From BELLINGHAM Branch)	2.45		
	9.40	(From BELLINGHAM Branch)	W	CF 133 ACME.....	23.7	18		7.45			2.30	(From BELLINGHAM Branch)	
	9.18			CF 141	DM..... DEMING..... D	15.8	20		7.30			1.45		
	* 9.16			CF 142 ABBOTT.....	15.2	18		7.28			1.40		
	8.55			CF 151	NC..... NOOKSACK..... D	6.3	18		7.12			1.05		
				 B. B. & B. C. CROSSING.....	0.9								
	8.40AM		WC ST	CF 157	SU..... SUMAS..... D	0.0	110		7.00AM			12.40PM		
DAILY	DAILY	DAILY						EX.SUN.	EX.SUN.	DAILY	EX.MON.	EX.SUN.	EX.SUN.	EX.SUN.
4.25	5.50	4.40			Time Over District			1.05	3.55	6.50	2.30	7.00	3.20	1.10
21.6	21.6	20.9			Average Speed Per Hour			26.5	10.0	10.7	9.9	6.8	12.0	11.0

No. 343 will wait at Woodinville 15 minutes for No. 346's connection.
 No. 344 will wait at Wickersham 15 minutes for No. 564's connection.
 All trains leaving Maltby must keep 15 minutes apart.

Filchuck and Ehrlich regular stop for Nos. 343, 344, 347 and 348. Days regular stop for 348.
 All trains keep under control where view of switches is obstructed, and within yard limits at Seattle, Interbay, Woodinville, Snohomish, Hartford, Arlington, Sedro-Woolley, Wickersham and Sumas expecting to find main line occupied.

Maximum speed of passenger trains is one minute, or sixty seconds, per mile. This limit must not be exceeded.
 Maximum speed between Clay and Bell Sts., Seattle, is 6 miles per hour.
 Maximum speed over truss bridges and high trestles is 20 miles per hour.
 Engineers must sound whistle approaching obscure points to warn employees.

WEST BOUND.

EVERETT BRANCH.

EAST BOUND.

SECOND CLASS TRAINS.					THIRD CLASS.		Water, Coal, Scenery, Tables and Wyes	Station Numbers	Distance from Snohomish	Time Table No. 31C. June 5, 1910. Succeeding No. 31B.		Distance from Smelter	Capacity of Sidings	SECOND CLASS.		THIRD CLASS	
401	487	435	715	451	933	687				566	934			688			
G. N. Freight	G. N. Freight	G. N. Freight	G. N. Freight	G. N. Freight	Way Freight	Way Freight				Mixed	Way Freight			Way Freight			
					EXCEPT SUNDAY	EXCEPT MONDAY				EXCEPT SUNDAY	EXCEPT SUNDAY			EXCEPT SUNDAY			
					2.55PM	5.30AM	W Y S C	CF 69	0.0	OM.....SNOHOMISH.....N	11.4	150	See 563, p 7 8.45AM	See 927, p 7 7.80AM	See page 8 7.50PM		
									0.7VARDEN.....	10.7	22 Spur					
									5.4EBEY JCT.....	6.0	S 50					
10.40PM	8.15PM	3.40PM	2.35PM	6.20AM	3.25	6.00			6.2	W.....LOWELL.....N	5.2	16	8.20	7.05	7.25		
10.50	8.25	3.50	2.45	6.30	3.35PM	6.10AM	W C S Y	BB 8	7.7	EV.....EVERETT.....N	3.7	100	8.15AM	7.00AM	7.20PM		
11.00PM	8.35PM	4.00PM	2.55PM	6.40AM					8.9	PG.....G. N. JUNCTION.....N	2.5	40					
									10.7G. N. CROSSING.....	0.7						
									BB12SMELTER.....	0.0	175					
					EXCEPT SUNDAY	EXCEPT MONDAY							EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY		
					.40	.40											
					11.5	11.5											
					Time Over District								.30	.30	.30		
					Average Speed per Hour								15.4	15.4	15.4		

SPECIAL RULES COVERING TRAINS ON EVERETT BRANCH

Register Stations—Snohomish and Everett. Bulletin Station—Everett.

All trains will keep under full control in yard limits at Everett, Lowell and Snohomish, expecting to find trains occupying main track.

Lowell Yard Limits—Snohomish river draw to yard limit board 1000 feet west high line switch.

Everett Yard Limits—Yard limit board 2050 feet east of east switch to overhead bridge at Everett Avenue. Speed over draw bridges must not exceed six (6) miles per hour.

No steam or electric trains will occupy main track in either direction between Snohomish and Lowell, Everett and Lowell, or between Everett and G. N. Junction without first procuring Card Order from operator Snohomish, Lowell, Everett or G. N. Junction properly filed out. Cards will not be issued for steam trains to follow electric trains, until electric trains have cleared block.

Cards must be surrendered to operator at end of block immediately upon arrival.

WEST BOUND.

SNOQUALMIE BRANCH

EAST BOUND.

THIRD CLASS.		FIRST CLASS.		Water, Coal, Scenery, Tables and Wyes	Station Numbers	Distance from Woodinville	Time Table No. 31C. June 5, 1910. Succeeding No. 31B.		Distance from Sallal	Capacity of Sidings	FIRST CLASS.		THIRD CLASS.	
925	345	346	924											
Way Freight	Passenger	Passenger	Way Freight											
EXCEPT SUNDAY	DAILY	DAILY	EXCEPT MONDAY											
See page 7	See page 10	See page 10	See page 8											
10.25AM	5.55PM	CT W	CF 55	0.0	CJ.....WOODINVILLE.....N	39.2	100	8.50AM	12.05PM					
	f		BC 4	3.9WILLOWS.....	35.3	f							
11.15AM 924	6.17		BC 7	6.7	RM.....REDMOND.....D	32.5	43	8.28	11.15AM 925					
	f		BC 8 1/2	8.0PARADISE LOGG. RY. CRSG... 0.8	31.2								
	f		BC 11	8.6CAMPTON..... 1.2	30.6	6 Spur	f						
	f		BC 12	9.8SAMAMISH..... 1.4	29.4	6 Spur	f						
	f		BC 15	11.2INGLEWOOD..... 3.5	28.0	3 Spur	f						
12.15PM	6.45		BC 19	14.7MONOHON..... 4.1	24.5	33	8.04	10.10					
12.50	6.57	W	BC 26	18.8	G.....ISSAQUAH.....D	20.4	100	7.58	9.30					
1.50	7.25		BC 29	26.0	RN.....PRESTON.....D	13.2	18	7.33	8.50					
2.15	7.37	W	BC 32	29.0	FY.....FALLS CITY.....D	10.2	12	7.20	7.50					
	f		BC 33	32.0SNOQUALMIE FALLS..... 0.9	7.2	4 Spur	f						
2.40	7.48		BC 36	32.9	SO.....SNOQUALMIE.....D	6.3	36	7.10	7.25					
3.00PM	8.00PM	Y C	BC 39.2	35.9	BN.....NORTH BEND.....D	3.3	18	7.00AM 924	7.10AM 346					
				SALLAL.....	0.0	3 Spur							
EXCEPT SUNDAY	DAILY							DAILY	EXCEPT MONDAY					
4.35	2.05							1.50	4.55					
7.8	17.4							19.8	7.3					
					Time Over District									
					Average Speed per Hour									

WEST BOUND.

MONTE CRISTO BRANCH.

EAST BOUND.

SECOND CLASS TRAINS.				Water, Coal, Scenery, Tables and Wyes	Station Numbers	Distance from Hartford	Time Table No. 31C. June 5, 1910. Succeeding No. 31B.		Distance from Monte Cristo	Capacity of Sidings	SECOND CLASS TRAINS.	
567	563	568	570									
Mixed	Mixed	Mixed	Mixed									
Mon., Wed., Fri.	Tues., Thur., Sat.	Tues., Thur., Sat.	Mon., Wed., Fri.									
See 563, p 7	See page 7	See 563, p 7	See page 7									
10.30AM	10.30AM	CF 77	0.0	FD.....HARTFORD.....D	42.0	102	1.00PM	2.50PM				
	f	BD 3	2.9LOCHLOY..... 1.7	39.1	25 Spur	f					
	f	BD 5	4.6SOBEY..... 1.7	37.4	20 Spur	f					
11.30AM	11.15AM	Y	BD 6	6.3	GF.....GRANITE FALLS.....D	35.7	70 Spur	12.15PM	2.05			
		W	BD 10	10.0TUNNEL No. 1..... 1.9	32.0	10					
			BD 12	11.9TUNNEL No. 2..... 1.7	30.1	10					
12.30PM		W	BD 14	13.6ROBE..... 5.4	28.4	10		1.20PM			
			BD 19	19.0BOGARDUS..... 0.9	23.0	5 Spur					
			BD 20	19.9GOLD BASIN..... 9.1	22.1	6 Spur					
		W	BD 29	29.0SILVERTON..... 1.1	13.0	16					
			BD 30	30.1BONANZA QUEEN..... 7.2	11.9	3 Spur					
			BD 37	37.3BARLOW PASS..... 4.7	4.7	1 Spur					
		W C T	BD 42	42.0MONTE CRISTO.....	0.0	100					
Mon., Wed., Fri.	Tues., Thur., Sat.							Tues., Thur., Sat.	Mon., Wed., Fri.			
2.00	.45							.45	1.30			
6.9	8.2							8.2	9.2			
					Time Over District							
					Average Speed per Hour							

REGISTER STATIONS—Woodinville and North Bend. Trains will keep under control within yard limits at Woodinville and Issaquah. The maximum rate of speed over truss bridges and high trestles must not exceed 20 miles per hour. Trains must not exceed schedule time descending Preston and Fall City grades, and must be kept under control where view of switches is obstructed. Freight trains will not leave Preston when following passenger train until 15 minutes after departure of same. Passing track at Preston located one-half mile east of station. All trains will reduce speed to 10 miles per hour crossing Raging River Bridge, and 4 miles per hour between Bridge 49 and Snoqualmie Falls. North Bend yard limits extend to Sallal. No. 345 has right over No. 346 Woodinville to North Bend. West "Y" switch at North Bend will be lined for "Y." Nos. 925 and 924 will carry adult male passengers holding proper transportation between Woodinville and North Bend. Women and children must not be carried on these trains.

REGISTER STATION—Hartford. Trains will approach Hartford under full control, expecting to find main track occupied. Trains must not exceed five miles per hour around 18 and 24 degree curves on Shoofly, two miles west of Gold Basin. Mountain grades descending Monte Cristo to Sauk River Bridge, Barlow Pass to Bonanza Queen and from Robe to Tunnel No. 1. East bound trains must not exceed schedule within above limits. Trains will approach all bluffs, where slides are liable to occur, under full control. While switching at concentrator at Monte Cristo, air brakes of all cars must be coupled with engine. Nos. 563 and 567 will wait at Hartford for No. 343's and 344's connection, unless otherwise instructed. DRAINING SWITCH—Sliding at Tunnel No. 2. No. 563 has right over No. 568 Hartford to Granite Falls. No. 567 has right over No. 570. Nos. 570 and 563 will be run extra Hartford to Everett. No. 563 will be run through to Silverton and return as an extra every Saturday.

WEST BOUND. LAKE WASHINGTON BELT LINE BRANCH. EAST BOUND.

THIRD CLASS		FIRST CLASS	Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Black River	Time Table No. 31C. June 5, 1910. Succeeding No. 31B.			Distance from Woodinville	Capacity of Sidings	FIRST CLASS	SECOND CLASS	THIRD CLASS
935	345	346				676	936						
Way Freight	Passenger	Passenger			STATIONS	Passenger	Freight	Way Freight					
EXCEPT SUNDAY	DAILY	DAILY			Telegraph Offices and Calls	DAILY	DAILY	EXCEPT SUNDAY					
9.45AM	4.50PM	W Y	CF 21	0.0	BI.....BLACK RIVER.....N	24.1	60	See page 5 10.05AM	See page 6 5.00AM	See page 6 5.20PM			
9.50 11.00 346	4.55 936		BA 22	2.1	{RT.....RENTON.....DC. & P. S. CROSSING.....}	22.0	50	10.00 935	4.50	5.10 4.45 345			
				2.2C. & P. S. CROSSING.....	21.9							
				4.0C. & P. S. CROSSING.....	20.1							
	f		BA 19	5.4KENNYDALE.....	18.7							
11.55AM	5.20		BA 12	11.8WILBURTON.....	12.3	20	9.35	4.10	3.50			
12.10PM	f 5.25		BA 10	13.6NORTHUP.....	10.5	50	f 9.30	4.00	3.40			
12.30	f 5.35	W 5-10 ME	BA 7	17.4KIRKLAND.....	6.7	65	f 9.20	3.45	3.25			
				23.8R. R. CROSSING.....	0.3							
1.00PM	5.55PM	CT W	CF 55	24.1	CJ.....WOODINVILLE.....N	0.0	100	9.00AM	3.00AM	2.45PM			
	See page 9							(From Snoqualmie Bch)	See page 8				
EXCEPT SUNDAY	DAILY							DAILY	DAILY	EXCEPT SUNDAY			
3.15	1.05				Time Over District			1.05	2.00	2.35			
7.4	21.0				Average Speed per Hour			21.0	12.0	9.3			

Register Stations—Woodinville and Black River. Nos. 345 and 346 will register by ticket at Black River. Reduce speed to 6 miles per hour over bridges 19 and 20. Engines must not use glass works spur at Renton. When No. 345 fails to make transfer of mail with No. 308 at Seattle, such transfer will be made at Black River. All trains will send man ahead and flag across C. & P. S. crossing at Renton. No. 935 has right over No. 936.

WEST BOUND. BELLINGHAM BRANCH. EAST BOUND.

THIRD CLASS		SECOND CLASS		FIRST CLASS		Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Wickersham	Capacity of Sidings	Time Table No. 31C. June 5, 1910. Succeeding No. 31B.					
929	675	571	347	343	344					348	574	676	932		
Way Freight	Freight	Mixed	Passenger	Passenger	Passenger	Passenger	Passenger	Mixed	Freight	Way Freight					
EXCEPT SUNDAY	DAILY	EXCEPT SUNDAY	DAILY	DAILY	DAILY	DAILY	DAILY	EXCEPT SUNDAY	DAILY	EXCEPT SUNDAY					
9.45AM	5.30AM	8.15AM	8.50PM	12.15PM	Y W	CF 128	0.0	WK.....WICKERSHAM.....D	22.7	75	See page 8 8.10AM 571	See page 8 4.35PM 341	See 565 p. 7 3.40PM	See page 8 7.55PM	See page 8 8.15PM
9.55	5.40	8.30	f 8.55	f 12.20		BM 1	1.3MIRROR LAKE.....	21.4	15	f 8.05	f 4.27	8.30	7.45	8.05
10.10	5.50	8.40	f 9.00	f 12.25		BM 4	3.8PARK.....	18.9	15	f 8.00	f 4.22	8.25	7.40	8.50
10.15	5.55	8.48	f 9.08	f 12.28		BM 5	4.8BLUE CANYON.....	17.9	20	f 7.55	f 4.16	8.20	7.35	8.45
			f	f		BM 7	6.6IDLEWILD.....	16.1	No Sdg.	f	f			
			f	f	W M E	BM 9	9.0TOWANDA.....	13.7	No Sdg.	f	f			
10.55	6.25	9.08	f 9.27	f 12.48		BM 11	11.4WOODLAWN.....	11.3	20	f 7.35	f 3.55	8.58	7.10	8.00
11.10	6.35	9.18	9.37	12.58		BM 15	15.1SILVER BEACH.....	7.6	No Sdg.	7.25	3.45	2.48	7.00	1.45
11.25	6.40	9.20	* 9.40	* 1.00		BM 16	16.1LARSON.....	6.6	30	* 7.23	* 3.43	2.45	6.55	1.40
11.45AM	7.00AM	9.35AM	9.55PM	1.15PM	W Y CS	BM 20	20.1	WD.....BELLINGHAM.....D	2.6	50	7.10AM 675	3.30PM	2.30PM	6.40PM	1.15PM 343
							21.9G. N. CROSSING.....	0.8						
						BM 23	22.7	FN.....SO. BELLINGHAM.....D	0.0	50					
EXCEPT SUNDAY	DAILY	EXCEPT SUNDAY	DAILY	DAILY							DAILY	DAILY	EXCEPT SUNDAY	DAILY	EXCEPT SUNDAY
2.00	1.30	1.20	1.05	1.00				Time Over District			1.00	1.05	1.15	1.15	2.00
10.1	13.4	15.0	18.7	20.3				Average Speed per Hour			20.3	18.7	17.2	16.0	10.1

Register Stations—Wickersham and Bellingham. Bulletin Station—Bellingham. Trains will be kept under control between Towanda and Blue Canyon and at all other points where slides are liable to occur and in yard limits at Bellingham and Wickersham. Maximum grades Larson to Bellingham and Mirror Lake to Wickersham. Freight trains will test air brakes before descending these grades. Wye switch at Wickersham will be kept set for East Leg. All trains will come to full stop before crossing Holly street, Bellingham. Flagman precede train with red flag or light. Reduce speed to six miles per hour over street car crossing between Silver Beach and Larson. No. 929 has right over No. 932, Wickersham to Bellingham. No. 343 has right over No. 348, Wickersham to Bellingham.

WEST BOUND. DARRINGTON BRANCH. EAST BOUND.

SECOND CLASS		THIRD CLASS		Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Arlington	Time Table No. 31C. June 5, 1910. Succeeding No. 31B.			Distance from Darrington	Capacity of Sidings	SECOND CLASS	
569	572	569	572				572	572					
Mixed	Mixed	EXCEPT SUNDAY	EXCEPT SUNDAY			STATIONS	Passenger	Freight	Way Freight				
EXCEPT SUNDAY	DAILY	EXCEPT SUNDAY	DAILY			Telegraph Offices and Calls	DAILY	DAILY	EXCEPT SUNDAY				
11.00AM	5.00PM	C Y	CF 91	0.0	Phone.....ARLINGTON.....N	28.0	132	5.00PM					
			W	BK 4COOPER.....	23.4	4 Spur						
11.30AM	4.30		BK 5	5.2TRAFTON.....	22.8	18	4.30					
			BK 7	7.5CICERO.....	20.5	5 Spur						
12.01PM	3.55		BK 11	11.0OSO.....	17.0	40	3.55					
			BK 15	14.8ROWAN.....	13.2	5 Spur						
12.30	3.25	W	BK 17	17.0	Phone.....HAZEL.....D	11.0	80	3.25					
12.45	3.05		BK 20	20.2LAMPSON.....	7.8	7 Spur	3.05					
1.10	2.50		BK 22	21.8IRVING.....	6.2	4 Spur	2.50					
1.30PM	2.30PM	C Y	BK 28	28.0	Phone.....DARRINGTON.....D	0.0	24	2.30PM					
EXCEPT SUNDAY	EXCEPT SUNDAY							EXCEPT SUNDAY					
2.30	2.30				Time Over District			2.30					
13.2	13.2				Average Speed per Hour			13.2					

Register Stations—Arlington and Darrington. Bulletin Station—Arlington. Trains will keep under control where landslides or washouts are liable to occur. No. 569 has right over No. 572. West wye switch at Darrington will be kept set for the wye. This is a stub switch.

WEST BOUND. ROSLYN BRANCH. EAST BOUND.

FIRST CLASS		THIRD CLASS		Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Cle Elum	Time Table No. 31C. June 5, 1910. Succeeding No. 31B.			Distance from Beekman	Capacity of Side Tracks	FIRST CLASS		
359	357	355	354				356	358						
Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	STATIONS	Passenger	Passenger	Passenger				
DAILY EX. SUN.	DAILY EX. SUN.	DAILY EX. SUN.	DAILY EX. SUN.	DAILY EX. SUN.	DAILY EX. SUN.	DAILY EX. SUN.	Telegraph Offices and Calls	DAILY EX. SUN.	DAILY EX. SUN.	DAILY EX. SUN.				
6.00PM	12.30PM	7.00AM	W C Y	1873	0.0	CL.....CLE ELUM.....N	7.1	500	11.40AM	5.10PM	7.00PM			
6.05	12.35	7.05			2.0MINE.....	5.1	90	11.34	5.08	6.53			
6.15	12.45	7.15	S	CA 4	3.5	RS.....ROSLYN.....D	3.6		11.25	4.55	6.45			
6.23	12.53	7.23		CA 6	5.2RONALD.....	1.9		11.18	4.48	6.38			
6.30PM	1.00PM	7.30AM			6.1BEEKMAN.....	1.0		11.15AM	4.45PM	6.35PM			
					7.15LAKEDALE.....	0.0							
.30	.30	.30				Time Over District			.25	.25	.25			
10.6	10.6	10.6				Average Speed per Hour			12.0	12.0	12.0			

Maximum Grades. Engineers will not be required to consult register, except at initial or starting point. Derailing Switches—At Cle Elum, at upper switch at the head of wye toward Roslyn, will be left set for west leg. Roslyn coal train is required to come to a full stop above this switch. The stub switch on the main line, nearly in front of scale house at Roslyn, will be left set to act as derail to prevent cars running down main track to Cle Elum. Freight trains must wait at Roslyn until first class trains clear at Cle Elum. All trains will run under full control while within yard limits at Cle Elum, expecting to find switches occupied. Bulletin and Register Station—Cle Elum. No. 359 has right over 358 Cle Elum to Beekman.

COMMERCIAL SPURS.

MAIN LINE.

Distance from Yesler Way.

STATIONS.	Miles	How Connected	Cars Capacity	STATIONS.	Miles	How Connected	Cars Capacity
Edgewater.....	6.1	1 E	8	Springfield.....	62.1	1 E	4
Latona.....	7.4	1 E	4	Milldale.....	64.9	1 E	20
Wood Spur.....	9.9	1 E	16	Pilchuck.....	65.4	1 E	88
Pontiac, F 343, 344, 347 & 348	12.7	1 E	4	Day's, F 343, 344 & 347.....	67.6	1 W	13
Lavilla, F 343, 344, 347 & 348	14.0	1 E	Ehrlich.....	73.0	1 W	20
Briarcrest, F 343,344,347&348	17.0	Buxton.....	75.1	1 E	29
Kenmore, F 343,344,347 & 348	18.4	1 E	7	Conway.....	78.2	1 E
Renwood.....	20.1	1 W	Nookechamp, F 344 & 347..	78.6	1 E	5
Wayne, F 343, 344, 347 & 348	21.0	Heather.....	81.0	1 E	5
Hannan.....	21.8	1 E	14	Sedro Quarry.....	84.0	1 E	7
Stockton.....	23.0	1 E	8	Daniels.....	91.0	1 E	6
Bear Creek.....	24.8	1 E	17	Lomond.....	92.0	1 W	20
Sand Spur.....	25.3	1 E	12	Cohone.....	92.1	1 E	18
Grace, F 343,344, 347 & 348..	25.9	1 E	25	Prairie, F 343, 344, 347 & 348.	93.6	Siding	10
Brace.....	28.5	1 E	3	Brannain.....	95.2	1 E	2
XL Spur.....	29.5	1 E	4	Morgood, F 564 & 565.....	98.9	1 E
Cathcart, F 343,344,347 & 348	33.1	1 W	12	Doran, F 564 & 565.....	99.5	1 W	4
Cobbner.....	35.5	1 W	Canedy.....	100.5	1 W	5
Bromart.....	36.7	1 E	32	Vancom.....	103.4	1 E
Sinnett's.....	43.5	1 E	69	Standard, F 341-342-564&565	104.0	1 E	20
Bartlett.....	43.9	1 E	4	McDonald's,F341-342-564-565	105.1	1 W	4
Lake Cassidy.....	49.3	1 W	3	Coyne.....	107.0	1 E	7
Kelmire.....	50.0	1 E	6	Van Zant's,F341-342-564-565	107.2	1 W	8
Ryton.....	51.2	1 E	3	Case's Spur, F 564-565.....	108.3	1 E	5
Harvey.....	54.4	1 E	4	Eliton.....	112.1	1 E	13
Sisco, F 343, 344, 347 & 348..	55.0	1 E	15	Lawrence, F 341-342-564-564	113.2	1 E	6
M. & A. Tfr.....	58.3	1 E	6	McKee's.....	116.9	1 W	14
Kelly's Spur.....	59.0	1 W	4	Crescent.....	121.4	1 W	5

SNOQUALMIE BRANCH.

Distance from Woodinville.

Derby, F 345 & 346.....	1.3	Lovegreen.....	27.6	1 E	5
Adelaide, F 345 & 346.....	8.8	1 E	3	Craven.....	29.3	Siding	14
Pickering, F 345 & 346.....	16.3	1 E	3	Niblock.....	32.4	1 W	100
Grand Ridge, F 346.....	21.9	1 W	15	Quariton.....	34.6	1 E
High Point, F 345 & 346.....	23.1	1 E	4	Tanners.....	38.1	1 E	15
Wescott.....	24.8	1 E	9	Weeks.....	38.2	1 E	100

MONTE CRISTO BRANCH.

Distance from Hartford.

Guernsey.....	2.0	1 E	65	Atlas.....	8.3	1 E	5
Denmark.....	2.5	1 E	5	Bridge 12.....	9.0	1 E	8
Briloom.....	2.6	1 E	25	Hemple.....	20.2	1 E	5
Beechwood.....	2.7	1 E	7	Tyree.....	23.2	1 E	21
Diffley.....	4.0	1 E	10	Waldheim.....	26.7
Enos Quarry.....	7.3	1 E	30	Weiden Creek.....	39.0	0

BELLINGHAM BRANCH.

Distance from Wickersham.

Gale.....	1.7	1 E	5	Matson.....	14.5	1 W	7
Roxbury.....	3.6	1 W	7	Mogul Log. Co.....	14.5	1 E	24

DARRINGTON BRANCH.

Distance from Arlington.

STATIONS.	Miles	How Connected	Cars Capacity	STATIONS.	Miles	How Connected	Cars Capacity
Etonia.....	10.4	1 W	10	Gorlock.....	18.4	Siding	25
Halterman.....	13.1	1 E	33	Welton.....	18.8	1 E	32
Jenner.....	18.0	1 E	6	Fortson.....	21.2	1 E	26

LAKE WASHINGTON BELT LINE.

Distance from Black River.

Lauderback.....	22.1	1 W	4	Midlakes, F 346-346.....	12.6	1 W	5
Jones, F 345 & 346.....	20.3	1 E	5	Hazelwood, F 345 & 346.....	7.3
Firloch, F 345 & 346.....	19.8	1 E	4	Pines.....	6.9	1 E	6
Feriton.....	16.6	1 E	2	May Creek, F 345 & 346.....	6.6	1 E	4
				Sanford, F 345 & 346.....	4.1	1 E	2

EVERETT BRANCH.

Distance from Snohomish.

Sherwood.....	4.1	1 E	4	Madrona.....	8.4	1 E	80
---------------	-----	-----	---	--------------	-----	-----	----

BALLARD BRANCH.

Distance from Interbay.

Ballard.....	11		50	Station No. B 5.			
--------------	----	--	----	------------------	--	--	--

MAIN LINE.

DISTANCE FROM ELLENSBURG.

Younger.....	23.3
Morgan's Mill.....	61.0
Garibaldi.....	76.6
Soos.....	98.3

MISCELLANEOUS INSTRUCTIONS.

Seattle Terminal Division extends from Black River to Woodinville,

including Ballard Branch and Seattle Yard, also from Argo to Massachusetts Street on Second Ave. Line.

Trains in this district will obey special instructions issued by Superintendent Seattle Terminal Division. Train orders will be signed by Superintendent Seattle Division.

RAILROAD CROSSINGS AT GRADE.

O. & W. crossing at Argo, C. & P. S. crossing at Argo, C. M. & P. S. crossing just east of overhead bridge on Colorado St. Line, C. & P. S. crossing at Renton. C. & P. S. crossing two miles west of Renton. Campbell Lumber Co. crossing at Ohio Spur. C. & P. S. crossing at Atlantic St., Seattle. G. N. crossing at Washington St., Seattle. G. N. crossing at Bell St., Seattle. G. N. crossing at Seattle Lumber Co., Seattle. G. N. crossing at Field tracks just east of Interbay. G. N. crossing at Ballard. M. & N. Ry. crossing at Bryant. Two G. N. crossings at Sedro-Woolley. P. S. & B. R. crossing west end yard, Sedro-Woolley. Standard Ry. crossing, mile post 104. G. N. crossing at E. K. Wood Mill, Bellingham. B. B. & B. C. crossing just east of Sumas. C. M. & P. S. crossing at Black River, interlocked.

Extra trains will run ahead of third class trains without authority of train order.

In double heading, no power heavier than Class "C" engines must cross Snohomish and Skagit river bridges coupled together.

F 1 or heavier engines must not use Eclipse log rollway at Everett.

F 1 or heavier engines must not be used on Snoqualmie Branch, or Monte Cristo Branch west of Granite Falls "Y" on Bellingham Branch or west of Wickersham.

Engines 923, 924, 1158 and heavier or long connected engines must not be used to switch piers on water front, Seattle. Class L-9 engines must not go north of Washington St., Seattle.

CROSSING GATE SITUATED WHERE G. N. MAIN LINE CROSSES FIELD ONE INTERBAY YARD.

Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block G. N. Main Line and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

CROSSING GATE SITUATED AT G. N. CROSSING, NEAR E. K. WOOD MILL, SO. BELLINGHAM.

Normal position blocks N. P. tracks. Same procedure to govern as at Interbay.

CROSSING GATE SITUATED WHERE PUGET SOUND & BAKER RIVER R. R. CO.'S TRACK CROSSES N. P. TRACKS AT SEDRO-WOOLLEY.

Normal position blocks P. S. & B. R. R. R. Co.'s track. Same procedure to govern as at Interbay.

Trains using transfer track between Seattle and Interbay will not exceed four miles per hour over G. N. crossing at Clay St. This also applies to switch engines.

Look out for trolley wires between tell-tales at Snohomish and Ebey Slough bridges on Everett Branch. Wires will not clear man on box car.

Do not exceed five miles per hour over scales in passing track at Interbay.

King St. Station yard limits extend from Bell St. to Massachusetts St. Trains in this district will be governed by instructions issued by Superintendent King St. Station.

Location of Draw Spans—Snohomish river bridge, just east of Snohomish; Skagit river bridge, between Sedro-Woolley and Clear Lake; Ebey Slough and Snohomish river bridges on Everett Branch, between Snohomish and Lowell. All trains come to full stop before crossing, giving whistle signal required by rule before proceeding.

All trains will reduce speed to six miles per hour at Public Road Crossing leading to G. N. Docks at Smith's Cove and engineers will keep vigilant lookout for teams and pedestrians at this point.

All East Bound freight trains will come to full stop at Public Road Crossing just east of Hartford Station, to clear Monte Cristo Branch switch and ascertain that track is clear before proceeding.

Joint switches at Argo are the first on the east and the first on the west side of Valley St. They have been fitted with special targets. Green target by day and green light at night indicate set for C. P. S. track. Red target by day and red light at night indicate set for N. P. track. Normal position of these switches must be set for C. P. S. Tracks. N. P. trains going out or coming in via Colorado St. Line will come to full stop 100 feet from nearest joint switch, send man ahead to line up both switches for N. P. track. Train then pull through and rear brakeman or conductor line switches back for the C. P. S. track. Conductors will be required to personally see that these switches are lined for C. P. S. tracks after using.

All freight trains will test air before commencing descent of Malthby, Preston, Getchell, Thornwood, Larson and Monte Cristo mountain grades and will not exceed twenty (20) miles per hour descending. Brakemen must ride on top of descending freight trains.

J. E. CAMPBELL,
Trainmaster, Seattle.

G. G. CAMERON,
Trainmaster, Seattle.

JOHN FITZSIMMONS,
Trainmaster, Seattle.

O. F. OHLSON,
Chief Dispatcher, Seattle.

RULES GOVERNING USE OF INTERLOCKING PLANT AT SOUTH PORTAL OF TUNNEL AT SEATTLE.

Signals are of the dwarf type (low semaphores) and are located to right of track governed; where two arms are on one post, higher arm governs trains along main tracks and lower arm trains diverging from main track.

Signal arm in horizontal position indicates "Stop."

Signal arm in diagonal position 60° below horizontal indicates "Proceed."

By night, signal indications will be given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

RULES GOVERNING INTERLOCKING PLANT AT NORTH PORTAL OF TUNNEL AT SEATTLE.

All signals located at right hand side of tracks they govern.

Train movements to Main Line controlled by semaphore signals, about 25 feet in height.

Train movements to sidings or to main tracks against current of traffic controlled by dwarf semaphores, about two feet in height.

The home signal is the semaphore arm with a square end, which in a horizontal position indicates "Stop" and 60° below horizontal indicates "Proceed."

The distant signal is the semaphore arm with a forked end, which in a horizontal position indicates "Caution, proceed with Caution," and 60° below horizontal indicates "Proceed."

By night signal indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

West bound N. P. trains from tunnel are governed by upper arm of semaphore, located about 150 feet east of tower building.

East bound N. P. trains to the tunnel and to the water front are governed by dwarf signal, located about 350 feet west of the tower.

West bound N. P. trains from the water front are governed by semaphore, located about 300 feet east of the tower. The dwarf signal, at the base of this semaphore, governs G. N. trains.

Trains will not exceed 15 miles per hour between Battery St., 400 feet east of tower and King Street Station

At night and during foggy weather, east bound trains will give one long blast of whistle for tunnel and two shorter blasts for water front.

West bound trains from water front will give one long blast of whistle for N. P. Main Line.

Hand signals must not be taken against interlocking signals, except when given by the towerman from the center of the track, with a yellow flag by day and a yellow light by night.

RULES GOVERNING TUNNEL BLOCK SEMAPHORES AND MOVEMENTS OF TRAINS THROUGH TUNNEL AT SEATTLE.

West bound trains are governed by the semaphore block signal located about 50 feet south of the south portal of the tunnel.

East bound trains are governed by the semaphore block signal located 250 feet north of the north portal of the tunnel.

A semaphore arm in the horizontal position indicates "Stop."

A semaphore arm 60° below horizontal indicates "Proceed."

By night indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Block signal rules do not modify train rules nor relieve trainmen from protecting as per Rule 299.

CROSSING GATE AT VAN ASSELT'S WHERE N. P. SPUR CROSSES P. S. E. TRACKS.

Normal position block s. N. P. track. Same procedure as at Interbay.

C. & P. S. Crossing at Renton is protected by derails located 75 feet east and 75 feet west of the crossing and operated by switch stand between the C. & P. S. tracks. Normal position of derails is against N. P. trains. All trains will stop to clear derails, brakeman will go ahead and line up for N. P. track, cross to opposite side of track and remain there until train has cleared both derails, then line back to derail.

TONNAGE RATINGS—FREIGHT ENGINES.

DISTRICTS.	SECGND DISTRICT—EAST BOUND.												DISTRICTS.	SECOND DISTRICT—WEST BOUND.													
	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1			Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1			
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars		Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Sumas to Wickersham.....	800	27	850	28	950	31	925	31	1100	36	1300	43	Seattle to Fremont.....	2000	50	2000	50	3000	60	3000	60	3000	60	3000	60	3000	60
Wickersham to Thornwood....	425	14	450	15	550	18	535	18	600	20	700	23	Fremont to Keith.....	525	18	550	18	615	20	600	20	650	21	750	25	1800	60
Thornwood to Clear Lake....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	Keith to Woodinville.....	1200	40	1200	40	1500	50	1500	50	1650	55	1800	60	550	18
Clear Lake to McMurray.....	425	14	450	15	540	18	525	18	575	19	675	22	Woodinville to Maltby.....	320	11	340	11	415	14	400	14	450	15	550	18	3000	60
McMurray to Sisco.....	850	28	900	30	1080	36	1050	35	1150	38	1350	45	Maltby to Snohomish.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	3000	60
Sisco to Getchell.....	425	14	450	15	540	18	525	18	575	19	675	22	Snohomish to Machias.....	820	28	900	30	980	32	950	32	1000	33	1100	37	675	22
Getchell to Snohomish.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	Machias to Getchell.....	425	14	450	15	530	17	515	17	565	19	675	22	3000	60
Snohomish to Maltby.....	340	11	365	12	430	14	415	14	475	16	575	19	Getchell to Arlington.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	900	30
Maltby to Bothell.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	Arlington to McMurray.....	660	22	685	23	765	26	750	25	800	27	900	30		
Bothell to Keith.....	800	27	850	28	975	32	960	32	1025	34	1150	38	McMurray to Sedro-Woolley..	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	660	22
Keith to Seattle.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	Sedro-Woolley to Thornwood..	425	14	440	14	525	17	510	17	560	18	660	22	1500	50
													Thornwood to Sumas.....	900	30	1000	31	1200	40	1200	40	1300	43	1500	50		

DISTRICTS.	SECGND DISTRICT—EAST BOUND.												DISTRICTS.	SECOND DISTRICT—WEST BOUND.													
	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1			Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1			
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars		Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Everett Branch—West Bound. Snohomish to Everett.....	800	27	850	28	1000	33	980	33	1100	37	1400	46	Monte Cristo Branch—East Bound. Monte Cristo to Silverton.....	200	7	215	7	300	10	285	10	335	11	435	14	3000	60
Everett Branch—East Bound. Everett to Snohomish.....	800	27	850	28	1000	33	980	33	1100	37	1400	46	Silverton to Hartford.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	3000	60
Darrington Branch—East and West Bound. Arlington and Darrington....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	Bellingham Branch—West Bound. Wickersham to Mirror Lake...	340	11	365	12	415	14	400	13	475	16	575	19	1800	60
Snoqualmie Branch—West Bound. Woodinville to Issaquah.....	1200	40	1200	40	1500	50	1500	50	1800	60	2200	60	Mirror Lake to Larson.....	1040	35	1100	37	1300	43	1250	42	1500	50	1800	60	3000	60
Issaquah to Preston.....	260	9	300	10	415	14	400	13	450	15	550	18	Larson to Bellingham.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	3000	60
Preston to North Bend.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	Bellingham Brch.—East Bound Bellingham to Larson.....	340	11	365	12	415	14	400	13	475	16	575	19	1800	60
Snoqualmie Branch—East Bound. North Bend to Falls City....	775	26	800	27	1250	41	1200	40	1350	45	1650	55	Larson to Wickersham.....	1040	35	1100	37	1300	43	1250	42	1500	50	1800	60	3000	60
Falls City to Preston.....	260	9	300	10	415	14	400	13	450	15	550	18	Lake Wash, Belt Line Branch— West Bound. Black River to Woodinville..	1100	37	1200	40	1400	46	1400	46	1500	50	1800	60	3000	60
Preston to Woodinville.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60	Lake Wash, Belt Line Branch— East Bound. Woodinville to Kirkland.....	800	27	825	27	975	32	960	32	1030	34	1150	38	3000	60
Monte Cristo Branch—West Bound. Hartford to Granite Falls....	500	17	525	18	850	28	825	27	900	30	1000	33	Kirkland to Black River.....	2000	40	2000	40	2500	50	2500	50	2750	55	3000	60	3000	60
Granite Falls to Robe.....	310	10	315	10	350	12	325	11	375	13	475	16															
Robe to Silverton.....	325	11	350	12	450	15	425	14	475	16	575	19															
Silverton to Monte Cristo.....	200	7	215	7	300	10	285	10	335	11	435	14															

FIRST DISTRICT—EAST BOUND.

GRADES.	Class Z		Class W		Class Y-5		Class Y-2		Class F-1		Class S		Class E-4		Class E-3 or D-3		Class C-6	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Auburn to Lester.....	1100	37	1100	37	900	30	900	30	800	27	500	17	475	16	350	12
Lester to Easton.....	850	28	550	18	575	19	450	15	450	15	400	14	250	9	235	8	175	6
Easton to Ellensburg.....	60	60	60	60	60	50	50	40

Rating time freight, Class W engine, 1000 tons; Y-2, 850 tons. Tacoma to Lester.

FIRST DISTRICT—WEST BOUND.

Ellensburg to Easton.....	1600	53	1550	52	1300	43	1250	42	1200	40	700	24	670	23	545	18
Easton to Lester.....	850	28	550	18	575	19	450	15	450	15	400	14	250	9	235	8	175	6
Lester to Tacoma, via Auburn or Buckley Line.....			Maximum 60 Cars	Maximum 60 Cars	Maximum 60 Cars	Maximum 60 Cars	Maximum 60 Cars	Maximum 60 Cars	Maximum 60 Cars	Maximum 60 Cars	Maximum 40 Cars	Maximum 40 Cars	Maximum 40 Cars	Maximum 40 Cars				

Rating time freight, Class W engine, 1400 tons; Y-2, 1200 tons. Ellensburg to Easton.

AUTHORIZED SURGEONS, SEATTLE DIVISION.

Location of Stretchers (S).

CLINTON T. COOKE, Oculist, Seattle	M. B. MATTICE, Sedro-Woodley (S)	W. E. GIBSON, Issaquah, (S)	Dr. S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.	Dr. D. O. KEARBY, Cle Elum, (S)	Tacoma Hospital, (S)	Tacoma Wharf, (S)
P. W. WILLIS, King St. Sta. (S)	E. M. ADAMS, Arlington (S)	E. S. CLARK, Sumas, (S)	Dr. J. C. McCAULEY, Ellensburg (S)	Dr. B. E. HOYE, Auburn, (S)	Tacoma Round House, (S)	Tacoma (Toolcar) (S)
F. S. BOURNS, Seattle Yd. Office (S)	N. S. McCREADY, Snohomish, (S)	A. M. SMITH, Bellingham, (S)	Easton, (S)	Puyallup, (S)	Tacoma Baggage Room (S)	Dr. P. B. WING, Oculist, Tacoma
Seattle Tool Car, (S)	W. C. COX, Everett, (S)		Lester, (S)			

NOTE.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical

aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

