

NORTHERN PACIFIC RAILWAY COMPANY.

IDAHO DIVISION

TIME TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time.

(One hour slower than Mountain or 105th Meridian Time.)

SUNDAY, Aug. 14th, 1910

For the Government of Employees only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

H. C. NUTT,
General Manager.

I. B. RICHARDS,
General Superintendent.

P. H. McCAULEY,
Superintendent of Transportation.

J. M. RAPELLE,
Superintendent.

J. C. ROTH,
Assistant Superintendent of Transportation.

RULES GOVERNING MOVEMENT OF TRAINS AT U. P. CROSSING, SPOKANE.

RULE 1—Engines or trains must never be moved past the signal in interlocking limits without first obtaining clear board.

A. If board on signal is in horizontal position it indicates "Stop." If in vertical position it indicates "Proceed."

B. At night a red light in signal indicates "Stop," or a green light "Proceed."

RULE 2—Signals are always located to right of enginemen, considering engine going forward toward signal. Signals on other tracks must be disregarded.

RULE 3—Upper arm of Signal 52 in vertical position, or upper green light at night, shows clear main line for west bound trains on west bound main line

Lower arm of Signal 52 shows track lined up into new train yard.

Upper arm of signal governs trains proceeding on east bound main line.

Lower arm governs trains proceeding into Fair Ground Spur.

Signal 31 governs east bound movements on west bound main line.

Signal 32 governs trains pulling out of new train yard.

Signal 47 governs west bound trains on west bound main line.

Signal 49 governs west bound movements on east bound main line.

Signal 48 governs trains pulling out of Fair Ground Spur. (As this signal is at present taken out, and until put in, trains using this spur must be careful not to get past signal foundation until having received hand signal from towerman of green flag by day and green light by night.)

Signal 4 governs east bound movements of trains on old main line

Signal 26 governs west bound movements of trains on old main line.

RULE 4—Cars without engine attached must never be left within Interlocking limits.

RULE 5—Trains pulling through Interlocking limits must display some light on rear of trains at night so towerman can see when end of train has passed.

RULE 6—Trains coming out of yard, wanting to go west on west bound main line, must pull by Signal 47 and not, proceed until Signal 47 is clear

RULE 7—Train receiving signal must always pull through Interlocking limits before they can receive any other route, excepting as shown in Rule 6.

RULE 8—In case of failure of automatic signals towerman will flag train through Interlocking limits with a green flag or green light by night. Any other signals by whomsoever must be disregarded.

Trains being flagged through Interlocking limits must proceed very carefully, not to exceed four miles per hour, looking out for derails and switches.

RULE 9—Trainmen and switchmen will be held equally responsible with enginemen, if proceed signals are given before automatic signals show "Proceed."

RULE 10—Trains approaching Signal 29 and wishing main line must give 4 short blasts of the whistle O O O O

Approaching Signal 29 for Fair Ground Spur 3 long ————

Approaching Signal 52 for Main Line, 4 short O O O O

Approaching Signal 52 for New Train Yard, 3 long ————

Approaching Signal 31 for Main Line, 4 short O O O O

Approaching Signal 31 for Crossover onto east bound main line, 2 long, 2 short ———— O O

Approaching Signal 31 for Fair Ground Spur, 3 long ————

Approaching Signal 32—Same as for Signal 31.

Approaching Signal 49 for east bound main line, 4 short O O O O

Approaching Signal 49 for crossover into west bound main line, 2 long, 2 short ———— O O

Approaching Signal 49 for New Train Yard, 3 long ————

Approaching Signal 48—Same as for Signal 49.

Enginemen must answer signals by 2 short blasts of the whistle.

NOTE—Trains and switch engines must be careful not to pass Signal 32, if this signal shows "STOP," as, if they do, and Signal 52 is cleared for west bound trains, Signal 52 will automatically assume the Stop position, to the danger of approaching trains. Other high arm signals being similar:

SYNOPSIS OF RULES GOVERNING A B C OPERATION.

All the running rights that a train has are conferred upon it through the medium of a block card.

A block is understood to mean the section of main line extending from the signal semaphore at one telegraph office to the signal semaphore at the next telegraph office in advance.

Train and engine men are prohibited from accepting or running on a card purporting to authorize them to pass an open telegraph office.

No matter what may be the position of signal semaphore no train will, except under flag protection, be allowed to leave a terminal or pass a telegraph office without both the conductor and engineer first securing a block card authorizing the train to use the block in advance.

Station semaphore signal when on the lower angle or showing "Green" indicates "Block ahead clear."

When on upward angle or showing "Yellow" indicates "Caution, block not clear."

When on the horizontal or showing "Red" indicates "Stop."

Trains approaching telegraph offices and finding signal at "Clear" will understand from this that the block ahead is clear and will pass the telegraph office, catching the block cards as they pass. If, however, from any cause the block cards should not be secured, the train will be brought to an immediate stop and will not proceed until the cards are secured.

Signal at "Caution" will indicate:—

(1) Block is obstructed and approaching train will receive card to meet or pass another train at station where card is issued, and that train may proceed after complying with instructions upon card.

(2) Block is occupied by train ahead and card issued authorizing approaching train to follow.

(3) Approaching train will receive card to meet or pass one or more trains at intermediate siding.

Signal at "Danger" indicates "Stop, block not clear." Trains must not pass signal in this position.

Conductors and engineers will immediately examine the block card following its receipt by them and make sure that it is correctly made out. They will follow implicitly all instructions given thereon. If directed to take siding at a station

they will do so, disregarding signal to come down main line. If the exceptions state a train is to be met, it must state which train will "hold main line" or "take siding," otherwise must be treated as an improper card and must not be acted upon. If there are no exceptions the operator will insert the word "Blank" where exceptions should appear on the card, and if this information is not shown on card, it must be treated as an improper card and not acted upon.

Each train will be designated by the number of its leading engine.

When necessary for the purpose of doing switching or other work, to occupy the main line at a station, the dispatcher will give the train required to do such work a block switching card on the usual form, limiting the time that the main line can be occupied. On no account must the main line be occupied beyond the limit expressed in such card.

Trains taking side track will head in at the first switch unless otherwise directed by instructions on block card.

A train receiving a block card bearing exceptions of any nature, will, in all cases, fulfill the exceptions on card, irrespective of position of signals or hand signals received.

Information as to slow orders, etc., will be bulletined and may be written in manifold on train order Form 19, and copy be delivered to conductor and to each engineer, together with block card as above.

Conductors or engineers must not report train as ready to leave any station until train is actually ready to move, air tested, all preliminaries gone through with and conductor positive that engineer is ready to pull open the throttle and depart.

Information should be given dispatchers as to any work to be done before reaching next block office.

A train running on a block card, bearing an exception to hold main line to meet an opposing train at station in advance will, in no case, run beyond the first switch at the meeting point if there is but one passing track there; or at station where passing tracks are parallel until it is seen that the opposing train has taken siding, after which they may proceed through the block. If there is a lap siding at the station where the meeting point is made, train having card to hold the main line and meet the opposing train will not proceed beyond the first switch at the lap until they have seen that the opposing train is on the siding, after which they may proceed through the block.

RULES GOVERNING STAFF OPERATION IN A B C TERRITORY.

Following rules will govern the operation of trains in A B C territory, where telegraph communication cannot be had account of wire failure: A wooden staff has been provided one inch in diameter and 16 inches long, having attached to it a plate bearing thereon the inscription, "Train staff good between.....and....." One of these staffs will be located in telegraph office at end of each block and when authorized by train dispatcher to make use of it, this staff will be authority for a train to proceed from the first station West of territory in trouble to the next block office East, at which point the train will procure a staff for the block ahead, proceeding through that block, repeating the operation until they reach a block office where telegraph communication can be had with another dispatcher's office. The authority to make use of staff at the initial office will be issued by the dispatcher's office in the form of a block card, authorizing the use of staff over the trouble territory, but on no account will the staff be used out of a station where the operator has previously pledged the block for a West bound train. After having run through a block with the staff the crew using it for

that purpose will leave it with the operator at the end of the block, who will return it to the office at the West end of the block by the first train running in that direction. A West bound train may make use of this staff to run from one block office to the next whenever the staff can be obtained by them at the East end of the block concerned. It is permissible for the dispatcher to order the staff taken by section men or messenger from the office at the West end of the block to the office at the East end of the block for the purpose of moving a West bound train whenever necessity requires that it be done. In the event of a wire failure occurring between telegraph offices, dispatchers on the opposite side of a break from the dispatcher in whose territory the break occurred will be advised of the facts by the operator closest to the break and it will be understood to be the duty of the dispatcher so notified to pick up the work of moving trains over the detached territory until repairs to the wire have been made, and the detached territory can again be handled by the dispatching office in whose jurisdiction the trouble occurred. Operators will keep staff in a given place readily accessible.

T. H. LANTRY,
Trainmaster

C. P. HUNT,
Trainmaster

B. W. WALKER,
Trainmaster

J. J. BLAIR,
Chief Dispatcher

WEST BOUND.

FIRST DISTRICT.

EAST BOUND.

SECOND CLASS.			FIRST CLASS TRAINS.					FIRST CLASS TRAINS.					SECOND CLASS.
601	605	603	3	41	227	5	1	4	2	228	42	6	602
Freight	Freight	Freight	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Freight
DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY
10.05 ⁴¹	5.20 ^{AM}	12.10 ^{AM}	2.35 ^{PM} ₂₂₈₋₂	10.25 ^{AM}	7.00 ^{AM}	2.05 ^{AM}	12.40 ^{AM}	3.38 ^{AM}	1.45 ^{PM} ₃	2.25 ^{PM} ₃	3.05 ^{PM}	5.25 ^{PM}	7.55 ^{PM}
10.25	5.40	12.30	2.45 ₄₂	10.40	7.15	2.18	*12.50	3.20	*1.30	2.10	2.45 ₃	5.05	7.35
10.48 ⁴¹ 10.58 ⁴¹	6.00	12.50	*2.58	*10.53 ⁶⁰¹	7.35	*2.33	*1.00	3.08	*1.17	1.53	*2.28	*4.47	7.10
11.28	6.20	1.06 ¹ 1.15 ¹	*3.10	*11.03	7.50	*2.47	*1.11 ⁶⁰³	2.57	*1.04	1.38	*2.12	*4.35	6.45
11.35	6.30	1.25	*3.13	*11.08	8.00	*2.53 ₄	*1.15	*2.53 ₅	*1.00	f1.32	*2.06	*4.31	6.30
11.50 ^{AM}	6.42	1.40	*3.20	*11.15	f8.12	*3.00	*1.21	*2.43	*12.53	f1.22	*2.00	*4.24	6.10
12.05 ^{PM}	6.55	1.55	f3.28	11.27	8.25	3.08	*1.27	2.35	*12.47	1.12	1.52	*4.17	5.58
12.15 ²⁻²²⁸⁻⁴²	7.08	2.05 ₄	*3.38	*11.33	f8.35	*3.15	*1.34	*2.22	*12.37	f12.55	*1.37	*4.05	5.40
Via New Line	Via New Line	Via New Line	*3.40	*11.35	f8.40	*3.17	*1.36	*2.20	*12.35	12.52	*1.35	*4.03	Via New Line
			f3.53 ₆	*11.48	8.55	*3.30	*1.50	*2.12	*12.24	12.40	*1.25	*3.53 ₃	
			*4.01	*11.56 ^{AM}	f9.10	*3.37	*2.00 ₄	*2.00 ₁	*12.12	f12.22	*1.10	*3.33	Via New Line
12.30	7.20	2.15	Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	5.33
12.45	7.35	2.30											5.25
1.00	7.50	2.45											5.10
1.15	8.02	3.00											4.55
1.30	8.15	3.25	f4.05 ₆₀₂	*12.07 ^{PM} ₂₋₂₂₈	9.20	*3.44	*2.07	*1.53 ₆₀₃	*12.07 ^{PM} ₆₀₁₋₄₁₋₂₂₈	12.12 ^{PM} ₁₂₋₀₂₋₄₁	*1.04 ₆₀₁	*3.25	4.40
1.50	8.20	3.42	*4.16	*12.17	f9.35	*3.57	*2.17	*1.43	*11.56 ^{AM}	f11.51 ^{AM}	*12.53	*3.10	4.16 ₂ 4.11 ₂
2.05	8.35	4.02 ₅ 4.12 ₅	*4.26	*12.27	f9.48	*4.07 ₆₀₃	*2.27	*1.33	*11.47	f11.40	*12.44	*3.00	3.50
2.20	8.50	4.30	f4.36	*12.37 ₄₂	10.03	*4.17	*2.37	*1.25	*11.40	11.30	*12.37 ₄₁	*2.50	3.35
2.32 ₆ 2.37 ₆	9.02	4.45	*4.44	*12.45	f10.15	*4.22	*2.44	*1.13	*11.25	f11.16	*12.19	*2.37 ₆₀₁	3.20
3.00 ₆₀₂	9.17	5.05	f4.55	*12.57	10.30	*4.30	*2.52	*1.06	*11.16	11.05	*12.08 ^{PM}	*2.29	3.00 ₆₀₁
3.20	9.35	5.20	*5.05	*1.10	10.50 ₂₂₈	*4.42	*3.02	*12.56	*11.05	10.50 ₂₂₇	*11.53 ^{AM}	*2.17	2.38
3.35	9.46	5.30	*5.13	*1.17	f10.58 ₂	*4.48	*3.09	*12.48	*10.58 ₂₂₇	f10.40	*11.45	*2.08	2.20
3.50	10.00	5.38	*5.17	*1.25	11.10	*4.53	*3.13	*12.45	*10.53	10.32	*11.40	*2.04 ₆₀₂	2.10 _{1.59-6}
4.10	10.15 ₂₂₈ 10.20 ₂₂₈	5.50	*5.25	*1.35 ₆₀₂	11.30 ₄₂	*5.00	*3.20	*12.35	*10.45	f10.20 ₆₀₅	*11.30 ₂₂₇	*1.55	1.35 ₄₁ 1.30 ₄₁
4.30	10.29 ₂ 10.34 ₂	6.05	*5.35	f1.45 ₆	11.40	*5.08	*3.32	*12.25	*10.34 ₆₀₅	10.10	f11.20	*1.45 ₄₁	1.10
4.50	10.55 ₄₂ 11.00 ₄₂	6.25	*5.49	*2.00	f11.55 ^{AM}	*5.23	*3.47	*12.12	*10.18	f9.54	*11.00 ₆₀₅	*1.28	12.40
5.05 ^{PM}	11.10 ^{AM}	6.40 ^{AM}	*5.55 ^{PM}	*2.07 ^{PM}	12.03 ^{PM}	*5.28 ^{AM}	*3.53 ^{AM}	*12.05 ^{AM}	*10.12 ^{AM}	9.45 ^{AM}	*10.50 ^{AM}	*1.20 ^{PM}	12.25 ^{PM}
DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY
7.00	5.50	6.30	3.20	3.42	5.03	3.23	3.13	3.28	3.33	4.40	4.15	4.05	7.30
16.2	19.5	17.5	34.2	30.8	22.1	33.6	35.4	32.8	32.4	25.0	26.8	28.0	15.2

Registering Station—Paradise.
Bulletin Stations—Paradise and Kootenai.
Standard Clocks—Paradise and Kootenai.

Double track switches at Kildee and Trout Creek will be set for new main line.
First class trains when 15 minutes or more late and extra trains running on schedule, will observe same precautions in yard limits at Paradise and Kootenai as required of second and inferior class trains by Rule 298 F.
All trains using new line between Trout Creek and Kildee will come to full stop before going on single track at Trout Creek and Kildee. No. 4 stop on flag at White Pine on Wednesdays and Saturdays.
The time shown for trains on First, Second and Third Districts is for information only and does not confer any rights. Trains will be handled by the A B C system.
The leaving time shown for trains carrying passengers, is at Station platform and trains carded to stop must not leave in advance of time shown.
Reduce speed to eight miles per hour through corporate limits of Thompson Falls.
Maximum speed of passenger trains, is one minute or sixty seconds per mile. This limit must never be exceeded.
Nos. 601, 602, 603 and 605 will run via New Line between Trout Creek and Kildee.

Time Table No. 32.
Aug. 14, 1910
Succeeding No. 31 E

STATIONS.
Telegraph Offices and Calls

Station Numbers	Distance from Paradise	Stations	Distance from Kootenai	Capacity of Passing Tracks
1390	0.0	PD..... PARADISE..... N	115.0	Yard
1396	6.2	HO..... PLAINS..... N	108.8	120
1404	13.6	KS..... WEEKSVILLE..... N	101.4	120
1411	20.7	DY..... EDDY..... N	94.3	140
1413	23.5 FROST.....	91.5	70
1417	28.0	WN..... WOODLIN..... N	87.0	70
1420	31.6	FN..... THOMPSON FALLS..... N	83.4	120
1426	36.7	BK..... KILDEE..... N	78.3	No Sdg.
1427	37.7 BELKNAP.....	76.3	140
1434	44.4	WP..... WHITE PINE..... N	69.6	120
1439	50.0 VERMILION.....	64.0	60
	38.0 BELKNAP.....	77.0	80
	41.6 TALC.....	73.4	80
	46.1 WHITE PINE.....	68.9	80
	49.0 VERMILION.....	66.0	80
1444	53.6	J..... TROUT CREEK..... N	61.4	80
1449	59.7	TC..... TUSCOR..... N	55.3	80
1455	65.7 FURLONG.....	49.3	75
1458	69.7	NX..... NOXON..... N	45.3	120
1463	74.0 SMEADS.....	41.0	60
1468	79.2	HR..... HERON..... N	35.8	120
1474	86.1	BN..... CABINET..... N	28.9	60
1478	90.9 OZOMA.....	24.1	140
1482	93.5	CX..... CLARK'S FORK..... N	21.5	120
1489	98.4 DENTON.....	16.6	60
1492	102.6	H..... HOPE..... N	12.4	120
1499	110.3	OD..... ODEN..... N	4.7	60
1505	115.0	KN..... KOOTENAI..... N	0.0	Yard

Time over District.
Average Speed per Hour.

WEST BOUND.

SECOND DISTRICT.

THIRD CLASS TRAINS				SECOND CLASS TRAINS				FIRST CLASS TRAINS												Coal, Water, Scales, Tables and Wyes	Station Numbers	Distance from Kootenai	Time Table No. 32		Distance from Cheney	Capacity of Passing Tracks		
663	883	75	601	605	603	255	257	3	247	233	41	235	227	245	231	5	259	1	Aug. 14, 1910				Succeeding No. 31E					
Freight	Way Freight	S. P. & S. Freight	Freight	Freight	Freight	S. P. & S. Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	STATIONS	STATIONS								
DAILY	EXCEPT SUNDAY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	Telegraph Offices and Calls	Telegraph Offices and Calls								
			5.05 PM	11.10 AM	6.40 AM			* 5.55 PM			* 2.07 PM		12.03 PM			* 5.28 AM	* 3.53 AM	W C S T	KN.....KOOTENAI.....N									
			5.20	11.20	6.55			6.07			2.17		12.10 602			5.35	* 4.03	W	SA.....SAND POINT.....N	88.4								
			5.33	11.30	7.05			* 6.14			* 2.24		f 12.20			* 5.42	* 4.11	LIGNITE.....N	84.9								
			5.47	11.43 AM 602	7.20			* 6.21			* 2.32		12.30			* 5.50	* 4.18		AG.....ALGOMA.....N	81.0								
			6.00	12.03 PM	7.40			* 6.33			* 2.46		12.45 6			* 6.05	* 4.35	W	CO.....COCOLALLA.....N	78.0								
			6.15	12.15	7.50			* 6.40			* 2.53		f 12.58			* 6.13	* 4.45	CAREYWOOD.....N	71.3								
			6.30	12.25 12.30 6	8.03			* 6.48			* 3.01		1.10			* 6.21	* 4.53	W	GE.....GRANITE.....N	67.2								
			6.50	12.55	8.25 8.30 228			* 7.02			* 3.15		1.80			* 6.35	* 5.08 AM	Y C	AX.....ATHOL.....N	63.1								
			7.08 7.18 3	1.25	8.55 2-42-602			* 7.13 601			* 3.26		f 1.55			* 6.47	* 5.19		RS.....RAMSEY.....N	56.5								
			7.50	1.50	9.30			7.27		See Page 7	3.36		2.10		See Page 7	* 6.55	* 5.29	W	RD.....RATHDRUM.....N	49.0								
			8.15	2.15 248	9.55			* 7.38	5.55 PM		* 3.47		f 2.30 248	10.52 AM		* 7.08	* 5.39	W C Y	AU.....HAUSER.....N	48.4								
			8.40	2.35	10.15			* 7.48	6.05		* 3.58		f 2.45	f 11.02		f 7.11 246	* 5.49		OS.....OTIS.....N	36.5								
			8.55	2.55	10.35			* 7.59	6.16		* 4.07		f 8.05	f 11.15 6		* 7.18 228	* 5.59	W	TR.....TRENT.....N	30.2								
			9.10 4	3.10	10.55 6			* 8.06	f 6.23		* 4.12		f 8.15	f 11.24		* 7.26 602	* 6.05		YD.....YARDLEY.....N	24.8								
																			70.2	U. P. CROSSING Track Connection 1.8	20.9							
			9.20 PM 255-234 254-4-3	3.00 AM	11.00 PM 601	9.35 10.35 75-4	3.35 41-227 5.05 41-233	11.35 AM 245 12.20 PM	9.00 PM 234-663	7.00 PM 260	8.20 8.45 234-260 255-663	6.35 PM	4.15 PM 41-605 258	4.25 605-227 4.35 233-605	2.00 PM 884	3.30 PM	11.35 AM 603	8.00 AM 42-2-5	7.40 2-42 7.50 231-2-42	6.55 AM 1-602-76	6.20 246-228 6.30 602-259 76	W C S T	1576	72.0	SP.....SPOKANE.....N	16.4		
			9.35	3.15	11.20	10.45	5.15	12.30	* 9.05	* 7.07	* 8.50		* 4.22	* 4.42	* 2.05		* 8.07	* 7.57	* 7.02	* 6.37	1577	73.5	NS.....SEVENTH AVE. 4.7	14.9	00			
			9.50	3.35 664	11.35	11.00	5.40 260	12.55 884	* 9.13 4-254	* 7.17	* 9.04 4-254		* 4.32	* 4.54	* 2.20 232		* 8.20	* 8.07	* 7.15 42-2	* 6.50 42	1582	78.2	WS.....WINS.....N	10.2	60			
			10.05 PM	4.00	11.45 PM	11.25	5.53	1.10	9.20 PM	* 7.23 234	9.09		4.40 PM	* 5.02	2.28		8.30 AM	* 8.15	f 7.35	* 7.03	W C Y	1585	81.0	MR.....MARSHALL 7.4	7.4	120		
			See Page 5	4.20 AM 602		11.59 PM	6.50 PM	1.55 PM 235-268		7.40 PM	9.25 PM		See Page 5	5.20 PM 260	2.50 PM 258 See Page 7		See Page 5	* 8.35 AM	7.55 AM	* 7.23 AM 2	W C Y	1592	88.4	CY.....CHENEY.....N	0.0	75		
			DAILY	EXCEPT SUNDAY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY								
			0.45	1.20	1.45	5.54	6.10	6.30	0.20	0.40	3.05	0.40	0.25	3.03	0.50	3.27	.43	0.30	2.57	1.0	3.20							
			12.0	12.0	9.1	14.9	14.2	13.5	27.0	24.0	28.5	30.0	21.6	28.8	19.2	20.8	27.8	18.0	29.8	16.0	26.4							
																					Time over District		Average Speed Per Hour					

The time shown for Trains on First and Second Districts is for information only and does not confer any rights. Trains will be handled by A. B. C. System.

Registering Stations—Spokane.
 Bulletin Stations—Kootenai, Spokane and Cheney.
 Standard Clocks—Kootenai and Spokane.
 Branch line trains will register at Hauser, Marshall and Cheney.
 Moab flag for trains 245, 246, 247 and 248.
 Nos. 227 and 228 will stop on flag at all sidings and spurs.
 Reduce speed to 8 miles per hour through corporate limits of Spokane and Cheney.
 First-class trains when 15 minutes or more late, and extra trains running on schedule will observe same precautions in yard limits at Kootenai, Sandpoint, Spokane and Cheney as are required of second and inferior class trains by rule 298 F.
 Double track switch at Ramsey will be set for west bound trains.

Double track switch at Rathdrum will be set for east bound trains
 Double track switch at Yardley will be set for west bound trains.
 Double track switch at Seventh Ave. will be set for east bound trains.
 Double track switch at Wins will be set for west bound trains.
 Double track switch at Marshall will be set for east bound trains.
 The time shown for trains on First and Second Districts is for information only and does not confer any rights.
 Trains will be handled by the A B C system.
 The leaving time shown for trains carrying passengers is at station platform and trains carded to stop must not leave in advance of time shown.
 All trains will reduce speed to 25 miles per hour over U. P. crossing, Spokane.
 All trains must approach W. C. Branch junction switch east of Cheney under full control.
 Maximum grades between Spokane and Cheney.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.

SECOND DISTRICT.

EAST BOUND.

Coal, Water, Scales, Tables and Wyes	Station Numbers	Distance from Kootenai	Time Table No. 32 August 14, 1910. Succeeding No. 31E													Distance from Cheney	Capacity of Passing Tracks	FIRST CLASS TRAINS												SECOND CLASS TRAINS		THIRD CLASS TRAINS	
			STATIONS.															602	76	664	884												
			Telegraph Offices and Calls															Freight	S. P. & S. Freight	Freight	Way Freight												
			246	228	42	2	6	236	248	258	232	260	234	254	4			602	76			664	884										
			Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	S. P. & S. 2 Passenger	Passenger			Freight	S. P. & S. Freight			Freight	Way Freight										
			DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY			DAILY	DAILY			DAILY	EXCEPT MONDAY										
W S T C	1503	0.0	KN..... KOOTENAI.....N 3.5																														
W	1507	3.5	SA..... SAND POINT.....N 3.9	9.45AM	*10.50AM	*10.12AM	*1.20PM																										
	1510	7.4 LIGNITE..... 3.0	f 9.25	*10.28	*10.00	*1.00																										
	1513	10.4	AG..... ALGOMA..... N 6.7	9.17	*10.21	*9.58	*12.56																										
W	1520	17.1	CO..... COCOLALLA.....N 4.1	9.02	*10.07	*9.42	*12.45 227																										
	1524	21.2 CAREYWOOD..... 4.1	f 8.52	*9.59	*9.34	*12.37																										
W	1530	25.3	GE..... GRANITE.....N 6.6	8.45	*9.53	*9.28	*12.30 605																										
Y C	1535	31.9	AX..... ATHOL.....N 7.5	8.30 603	*9.42	*9.18	*12.15																										
	1543	39.4	RS..... RAMSEY... 5.6	f 8.12	*9.25	*9.03 603	*12.02PM																										
W	1549	45.0	RD..... RATHDRUM 6.9	8.00	9.12 603	*8.52	11.50AM																										
				See Page 7					See Page 7																								
W C Y	1557	51.9	AU..... HAUSER.....N 5.7	7.25AM	7.45	*8.58 602	*8.40	*11.37																									
	1561	57.6	OS..... OTIS.....N 6.0	f 7.11 5	f 7.30	*8.46	*8.30 602	*11.25																									
W	1567	63.6	TR..... TRENT.....N 3.9	f 6.58	f 7.18 5	*8.34	*8.20	*11.15 245																									
	1573	67.5	YD..... YARDLEY... 2.7	*6.50	f 7.10	*8.25	*8.14	*11.00 603																									
		70.2 U. P. CROSSING .. Track Connection 1.8																														
W C S T	1576	72.0	SP..... SPOKANE.....N 1.5	6.40AM 1-228-602	7.00AM 1-602	8.15 2-5 7.40 231-5	8.05 5-42 7.55 231	10.50 10.20	10.40AM	1.30PM	3.30PM 233	2.45PM	6.25PM 257	8.15PM 255-663 3	9.25PM	9.55 601 9.35																	
	1577	73.5	NS..... SEVENTH AVE... 4.7			*7.30	*7.47 5	*10.10	*10.33		*8.22	*2.35	*6.17	*8.05	*9.20 663	*9.27 663																	
	1582	78.2	WS..... WINS..... 2.8			*7.15	*7.40	*10.00	*10.25		*8.13	*2.25	f 6.03	*7.52	*9.13	*9.15																	
W C Y	1585	81.0	MR..... MARSHALL 7.4			*7.03 1-259	*7.35 259	*9.55	10.15		*3.08 232	2.20PM 235-258	f 5.58 605	7.45PM 257	9.05PM 3-4-255	*9.09 254-255-3																	
W C Y	1592	88.4	CY..... CHENEY.....N			6.45AM	*7.23AM 1	*9.40AM 236	10.00AM 6-884		2.55PM 235		5.45PM			8.55PM																	
				DAILY	DAILY	DAILY	DAILY	DAILY	See Page 7 DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EX. SUN.	DAILY					DAILY	EXCEPT MONDAY											
			Time over District.	.45	2.45	3.30	2.39	3.10	0.40	.45	0.35	0.25	0.40	0.30	0.20	2.50					6.10	0.35	0.30	1.0									
			Average Speed per Hour.	27.7	26.1	25.1	33.2	27.7	24.0	27.7	27.3	21.6	24.0	18.0	27.0	31.0					14.2	15.1	18.0	16.0									

The time shown for Trains on First and Second districts is for information only and does not confer any rights. Trains will be handled by A. B. C. System.

Registering Stations—Spokane.
Bulletin Stations—Kootenai, Spokane and Cheney.
Standard Clocks—Kootenai and Spokane.
Branch line trains will register at Hauser, Marshall and Cheney.
Moab flag for trains 245, 246, 247 and 248.
Nos. 227 and 228 will stop on flag at all sidings and spurs.
Reduce speed to 8 miles per hour through corporate limits of Spokane and Cheney.
First-class trains when 15 minutes or more late, and extra trains running on schedule will observe same precautions in yard limits at Kootenai, Sandpoint, Spokane and Cheney as are required of second and inferior class trains by rule 298 F.
Double track switch at Ramsey will be set for west bound trains.
Double track switch at Rathdrum will be set for east bound trains.

Double track switch at Yardley will be set for west bound trains.
Double track switch at Seventh Ave. will be set for east bound trains.
Double track switch at Wins will be set for west bound trains.
Double track switch at Marshall will be set for east bound trains.
The time shown for trains on First and Second Districts is for information only and does not confer any rights. Trains will be handled by the A B C system.
The leaving time shown for trains carrying passengers is at station platform and trains carded to stop must not leave in advance of time shown.
All trains will reduce speed to 25 miles per hour over U. P. crossing, Spokane.
All trains must approach W. C. Branch junction switch east of Cheney under full control.
Maximum grades between Spokane and Cheney.
Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.

WEST BOUND.

PALOUSE AND LEWISTON BRANCH.

EAST BOUND.

THIRD CLASS TRAINS.			SECOND CLASS.			FIRST CLASS TRAINS.				FIRST CLASS TRAINS.				SECOND CLASS.			THIRD CLASS TRAINS.											
855	853	857	663	535	531	243	233	239	231	Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Marshal Junction	Time Table No. 32 Aug. 14, 1910 Succeeding No. 31E.				Distance from Lewiston	Capacity of Passing Tracks	232	240	244	234	532	536	664	858	854	856
Freight EXCEPT MONDAY	Freight EXCEPT SUNDAY	Freight EXCEPT SUNDAY	Freight DAILY See Page 3	Passenger DAILY	Mixed DAILY	Passenger DAILY	Passenger DAILY See Page 3	Passenger DAILY	Passenger DAILY See Page 3				Passenger DAILY See Page 4	Passenger DAILY	Passenger DAILY	Passenger DAILY			Passenger DAILY See Page 4	Passenger DAILY	Mixed DAILY	Freight DAILY See Page 4	Freight EXCEPT SUNDAY	Freight EXCEPT SUNDAY	Freight EXCEPT MONDAY			
	7.30AM		10.15PM				4.40PM		8.38AM	W C	1585	0.0	MR.....MARSHALL.....N	137.5	113	2.15PM				7.45PM				4.00AM			2.45PM	
	7.55		10.40				f 4.52		f 8.45	Y	1585	5.0DYNAMITE.....D	132.5	30	f 1.58				f 7.36				3.40			2.20	
	8.25		11.05						9.05	W	1585	11.2	SG.....SPANGLE.....D	126.3	35	1.50 854				7.25				3.20		1.55 1.40 232		
	8.50		11.25						9.19	I D	1585	19.7	MA.....PLAZA.....D	117.8	26	1.32				7.07				3.00			1.10	
	9.05		11.38				f 5.35		* 9.25	I D	1585	23.4NORTH PINE.....D	114.1	26	f 1.23				f 6.58				2.45			12.50	
	9.25		11.55PM				5.42		9.37	W	1585	26.7	RO.....ROSALIA.....N	110.8	30	1.17				6.53				2.35			12.35	
	9.36 9.55 231		12.10AM				f 5.47		* 9.41 853	I D	1585	28.8DONAHUE.....D	108.7	17	f 1.10				f 6.46				2.20			12.15PM	
	10.10		12.25				f 5.54		f 9.53	I D	1585	31.9Mc COYS.....D	105.6	25	f 1.05				f 6.40				2.05			11.55AM	
	10.35		12.40				6.07		10.05	I D	1585	37.5	OD.....OAKESDALE.....D	100.0	65	12.52				6.28				1.45			11.30	
											1585	38.2	U. P. AND S. & I. CROSSINGS... No Connection 4.6	99.3														
	11.05 854		12.55				6.15 234		10.20	W C	1585	42.8	BM.....BELMONT.....D	94.7	90	12.42				6.15 233				1.30			11.05 853	
	11.20		1.10 664				f 6.30		10.30	I D	1585	47.1EDEN.....D	90.4	35	f 12.30				f 6.00				1.10 663			10.55	
	11.45AM 12.25PM 232		1.25				6.37		10.40 854	I D	1585	49.4	GF.....GARFIELD.....D	88.1	40	12.25PM 853				5.55				12.50			10.43 10.35 231	
											1585	49.7	U. P. AND S. & I. CROSSINGS... Track Connection 3.7	87.8														
	1.00		2.00				7.00		11.05	W S	1585	53.4CEDAR CREEK.....D	84.1	7	f				f								
	1.20		2.20				f 7.20		f 11.20	I D	1585	59.0	PC.....PALOUSE.....N	78.5	35	12.01PM				5.35				12.05AM			10.00 8.40	
	1.40		2.40				f 7.34		11.32 232	I D	1585	65.6FALLONS.....D	71.9	30	f 11.44AM				f 5.18				11.35PM			8.25	
									11.42 11.52 532-535	W C	1585	70.4WHELAN.....D	67.1	30	f 11.32 231				f 5.05				11.15			8.05	
6.00AM	2.00PM		3.00 8.15	12.10PM 231-232	6.00AM		7.50		11.42 11.52 532-535	I D	1585	75.5	PN.....PULLMAN.....N	62.0	30	11.15 11.02 532				4.50 4.43	10.35AM 231-232	5.00PM 234	11.00 10.40			7.45AM	1.20PM	
											1585	76.1	U. P. CROSSING..... No Connection 0.9	61.4														
6.10			3.20	12.15PM	6.05AM		8.00		11.57AM	Y	1585	77.0PULLMAN JUNCTION.....D	60.5	52	10.57				4.38	10.25AM 232	4.35PM 234	10.25				1.00 535	
6.30			3.35	See page 6	See page 6		f 8.15		12.07PM	Ii 4	1585	80.6SUNSHINE.....D	56.9	32	f 10.52				f 4.38	See page 6	See page 6	10.05				12.45	
6.55 7.40			4.00				8.33		12.27 853	W T	1585	85.8	MO.....MOSCOW.....N	51.7	37	10.40				4.23				9.45			12.27PM 11.40PM 231	
8.10			4.25				f 8.50		f 12.43	Ii 15	1585	92.3	J.....JOEL.....D	45.2	30	f 10.15				f 4.00				9.25			11.15	
8.45			4.45				f 9.05 664		f 12.53	T	1585	96.5HOWELL.....D	41.0	30	f 10.05				f 3.50				9.05 9.00 233			10.50	
9.00 10.35 232-856			5.00				9.15		1.00	W	1585	99.4	VM.....TROY.....D	38.1	47	9.55 855				3.40				8.40			10.35 855	
11.00			5.20				* 9.32		* 1.15	Ii 28	1585	105.5BOVARD.....D	32.0	13	* 9.30				* 3.15				8.10			10.00	
11.30			5.45				9.55		1.33	W C	1585	111.0	KR.....KENDRICK.....N	26.5	47	9.10				2.55				7.35			9.30	
11.55AM			6.00				10.04		1.43	T	1585	115.0	JA.....JULIAETTA.....D	22.5	32	8.55				2.40				7.20			9.10	
12.25PM			6.25				10.25	See Page 6	2.05 240	W Y	1585	123.5ARROW.....D	14.0	No Sdg.	8.30 239-856			See Page 6	2.05PM 231			6.55			8.40 8.20 232-239		
12.40		2.25PM 231-244-240	6.35				10.35AM		8.43	Y	1585	126.5JOSEPH.....D	11.0	No Sdg.	8.15				1.57			2.40PM	2.15 231		6.40	8.35AM 239	8.00

BETWEEN LEWISTON AND JOSEPH, TRAINS WILL BE GOVERNED BY CAMAS PRAIRIE RAILROAD TIME TABLE AND SPECIAL RULES.

1.30PM 240-244-234	8.10PM	7.15AM 232-858	11.00AM	11.00PM	9.10AM	2.50PM	W C	Ii 60	137.5	WN.....LEWISTON.....D	0.0	Yard	7.45AM 663	1.35PM 855	2.00PM 855	1.50PM 855-240-244	6.00PM	7.50AM 663-232	7.15AM 663-232		
EX. MON.	EX. SUN.	EX. SUN.	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EX. SUN.	EX. SUN.	EX. MON.
7.30	6.30	.55	10.0										6.30	.30	0.40	5.55		10.	.45	7.00	6.05
8.1	11.5	12.00	13.7										21.0	28.0	16.5	23.1		13.7	14.7	10.7	10.1
Time over District.																					
Average Speed per Hour.																					

Bulletin Stations—Spokane, Marshall, Pullman, and Lewiston. Standard Clocks—Spokane, Pullman, and Lewiston. Branch Line trains must obtain orders before occupying main line at Marshall. Engineers will not be required to consult register except at initial or starting point. Registering Stations—Marshall, Pullman, Pullman Jct., Arrow, Joseph and Lewiston. Passenger trains must not exceed speed of 25 miles per hour and fast freight trains 15 miles per hour between Howell and Kendrick. Special attention is called to Rules 500 to 518 inclusive, governing operations on mountain grades between Howell and Kendrick. All trains must come to a Full Stop two hundred (200) feet from U. P. crossings at Oakesdale, Garfield and Pullman. All engines with or without trains must come to a full stop two hundred (200) feet from the draw span in Clearwater River Bridge, and will not proceed until bridge is known to be properly closed and secured. All west bound trains are required to get a clearance at Joseph. This will be issued from the dispatcher's office of the Camas Prairie Railroad at Lewiston, Idaho. All east bound trains are required to get a clearance at North Lapwai, clearing them from Joseph. This will be issued from the Dispatcher's office at Spokane. Passenger trains will stop on flag at Kelley's Spur.

WEST BOUND.

PALOUSE AND LEWISTON BRANCH—Continued.

EAST BOUND.

SECOND CLASS TRAINS.										Time Table No. 32. August 14, 1910. Succeeding No. 31E.				SECOND CLASS TRAIN																	
535					531					Water, Coal, Scales, Tables and Ways	Station Numbers	Distance from Pullman Junction	STATIONS.				Distance from Genesee	Capacity of Passing Tracks	532		536										
Passenger					Mixed								Telegraph Offices and Calls						Passenger		Mixed										
DAILY See page 5					DAILY See page 5														DAILY See page 5		DAILY See page 5										
										Y	ID 77	0.0	PULLMAN JUNCTION	5.0	27.0	52	10.25AM	4.35PM													
											ID 82	5.0	STALEY	2.4	22.0	35	10.12	4.15													
											ID 84	7.4	CHAMBERS	2.4	19.6	30	10.05	4.00													
											ID 87	9.8	JOHNSON'S	5.2	17.2	35	10.00	3.45													
										W	ID 92	15.0	COLTON	2.8	12.0	40	9.47	3.10													
											ID 95	17.8	UNIONTOWN	2.4	9.2	37	9.40	2.50													
											ID 97	20.2	LEON	6.8	6.8	32	9.35	2.30													
										W C Y	ID 104	27.0	GENESEE		0.0	37	9.20AM 531	2.00PM 535													
																	DAILY	DAILY													
																	1.25	2.35													
																	18.2	10.4													
DAILY																															
																	21.6	9.2													

Registering Stations—Pullman Junction and Genesee.

Nos. 531 and 535 Have Right Over Nos. 532 and 536

Bulletin Stations—Pullman and Genesee.

WEST BOUND.

CLEARWATER SHORT LINE.

EAST BOUND.

THIRD CLASS.			FIRST CLASS.			Time Table No. 32. August 14, 1910. Succeeding No. 31E.				FIRST CLASS.			THIRD CLASS.					
861			237			Water, Coal, Scales, Tables and Ways	Station Numbers	Distance from Arrow	STATIONS.				Distance from Stites	Capacity of Passing Tracks	238		862	
Freight			Passenger						Telegraph Offices and Calls						Passenger		Freight	
EXCEPT SUNDAY			DAILY See page 5												DAILY See page 5		EXCEPT SUNDAY	
						Y	Ii 47	0.0	ARROW	3.5	62.8	No Sdg.	8.25AM	11.30AM				
							I K 3	3.5	MYRTLE	8.0	59.3	17	8.15	11.20				
							I K 12	11.5	AGATHA	1.9	51.3	17	7.55	10.50				
						W	I K 13	13.4	LENORE	6.7	49.4	15	7.50	10.40				
							I K 20	20.1	PECK	4.9	42.7	52	7.31	10.15				
							I K 25	25.0	AHSAHKA	4.0	37.8	20	7.19	9.55				
						W	I K 29	29.0	ORO FINO	8.1	33.8	28	7.09	9.40				
							I K 37	37.1	GREER	6.9	25.7	28	6.50	8.55				
							I K 44	44.0	PARDEE	1.6	18.8	No Sdg.						
							I K 46	45.6	TRAMWAY	5.9	17.2	22	6.26	8.30				
							I K 52	51.5	KAMIAH	7.9	11.3	28	6.14	8.00				
						W	I K 59	59.4	KOOSKIA	3.4	3.4	35	5.54	7.30				
						T C W	I K 63	62.8	STITES		0.0	47	5.45AM	7.15AM				
													DAILY	EXCEPT SUNDAY				
													2.40	4.15				
													21.5	14.8				

Registering and Bulletin Stations—Arrow and Stites.

All engines with or without trains must come to a full stop 200 feet from the draw span in Clearwater River Bridge at Kamiah, and will not proceed until bridge is known to be properly closed and secured.

Nos. 861 and 862 will carry passengers.

No. 238 will run as No. 239, Arrow to Lewiston.

No. 237 will run as No. 240, Lewiston to Arrow.

WEST BOUND.						WASHINGTON CENTRAL BRANCH.						EAST BOUND.			WEST BOUND.						FARMINGTON BRANCH.						EAST BOUND.			
THIRD CLASS.			FIRST CLASS.			Water, Coal, Scales, Tables and Wyes	Distance from Cheney	Station Numbers	Time Table No. 32. August 14, 1910 Succeeding No. 31E.			Distance from Adrian	Capacity of Passing Tracks	FIRST CLASS.			THIRD CLASS.			SECOND CLASS			Time Table No. 32. August 14, 1910 Succeeding No. 31E.			Distance from Farmington	Capacity of Passing Tracks	SECOND CLASS		
867	863	865	251	235	253				STATIONS.	236	250			252	864	866	868	533	STATIONS.	534										
Freight	Freight	Freight	Passenger	See Page 3 Passenger	Passenger				Telegraph Offices and Calls	See Page 4 Passenger	Passenger			Passenger	Freight	Freight	Freight	Mixed	Telegraph Offices and Calls	Mixed										
EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	DAILY	DAILY			DAILY	DAILY	DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	Mon. Wed. Sat.		Mon. Wed. Sat.														
	7.30AM			2.55PM		W C Y	0.0	1592	CY.....CHENEY.....N	127.1	144	10.00AM			0.0	BM.....BELMONT.....D	6.5	90	10.25AM											
	8.15			3.20			10.4	10	MK.....MEDICAL LAKE.....D	116.7	30	9.40			5.3U. P. CROSSING.....	1.2													
	8.35			f 3.30 864		W	15.5	16DEEP CREEK.....	111.6	37	f 9.27			6.5	FA.....FARMINGTON.....D	0.0	25	10.00AM											
	9.17 236			f 3.43			21.0	21HITE.....	106.1	18	f 9.17 863							Mon. Wed. Sat.											
	9.40			4.00		W	26.5	26	RH.....REARDAN.....D	100.6	45	9.07							.25											
	10.00			f 4.19			33.9	34MONDOVI.....	93.2	32	8.51																		
	10.30 11.15			4.40		W Y	41.4	41	DA.....DAVENPORT.....D	85.7	30	8.35																		
	11.35AM			f 4.53			47.8	47ROCKLYN.....	79.3	50	f 8.17																		
	12.01PM 864			f 5.10		W	56.4	56FELLOWS.....	70.7	6	f 8.00																		
	12.45			5.30			64.1	64	CR.....CRESTON.....D	63.0	32	7.45																		
	1.30			5.55		W	74.1	74	WR.....WILBUR.....D	53.0	40	7.18																		
	1.55			6.10			80.7	81	GO.....GOVAN.....D	46.4	35	6.57																		
	2.20			6.25		W	87.5	87	A.....ALMIRA.....D	39.6	35	6.45																		
	3.15			6.45			96.6	97	RN.....HARTLINE.....D	30.5	30	6.27																		
3.45PM	Ar 3.45PM	8.15AM	7.02PM	Ar 7.02PM	5.54AM		105.7	106COULEE JCT.....	21.4	60	Lv 6.10AM	6.10AM	7.35PM	Lv 9.00AM	9.00AM	4.45PM													
4.00PM		8.25AM	7.06PM		6.00AM	W C T	108.3	108	C.....COULEE CITY.....D	24.0	30	6.05AM	7.25PM		8.45AM	4.30PM														
	Lv 4.45PM		Lv 7.35PM				105.7	106COULEE JCT.....	21.4	60	Ar 5.54AM			Ar 8.15AM															
	5.25		8.03				116.7	117BACON.....	10.4	60	5.32			7.35															
	6.15PM		8.35PM			W C T	127.1	127	ND.....ADRIAN.....N	0.0	Yard	5.10AM			7.00AM															
EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	DAILY	DAILY							DAILY	DAILY	DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY													
0.15	9.45	0.10	0.04	5.07	0.06							4.34	0.5	0.10	8.55	0.15	0.15													
10.0	12.8	15.0	37.5	24.8	25.0							27.9	30.0	18.0	14.2	12.0	10.0													
						Time over District.									Time over District.															
						Average Speed per Hour.									Average Speed per Hour.															

Registering Station—Farmington.
Standard Clock—Spokane.
No. 533 has right over 534.

WEST BOUND			SEATTLE BRANCH.						EAST BOUND.		
			Time Table No. 32. August 14, 1910 Succeeding No. 31E.								
			Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Davenport	STATIONS.	Distance from Dennys	Capacity of Passing Tracks			
			W C Y	I F 41	0.0	DAVENPORT 4.8	18.0	30			
				I E 5	4.8WHEATDALE.....	13.2	8			
				I E 7	7.3OMANS.....	10.7	6			
				I E 12	11.4GRAVELLES.....	6.6	8			
				I E 18	18.0DENNY'S.....	0.0	6			
						Time over District.					
						Average Speed per Hour.					

Registering and Bulletin Stations—Cheney, Adrian and Coulee Junction.
Standard Clocks—Spokane, Cheney and Adrian.
Branch line trains must obtain orders before occupying main line at Cheney.
Engineers will not be required to consult register except at initial or starting point.
Switch at Coulee Junction will be set for track leading to Adrian.
No. 864 will hold at Adrian 30 minutes for G. N. connection.
Nos. 863, 864, 865, 866, 867 and 868 will carry passengers.
No. 236 will run as No. 253 Coulee Junction to Coulee City, and as No. 250 Coulee City to Coulee Junction.
No. 250 will run as No. 236 Coulee Junction to Cheney.
No. 864 will run as No. 865 Coulee Junction to Coulee City, and as No. 866 Coulee City to Coulee Junction. No. 866 will run as No. 864 Coulee Junction to Cheney.
No. 235 will run as No. 251 Coulee Junction to Coulee City, and as No. 252 Coulee City to Coulee Junction. No. 252 will run as No. 235 Coulee Junction to Adrian.
No. 863 will run as No. 867 Coulee Junction to Coulee City, and as No. 868 Coulee City to Coulee Junction. No. 868 will run as No. 863 Coulee Junction to Adrian.
No. 253 has right over No. 250 Coulee Junction to Coulee City.
No. 251 has right over No. 252 Coulee Junction to Coulee City.
No. 865 has right over No. 866 Coulee Junction to Coulee City.
No. 867 has right over No. 868 Coulee Junction to Coulee City.

WEST BOUND.			FORT SHERMAN BRANCH.						EAST BOUND.			
FIRST CLASS TRAINS.			Time Table No. 32. August 14, 1910 Succeeding No. 31E.			FIRST CLASS TRAINS.						
			247	245	Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Coeur d'Alene	STATIONS.	Distance from Hauser Station	Capacity of Passing Tracks	246	248
			Passenger	Passenger				Telegraph Offices and Calls			Passenger	Passenger
			DAILY	DAILY	C Y	I A 14	0.0	CA.....COEUR D'ALENE.....D	13.5	16	8.00AM	2.45PM
			5.20PM	10.20AM		I A 4	9.2	PF.....POST FALLS.....D	4.3	22	7.38	2.27
			5.41	10.40			11.3S. I. CROSSING.....	2.2			
			5.55PM See Page 3	10.52AM See Page 3	Y W	1557	13.5	AU.....HAUSER.....N	0.0	120	7.25AM See Page 4	2.15PM See Page 4
			DAILY	DAILY							DAILY	DAILY
			0.35	0.32							0.35	0.30
			23.1	25.3							23.1	27.0
						Time over District.						
						Average Speed per Hour.						

Registering Stations—Hauser and Coeur d'Alene.
Bulletin Stations—Spokane and Coeur d'Alene.
Standard Clocks—Spokane and Coeur d'Alene.
When backing down incline, brakes must be set to control the train without assistance from the engine.
Branch Line trains must obtain orders before occupying main line at Hauser.
Nos. 245, 246, 247 and 248 connect with Steamer at Coeur d'Alene.

COMMERCIAL SPURS.

MAIN LINE.			CLEARWATER SHORT LINE.			WASHINGTON CENTRAL BRANCH		
DISTANCE FROM PARADISE.			DISTANCE FROM ARROW			DISTANCE FROM CHENEY		
		Car Cap'y			Car Cap'y			Car Cap'y
Russell	19.6 Miles	5	Magills	22.1 Miles	10	Forrey	122.1 Miles	8
Alger	48.7 "	57	Flume	24.6 "	4	SEATTLE BRANCH		
Beeson	49.2 "	6	Penoyers	31.0 "	4	DISTANCE FROM DAVENPORT		
Cedar Spur	80.3 "	50	FARMINGTON BRANCH.					Car Cap'y
Lane Potter	90.9 "	42	DISTANCE FROM BELMONT			Frys	9.0 Miles	8
Culver	111.6 "	10			Car Cap'y	FORT SHERMAN BRANCH		
Boyer	114.1 "	15	Hayfield	2.0 Miles	4	DISTANCE FROM HAUSER		
Sagel	124.2 "	10	P. & L. BRANCH.					Car Cap'y
Dufort	127.6 "	12	DISTANCE FROM MARSHALL JCT.			Heutters	9.4 Miles	10
Westmond	129.3 "	15			Car Cap'y	Wrights	9.7 "	30
Thomson	136.9 "	120	Marshall Quarry Spur	2.0 Miles	40	Blackwell Lmb. Co.	10.8 "	20
King's	138.1 "	6	Broadview	28.0 "	8	Gibbs	11.0 "	15
North Pole	151.2 "	11	Kelly's	40.3 "	7			
Rogers	153.9 "	10	Pullman	73.7 "	6			
Calispel	157.3 "	8	Busbey's	78.9 "	8			
Crosby	165.2 "	4	Troy Log	100.0 "	6			
Moab	170.7 "	5	Rock Spur	106.1 "	10			
			Clyde	106.8 "	14			
			Haynes	134.0 "	6			
			Water Co.	135.6 "	3			

AUTHORIZED SURGEONS, IDAHO DIVISION.

LOCATION OF STRETCHERS (S).

DR. J. P. AYLEN, Chief Surgeon,
Central Div., Missoula.
Paradise (S) (Station and Tool Car.)

DR. H. H. HATTERY, Plains (S)

DR. E. D. PEEK, Thompsons Falls, Station (S)

DR. O. F. PAGE, Sand Point (S)
Kootenai (S)

DR. FRANK WENZ, Rathdrum (S)

DR. N. F. ESSIG, Spokane (S)

DR. F. P. WITTER, Spokane (S)

DR. E. F. POPE, (S)

DR. X. L. ANTHONY (Oculist), Spokane.
(Stretchers at Baggage Room, Yard Office, M. M. Office and
Tool Cars 1 and 2.)

DR. F. A. POMEROY, Cheney

DR. E. T. HEIN, Palouse (S)

DR. ED. MAGUIRE, Pullman (S)

DR. W. H. CARITHERS, Moscow (S)

DR. JOHN B. MORRIS, Lewiston (S)

DR. C. F. TUOMY, Genesee.

DR. E. M. ASHLEY, Lamont.

DR. G. M. FAIRLEY, Oro Fino

DR. R. P. MOORE, Davenport.
Wilbur (S)
Hartline

DR. JNO. C. DWYER, Coeur d' Alene (S)

NOTE.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency arising from accident, if necessary proper surgical aid should be procured until the

arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

TONNAGE RATINGS—FREIGHT ENGINES.

DISTRICTS.	ENGINES.										DISTRICTS.	ENGINES.													
	Class F 1		Class F 4		Class E 1		Class E 2-3 D 2-3		Class B			Class C		Class S 1-2-3-4, F-1		Class F, F 4		Class E 1		Class E 2-3 D 2-3		Class B, B 1		Class C	
	A	B	A	B	A	B	A	B	A	B		A	B	A	B	A	B	A	B	A	B	A	B	A	B
C. W. Branch—West Bound. Cheney to Almira.....	850		600		565		511		434		350		C. S. L. Branch—East Bound. Stites to Arrow.....	Not All	owed.					Sixty C	ars.				
Almira to Hartline.....	700		450		365		350		300		250		C. S. L. Branch—West Bound. Arrow to Stites.....	Not All	owed.	1300	1170	1200	1070	1100	970	1000	870	850	765
Hartline to Coulee Jct.....	1300		1250		1200		1150		1000		900		Genesee Branch—East Bound. Genesee to Colton.....	Not All	owed.	1500	1350	1500	1350	1200	1080	1100	990	1000	900
Coulee Jct. to Adrian.....	1300		1250		1200		1150		1000		900		Colton to Johnson.....	Not All	owed.	600	540	540	486	480	432	450	405	360	324
C. W. Branch—East Bound. Adrian or Coulee City to Hartline.....	785		513		484		437		361		300		Johnson to Pullman.....	Not All	owed.					Sixty C	ars.				
Hartline to Med. Lake.....	850		600		567		511		434		350		Genesee Branch—West Bound. Pullman to Johnson.....	Not All	owed.	750	675	675	608	600	540	562	506	450	405
Med. Lake to Cheney.....	1500		1300		1250		1200		1000		950		Johnson to Colton.....	Not All	owed.	450	405	405	365	360	324	337	304	270	243
													Colton to Genesee.....	Not All	owed.	1166	1050	1049	945	932	839	874	787	650	585

DISTRICTS.	ENGINES.													
	Class S 1-2-3-4		Class F 1		Class F 4		Class E 1		Class E 2-3, D 2-3		Class B		Class C	
	A	B	A	B	A	B	A	B	A	B	A	B	A	B
Idaho Div.—West Bound. Marshall to Oakesdale.....	664	598	664	598	425	383	382	344	340	306	318	287	255	230
Oakesdale to Belmont.....	1093	984	1093	984	700	630	630	567	560	504	525	473	420	378
Belmont to Pullman.....	664	598	664	598	425	383	382	344	340	306	318	287	255	230
Pullman to Howell.....	625	563	625	563	400	360	360	324	320	288	300	270	240	216
Howell to Kendrick.....														
Kendrick to Lewiston.....														
Idaho Div.—East Bound. Lewiston to Arrow.....	1700	1530	1700	1530	1200	1080	1080	972	960	864	900	810	720	638
Arrow to Kendrick.....	1000	900	1000	900	650	585	585	526	520	468	487	449	400	360
Kendrick to Troy.....	350	315	350	315	225	203	191	172	168	152	155	140	130	117
Troy to Howell.....	400	360	400	360	265	239	225	203	198	179	190	171	153	138
Howell to Pullman.....	625	563	625	563	400	360	360	324	320	288	300	270	240	216
Pullman to Belmont.....	825	738	825	738	525	473	472	425	420	378	393	354	315	284
Belmont to Oakesdale.....	1500	1350	1500	1350	1050	956	944	850	840	756	786	708	630	568
Oakesdale to McCoys.....	1000	900	1000	900	650	585	585	527	520	458	487	439	390	351
McCoys to North Pine.....														
North Pine to Spangle.....	937	844	937	844	600	540	540	486	480	432	450	405	360	324
Spangle to Marshall.....	1300	1170	1300	1170	1000	900	950	860	875	800	800	740	650	600

DISTRICTS.	ENGINES.																	
	Class B		Class C		Class D 2-3		Class E 1-2-3		Class F 1		Class F 4		Class S 1-2-3-4		Class T		Class W	
	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B
Idaho Div.—East Bound. Spokane to Paradise.....	940		750		1000		1025		1600		1050		1600		1750		2400	
Idaho Div.—West Bound. Paradise to Athol.....	775		675		925		950		1400		975		1400		1500		1800	
Athol to Spokane.....	1400		1300		1600		1600		Train Limit		1600				Train Limit			

