

# **NORTHERN PACIFIC RAILWAY COMPANY.**

---

**SEATTLE DIVISION**

# **TIME 388 TABLE**

**In Effect at 12:01 A. M. Pacific or 120th Meridian Time.**

**SUNDAY, June 15th, 1913.**

---

**For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.**

**E. C. BLANCHARD,**  
General Manager.

**I. B. RICHARDS,**  
General Superintendent.

**P. H. McGAULEY,**  
Superintendent of Transportation.

**J. E. CRAVER,**  
Superintendent.

Westward.

FIRST SUBDIVISION (MAIN LINE)

Eastward.

Table with columns for Third Class, Second Class, First Class, and Stations. Includes train numbers (939, 937, 603, 5, 1, 279, 3, 257, 41, 258, 280, 4, 42, 2, 6, 602, 938, 940), times, and station names like ELLENSBURG, SHOSKIN, THORP, DUDLEY, KOUNTZE, BRISTOL, TEANAWAY, CLE ELUM, BAKER, NELSON'S, TALMAGE, EASTON, UPHAM, MARTIN, STAMPEDE, BORUP, KENNEDY, WESTON, LESTER, HOT SPRINGS, MAYWOOD, HUMPHREY, EAGLE GORGE, LEMOLO, PALMER JCT, KANASKAT, BYRD, RAVENSDALE, COVINGTON, WYNACO, EAST AUBURN.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. SEE SPECIAL RULES, PAGE 2, 3, 4, 5, and 6

## SPECIAL RULES FOR FIRST SUBDIVISION (Main Line).

**Manual Block.**—Between East Auburn and Ellensburg.

**Yard Limits.**—Ellensburg, Cle Elum,, Easton, Lester, West End Kanaskat and East Auburn.

**Registering Stations.**—Ellensburg and East Auburn. At East Auburn all trains register by ticket. Freight trains also register at Auburn Transfer. At Easton and Lester trains terminating will register arrival, and at Easton and Lester departing freight trains ascending will register whether "all air" or helper on rear. Palmer Junction is registering station for trains using eighth Subdivision of Tacoma Division only, which will register by ticket.

**Bulletin Stations.**—Ellensburg and Auburn Transfer. (Lester and Easton are bulletin stations for enginemen on helper engines).

**Standard Clocks.**—Ellensburg, Lester and Auburn Transfer.

**Mountain Grade.**—Easton to Weston.

**Helper District.**—Between Auburn and Easton.

**Lap Sidings** are located at Thorp, Bristol, Teanaway, Nelsons, Upham, Maywood, Eagle Gorge, Kanaskat and Covington.

(Trains taking siding will head in at lap.)

In tunnel section, between east switch of westward siding at Martin and west switch of Track No. 1, at Stampede, (A) westward trains will not pass Martin or eastward trains Stampede without receiving block clearance. (B) Flagging is not required. (C) Head and tail lights will be used both day and night.

At Palmer Junction, the upper semaphore arms govern movement of trains via first Subdivision; lower arms govern movement to and from eighth Subdivision of Tacoma Division.

Switch at Palmer Junction will be set for the first Subdivision line. Speed of freight trains over switches at Palmer Junction must not exceed twenty (20) miles per hour.

Westward siding at Ravensdale extended westward 1 1/4 miles connected with siding at Henrys. Conductors of westward trains using this siding, if given clearance to depart on arrival of certain trains, should, if delayed on the west end of this track, call up on telephone, located at the west switch, and ascertain whether any further instructions for them. This track will be used as a switching lead for trains switching at the Ravensdale mine.

Engines must not run on Page Lumber Co.'s spur.

**Derrail switches** are located as follows, and must be kept set in derringail position when not in use:

Ellensburg.—East end of east yard.

Bristol.—East end of loading track.

Cle Elum.—East end of extension and at east end house track.

Easton.—East end of yard.

Easton.—East end of No. 2 track.

Eagle Gorge.—West end of eastward siding.

Soos Creek.—Spur track.

Auburn.—East end gravel pit siding.

**Interlocking Derrails are Located as follows:**

Kountz.—East end of siding.

Teanaway.—East end of eastward siding.

Cle Elum.—East end of yard.

Cle Elum.—East end of extension to house track.

Upham.—East end of eastward siding.

Martin.—East end of westward siding.

Borup.—West end of westward siding.

Borup.—West end of eastward siding.

Kennedy.—West end of siding.

Lester.—West end of roundhouse track.

Lester.—West end of yard.

Hot Springs.—West end of freight siding.

Maywood.—West end of westward siding.

Eagle Gorge.—West end of westward siding.

Lemolo.—West end of siding.

Kanaskat.—West end of wye.

Byrd.—West end of siding.

Covington.—West end of westward siding.

Wynaco.—West end of siding.

Derrail is connected with main line switch and the derrail is closed when main line switch is thrown for siding; derrail is open when main line switch is not thrown for siding. Switch lamps will not be maintained upon derringail switches in above locations.

Position of "Wye" switches at Auburn will be ascertained before using. Normal position of switch at head of the wye at Auburn will be for Seattle leg of the wye. Switch target and switch lamp will show clear indication for Seattle leg.

**NOTE**—Maximum speed of passenger trains is one minute, or sixty seconds, per mile. This limit must never be exceeded. Speed of passenger trains must not exceed thirty miles per hour, and speed of freight trains twenty miles per hour, between Martin and Easton, and between Stampede and Weston. Speed of all trains through Stampede tunnel must not exceed fifteen miles per hour.

Speed of trains through cross-over tracks or entering sidings must not exceed fifteen miles per hour.

Rule 316 is modified as follows: When the telephone is used, signalmen will transmit the words, represented by the figures.

### Freight train conductors and enginemen will comply with the following, concerning the handling of trains through tunnel No. 3:

On whistling for either Martin or Stampede the engineman must place the handle of the brake valve in full release position and obtain 90 pounds train pipe pressure as promptly as possible. (Engineman must see that low pressure governor head does not exceed 90 pounds). Following this he must obtain "Proceed" signal before entering tunnel No. 3, to be passed from conductor to head engineman by helper engine whistle and head brakeman. Conductor will not give this signal until the train pipe pressure in the caboose has been increased to at least 80 pounds.

No retaining valves need be used with trains of all empties through tunnel No. 3, but such trains must be stopped and all retaining valves turned up before leaving either Stampede or Martin. With other freight trains, before entering tunnel No. 3 turn up all retaining valves Westward, and all but the rear one-third Eastward, turning all up before leaving Martin.

If for any reason the train breaks in two or more parts while in tunnel No. 3, train and enginemen should arrange

### Special rules governing operation of trains and yard engines between East Auburn and Auburn and between East Auburn and Auburn Transfer:

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K" "L" "M" or "N" from operator at Auburn, East Auburn or Auburn Transfer properly filled out.

Card must be surrendered to operator at end of block immediately upon arrival, and during hours Telegraph Office at East Auburn is closed Conductor or Foreman in charge of train terminating at that point must personally report clear

### Automatic Block Signals.

Automatic Block Signal System now being installed between Auburn and Ellensburg will soon be completed, and sets of blue prints showing the detail of the automatic signal movement have been placed at Seattle, Tacoma, Auburn, Lester, Easton, Cle Elum, and Ellensburg for the instruction of train and engine men, who should at once also familiarize themselves with the rules governing the operation of these signals.

Following amendments have also been made to Automatic Block Rule 504:

"504-C. When a train is stopped by a block signal having two lights, (called the home signal) on single track,

Speed westward will not exceed twenty (20) miles per hour around curves at old tunnel 5, between Stampede and Borup, thirty-five (35) miles per hour, Humphrey to Eagle Gorge, thirty (30) miles per hour, Eagle Gorge to Palmer Junction and thirty-five (35) miles per hour from one mile west of Covington to one-half mile west of Green River bridge.

When trains by train order, or trains of same class by time table, meet at Upham, Martin, Stampede, Borup, Kennedy or Weston, ascending train will take siding. It must be understood that meeting by train orders refers to trains having a positive meeting order, and meeting by time table refers to stations designated on time table as a scheduled meeting point between two trains of the same class, and that, except as specified in this rule and the following paragraph, an inferior train meeting a superior train at either of these stations must take siding and clear the time of superior train five minutes, as per general rule.

Descending freight trains, in making meeting point with ascending passenger trains at Stampede, will be required to be into clear before passenger train is due at Borup; at Borup before due at Weston, and at Kennedy and Weston before passenger train due to leave Lester; at Martin before passenger train due Upham and at Upham before passenger train due to leave Easton.

At Dudley, Weston and Humphrey, Track No. 1, located next to main track, will be known as Eastward Siding. Track No. 2 will be known as Westward Siding.

At Stampede, track No. 1 will be westward siding, and tracks Nos. 2 and 3 eastward sidings. Siding at Borup, which is located east of the depot, will be used as westward siding, and siding west of depot as eastward siding. Whenever it is found necessary for eastward trains to use westward siding and westward trains to use eastward sidings, movement should be protected as per rule 99.

Descending freight train must not be permitted to leave Stampede until descending passenger train has passed Weston and descending freight train must not be permitted to leave Martin until descending passenger train has passed Easton.

All trains will reduce speed to 10 miles per hour through incorporated city limits of Cle Elum.

Mallet power must not be double-headed over bridges except between Easton and Lester.

Dead freight trains will fill to tonnage at Cle Elum.

Nos. 3, 42, 279 and 280 will stop on signal at Nagrom, and Nos. 279 and 280 will stop on signal at Headworks and Soos Spur.

On Sundays, special trains are operated on Roslyn Branch for the accommodation of passengers.

Leave Cle Elum 10 a. m., 1:15 p. m., 4:00 p. m. and 6:00 p. m.

Leave Beekman 10:45 a. m., 2:00 p. m., 4:45 p. m. and 6:45 p. m.

No. 4 will connect with No. 396 at Kanaskat.

No. 280 will connect with No. 368 at Palmer Jct.

No. 5 will stop on signal at Headworks, and on signal Saturdays at Kanaskat.

No. 3 will connect with No. 367 at Kanaskat.

No. 6 will connect with Tacoma Division No. 398 at Kanaskat.

No. 323 will connect with No. 279 at Auburn.

No. 577 (Roslyn Branch) will, during summer season, connect with No. 279 at Cle Elum, when latter train is not to exceed 15 minutes late.

Tacoma division No. 395 will connect with No. 257 at Kanaskat.

When making back-up movement, running test of air brakes must be made from rear of train.

Track No. 3 at Stampede can not be used.

Eastward passenger trains must not exceed thirty (30) miles per hour between extreme west switch Ellensburg Yard and Ellensburg Station.

All toilets in trains must be kept locked while in the limits between Headworks and Humphrey and all employees are cautioned against throwing any refuse or articles, which might become unsanitary, off the train while passing through that territory.

to get engines out of tunnel promptly as possible. If necessary, take engines and cars out in either or both directions. When portion of train is left in tunnel, same should be made secure by blocking and not moved out until smoke and gas has cleared and it can be done safely. Blocking will be found on walls of tunnel on right hand side going east, about 50 feet apart and three feet above the rail.

Descending trains will carry 90 pounds train pipe pressure to Lester and to Easton. Following any stops during descent, the engineman must fully recharge the brakes before starting and the conductor must not give the "Proceed" signal until at least 80 pounds is shown by the caboose guage.

Eastward freight trains will stop at Lester to make terminal test, and at Easton to make examination of wheels and brakes. Westward freight trains will stop at Easton to make terminal test, and at Weston to make examination of wheels and brakes.

over telephone to operator at Auburn or Auburn Transfer. Card held by Eastward trains during closed hours of East Auburn office will surrender such to operator at Covington, unless instructed by dispatcher to report clear over telephone at East Auburn. Westward trains during closed hours of East Auburn office will secure card order at Covington when dispatcher cannot issue such at the time, in which case Conductor must be on the head end on arrival at East Auburn and obtain card over telephone at that point. (Telephone located in Telegraph Office, locked with switch lock. Train and yardmen using this 'phone during night when office is closed, must leave the door locked).

automatic block signal territory, it may proceed when the signal is cleared, or if not immediately cleared, by obtaining authority from the train dispatcher, or if unable to communicate with the train dispatcher, the train may proceed under protection of flag, to the next signal that indicates clear or caution."

"504-D. When a train is stopped by a block signal on single track, it may proceed when the signal is cleared or at caution, or if it is not immediately changed, it may proceed at once under caution, except, when a train is proceeding under flag from the last home signal, as provided in Rule 504-C."

Westward

SECOND SUBDIVISION—Main Line.

THIRD CLASS.				SECOND CLASS			Car Capacity of Sidings	Distance from Keith	Time Table No. 38B June 15, 1913 Succeeding No. 38A	Station Numbers	Water, Fuel, Scales, Turntables and Wyes	FIRST CLASS.		
931	929	927	923	563	675	687						343	341	347
Way Freight	Way Freight	Way Freight	Way Freight	Mixed	Freight	Freight						Passenger	Passenger	Passenger
Mon., Wed., Fri.	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	EXCEPT MONDAY						DAILY	DAILY	DAILY
			L 7.50AM 343					0.0	UD. KING STREET STATION. DN			L 7.40AM	L 8.50AM	L 4.30PM

BETWEEN KEITH AND SEATTLE TRAINS WILL BE GOVERNED BY PUGET SOUND DIVISION TIME TABLE RULES AND REGULATIONS

								50	0.0	..... KEITH .....	CF 42		f L 8.18AM	L 9.25AM	f L 5.08PM
								60	3.9	..... LAKE .....	CF 46		f 8.28	9.35	f 5.14
								50	10.8	B..... BOTHELL..... D	CF 53		s 8.45	s 9.50	s 5.80
								100	12.6	CJ..... WOODINVILLE..... DN	CF 55	WC T	s 8.50	s 9.55	s 5.85
								80	18.5	MB..... MALTBY..... DN	CF 60		s 9.10	10.15	s 5.55
								150	26.9	OM..... SNOHOMISH..... DN	CF 69	WC O Y	s 9.30	s 10.35	s 6.15
								45	32.1	MA..... MACHIAS..... D	CF 74	W	s 9.58	s 10.45 344	s 6.42
										RUCKER BROS. LOGGING CO. OVERHEAD CROSSING..... 0.2 m n..... Connection at Hartford					
								102	35.2	FD..... HARTFORD..... D	CF 77		s 10.05	s 10.55	s 7.00 348
								60	39.6	..... GETCHELL.....	CF 82		s 10.22 344	11.05	s 7.10
								53	45.8	..... EDGEComb.....	CF 88	W 1 m n	f 10.35 927	11.17	s 7.22
										M. & A. OVERHEAD CROSSING 1.4 m n					
								132	48.8	A..... ARLINGTON..... DN	CF 91	Y 9/10 m n	s 10.47	s 11.28 927	s 7.85
								40	52.6	{ BT... M. & N. CROSSING... D } ..... BRYANT..... } Track Connection. 6.3	CF 95		s 10.57	11.38 342	s 7.45
								65	58.9	MU..... McMURRAY..... D	CF 101	W	s 11.15 342	s 11.59AM 928	s 8.08
								25	64.5	..... MONTBORNE.....	CF 107		s 11.34 928	12.18	s 8.21
								70	66.1	BQ..... BIG LAKE..... D	CF 109		s 11.39	f 12.22	s 8.26
								135	71.6	CA..... CLEAR LAKE..... D	CF 114		s 11.54AM	f 12.37	s 8.41
								290	74.8	{ WL... SEDRO-WOOLLEY... DN } ..... TWO G. N. CROSSINGS... } Track Connection. 0.6	CF 117	WC T	s 12.10PM	s 12.50	s 8.55
									75.4	..... P. S. & B. R. CROSSING..... Track Connection. 4.9					
								45	80.3	..... THORNWOOD.....	CF 122		f 12.28	1.07	f 9.13 676
								75	86.2	WK..... WICKERSHAM..... DN	CF 128	Y W	A 12.42PM 932	s 1.20 930 932	A 9.25PM
								Spur 50	88.9	..... SAXON.....	CF 131		See page 6	f 1.25	See page 6
								18	91.1	MC..... ACME..... D	CF 133	W	s 1.32		
								20	93.1	..... STANDARD.....	CF 135		f 1.40		
								38	99.0	DM..... DEMING..... D	CF 141		s 2.00		
								9	99.6	..... ABBOTT.....	CF 142		2.02		
								18	108.5	NC..... NOOKSACK..... D	CF 151		s 2.25		
								113.9	..... B. B. & B. C. CROSSING..... No Connection. 0.9						
								114.8	114.8	SU..... SUMAS..... D	CF 157	WC O T	A 2.40PM		
													DAILY	DAILY	DAILY
													4.24	5.15	4.00
													19.5	21.6	19.8

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

Registering Stations—Woodinville, Snohomish, Sedro-Woolley, Wickersham and Sumas.  
 Yard Limits—West end Keith, Woodinville, Maltby, Snohomish, Hartford, Arlington, Sedro-Woolley, Wickersham and Sumas.  
 Maximum Grades—Snohomish to Woodinville. Helper District—Snohomish to Woodinville.  
 Bulletin Stations—Snohomish, Sedro-Woolley and Sumas.  
 Standard Clocks—Everett and Sedro-Woolley.  
 Helper District—Between Woodinville and Arlington.

No. 675 has right over No. 676 Woodinville to Sumas.  
 No. 929 has right over No. 930 Sedro Woolley to Wickersham.  
 No. 344 will take siding when meeting No. 341.  
 No. 563 will register arrival at Hartford.  
 Eastward trains must not exceed 25 miles per hour around curves between Thornwood and Sedro-Woolley.  
 Passing track at Machias is located west of the station, and westward trains taking siding at that point will head in at cross-over just west of depot. Eastward trains taking siding will head in at extreme west switch.  
 Trains need not obtain clearance at Wickersham from 12 midnight to 6.00 a. m. unless stop signal is displayed.

SECOND SUBDIVISION—Main Line.

Eastward

Summary table for Time Table No. 38B, June 15, 1913. Includes columns for First Class (348, 342, 344), Second Class (688, 676, 566), and Third Class (924, 928, 932, 930). Lists passenger and freight services, station names, and distances.

BETWEEN KEITH AND SEATTLE TRAINS WILL BE GOVERNED BY PUGET SOUND DIVISION TIME TABLE RULES AND REGULATIONS

Main time table grid showing departure and arrival times for various stations including KEITH, LAKE, BOTHELL, WOODINVILLE, MALTBY, SNOHOMISH, MACHIAS, HARTFORD, GETCHELL, EDGECOMB, ARLINGTON, McMURRAY, MONTBORNE, BIG LAKE, CLEAR LAKE, THORNWOOD, WICKERSHAM, SAXON, ACME, STANDARD, DEMING, ABBOTT, NOOKSACK, and SUMAS. Includes train numbers and service types.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION

Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

No. 343 will wait at Woodinville 15 minutes for No. 346's connection. No. 347, when meeting No. 348 at Hartford, will head in on Seventh Subdivision. No. 566 will register departure at Hartford.

Nos. 341, 342, 343, 344, 347 and 348 will wait 15 minutes at Snohomish for motor connection from Everett. Maximum speed of passenger trains is one minute, or sixty seconds, per mile. This limit must never be exceeded.

Pilehuok and Ehrlich regular stop for Nos. 343, 344, 347 and 348. All trains keep under control where view of switches is obstructed, and within yard limits at Woodinville, Snohomish, Hartford, Arlington, Sedro-Woolley, Wickersham and Sumas expecting to find main line occupied.

Nos. 344 and 347 will stop on flag at Forest Home Academy near M. P. 80. See further special rules, page 8.

Table for Third Subdivision - Roslyn Branch. Includes columns for Westward (577, 575, 573) and Eastward (574, 576, 578) trains. Time Table No. 38B, June 15, 1913. Stations include Cle Elum, MINE 5, ROSLYN, RONALD, BEEKMAN, LAKEDALE.

Eastward trains are superior to trains of the same class in the opposite direction. Bulletin and Registering Station.—Cle Elum. Maximum Grades.—Cle Elum to Lakedale. Derail Switch.—Cle Elum, upper switch at the head of wye toward Roslyn, will be left set for west leg. Roslyn coal train is required to come to a full stop above this switch.

Table for Fifth Subdivision - Snoqualmie Branch. Includes columns for Westward (923) and Eastward (924) trains. Time Table No. 38B, June 15, 1913. Stations include Woodinville, WILLOWS, REDMOND, PARADISE LOGG. RY. CRSG., CAMPTON, SAMAMISH, INGLEWOOD, MONOHON, ISSAQUAH, HIGH POINT, PRESTON, FALLS CITY, SNOQUALMIE FALLS, NORTH BEND, SALLAL.

Eastward trains are superior to trains of the same class in the opposite direction. Registering Stations.—Woodinville and North Bend. Maximum Grades.—Issaquah to Preston. Yard Limits.—Issaquah and North Bend. North Bend yard limits extend to Sallal. The maximum rate of speed over truss bridges and high trestles must not exceed 20 miles per hour.

Table for Fourth Subdivision - Belt Line. Includes columns for Westward (935, 675, 687) and Eastward (346, 676, 688, 936) trains. Time Table No. 38B, June 15, 1913. Stations include Black River, BLACK RIVER, RENTON, C. & P. S. CROSSING, S. R. & S. CROSSING, KENNYDALE, WILBURTON, NORTHROP, KIRKLAND, R. R. CROSSING, WOODINVILLE.

Eastward trains are superior to trains of the same class in the opposite direction. Registering Stations.—Woodinville and Black River. Nos. 345 and 346 will register by ticket at Black River. Engines must not use glass works spur at Renton. No. 314 will put off pouch mail for No. 345 at Black River.

Table for Sixth Subdivision - Everett Branch. Includes columns for Westward (925, 411, 401, 715, 565, 687) and Eastward (564, 688, 926) trains. Time Table No. 38B, June 15, 1913. Stations include Snohomish, SNOHOMISH, VARDEN, EBVEY JCT, C. M. & P. S. RY. CROSSING, LOWELL, EVERETT, G. N. JUNCTION, G. N. CROSSING, SMELTER.

Eastward trains are superior to trains of the same class in the opposite direction. Registering Stations.—Snohomish and Everett. Bulletin Station.—Everett. Lowell Yard Limits.—Snohomish river draw to yard limit board 1000 feet west high line switch. Everett Yard Limits.—Yard limit board 2050 feet east of east switch to overhead bridge at Everett Avenue.

Westward.			SEVENTH SUBDIVISION. MONTE CRISTO BRANCH										Eastward.		
SECOND CLASS			Time Table No. 38B June 15, 1913 Succeeding No. 88A										SECOND CLASS		
571	567	563	STATIONS.										566	568	572
Mixed	Mixed	Mixed	Telegraph Offices and Calls										Mixed	Mixed	Mixed
WEDNESDAY	MONDAY AND FRIDAY	TUESDAY THURSDAY AND SAT.											TUESDAY THURSDAY AND SAT.	MONDAY AND FRIDAY	WEDNESDAY
L 10.40AM	L 10.40AM	L 10.40AM	FD.....	HARTFORD.....	D	42.0	102	A 2.00PM	A 8.00PM	A 4.50PM					
s 10.50	s 10.50	s 10.50	.....	LOCHLOY.....		39.5	No Sdg.	s 1.40	s 2.40	s 4.35					
s 11.05AM 12.15PM	s 11.05AM 12.15PM	s 11.05AM 12.15PM	GF.....	GRANITE FALLS.....	D	35.7	70 Spur	s 1.15	s 2.15	s 4.10					
		A 12.30PM	.....	CUTOFF.....		32.5	20	L 12.40PM							
			.....	TUNNEL No. 2.....		30.1	10								
s 1.00	A 1.00PM		.....	ROBE.....		28.4	10		L 1.15PM	s 8.20					
			.....	BOGARDUS.....		23.0	5 Spur								
s 1.25			.....	GOLD BASIN.....		22.0	6 Spur			s 8.05					
A 2.15PM			.....	SILVERTON.....		13.0	16			L 2.20PM					
			.....	BONANZA QUEEN.....		12.0	3 Spur								
			.....	BARLOW PASS.....		4.7	1 Spur								
			.....	MONTE CRISTO.....		0.0	100								
WEDNESDAY	MONDAY AND FRIDAY	TUESDAY THURSDAY AND SAT.	Time Over Subdivision										1.20	1.45	2.30
3.35	2.20	1.50	Average Speed per Hour										7.1	7.8	11.6
8.5	5.8	5.2													

Eastward trains are superior to trains of the same class in the opposite direction. See Special Rules on this and Page 8.

Westward.			NINTH SUBDIVISION. BELLINGHAM BRANCH										Eastward.			
THIRD CLASS.			Time Table No. 38B June 15, 1913 Succeeding No. 38A										FIRST CLASS.			THIRD CLASS.
929	347	343	STATIONS.										344	348	930	
Way Freight	Passenger	Passenger	Telegraph Offices and Calls										Passenger	Passenger	Way Freight	
EXCEPT SUNDAY	DAILY	DAILY											DAILY	DAILY	EXCEPT SUNDAY	
L 7.35AM	L 9.25PM	L 12.45PM	WK.....	WICKERSHAM.....	D	22.5	75	A 8.12AM	A 4.35PM	A 1.30PM						
s 7.40	f 9.30	f 12.50	.....	MIRROR LAKE.....		21.2	15	f 8.05	f 4.25	s 1.20						
s 7.50 7.58	f 9.37	f 12.57	.....	PARK.....		18.7	15	f 7.58 929	f 4.18	s 1.10						
s 8.10	f 9.43	f 1.03 930	.....	BLUE CANYON.....		17.7	20	f 7.55	f 4.15	s 1.03 12.45						
			.....	IDLEWILD.....		15.9	No Sdg.	f	f							
			.....	TOWANDA.....		13.5	No Sdg.	f	f							
8.40	f 10.05	f 1.25	.....	AGATE BAY.....		11.1	11	f 7.35	f 8.55	s 12.20						
s 8.55	f 10.16	f 1.36	.....	SILVER BEACH.....		7.4	No Sdg.	s 7.27	s 8.47	s 12.05						
s 9.00	10.19	1.39	.....	LARSON.....		6.4	30	7.25	8.45	s 12.01PM						
A 9.30AM	A 10.30PM	A 1.50PM	WD.....	BELLINGHAM.....	D	2.4	50	L 7.10AM	L 8.30PM	L 11.30AM						
			.....	G. N. CROSSING.....		0.6										
			FN.....	SO. BELLINGHAM.....	D	0.0	50									
EXCEPT SUNDAY	DAILY	DAILY	Time Over Subdivision										1.02	1.05	2.00	
10.4	18.7	18.7	Average Speed per Hour										19.5	18.7	10.1	

Eastward trains are superior to trains of the same class in the opposite direction. Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded. Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour. See Special Rules on this and Page 8.

Westward.			EIGHTH SUBDIVISION. DARRINGTON BRANCH										Eastward.			
SECOND CLASS			Time Table No. 38B June 15, 1913 Succeeding No. 38A										FIRST CLASS.			SECOND CLASS
569	327		STATIONS.										328	570		
MIXED	Passenger		Telegraph Offices and Calls										Passenger	MIXED		
EXCEPT SUNDAY	EXCEPT SUNDAY												EXCEPT SUNDAY	EXCEPT SUNDAY		
L 11.00AM	L 7.45PM	C Y	.....	ARLINGTON.....	DN	28.6	132	A 9.40AM	A 5.30PM							
s 11.25	s 8.00	W	.....	COOPER.....		23.2	4 Spur	s 9.25	s 4.50							
s 11.45AM	s 8.08		.....	CICERO.....		20.2	7 Spur	s 9.17	s 4.80							
s 12.00PM	s 8.20		.....	OSO.....		16.7	28	s 9.07	s 4.10							
s 12.15PM	s 8.25		.....	HALTERMAN.....		14.6	33	s 9.01	s 3.55							
s 12.25	s 8.29		.....	ROWAN.....		12.9		s 8.56	s 3.40							
s 12.40	s 8.35	W	.....	HAZEL.....	D P	10.7	80	s 8.49	s 3.26							
s 12.50	s 8.40		.....	WELTON.....		8.9	30	s 8.43	s 3.20							
s 1.00	s 8.45		.....	FORTSON.....		6.5	14	s 8.35	s 3.13							
s 1.15	s 8.47		.....	IRVING.....		6.0	4 Spur	s 8.33	s 3.10							
s 1.25	s 8.53		.....	GEBBOTT.....		3.9	10 Spur	s 8.27	s 3.00							
A 2.00PM	A 9.05PM	C Y	.....	DARRINGTON.....	D P	0.0	24	L 8.15AM	L 2.45PM							
3.00	1.20		Time Over Subdivision										1.25	2.45		
9.5	21.4		Average Speed per Hour										20.2	10.4		

Eastward trains are superior to trains of the same class in the opposite direction. See Special Rules on this and Page 8.

**Special Rules Seventh Subdivision MONTE CRISTO BRANCH**  
**Registering Station**—Hartford.  
**Derail Switch**—Siding at Tunnel No. 2.  
**Mountain Grades**—Descending Monte Cristo to Sauk River Bridge, Barlow pass to Bonanza Queen and from Robe to Cutoff. Eastward Trains must not exceed schedule time within above limits.  
 Trains must not exceed five miles per hour around 18 and 24 degree curves on Shoofly, two miles west of Gold Basin. Trains will approach all bluffs, where slides are liable to occur, under full control.  
 Nos. 563, 567 and 571 will wait at Hartford for No. 343's and 344's connection, unless otherwise instructed.  
 No. 563 has right over No. 566, Hartford to Cutoff.  
 No. 567 has right over No. 568, Hartford to Robe.  
 No. 571 has right over No. 572, Hartford to Silverton.  
 No. 347, when meeting No. 343 at Hartford, will head in on Seventh Subdivision.  
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded. Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

**Special Rules Eighth Subdivision. (DARRINGTON BRANCH)**  
**Registering Stations**—Arlington and Darrington.  
**Bulletin Station**—Arlington.  
**Yard Limit**—Darrington.  
 Trains will keep under control where landslides or washouts are liable to occur.  
 No. 569 has right over No. 570—Arlington to Darrington.  
 No. 570 has right over 327 Darrington to Arlington.  
 West wye switch at Darrington will be kept set for the wye. This is a stub switch.  
 When making back-up movement, running test of air brakes must be made from rear of train.  
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded. Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

**Special Rules Ninth Subdivision. (BELLINGHAM BRANCH)**  
**Registering Stations**—Wickersham and Bellingham.  
**Bulletin Station**—Bellingham.  
**Yard Limit**—Bellingham.  
 Trains will not exceed eight miles per hour between M. P. 3 and 4, and not exceed 6 miles per hour over bridges 19 and 20.  
**Maximum Grades**—Larson to Bellingham and Mirror Lake to Wickersham.  
 Wye switch at Wickersham will be kept set for East Leg. All trains will come to full stop before crossing Holly street, Bellingham. Flagman precede train with red flag or light. Reduce speed to eight (8) miles per hour over street car crossing at Kentucky Street, Bellingham; and not exceed this speed between Kentucky Street and Bellingham station.  
 Reduce speed to six miles per hour over street car crossing between Silver Beach and Larson.  
 No. 343 has right over No. 348, Wickersham to Bellingham.  
 No. 929 has right over No. 930, Wickersham to Bellingham.

**COMMERCIAL SPURS.**

**FIRST SUBDIVISION.**

Distance from Ellensburg.

STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capacity
Younger.....	22.4	1 E	10	Sandberg.....	76.8	1 W	20
Nagrom, F 279, 280, 3 & 42..	67.8	1 W	20	Headworks, F 5, 279 & 280...	81.6	1 W	7
Garibaldi, F 279 & 280.....	75.6	1 E	8	Soos, F 279 & 280.....	98.3	1 E	7

**SECOND SUBDIVISION.**

Distance from King Street Station.

Pontiac, F 343, 344, 347 & 348	13.2	1 E	4	Kelly's Spur.....	59.5	1 W	4
Lavilla, F 343, 344, 347 & 348	14.5	1 E	....	Milldale.....	65.5	1 E	20
Belden.....	14.7	1 E	8	Pilchuck, S 343, 344, 347 & 348	65.9	1 E	88
Briarcrest, F 343, 344, 347 & 348	17.5	....	....	Day's F 341-343, 344, 347 & 348	68.2	Siding	10
Lake Forest Park, F 343, 344, 347 & 348.....	18.1	1 W	8	Ehrlich, S 343, 344, 347 & 348	73.6	1 W	20
Kenmore, F 343, 344, 347 & 348	18.9	1 E	7	Buxton.....	75.7	1 E	29
Wrenwood.....	20.6	1 W	....	Chileo.....	77.2	1 W	7
Wayne, F 343, 344, 347 & 348	21.5	....	....	Conway.....	78.7	1 E	....
Hannan.....	22.3	1 E	14	Nookecham, F 343, 344, 347 & 348.....	79.1	1 E	5
Stockton.....	23.5	1 E	8	Tiloh.....	79.5	1 E	12
Bear Creek.....	25.4	1 E	17	Heather.....	81.5	1 E	5
Sand Spur.....	25.8	1 E	12	Skagit Junction.....	84.5	1 E	7
Grace, F 343, 344, 347 & 348..	26.3	....	....	Norlum.....	88.7	1 E	40
Cathcart, F 343, 344, 347 & 348	33.5	1 W	12	Cohone.....	92.6	1 E	18
Cobbner.....	36.0	1 W	....	Prairie, F 343, 344, 347 & 348	94.1	Siding	10
Bromart.....	37.2	1 E	32	Lumans.....	95.2	1 W	16
Bartlett.....	44.5	1 E	4	Morgood.....	99.4	1 E	....
Lake Cassidy.....	50.0	1 E	3	Doran, F 341 & 342.....	99.8	1 W	4
Kelmire.....	50.5	1 W	6	Comar.....	103.9	1 E	....
Ryton.....	51.7	1 E	3	McDonald's, F 341 & 342...	105.7	1 W	4
Harvey.....	54.9	1 E	4	Coyne.....	107.5	1 E	7
Sisco, F 343, 344, 347 & 348..	55.8	1 E	15	Van Zant's, F 341 & 342....	107.9	1 W	8
M. & A. Tfr.....	58.8	1 E	6	Case's Spur, F 341 & 342....	108.8	1 E	5
				Eliton.....	112.6	1 E	13
				Lawrence, F 341 & 342....	113.7	1 E	6
				McKee's.....	117.8	1 W	14
				Crescent.....	121.9	1 W	5

**FOURTH SUBDIVISION.**

Distance from Black River.

Firloch, F 345 & 346.....	19.8	1 E	4	Hazelwood, F 345 & 346....	7.3	....	....
Feriton.....	16.6	1 E	2	May Creek, F 345 & 346....	6.6	1 E	4
Kincaid.....	16.0	1 E	5	Quendall.....	6.0	Siding	8
Midlakes, F 345 & 346.....	12.6	1 W	5	Sanford, F 345 & 346.....	4.1	1 E	2
Factoria, F 345 & 346.....	9.5	....	....				

**FIFTH SUBDIVISION.**

Distance from Woodinville.

STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capacity
Hargon.....	1.7	1 W	7	Craven.....	29.3	Siding	14
Hollywood, F 345 & 346....	2.4	1 W	19	Niblock.....	32.4	1 W	100
Pickering, F 345 & 346.....	17.4	1 E	3	Quariton.....	34.6	1 E	....
Grand Ridge, F 346.....	21.9	1 W	15	Tanners.....	38.1	1 E	15
Lovegreen.....	27.6	1 E	5	Weeks.....	38.2	1 E	100

**SIXTH SUBDIVISION.**

Distance from Snohomish.

Sherwood.....	4.1	1 E	4	Madrona.....	8.4	1 E	80
---------------	-----	-----	---	--------------	-----	-----	----

**SEVENTH SUBDIVISION.**

Distance from Hartford.

Zahler.....	1.0	1 E	5	Enos Quarry.....	7.3	1 E	30
Denmark.....	2.0	1 E	2	Atlas.....	8.3	1 E	5
Beechwood.....	2.7	1 E	7	Hemple.....	20.2	1 E	5
Sulbro.....	3.7	1 E	4	Tyree.....	23.2	1 E	21
				Waldheim.....	26.7	....	....
				Weiden Creek.....	39.0	....	....

**EIGHTH SUBDIVISION.**

Distance from Arlington.

Gravel Pit.....	0.7	1 E	4	Gorlock.....	18.4	Siding	25
Jenora.....	5.7	1 E	20	Lampson.....	20.2	1 E	5
Cavano, S. 569 & 570.....	9.0	Spur	....				

**NINTH SUBDIVISION.**

Distance from Wickersham.

Gale.....	1.7	1 E	5	Matson.....	14.5	1 W	7
Roxbury.....	3.6	1 W	7	Mogul Log Co.....	14.5	1 E	24



## SPECIAL RULES—SECOND, FOURTH, FIFTH, SIXTH, SEVENTH, EIGHTH AND NINTH SUBDIVISIONS

### RAILROAD CROSSING AT GRADE

C. & P. S. crossing at Renton. C. & P. S. crossing two miles west of Renton. Campbell Lumber Co. crossing at Campton. M. & N. Ry. crossing at Bryant. Two G. N. crossings at Sedro Woolley. P. S. & B. R. crossing west end yard Sedro Woolley. Standard Ry. crossing mile post 104. G. N. crossing at E. K. Wood mill, Bellingham. B. B. & B. C. crossing just east of Sumas. C. M. & St. P. crossing 300 feet west of Ebey Jct.

**Crossing Gate** situated at G. N. crossing near E. K. Wood Mill at South Bellingham. Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block G. N. main line and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

**Crossing Gate** situated where Puget Sound & Baker River Railway company track crosses N. P. tracks at Sedro Woolley. Normal position blocks P. S. & B. R. Ry. Co. track; same procedure as at South Bellingham.

**Crossing Gate** situated where Marysville & Northern Ry. crosses N. P. tracks at Bryant. Normal position blocks M. & N. tracks. N. P. trains will not stop at this crossing unless gates are against them. Freight trains must not exceed speed of twelve (12) miles and passenger trains twenty (20) miles per hour over this crossing.

**C. & P. S. crossing** at Renton is protected by derails located 75 feet east and 75 feet west of the crossing and operated by switch stand between the C. & P. S. tracks. **NORMAL POSITION OF DERAILS IS AGAINST N. P. TRAINS.** All trains will stop to clear derails, brakeman will go ahead and line up for N. P. track, cross to opposite side of track and remain there until train has cleared both derails; then line back to derail.

No power heavier than Class "C" engines coupled together may cross Skagit River bridge, No. 50, on Second Subdivision. Bridge No. 5 on Fourth Subdivision. Bridge No. 39 on Fifth Subdivision. Bridge Nos. 4 and 7 on Sixth Subdivision. Bridge No. 14 on Seventh Subdivision. Truss bridges Nos. 1, 4, 6, 7, 9 and 12 on Eighth Subdivision.

F-1 or heavier engines must not use Eclipse Log rollway at Everett.

F-1 or heavier engines must not be used on Seventh Subdivision west of Granite Falls wye. No engine heavier than Class F-1 can be run on Fifth, Sixth, Seventh, Eighth and Ninth Subdivisions.

No engine heavier than Class F-1 can be run between Sedro-Woolley and Clear Lake and between Keith and Woodinville, and no engine heavier than Class Y-5 can be run over balance territory on Second Subdivision. No engine heavier than Class Y-5 can be run over Fourth Subdivision.

### LOCATION DRAW SPANS

Snohomish River bridge, just east of Snohomish. Skagit River bridge between Sedro Woolley and Clear Lake. Ebey Slough and Snohomish River bridges on Everett Branch between Snohomish and Lowell. All trains come to full stop before crossing, giving whistle signal before proceeding.

All Eastward freight trains will come to full stop at Public Road crossing just east of Hartford station to clear Seventh Subdivision junction switch and ascertain that track is clear before proceeding.

**J. E. CAMPBELL,**  
Trainmaster, Seattle

**O. F. OHLSON,**  
Trainmaster, Seattle

**J. F. FITZSIMMONS,**  
Trainmaster, Seattle

**F. M. SMITH,**  
Assistant Trainmaster, Seattle

**H. M. MORAN,**  
Chief Dispatcher Seattle

**TONNAGE RATINGS—FREIGHT ENGINES.**

**FIRST SUBDIVISION.—EASTWARD.**

GRADES.	Class Z 3		Class Z		Class W		Class Y 5		Class Y 2		Class F 1		Class S		Class E 4		Class E 3 or D 3		Class C 6	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Auburn to Lester.....	.....	.....	1600	50	1100	37	1100	37	900	30	900	30	800	27	500	17	475	16	350	12
Lester to Easton.....	1300	35	850	28	550	18	575	19	450	15	450	15	400	14	250	9	235	8	175	6
Easton to Ellensburg.....	.....	.....	.....	80	.....	80	.....	80	.....	60	.....	60	.....	50	.....	50	.....	50	.....	40

Rating time freight, Class W engine, 1000 tons. Auburn to Lester.  
Between Lester and Easton maximum 60 cars.

**FIRST SUBDIVISION.—WESTWARD.**

Ellensburg to Easton.....	.....	.....	2100	60	1700	53	1550	52	1300	43	1250	42	1200	40	700	24	670	23	545	18
Easton to Lester.....	1300	35	850	28	550	18	575	19	450	15	450	15	400	14	250	9	235	8	175	6
Lester to Auburn.....	.....	.....	Maximum 80 Cars	.....	Maximum 80 Cars	.....	Maximum 80 Cars	.....	Maximum 60 Cars	.....	Maximum 60 Cars	.....	Maximum 60 Cars	.....	Maximum 40 Cars	.....	Maximum 40 Cars	.....	Maximum 40 Cars	.....

Rating time freight, Class W engine, 1600 tons; Y-2, 1200 tons. Ellensburg to Easton.  
Between Easton and Lester maximum 60 cars.

**SECOND SUBDIVISION—EASTWARD**

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Sumas to Wickersham.....	800	27	850	28	950	31	925	31	1100	36	1300	43
Wickersham to Thornwood.....	425	14	450	15	550	18	535	18	600	20	700	23
Thornwood to Clear Lake.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Clear Lake to McMurray.....	425	14	450	15	540	18	525	18	575	19	675	22
McMurray to Sisco.....	850	28	900	30	1080	36	1050	35	1150	38	1350	45
Sisco to Getchell.....	425	14	450	15	540	18	525	18	575	19	675	22
Getchell to Snohomish.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Snohomish to Maltby.....	340	11	365	12	430	14	415	14	475	16	625	20
Maltby to Bothell.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Bothell to Keith.....	800	27	850	28	975	32	960	32	1025	34	1150	38
Keith to Seattle.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60

**SECOND SUBDIVISION—WESTWARD.**

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Seattle to Fremont.....	2000	50	2000	50	3000	60	3000	60	3000	60	3000	60
Fremont to Keith.....	525	18	550	18	615	20	600	20	650	21	750	25
Keith to Woodinville.....	1200	40	1200	40	1500	50	1500	50	1650	55	1800	60
Woodinville to Maltby.....	320	11	340	11	415	14	400	14	450	15	600	19
Maltby to Snohomish.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Snohomish to Machias.....	820	28	900	30	980	32	950	32	1000	33	1100	37
Machias to Getchell.....	425	14	450	15	530	17	515	17	565	19	675	22
Getchell to Arlington.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Arlington to McMurray.....	660	22	685	23	765	26	750	25	800	27	900	30
McMurray to Sedro-Woolley.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Sedro-Woolley to Thornwood.....	425	14	440	14	525	17	510	17	560	18	660	22
Thornwood to Sumas.....	900	30	1000	31	1200	40	1200	40	1300	43	1500	50

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
<b>Fourth Subdivision—Eastward.</b>												
Woodinville to Kirkland.....	800	27	825	27	975	32	960	32	1030	34	1150	38
Kirkland to Black River.....	2000	40	2000	40	2500	50	2500	50	2750	55	3000	60
<b>Fifth Subdivision—Eastward.</b>												
North Bend to Falls City.....	775	26	800	27	1250	41	1200	40	1350	45	1650	55
Falls City to Preston.....	260	9	300	10	415	14	400	13	450	15	550	18
Preston to Woodinville.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
<b>Sixth Subdivision—Eastward.</b>												
Everett to Snohomish.....	800	27	850	28	1000	33	980	33	1100	37	1400	46
<b>Seventh Subdivision—Eastward.</b>												
Monte Cristo to Silverton.....	200	7	215	7	300	10	285	10	335	11	435	14
Silverton to Hartford.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
<b>Eighth Subdivision—Eastward and Westward.</b>												
Arlington and Darrington.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
<b>Ninth Subdivision—Eastward.</b>												
Bellingham to Larson.....	340	11	365	12	415	14	400	13	475	16	575	19
Larson to Wickersham.....	1040	35	1100	37	1300	43	1250	42	1500	50	1800	60

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
<b>Fourth Subdivision—Westward.</b>												
Black River to Woodinville.....	1100	37	1200	40	1400	46	1400	46	1500	50	1800	60
<b>Fifth Subdivision—Westward.</b>												
Woodinville to Issaquah.....	1200	40	1200	40	1500	50	1500	50	1800	60	2200	60
Issaquah to Preston.....	260	9	300	10	415	14	400	13	450	15	550	18
Preston to North Bend.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
<b>Sixth Subdivision—Westward.</b>												
Snohomish to Everett.....	800	27	850	28	1000	33	980	33	1100	37	2000	50
<b>Seventh Subdivision—Westward.</b>												
Hartford to Granite Falls.....	500	17	525	18	850	28	825	27	900	30	1000	33
Granite Falls to Robe.....	310	10	315	10	350	12	325	11	375	13	475	16
Robe to Silverton.....	325	11	350	12	450	15	425	14	475	16	575	19
Silverton to Monte Cristo.....	200	7	215	7	300	10	285	10	335	11	435	14
<b>Ninth Subdivision—Westward.</b>												
Wickersham to Mirror Lake.....	340	11	365	12	415	14	400	13	475	16	575	19
Mirror Lake to Larson.....	1040	35	1100	37	1300	43	1250	42	1500	50	1800	60
Larson to Bellingham.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60

### AUTHORIZED SURGEONS, SEATTLE DIVISION.

#### Location of Stretchers (S).

S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.

CLINTON T. COOKE, Oculist, Seattle.  
P. W. WILLIS, King St. Sta. (S).  
F. S. BOURNS, Seattle Yd. Office (S).  
Seattle Tool Car (S).

E. M. ADAMS, Arlington (S).  
N. S. McCREADY, Snohomish (S).  
W. C. COX, Everett (S).  
C. C. HARBOUGH, Sedro-Woolley (S).

W. E. GIBSON, Issaquah, (S).  
E. S. CLARK, Sumas (S).  
A. M. SMITH, Bellingham (S).  
Woodinville (S).

J. C. McCAULEY, Ellensburg (S).  
R. R. PINKARD, Ellensburg (S).  
H. R. SMITH, Easton (S).  
Lester (S).

D. O. KEARBY, Cle Elum (S).  
B. E. HOYE, Auburn (S).  
WM. H. BRANDT, Auburn  
Auburn Yard Office (S).  
Puyallup (S).

P. B. WING, Oculist, Tacoma.  
W. G. CAMERON, Specialist, Tacoma.  
N. P. B. A. Hospital, Tacoma (S).  
Baggage Room, Tacoma (S).  
Round House, Tacoma (S).

Head-of-Bay Yard Office, Ta-  
coma (S).  
Half Moon Yard Office, Ta-  
coma (S).  
Tool Car, Tacoma (S).  
Wharf, Tacoma (S).

#### Note.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical aid should be procured until the

arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

