



1917

1917

1917

1917 (Form 1365) 62571

REQUISITION FOR AUTHORITY FOR EXPENDITURE

Applicant's No. 319 Eng. Dept. No. 11 (1917) Comptroller's No. 4-1917  
On Tacoma Div'n or Operating Dept. State of Wash Pal. Sec. No. 36  
Location

Authority is requested for an expenditure of \$ 56.00 chargeable approximately as follows: (Distribution to be made in General Office, St. Paul.)

To Opt'd. Exps. \$ To Adms. and Betts. \$ 56.00 ✓ To \$

For new work Grays Harbor Line, Not in Budget  
at Hoquiam, Wash

Construction of tie plates on trestle west approach, Hoquiam River Draw span (Main Line)



The location is on this company's property and is not in joint territory. To secure required rights it will be necessary Valuation basis. O-WRR&N - CH&StP. Contract dated 7-31-11

If required by Accounting Department, a detailed estimate will be furnished promptly after approval. The expenditure is recommended for the following reasons: (if space is not sufficient continue on back.)

The westerly approach of the Hoquiam River draw-bridge at Hoquiam is on curve and installation of ~~tie~~ tie plates is required for the purpose of holding track to gauge. This will result in ties lasting longer than would be the case without the installation of tie plates.

RECEIVED  
JAN 3 1917  
VOICE AUDR. DIRS.

Work should be commenced when approved in order to complete by  
and be done by company force under charge of Superintendent

Signature and Title of Applicant } *W. H. ...* Date of Requisition } 12-15-16 191  
Superintendent

APPROVED BY  
*...* Chief Engr. M. of W.  
*...* General Manager

*...* Chief Engr., Mech. Supt. or Supt. Tels.  
*...* First Vice President  
*...* Second Vice President

*...* Comptroller  
*...* President  
Date of Final Approval } 191

COMPTROLLER'S RECORD OF NOTICE OF APPROVAL AND OF COMPLETION

Form 1345 issued JAN 3 - 1917 191 Work begun 191 Work finished 191