

NORTHERN PACIFIC RAILWAY COMPANY.

DAKOTA DIVISION

No. 12G

TIME TABLE

No. 12G

TO TAKE EFFECT AT 12:01 A. M.

(CENTRAL OR 90th MERIDIAN TIME.)

MONDAY, JANUARY 1st, 1900.

For the government of employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the current Time Table, and destroy all previous numbers. Read carefully the Special and General Rules, and always have for reference a copy of the TRANSPORTATION RULES.

J. W. KENDRICK,

Second Vice President.

M. C. KIMBERLY,

Gen'l Superintendent.

C. J. WILSON,

Superintendent.

West Bound.

FIRST DISTRICT.

East Bound.

WAY FREIGHT No. 59	FREIGHT		PASSENGER No. 7	PASSENGER No. 1	Water, Coal Scales, Tables and Wees	Station Numbers	Distance from Fargo	Time Table No. 12G January 1st, 1900 Succeeding No. 12B		Distance from Jamestown	Capacity of Side Tracks	PASSENGER No. 2	PASSENGER No. 8	FREIGHT No. 54	WAY FREIGHT No. 60						
	Third Class	Third Class						Second Class	First Class							First Class	STATIONS	First Class	First Class	Second Class	Third Class
	EX. SUNDAY	DAILY						DAILY	EX. SUNDAY							DAILY		DAILY	EX. SUNDAY	DAILY	EX. SUNDAY
De 7.15 A M M 2	De 6.05 P M M 54	De 3.05 P M	De 2.00 P M	De 6.15 A M	WC ST	316	0.0	FO	Fargo 5.3 (D.I.)	N	92.8	500	Ar 7.00 A M M 59	Ar 9.30 P M	Ar 5.45 P M M 55	Ar 11.40 A M					
7.40	6.27	3.21	F 2.13	* 6.24		320	5.3		Haggart 3.0		87.5	59	* 6.48	F 9.15	5.20	11.15					
7.55	6.39	3.30	F 2.18	* 6.29		324	8.3		Canfield 4.2		84.5	43	* 6.43	F 9.09	5.06	11.03					
8.10	6.55	3.43		* 6.36 M 2	W	328	12.5	MA	Mapleton 2.4	D	80.3	127	F 6.36 M 1	9.00	4.47	10.45					
8.20	7.05	3.50	F 2.28	* 6.39		331	14.9		Greene 3.0		77.9	71	* 6.25	F 8.55	4.36	10.33					
8.30	7.17	4.00	F 2.33	*		334	17.9		Dalrymple 2.2		74.9	72	*	F 8.49	4.24	10.20					
8.45	7.30	4.15 M 54		6.48		336	20.1	CA	Casselton 3.8	N	72.7	160	6.12	8.45	4.15 M 53	10.10					
9.10	7.53	4.28	F 2.45	*		339	23.9		Sidney 2.7		68.9	26	*	F 8.37	3.55	9.52					
9.40 M 60	Ar 8.10 De 8.32 M 8	4.38		* 7.00	W	342	26.6	WD	Wheatland 3.8	D	66.2	124	F 5.55	8.32 M 55	3.45	9.40 M 59					
10.04	8.52	4.50	F 2.58	* 7.07		346	30.4		Magnolia 5.8		62.4	55	* 5.47	F 8.22	3.32	9.25					
10.40	9.20	5.10		* 7.20		352	36.2	BF	Buffalo 5.9	N	56.6	193	F 5.35	8.11	De 3.10 M 7 Ar 3.05	8.58					
11.15	9.50	5.28		F 7.30	W	358	42.1	CT	Tower City 5.5	D	50.7	105	F 5.22	7.59	2.35	8.32					
11.45 A M	10.18	5.45		* 7.39		363	47.6	KA	Oriska 4.7	D	45.2	107	F 5.10	7.47	2.15	8.09					
12.15 P M	10.42	6.05	F 3.42	* 7.47 M 60		368	52.3		Alta 5.6		40.5	55	* 5.00	F 7.38	2.00	De 7.47 M 1 Ar 7.42					
Ar 12.40 De 1.25 M 54	11.10	6.30		7.57	WC	374	57.9	VY	Valley City 4.9	N	34.9	144	4.45	7.25	1.25 M 59	De 6.55 Ar 6.20					
2.00	11.58 P M	Ar 7.10 De 7.15 M 8	F 4.03	* 8.10		379	62.8		Berea 2.8		30.0	65	* 4.35	F 7.15 M 53	1.05	6.00					
2.10	12.14 A M	7.25	F 4.10	*		381	65.6		Hobart 3.5		27.2	25	*	F 7.09	12.57	5.49					
2.30	12.33	7.38		F 8.20	W Y	385	69.1	SA	Sanborn 5.3	N	23.7	211	F 4.22	7.01	12.45	5.35					
3.00	1.01	7.57	F 4.29	* 8.30		389	74.4	EX	Eckelson 3.7		18.4	78	* 4.10	F 6.50	12.30	5.14					
3.22	1.22	8.11	F 4.38	* 8.37		394	78.1		Urbana 4.0		14.7	38	* 4.02	F 6.41	12.19	5.00					
3.45	1.45	8.25		* 8.44		398	82.1	SW	Spiritwood 6.0	D	10.7	76	F 3.54	6.32	12.06 P M	4.42					
4.19	2.16	8.48	F 5.00	* 8.57		403	88.1		Bloom 4.7		4.7	55	* 3.41	F 6.20	11.47 A M	4.20					
Ar 4.45 P M	Ar 2.45 A M	Ar 9.05 P M	Ar 5.10 P M	Ar 9.05 A M	WC ST	409	92.8	J	Jamestown	N	0.0	400	De 3.30 A M	De 6.10 P M	De 11.30 A M	De 4.00 A M					
EX. SUNDAY	DAILY	DAILY	EX. SUNDAY	DAILY									DAILY	EX. SUNDAY	DAILY	EX. SUNDAY					

Registering and bulletin stations—Fargo, Valley City and Jamestown. East bound trains will register at Haggart.

Standard clocks—Fargo and Jamestown.

Fargo yard extends from yard limit board west of Fargo and Southwestern Junction to east end of Red River bridge. Passenger trains will not exceed fifteen (15) and freight trains six (6) miles per hour

through any portion of Fargo yard, and no train will exceed four (4) miles per hour crossing Broadway. All trains and light engines must come to a full stop before crossing C. M. & St. P. track one mile west of Fargo, and the Great Northern track one-half mile west of Casselton.

No. 1 will run slow through Sanborn to permit U. S. mail to be exchanged by hand.

Nos. 7 and 8 will stop at Fargo shops. No. 2 will take siding for No. 1.

SPECIAL RULES GOVERNING THE USE OF DOUBLE TRACK BETWEEN FARGO AND HAGGART.

RULE 1. Trains entering double track will keep to the right.

RULE 2. Double track commences at first switch east of stock yards, at Haggart station, which will be set and locked for West Bound trains. Double track ends at Fargo Passenger station.

RULE 3. Trains approaching on double track will give two short blasts of the whistle, and reduce speed while passing. All trains must approach F. & S. W. Junction under control.

No. 7 has right over No. 8.

SECOND DISTRICT.

West Bound.

East Bound.

WAY FREIGHT No. 55		FREIGHT No. 53		PASSENGER No. 1		Water, Coal, Stables, Tables and Wyes	Station Numbers	Distance from Jamestown	Time Table No. 12G January 1st, 1900 Succeeding No. 12B	Distance from Mandan	Capacity of Side Tracks	Telegraph Offices	PASSENGER No. 2		FREIGHT No. 54		WAY FREIGHT No. 56	
Third Class	Second Class	First Class	First Class	Second Class	Third Class								Second Class	Third Class				
EX. SUNDAY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	STATIONS	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EX. SUNDAY			
De 6.45 A M	De 9.30 P M	De 9.15 A M	De 9.15 A M	W C S T	409	0.0	J	Jamestown 7.0	106.7	400	N	Ar 3.25 A M	Ar 11.00 A M	Ar 4.00 P M				
7.15	9.56	F 9.28	F 9.28		416	7.0	J	Eldridge 9.2	99.7	90	D	F 3.10	10.35	3.20				
7.55	10.30	F 9.45	F 9.45		425	16.2	EG	Windsor 3.9	90.5	94		F 2.53	10.04	2.30				
8.10	10.45	* 9.52 M 54	* 9.52 M 54	W	429	20.1		Cleveland 8.5	86.6	67		F 2.45	De 9.52 M 1	2.09				
Ar 8.55	11.16	F 10.06	F 10.06	W	438	28.6		Medina 8.7	78.1	104	N	F 2.28	Ar 9.47	1.20				
De 9.00 M 54	11.48 P M	F 10.21	F 10.21		446	37.3	MD	Crystal Springs 7.5	69.4	92		F 2.10	9.00 M 55	12.35 P M				
Ar 10.28 IP	12.15 A M	F 10.33 P 55	F 10.33 P 55		454	44.8		Tappen 5.5	61.9	59		F 1.56	8.08	11.55 A M				
De 10.38	12.35	10.42	10.42	W C	459	50.3	TP	Dawson 7.9	56.4	98	N	1.45	7.50	11.25 M 55				
Ar 11.04	Ar 1.25	10.55 M 56	10.55 M 56		467	58.2	DO	Steele 8.0	48.5	123	D	1.30 M 53	7.25	De 10.55 M 1				
De 11.25 M 56	De 1.30 M 2	* 11.09	* 11.09		474	66.2	ST	Geneva 3.0	40.5	65		F 1.15	7.00	Ar 10.50				
11.59 A M	1.58	F 11.14	F 11.14	W 2 1/2 miles west	478	69.2		Driscoll 7.5	37.5	55		F 1.09	6.50	9.54				
12.35 P M	2.08	F 11.27	F 11.27		486	76.7	SG	Sterling 6.2	30.0	99	N	F 12.55	6.25	9.25				
12.49	2.33	F 11.37	F 11.37		492	82.9		McKenzie 5.2	23.8	109		F 12.43	6.05	9.03				
1.23	2.55	F 11.47	F 11.47		497	88.1		Burleigh 5.3	18.6	67		F 12.34	5.49	8.43				
1.52	3.12	* 11.57 A M	* 11.57 A M		506	93.4		Apple Creek 7.5	13.3	55		* 12.24	5.33	8.23				
2.16	3.30	12.12 P M	12.12 P M	W T	510	100.9		Bismarck 5.8	5.8	250	N	12.10 A M	5.10	De 7.55				
2.40	3.55	Ar 12.30 P M	Ar 12.30 P M	W C S T	515	106.7	BI	Mandan	0.0	450	N	De 11.55 P M	De 4.45 A M	De 6.30 A M				
Ar 3.15	Ar 4.25 A M						A						Ar 6.55					
De 4.35	M 54												M 53					
Ar 5.00 P M																		
EX. SUNDAY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EX SUNDAY				

Registering and bulletin stations—Jamestown and Mandan.

Standard clocks—Jamestown and Mandan.

All east bound trains and light engines **must come to a full stop** before crossing at Devil's Lake Junction one mile west of Jamestown. The speed of trains must not exceed six (6) miles per hour between Devil's Lake Junction and Jamestown passenger depot.

FARGO & SOUTHWESTERN BRANCH.

West Bound.

East Bound.

FREIGHT No. 159		MIXED No. 121 <small>(J.R. and O. Bch. 121)</small>	PASSENGER No. 117	PASSENGER No. 107	Water, Coal, Stables, Trains and Wyes	Station Numbers	Distance from Fargo	Time Table No. 12G January 1st, 1900 Succeeding No. 12B			Distance from End of Track	Capacity of Side Tracks	Telegraph Offices	PASSENGER No. 108	PASSENGER No. 118	MIXED No. 122 <small>(J.R. and O. Bch. 122)</small>	FREIGHT No. 160
Third Class	Second Class	First Class	First Class	STATIONS				First Class	Second Class	Third Class							
MON., WED. & FRI.	TUE., THUR. & SAT.	TUE., THUR. & SAT.	EX. SUNDAY	EX. SUNDAY	WCS TY	DA	FO	Fargo	109.9	500	N	Ar 6.45 P M		TUE., THUR. & SAT.	TUE., THUR. & SAT.	TUE., THUR. & SAT.	
De 5.30 A M			De 8.00 A M			4		4.2					F 6.31			Ar 5.30 P M	
5.50			F 8.12			4		4.2					F 6.31			4.55	
6.30			8.26		W 1 1/2 Mile West	11		10.7				D	6.15			4.25	
6.50			F 8.38			16		16.2					F 6.03			3.55	
7.05			8.47			19		19.4				D	5.55			3.35	
7.35			F 9.01			25		25.3				D	F 5.40			3.10	
7.55			9.11		W	26		29.2				D	5.30			2.50	
8.20			F 9.27			34		35.5				D	F 5.15			2.25	
9.15			9.43			42		41.7				D	5.00			2.00	
Ar 10.05 De 10.15	107 P		F 10.10 P 159			50		50.7				D	F 4.37			1.00	
10.50		De 10.25 A M	Ar 10.25 A M		WC	56		56.4				D	De 4.20 P M	Ar 4.20 P M		12.30 P M	
11.30		F 10.45	EX. SUNDAY		T	63		64.0				D	EX. SUNDAY	F 3.59		11.30 A M	
11.55 A M		10.58 M 160			W	69		68.9				D	3.46			De 10.58 M 117 Ar 10.25	
12.20 P M		F 11.20				77		76.8				D	F 3.25		See Page 4.	9.55	
12.40	De 11.50 P M	11.38			Y	83		83.0						3.10	Ar 12.40 P M	9.30	
1.30	Ar 12.10 A M WED. FRI. & SUN.	11.55 A M M 122			WY	88		88.2				D	2.55		De 12.20 P M 117 TUE. THUR. & SAT.	9.10	
2.29	See Page 4.	F 12.20 P M				10		98.2						F 2.29		8.15	
2.55		F 12.34				16		104.3						F 2.15		7.50	
Ar 3.15 P M		Ar 12.45 P M			WC	21		109.6				D	De 2.00 P M			De 7.30 A M	
MON., WED. & FRI.		TUE., THUR. & SAT.			T	22		109.9						TUE., THUR. & SAT.		TUE., THUR. & SAT.	

Registering stations—Fargo, Lisbon, Oakes Junction, La Moure and Edgeley.

Bulletin stations—Fargo and Edgeley.

Standard clock—Fargo.

Fargo yard extends from yard limit board west of F. & S. W. Junction to east end of Red River Bridge.

Edgeley yard extends from Junction Switch, one quarter of a mile east of Edgeley, to End of Track west of depot.

All trains and light engines will come to a full stop before crossing C., M. & St. P. track one (1) mile west of Fargo, the Great Northern track at Davenport, and the "Soo" Line Track two and one-half (2 1/2) miles west of Sheldon.

The switches at Oakes Junction and La Moure will be set for the Fargo & Southwestern Branch.

No. 107 has right over No. 108 and 117 over 118.

West Bound.

JAMES RIVER AND OAKES BRANCHES.

East Bound.

		MIXED No. 121		Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Jamestown	Time Table No. 12G January 1st, 1900 Succeeding No. 12B				Distance from Oakes	Capacity of Side Tracks	Telegraph Offices	MIXED No. 122	
		Second Class					STATIONS							Second Class	
		WED. FRI. & SUN.												TUE. THUR. & SAT.	
Ar	3.15 A M	WC	409		ST	0.0	J	Jamestown	12.9	68.9	400	N	De	8.00 A M	
F	2.33		DD 13			12.9		Ypsilanti	6.1	56.0	95		F	8.45	
F	2.11		DD 19			19.0		Montpelier	7.4	49.9	32		F	9.10	
F	1.43		DD 26			26.4		Adrian	6.2	42.5	22		F	9.40	
	1.20	W	DD 33			32.6		Dickey	8.6	36.3	74	D		10.30	
F	12.40		DD 41			41.2	DQ	Grand Rapids	7.3	27.7	69		F	11.10	
De	12.10 A M	W	DA 88		Y	48.5	OR	La Moure	5.2	20.4	114	D	Ar	11.40 A M	
		WED. FRI. & SUN.												See page 3.	

SEE CURRENT TIME TABLE OF THE

See page 3.

La Moure
5.2
Oakes Junction
(Oakes Branch.)

FARGO & SOUTHWESTERN BRANCH.

Ar	11.50 P M	Y	DA 83			53.7		Oakes Junction	7.7	15.2	58		De	12.40 P M	
F	11.20		DD 62			61.4		Glover	7.5	7.5	42		F	1.20	
De	10.50 P M	W	DD 69		CT	68.9	KS	Oakes	0.0	0.0	72	D	Ar	2.00 P M	
		TUE. THUR. & SAT.												TUE. THUR. & SAT.	

Registering stations—Jamestown, La Moure, Oakes Junction and Oakes.

Bulletin stations—Jamestown and Oakes.

Standard clock—Jamestown.

The switches at Oakes Junction and La Moure will be set for the Fargo & Southwestern Branch.

West Bound.

COOPERSTOWN BRANCH.

East Bound.

		MIXED No. 111		Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Sanborn	Time Table No. 12G January 1st, 1900 Succeeding No. 12F				Distance from Cooperstown	Capacity of Side Tracks	Telegraph Offices	MIXED No. 128	
		Second Class					STATIONS							Second Class	
		EX. SUNDAY												EX. SUNDAY	
De	8.45 A M	W	385		CY	0.0	SA	Sanborn	9.3	62.6	211	N	Ar	6.15 P M	
	9.20		DC 9			9.5	RD	Rogers	8.3	53.1	48	D		5.45	
	9.50		DC 18			17.8	DZ	Dazey	8.7	44.8	69	D		5.10	
	10.20	W	DC 28			26.5	HF	Hannaford	10.0	36.1	41	D		4.35	
	11.30	T	DC 36			36.5	CP	Cooperstown	3.5	26.1	100	D		3.50	
F	11.40 A M		DC 40			40.0		Lovell	5.5	22.6	22		F	2.55	
	12.01 P M	W	DC 45			45.5		Jessie	5.4	17.1	37	D		2.30	
F	12.20		DC 51			50.9		Binford	11.7	11.7	57		F	2.10	
Ar	12.55 P M	CY	DC 63			62.6		McHenry	0.0	0.0	65	D	De	1.30 P M	
		EX. SUNDAY												EX. SUNDAY	

Registering stations—Sanborn and McHenry.

Bulletin station—Sanborn.

Standard clock—Jamestown.

All trains and light engines will come to a full stop before crossing Soo Line Track just west of Depot at Rogers.
Cooperstown Branch trains will protect themselves against Main Line trains between Sanborn Passenger Depot and Junction Switch.
No. 111 has right over No. 128.

West Bound.

DEVIL'S LAKE BRANCH.

East Bound.

MIXED No. 141		MIXED No. 131		Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Jamestown	Time Table No. 12G January 1st, 1900. Succeeding No. 12B			Distance from End of Track	Capacity of Side Tracks	Telegraph Offices	MIXED No. 138		MIXED No. 148	
Second Class		Second Class					STATIONS						Second Class		Second Class	
TUE., THUR. & SAT.		MON., WED. & FRI.					TUE., THUR. & SAT.		MON., WED. & FRI.							
De	9.30 A M	De	9.30 A M	WC S T	409	0.0	Jamestown	108.7	400	N	Ar	4.30 P M	Ar	4.30 P M		
F	9.55	F	9.55		DE 7	6.4	Parkhurst	102.3	33		F	4.00	F	4.00		
F	10.16	F	10.16		DE 14	13.4	Buchanan	95.3	27		F	3.35	F	3.35		
	10.43		10.43		DE 21	21.2	Pingree	87.5	42	D		3.05		3.05		
F	11.05	F	11.05	W	DE 28	27.8	Edmunds	80.9	24		F	2.40	F	2.40		
	11.28		11.28		DE 35	34.5	Melville	74.2	39	D		2.15		2.15		
Ar	11.59 A M	Ar	11.59 A M	WC Y	DE 44	43.5	Carrington	65.2	123	D	Ar	1.40 M 141	De	1.40 P M		
	M 138	De	1.00 P M		DE 48	48.2	Guptill	60.5	16					M 131		
TUE., THUR. & SAT.													MON., WED. & FRI.			
		F	1.27		DE 51	51.9	Barlow	56.8	37			12.45				
			2.10	W	DE 60	59.6	New Rockford	49.1	40	D	De	12.15 P M				
					DE 66	65.9	Divide	42.8	18		Ar	+ 11.20 A M				
			3.00		DE 71	70.7	Sheyenne	38.0	30	D		10.35				
			3.40	W	DE 79	79.4	Oberon	29.3	37	D		10.00				
		F	3.55		DE 83	83.3	Lallie	25.4	30		F	9.43				
			4.30	Y	DE 90	90.2	Minnewaukan	18.5	68	D		9.15				
			5.02		DE 99	98.7	Brinsmade	10.0	33	D		8.37				
		Ar	5.40 P M	W C T	DE 108	108.4	Leeds	0.3	69	D	De	8.00 A M				
		MON., WED. & FRI.		DE 109			108.7	End of Track	0.0		TUE., THUR. & SAT.					

MIXED No. 141				Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Carrington	SYKESTON BRANCH.			Distance from Bowdon	Capacity of Side Tracks	Telegraph Offices	MIXED No. 148	
Second Class							Time Table No. 12G January 1st, 1900 Succeeding No. 12B						Second Class	
TUE., THUR. & SAT.							STATIONS		MON., WED. & FRI.					
De	1.00 P M			WC Y	DE 44	0.0	Carrington	27.3	123	D		Ar	12.30 P M	
F	1.23				DF 7	6.7	Ross	20.6	Spur 8			F	11.55 A M	
	1.45			W	DF 13	12.6	Sykeston	14.7	41	D			11.30	
F	2.10				DF 19	19.6	Heaton	7.7	30			F	10.55	
Ar	2.35 P M			WC Y	DF 27	27.3	Bowdon	0.0	37	D		De	10.30 A M	
TUE., THUR. & SAT.													MON., WED. & FRI.	

Registering stations—Jamestown, Carrington, Bowdon and Leeds.
Bulletin stations—Jamestown, Bowdon and Leeds.
Standard clock—Jamestown.
 Devil's Lake Branch trains will protect themselves against Main Line trains between Devil's Lake Junction and the Passenger Depot at Jamestown.
 Sykeston Branch trains will protect themselves against Devil's Lake Branch Line trains between "Wye" Switch and Carrington.

All trains and light engines **must come to a Full Stop** before crossing Soo Line Track, one-half mile west of Carrington and Great Northern Track, west of Depot at Leeds.
 Before crossing the G. N. Track at Leeds, the Crossing Gate must be properly set and fastened. During storm, fog or darkness a red light must be properly displayed on this gate. A red lantern will be used for this purpose and is to be removed as soon as G. N. Track is clear and gate locked to (clear) position.
 "G. N. Trains will not stop unless gate is set against them."

GENERAL RULES.

Study carefully Special and General Rules. Important changes have been made that differ from former rules and which must be understood alike by all.

Conductors will register as required, and must not pass any registering station which has telegraph service without an order or clearance.

All trains on double track approaching stations at which passenger trains are receiving or discharging passengers must be brought to a FULL STOP with ENGINES OPPOSITE EACH OTHER.

Freight trains authorized to carry passengers, with permits, will be designated by bulletin.

Special care must be exercised when approaching all bluffs where slides are liable to occur, and freight brakemen must be on top of train when approaching and passing all stations and bluffs.

Before passing any stations, freight engineers must obtain signal from rear of train.

Special attention is called to Rules 298 and 299, which also govern trains at water tanks outside of switches.

Engineers of all irregular trains and delayed regular trains must sound road crossing signal approaching obscure curves, to warn trackmen and others.

All car doors must be kept closed while in trains.

At all stations where there is a local spur or siding, cars must not be left on passing track without special orders.

SPECIAL ATTENTION is called to Rules 227, 287 and 406.

SPECIAL REFERENCES.

M—Meet.

P—Pass.

F—Flag Station.

*—Trains do not stop for passengers.

†—Meals.

W—Water.

C—Coal.

S—Scale.

T—Table.

Y—Wye.

D T—Double Track.

FULLFACED figures (1, 2, 3, etc.) denote meeting and passing stations.

D—Day and N—Night and Day telegraph office.

COMMERCIAL SPURS.	
MAIN LINE	
Distance from Fargo.	
Munger's	29½ Miles
Baird	54½ "
MAIN LINE	
Distance from Jamestown.	
Bismarck Penitentiary Spur	99 Miles
Bismarck Water Works Spur	102 "
DEVIL'S LAKE BRANCH.	
Farquer 39 miles from Jamestown	
Garland 47 " " " (Sykeston Bch.)	
JAMES RIVER & OAKES BRANCH.	
Reeves Spur 6½ miles from Jamestown	
COOPERSTOWN BRANCH.	
Lewis Spur 56 miles from Sanborn.	

AUTHORIZED SURGEONS, DAKOTA DIVISION.

LOCATION OF STRETCHER (S).

DR. W. COURTNEY, Chief Surgeon, E. D., Brainerd.	DR. J. A. RANKIN, Jamestown (S).
DR. I. N. WEAR, Fargo (S).	DR. J. M. H. STOVER, LaMoure.
DR. J. P. AYLEN, Sheldon.	DR. H. W. MIRACLE, Edgeley.
DR. A. G. PATTERSON, Lisbon (S).	DR. H. P. BOARDMAN, Oakes (S).
DR. S. MITCHELL, Mapleton.	DR. J. R. MCKENZIE, Carrington.
DR. H. J. ROWE, Casselton (S).	DR. C. McLACHLAN, New Rockford.
DR. F. E. SALVAGE, Wheatland.	DR. J. O. BROWN, Minnewaukan (S).
DR. E. A. PRAY, Valley City (S).	DR. F. R. SMYTH, Bismarck (S).
DR. A. A. J. LANG, Sanborn.	DR. G. B. FURNESS, Mandan (S).
DR. C. L. BRIMI, Cooperstown.	

NOTE.

Surgeons will attend, when called upon officially, to all cases of *accident* occurring to employes or passengers. In cases of *sickness* it is the intention to limit medical service to the locality or town where a surgeon resides; unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge; and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association, after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished *only at our own hospitals*. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.