# NORTHERN PAGE BALLAN GOMPANY.

DULUTH AND SUPERIOR TERMINALS



IN EFFECT AT 12:01 A. M. Central or 90th Meridian Time.

# SUNDAY, NOVEMBER 29th, 1908.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

GEORGE T. SLADE,

General Manager.

F. W. GILBERT,

General Superintendent.

I. B. RICHARDS,
Superintendent of Transportation.

E. C. BLANCHARD, Superintendent.

The last term of the la	WEST BOU	Owner Descriptions	and Clase	Tes Clase		let Cl. Acc	Leady the	(a) of Fee	1.0.00					THE RESERVE OF THE PARTY OF THE	TO COMPANY OF THE PARTY OF					and the	YEAR PAR					FROM DULUTH
	51	31	57	161	4441	7	183	3	1st CLASS	61	1st CLASS	Ist CLASS	2nd CLASS 167	2nd CLASS 55	103	1st CLASS	Ist CLASS	1st CLASS	1st CLASS	Ist CLASS	1st CLASS	Ist CLASS	Ist CLASS	-	- 3 4	TIME TABLE No. 15.
				N. P. 161 Ex. Sunday		D. S. S. & A. 6 Ex. Sunday		N. P. 4 Dally	N. P. 11	OMAHA 61 Ex. Sunday	Q. N 33	N. P. 101	N. P. 167	N. P. 56 Mn. Wed. Fri	N. P. 103	G. N. 37	OMAHA 95	Q. N. 19	D. M. & N. 3	N. P. 2	OMAHA 63		93 Омана 93	5 D. S. S. & A.	- Defen	NOV. 29th, 1908.
DULUTH				6.50AM		7.30A	7.40A	8.00AII	8.15 All	LA SURGRY	Daily	9.00A	9.05All	mn. Wed. Fri	Daily 1.55FM	Ex. Sunday	Daily	Daily	Daily	Dally	Dally	Daily	Daily	Daily		Telegraph Offices and Calls.
GARFIELD AVENUE				6.58		7.88	• 7.48	* 8.08	* 8.18										3.50PM	4.00 PM	b 1 =/-	5.10FM	hallow	5.20PM		DULUTHN
20TH AVENUE				6.55			A -		6.10			9.03	* 9.08		• 1.58	<u> </u>	A State	1100 000 1	* 3.53	* 4.03	1/4/1 Gen a	* 5.13	line sud	* 5.28	- Married Access	GARFIELD AVENUE 3
				rods El T	9 USQ 1993	Bridge	• 7:44	dge	Bridge			9.04	9.80		* 1.59				* 3.54	98		5.14	Self Select	Se Se		zoth avenue d
D. M. & N. JCT	Third - I do	3 203 201	Ass as	6.57	a Pappai	B	* 7.45M	Bri	H	4.7	have similar	9.06	9.35		* 2.01			- T- T- 18 - 2	* 3.55PM	Brid	hai ka	* 5.16	a pul	Bridge		D. M. & N. JCT
WEST DULUTH				7.05		uis		air	inis	20.00		9.13	9.45		2.06					nis .	سينتط	5.24	FF: -F-H	iis ]	4.2	WEST DULUTH N B
WEST DULUTH JCT			*	7.08		Ă.		Ä	Ä,			• 9.15AII	• 10.10		• 2.08					Loi	\$	* 5.26FE		Lot	4.9	WEST DULUTH JCT
SPIRIT LAKE			1144 4	7.14	المضنات	St		St	. St.				10.20		Line					Š				St	7.0	SPIRIT LAKE
NEW DULUTH			ara di	7.98		Via		Vis	Via				11.10				6 5 6		, 1	Via			0.004	Via	11.4	NEW DULUTH D
FOND DU LAC				7.80A						Listensial V	allow widowiewi.		11.404		Point								in di		14.3	FOND DU LAC D
ZENITH FURNACE										East and and	Marin Jahanna		and all of		÷ 2.09							71117			-	ZENITH FURNACE
GRASSY POINT SIDING				-							Edgase.		apost Amaria		• 2.16											
RICE'S POINT	19.05M		6.15M			• 7.36		\$ 8.08	* 8.21		÷ 2.0			10.004	<b>A</b>					* 4.05				* 5.26		RICE'S POINT
BRIDGE SWITCH	12.08	6.07 AM	6.18			* 7.87		* 8.08 14	* 8.22 94	8.48A	* 8.53.W			10.08	rass	ווַפּעיפּ פּ	* 3.37 PM	* 3.49PU			A 40 mi	ĠĊ.			-	0.8 ERIDGE SWITCH
ELEVATOR STATION	12.15	6.19	6.95	mar est	Alarra T	7.48		* 8.13	* 8.27	8.53	* 8.57			10.12	<b>Q</b>					* 4.06	* 4.48PM		* 5.28FM			ERIDGE SWITCH
OMAHA CONN	19.17	6.14	6.28			• 744		* 8.14	* 8.29	₽.54M		Trans.	entel® 13) see		Vi	* 2.32 50		* 3.47		* 4.11	* 4.47	A American	* 5.28	* 5.32		
SUPERIOR U. D	100.21	6.15				7.45M				p.ogai				10.15		* 2.34	* 3.44PI	-		4.18	* 4.49FM	1	* 6.29FK			OMAHÂ CONN 35
	12.20	6.16	6:80 6.57	3 La 18 La 1	7 - 1 - 11-1 1	7 -520 FM		8.15	8.30	ال و مناجع معادلاً ا	9.00		*************		2.19	2.35		3.50		4.15	-25 94 K - 23		2	5.35PM	-	SUPERIOR U. D D
				miles and	of School 2	1,000		* 8.16	* 8.81	THE PARTY OF	* 9.01		and the second	10.45	* 2.20	* 2.36		* 3.51		* 4.16	i kara di		<u></u>	14 di 15	-	BELKNAP STREET
.CENTRAL AVENUE	1.00AM	6.95AN	7.10/4					8.25AM	8.404	· Introduction	9.10/4	1233		10.554	* 2.28PM	2.45 PH		4.00 PM	,	4.25 PM					8.3	CENTRAL AVENUE N
	EAST BOT				On singl	le track East	t Bound Trei	ns have abe	olute right of	track over	Vest Round	riling of se	in ofor m	[0 167 har -	The case M	100 77- 1	Cl. her ='-'	over No. 162.	No. 100 :		N					18 (
	2nd CLASS	2nd CLASS	2nd CLASS	1st CLASS	1st CLASS	1st CLASS 36	ISI CLASS	ISI CLASS	IST CLASS	IST CLASS	Ist CLASS	1st CLASS	1st CLASS	Ist CLASS	1st CLASS	2nd CLASS	Ist CLASS	Ist CLASS	2nd CLASS	Ist CLASS	1st CLASS		lI	Ist CLASS	8 4	TO DULUTH TIME TABLE No. 15.
	N. P. 54	N. P. S1	N. P. 172	N. P. 106	G. N. 18	G. N. 36	14 N. P. 14	162 N. P. 162	94 OMAHA 94	116 N. P. 116	D. S. S. & A.7	182 D. M. & N. 2	N. P. 1	G. N. 38	96. OMAHA 96	168 N. P. 168	20 G. N. 20	102 N. P. 102	56 N. P. 55	184 D.M.&N.4	62 Omaha 62	58 N. P. 58		12 N. P. 12	from Julut	NOV. 29th, 1908.
DULUTH	Dally	Dally	5.20AM	Dally 6.80AM	Daily	Dally		Ex. Sunday	Daily	Daily.	Daily	Daily	Daily	Ex. Sunday	Daily	Ex. Sunday		Ex. Sunday	Tu , Th., Sat.	Daily		Ex. Sunday		Daily		Telegraph Offices and Calls.
, GARFIELD AVENUE							8.15 AM	8.204			10.804	10.30				4.80 PM		2.05FM		8.2014				6.25PM		NULUTHN
	0.00.11		5.10 *		V 2 22		* 8.13	* 8.17		100.00	* 10.27	Listar 18	* 11.19			* 4.25		* 2.02		* 3.17				* 6,22	1.0	GARFIELD AVENUE 3
20TH AVENUE	2.30M		5.03	6.25	20,24 2000	but alle ut	Bridge	8.15	Wine to milk	9.40	eg.	* 10.26	96	ik ja ik	darenality, is	4.20	to sure	2.00		* 3.16				96	1.3	20TH AVENUE D
D. M. & N. JCT	2.20		4.58 *	6.23		· · · · · · · · · · · · · · · · · · ·	Bric	* 8.13		* 9.88	Brid	* 10.25AM	Brid	4		* 3.30		* 1.57		* 3.15PM	100		1947 1947 1	Bridge	-	D. M. & N. JCT
CATTURE VIOLENCE OF THE	2.15	200	4.51	6.15			Louis	8.05		9.81	iis		lis			8.10 1.80	, L - 1 - 1	1.50		Le				lis 1	4.2	WEST DULUTHN
WEST DULUTH JCT	2.13A		4.46M *	6.12		on bearing	THE RESERVE OF THE PARTY OF THE	* 8.02	Committee .	* 9.29AN	Lo	dan di	Loi	Jan ked	years probable	* 1.22	Viol	* 1.47PM		District Control		established		Lou	4.9	WEST DULUTH JCT
SPIRIT LAKE				Line		1.11	St.	7.56	dis en l	ande l	St.	see also all	<u>%</u>	En -69	Ale Taras	1.15					for the later of t			St.	7.6	SPIRIT LAKE
NEW DULUTH				The second second second			Via	7.47	Jan 1979	Contact	Via		Via			12.55								Via		NEW DULUTH D
FOND DU LAC				Point		44.13		7.40M								12.45PM										FOND DU LAC D
ZENITH FURNACE	the section of the			6.10						This					Ari me	-50 (63)							12 / 12 / 18 P			ZENITH FURNACE
GRASSY POINT SIDING.	es at la se es trad	A FAIRST STAZE	Note the year	6.00	wegan in said a	erd or e-dolor	6/2 20 40 m/m Å	durate su sul	90.49	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	20 000 100	No.														GRASSY POINT SIDING
RICE'S POINT		5.30M		Þ.			* 8.09				* 10.24		* 11.09				7.1		3.00PM	10.000		K 1004			CONTRACTOR SECTION	RICE'S POINT 2
BRIDGE SWITCH		5.25		rass	6.23W	• 7.08AM			* 8.22 AM		* 10.23			* 12.23PM	14 45 (4 % )4				As A ve an horizon	the term	a value	5.10PM		• 6.19	-	
ELEVATOR STATION		8.20	11 3 4 4	a G		• 7.03	100000000000000000000000000000000000000		147 0 50	THE PERSON				All the second states are to	The Street Control		• 1.48PM		2.42		* 8.54P4	The state of the state of		• 6.18	-	BRIDGE SWITCH
OMAHA CONN	Alland	5.16		<b>S</b>			I transition		* 8.17		* 10.18	er and the same	Desire of the	* 12.18			• 1.48		2.35 37		* 3.47	4.54		• 6.13	-	ELEVATOR STATION. N.
SUPERIOR U. D	19.0			Charles Park of the	* 6.16				* '8.16AM		• 10.16				• 12.24PM	WW.	* 1.41		2.32		* 3.44PM	4.52		• 6.11		OMAHA CONN 55
Date Like Or Desired		5.10		5.55	6.15	7.00	8.00				10.15AM		11.00	12.15		-	1.40		0.66			4.50		6.10	4.2	SUPERIOR U. D DIS
BELVNAD CEDERE		0.00		5.54	• 6.14	* 6.59	• 7.59						* 10.59	* 12.14			• 1.89	is thate	2.30			4.50 4.40		• 6.09	4.7	BELKNAP STREET
BELKNAP STREET			O. F. Bulker, King	ON-STATISTICS.				0.2						A STATE OF THE OWNER, WHEN	A THE PARTY OF THE	A Control of the Cont	The second secon				The second second	The second second		A STATE OF THE PARTY OF THE PAR	Standard Standard	
BELKNAP STREET CENTRAL AVENUE		4.45 AM		5.45 M	6.05 AM	6.50AM	7.50AM						10.48AM	12.05 PM	A LICENSIA		1.30PM		1.50PM	4 1 7 7		4.25 PM		8.00₩	8.3	CENTRAL AVENUE N

WEST BOUND

9 10	TIME TABLE No. 15.	0 04	1st CLASS	1st CLASS	2nd CLASS	2nd CLASS	Ist CLASS	1st CLASS	1st CLASS	WEST BOOND
Distance from Dulath	NOV. 29th, 1908.	Distance from GentralAve	163	13	171	53	35	17	105	
Q Q	Telegraph Offices and Calls.	G B	N. P. 163 Ex. Sunday	N. P. 13 Daily	N. P. 171 Daily	N. P. 53 Daily	G. N. 35 Daily	G. N. 17 Daily	N. P. 105 Daily	
0.0	-	8.3	5.30PM	7.30FM	7.30 円	hali.	green en		11.10FM	DULUTH
1.0		7.3	* 5.38	* 7.33	7.38				* 11.13	GARFIELD AVENUE.
1.3	20TH AVENUE D	11.1	5.85		7.40				11.15	20TH AVENUE
1.0		10.5	* 5.87	Louis Bridge	7.44				* 11.18	D. M. & N. JCT
4.2	N B	8.2	5.45	B. Br	7.51				11.25	WEST DULUTH
4.9	WEST DULUTH JCT	7.5	· 5.48	,oui	7.55P4				* 11.27	WEST DULUTH JCT
7.6	SPIRIT LAKE	6.7	5.54	St. 1					Line	SPIRIT LAKE
11.4	NEW DULUTH D	2.0	6.08	Via		—				NEW DULUTH
14.3		0.0	6.10Fil		700				Point	FOND DU LAC
5.5		6.9							* 11.28	ZENITH FURNACE
7.8		4.6							* 11.35	GRASSY POINT SIDING.
2.0	Rice's Point 플럴	6.3		• 7.36		8 .00 PM			b b	RICE'S POINT
2.3	Bridge Switch	6.0		* 7.37		8.02	* 9.02 PM	* 11.17 PM	Grassy	BRIDGE SWITCH
3,2	ELEVATOR STATION N	5.1		• 7.43		8.10	* 9.07	* 11.22	Via G	ELEVATOR STATION
3.9	onaha conn 喜首	4.4		• 7.44		8.20		* 11.24	<b>&gt;</b>	OMAHA CONN.
4.2		4.1		7.45		1	9.10	11.25	11.40	SUPERIOR U. D
4.7	BELKNAP STREET	3.6		* 7.46		8.25 8.45	* 9.11	* 11.26	* 11.41	BELKNAP STREET
	3.6	0.0		7.55 PJ		9.00 PM	9.2094	11.35 PM	11.50 PM	CENTRAL AVENUE
						0.001	0.2014		LI.BUTA	CENTRAL AVENUE
	TO DULUTH						· · · · ·	ann mules	EAST	BOUND
uth uth	TIME TABLE No. 15. NOV. 29th, 1908.	Il Ave	34	Ist CLASS	1st CLASS	104	164	1st CLASS	1st CLASS	
Distance from Duluth	STATIONS Telegraph Offices and Calls.	Distance from Central Ave	Q. N. 34 Daily	N. P. 3	D. S. S. & A. 5	N. P. 104	· N. P. 164	ОМАНА 64	Q. N. 32	- 12
0.0	DULUTH	8.3	Daily	6.40PH	Ex. Sunday	Daily 7.00 PM	Ex. Sunday	Daily	Ex. Sunday	DULUTH
1.0	GARFIELD AVENUE	7.3		* 6.37		* 6.57	* 7.02			GARFIELD AVENUE
TO BE		11.1	. 281			* 6.56	7.01	77		20TH AVENUE
1.9	D. M. & N. JCT	10.5		Bridge	Louis Bridge	* 6.54	* 6.59			
4.2	WEST DULUTH N	8.2		S Br	s Br	6.48	6.53		. 671. 1 1 . ESAL	D. M. & N. JCT
	WEST DULUTH JCT	7.5		Louis	oui	* 6.45	* 6.50		Stran lead	3. T. P. P. P. P.
	SPIRIT LAKE	6.7		St. 1	St. 1					WEST DULUTH JCT
-	NEW DULUTH D	at the		Via (	Via (	Line	6.41			SPIRIT LAKE
	AAAAAAAAAAAAAAAAA DULU411 D	2 . 41								NEW DULUTH
		2.9	7.1		^	oint	6.32	An BROTH	BESTER AT ALL	The state of the s
14.3		0.0				Point	6.20PM	An ration I Tropped Transfer	EDGRE ED LO	FOND DU LAC
14.3		0.0		i dela Maio di		* 6.43	tolly Tensile	An IZZOT I		
14.3 5.5 7.8		0.0 6.9 4.6	ca - 10	e i e in Edua o of	Chies arta e Arras	* 6.43 * 6.35	6.20PM	LA CARDA E	e ten séal	ZENITH FURNACE
14.3 5.5 7.8 2.0	### FOND DU LAC D	0.0 6.9 4.6 6.3		• 6.34	* 6.49	* 6.43 * 6.35	6.20PM	oins h	e den sell derresell	ZENITH FURNACEGRASSY POINT SIDING
14.3 5.5 7.8 2.0 2.3	FOND DU LAC D	6.9 4.6 6.3	Constant Co	• 6.34	* 6.49 * 6.48	* 6.43 * 6.35	6.20PM	* 9.44PM	• 10.08PM	ZENITH FURNACEGRASSY POINT SIDINGRICE'S POINT
14.3 5.5 7.8 2.0 2.3 3.2	### 1.50 POINT STATION ### 1.50 POINT STATION ### 1.50 POINT STATION ### 1.50 POINT STATION ### 1.50 POINT ##	0.0 6.9 4.6 6.3 6.0	• 6.23	• 6.34 • 6.33 • 6.28	* 6.49 * 6.48 * 6.43	* 6.43 * 6.35	6.20PM	* 9.44PW	• 10.03	ZENITH FURNACEGRASSY POINT SIDINGRICE'S POINTBRIDGE SWITCH
14.3 5.5 7.8 2.0 2.3 3.2 3.9	FOND DU LAC. D.  O.6  ZENITH FURNACE.  GRASSY POINT SIDING.  RICE'S POINT. [五支]  BRIDGE SWITCH.  ELEVATOR STATION. N.  OMAHA CONN. [五支]	0.0 6.9 4.6 6.3 6.0 5.1	• 6.23	• 6.34 • 6.33 • 6.28 • 6.26	* 6.49 * 6.48 * 6.43 * 6.41	* 6.43 * 6.35	6.20PM	* 9.44PM	• 10.03	ZENITH FURNACEGRASSY POINT SIDINGRICE'S POINTBRIDGE SWITCHELEVATOR STATION
14.3 5.5 7.8 2.0 2.3 3.2 3.9	SUPERIOR U. DD	0.0 6.9 4.6 6.3 6.0 5.1 4.4	• 6.23 • 6.21 6.20	• 6.34 • 6.33 • 6.28 • 6.26 6.25	* 6.49 * 6.48 * 6.43	* 6.43 * 6.35	6.20PM	* 9.44PW	• 10.03	ZENITH FURNACEGRASSY POINT SIDINGRICE'S POINTBRIDGE SWITCHELEVATOR STATIONOMAHA CONN
14.3 5.5 7.8 2.0 2.3 3.2 3.9 4.2	### SUPERIOR U. D	0.0 6.9 4.6 6.3 6.0 5.1 4.4 4.1	* 6.23 * 6.21 6.20 * 6.19	• 6.34 • 6.33 • 6.28 • 6.26	* 6.49 * 6.48 * 6.43 * 6.41	Via Grassy * 6:59 *	6.20PM	* 9.44PW	* 10.03 * 10.01	ZENITH FURNACEGRASSY POINT SIDINGRICE'S POINTBRIDGE SWITCHELEVATOR STATIONOMAHA CONN
14.3 5.5 7.8 2.0 2.3 3.2 3.9 4.2	SUPERIOR U. DD	0.0 6.9 4.6 6.3 6.0 5.1 4.4	• 6.23 • 6.21 6.20	• 6.34 • 6.33 • 6.28 • 6.26 6.25	* 6.49 * 6.48 * 6.43 * 6.41	* 6.35 * 6.35 6.33	6.20PM	* 9.44PW	* 10.03 * 10.01 10.00	FOND DU LACZENITH FURNACE

FROM DULUTH

WEST E	ROUND.					-		-		EAST	BOUND.
3rd CLASS	2nd CLASS	1st CLASS	1st CLASS		Here is a least	lui-	1st CLASS		1. CLASS	2nd CLASS	and CLASS
55	51	3	1		TIME TABLE No. 15.		2	1,	4.	52	56
WAY FREIGHT	FREIGHT	PASSENGER	PASSENGER	NOV. 29th, 1908.			PASSENGER		ASSENGER	FREIGHT	WAY FREIGHT
Tues., Thurs.	Daily	Daily	Daily				Daily	.   -	Daily	Daily	Mon., Wed.
1.2274	4.024	6.05PM	10.374	0.0	SP.NETTLETON AVED	3.9	4.358		8.854	1.88	11.20M
1.30	4.15	<b>6.09</b>	* 10.41	1.8	1.8 I SOCE	1.8	• 4.81		8.81	1.25	11.10
1.40PU	4.35AI	6.15 円	10.48M	3.9	AJCENTRAL AVEN	0.0	4.25%		8.25AM	1.104	11.00/4

### RULES FOR USE OF TRACK BETWEEN NETTLETON AVE. AND CENTRAL AVE.

Double track extends from east leg of Wye, Central Ave., to 3rd Street, just east of passenger station at Nettleton Ave.

At the easterly end of the double track, east of Nettleton Ave. passenger station, the normal position of the switches will be set, and kept locked, for the west bound main track for trains approaching from the First District.

All trains will come to stop 200 feet from crossing with Wisconsin Central Railway between Central Ave. and Hill Ave., and not proceed until line is known to be clear.

The connection at the west end of the double track near the east leg of the Wye at Central Ave. will be kept set and locked for east bound trains, coming from Central Ave. depot.

Between Nettleton Ave. passenger station and the Great Northern connection, north of Cadotte Ave. yard, the two tracks will be operated as double track, each train keeping to the right, and will be considered as yard tracks in yard limits, but when in use the trains must protect their rear ends, if stopped, to avoid the possibility of accident.

Great care must be taken by train and engine men in use of east leg of Wye at Central Ave., it being single track and on sharp curve. Trains and engines will not exceed four (4) miles an hour and in foggy or stormy weather they must protect themselves over such piece of track.

Junction switch at connection of First District and Second District main lines near Central Ave. depot will be kept set and locked for Second District.

Interlocking switches and signals located at Great Northern Crossing, Central Ave., and C. St. P. M. & O. crossing just west of Nettleton Ave. passenger station.

Specials, extras, work extras and switch engines do not require telegraphic orders for movements between Nettleton Ave. passenger station and Central Ave., but must observe all rules relative to protection of rear end and use of double track. Work extras must protect at all times.

All east bound trains must get clearance at Central Ave. Transfer crews coming from Cadotte Ave. yard will not occupy main line until they know that superior class trains have passed. First class west bound trains will leave register ticket with operator Nettleton Ave. passenger station.

To insure personal safety, operators having train orders or messages to deliver to passing trains should stand to the right hand side of train and avoid standing between tracks when possible to do so.

All trains must approach and pass through yards under full control.

#### DOUBLE TRACK RULES.

1. Double track extends from Passenger Depot Duluth to Bridge Switch, from Elevator Station to Omaha Connection, Superior Union Depot to Central Ave., Superior Freight Station to Belknap St., and from Garfield Avenue to West Duluth Junction.

2. All trains and engines using double track will keep to the right. These tracks will be used in no other way except by special orders given by the Superintendent at Duluth.

3. Inferior Class trains will keep out of the way of Superior Class trains going in the same direction.

Junction Switch at Garfield Avenue will be kept set for straight line.

The switch at end of double track West Duluth Junction will be kept set for in-bound track from Third District.

6. All trains must be under full control approaching Omaha connection at Superior.

Grassy Point Line Switch at West Duluth Junction will be kept set for main line east bound track. 8. Specials, extras, work extras and switch engines do not require telegraphic orders for movements between Central Ave. and Duluth running via St. Louis Bridge or between West Duluth Junction and Duluth, but must observe all rules relative to protection of rear end and use of double track. Work extras must protect at all times in both directions.

9. West-bound trains, engines and switch crews will have the right to use east-bound track at Central Ave, between west lead from yard and junction switch leading to first district main line without protection, and all east-bound trains will approach and pass through such territory with train under perfect control,

expecting to find track occupied.

10. Junction switch at end of double track west of depot at Central Ave. will be kept set and locked for

west-bound track.

11. Rule 288, Book of Rules, is modified to the extent that between Superior and Duluth and between West Duluth Junction and Duluth, Second Class and extra trains may run ahead of First and Second Class trains without orders. Between Central Avenue and Superior extras may run ahead of Second Class trains without orders.

To insure personal safety operators having train orders or messages to deliver to passing trains should stand to the right hand side of train and avoid standing between tracks when possible to do so.

#### SPECIAL RULES. (Note Changes.)

First Class trains and specials will register at Duluth Union Depot, Superior Union Depot, Central Avenue, West Duluth and Fond du Lac.

Second Class trains, extras and light engines will register at Rice's Point, Superior Freight Station, Central Avenue, West Duluth and Fond du Lac.

Clearances will not be required at Rice's Point, Superior Freight Station and Superior Union Depot.

BULLETIN STATIONS:—Duluth Union Depot, Rice's Point Yard Office, Superior Union Depot, Central Avenue. All train and engine men must inspect bulletins before departing on their run.

STANDARD CLOCKS:—Rice's Point Yard Office and Dispatcher's Office, Duluth.

East leg of wye at West Duluth Junction is "Grassy Point Main Line," and the switch at junction of east

and west legs of wye will be kept set for Grassy Point Line.

All trains must run slow around east leg of wye at West Duluth Junction and passing Zenith Furnace Plant, looking out for switch engines working on main line. This will in no wise excuse switch engines from full compliance with Paragraph "F," Rule 298, Book of Rules.

Third District main line trains will register and receive clearance and orders at West Duluth.

East Bound second class and inferior trains coming from Third District, may register at West Duluth by

ticket.

No. 104 will register West Duluth by ticket.

All trains must come to a full stop two hundred (200) feet from draw spans on St. Louis River and Grassy Point Bridges and must not proceed until safety signals are given. Trains must not exceed eight (8) miles per hour on any part of these bridges or trestles.

All east bound trains and engines, and all west bound trains and engines via St. Louis River Bridge must come to a full stop two hundred (200) feet from Junction Switch at Garfield Avenue and must not proceed

until the way is known to be clear.

Care and watchfulness must be exercised by all, on both single and double track. A brakeman or flagman must be stationed on the rear car of all trains, and be provided with proper danger signals, and in case of stoppage on the main track must immediately go back and protect the train. Conductors and Switch Foremen will be held responsible for the strict observance of this rule.

All trains must approach and pass through yards under full control. The L. S. T. & T. Co., Superior,

require trains to not exceed 10 miles per hour over switches at or near Belknap Street.

All trains and engines without trains will run under full control between Belknap Street connection and west yard limit board, Superior, expecting to find main track occupied by switch crews.

All trains and engines in foggy or stormy weather must approach Union Depot grounds at Superior

with utmost caution.

Duluth Yard extends from Duluth Passenger Station to east end of St. Louis Bridge and from Garfield Avenue to West Duluth Junction and Third District yard limit board and Grassy Point Bridge. Switch engines will work within these limits, avoiding regular trains. All trains must run under full control in these limits, expecting to find track obstructed by transfers and by trains using cross-over tracks.

All extras and delayed regular trains must approach the terminal grounds at Superior with extreme

caution, having train under full control.

Engines heavier than N. P. Class P-3 & R (total weight of which, including tender, i 265.000 pounds) are not permitted to pull or be handled in trains over Grassy Point Bridge. P-3 engines, and other engines of similar weight, must not exceed eight (8) miles per hour on this bridge. Double headers, any class engines and fifty (50) ton capacity ore cars loaded with ore, not permitted on this bridge. Dead engines, wrecking cranes and steam shovels must be separated from engine hauling and each other by at least three (3) cars.

Track between Fond du Lac and Power Plant must not be used except by authority of train orders. N. P. and Zenith Furnace switch engines will use west leg of Wye at West Duluth Junction and Fond du Lac main line between West Duluth Junction and yard limit board for switching purposes, but will not leave cars on such tracks. All trains will look out for these crews in above limits.

Derailing switches located as follows and must be kept in derailing position when not in use:

West End Zenith Furnace track. East End N. P. freight house track, Superior. Main line just east of N. P. freight house, Superior.

Interlocking switches and signals are located at D. M. & N. Junction, and crossing of W.C. Ry. just west

of D. M. & N. ore docks.

## RULES GOVERNING MOVEMENT OF TRAINS ON SINGLE TRACK OVER ST. LOUIS BRIDGE.

#### LOCATION OF SIGNALS.

Home Semaphore 295 feet west of double track switch Elevator Station only indicates position of switch at end of double track. East Bound trains from Superior will not pass Elevator Station without receiving hand signal from operator at that point. It must be understood that this signal only confers train rights to use of track to Bridge Switch and has no reference to entering on or passing through draw spans. Separate instructions cover the latter movements.

The approach to the Wisconsin draw from either side will be governed by disc signals, which, when set clear or with white light displayed, will indicate that the draw is clear for the passage of trains; and when set red or red light is displayed, will indicate that

The approach to the Minnesota draw going towards Duluth will also be governed by a disc signal, which, when set clear or with white light displayed, will indicate that the draw is clear for the passage of trains; and when set red or red light is displayed, will indicate that the draw is open for boats.

In addition to Rule requiring trains to stop 200 feet from Minnesota and Wisconsin draws on St. Louis river bridge, trains will not proceed until they had received hand signal to go ahead to be given with a flag during day and with lantern at night, by man located on the track on each draw, and will answer such signal in the usual manner by two short blasts of whistle.

A switch tender will be stationed at Bridge Switch, north end of the bridge, to throw switches and give hand signals.

All trains from Duluth toward Superior will come to a full stop approaching Bridge Switch and wait for hand signal, both day and night, from switch tender before proceeding.

All trains toward Duluth will get signal from switch tender after switch has been properly set for their route.

Until the new electric interlocking plant and signals are installed, trains will be governed as described above, but must at all times exercise the greatest care and caution in movements across the bridge, and especially approaching from the northerly end, to see that the signal given by switch tender is intended for them.

A red disc thus by day or red light by night indicates "Stop" danger.



Edge of disc thus by day or white light by night indicates "Safety" proceed.



Where disc signals are used the indications are given by colors. Where semaphore signals are used the arm to the right of signal mast as seen by approaching trains governs, and indications are given by position or color. Horizontal or red means "Stop" danger; Diagonal downward or white "Clear" proceed.

These signals do not protect rear of trains, and full protection as per rules must be had at all times.

After a train has received a signal to move in one direction it must not move in opposite direction without receiving proper signal for such movement.

# Authorized Surgeons.

Dr. C. S. KNOX, Nettleton Ave. Dr. J. C. ADAMS, Superior. Dr. W. H. MAGIE, Duluth. Dr. A. J. BRADEN, Duluth.

# Location Stretchers.

Nettleton Ave. Freight Station. Superior Freight Station. Rices Point Yard Office. Duluth Union Depot. Tool Car, Duluth. West Duluth.

C. E. McMULLIN. Asst. Superintendent. K. M. NICOLES. Train Master. F. E. POTTER. Chief Dispatcher.

