

NORTHERN PACIFIC RAILWAY COMPANY.

DULUTH AND SUPERIOR TERMINALS

TIME 23 TABLE

IN EFFECT AT 12:01 A. M. Central or 90th Meridian Time.

WEDNESDAY, NOVEMBER 24th, 1909.

For the Government of Employees only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

G. A. GOODELL,
General Manager.

E. C. BLANCHARD,
General Superintendent.

I. B. RICHARDS,
Superintendent of Transportation.

K. M. NICOLAS,
Superintendent.

WEST BOUND

	2nd CLASS 621 N. P. 622 Daily	1st CLASS 31 G. N. 31 Ex. Sunday	2nd CLASS 727 N. P. 727 Ex. Sunday	1st CLASS 81 N. P. 81 Ex. Sunday	1st CLASS 201 D. M. & N. 1 Daily	1st CLASS 7 D. S. S. & A. 6 Ex. Sunday	1st CLASS 53 N. P. 54 Daily	1st CLASS 55 N. P. 55 Daily	1st CLASS 161 OMAHA 61 Ex. Sunday	1st CLASS 33 G. N. 33 Daily	1st CLASS 61 N. P. 61 Ex. Sunday	1st CLASS 83 N. P. 83 Sun. Only	2nd CLASS 433 N. P. 433 Ex. Sunday	2nd CLASS 729 N. P. 730 Mn. Wed. Fri.	1st CLASS 85 N. P. 85 Ex. Sunday	1st CLASS 63 N. P. 63 Daily	1st CLASS 37 G. N. 37 Ex. Sunday	1st CLASS 87 N. P. 87 Daily	Distance from Duluth	TIME TABLE No. 23. Nov. 24th, 1909. STATIONS Telegraph Offices and Calls.	Distance from Central Ave
DULUTH.....				7.00 AM	7.40 AM	7.45 AM	8.00 AM	8.05 AM			9.00 AM	9.15 AM	9.45 AM		12.30 PM	1.55 PM		2.30 PM	0.0	DULUTH..... N	8.3
GARFIELD AVENUE...				* 7.03	* 7.43	* 7.48	* 8.03	* 8.08			* 9.03	* 9.18	* 10.00		* 12.33	* 1.58		* 2.33	1.0	GARFIELD AVENUE.....	7.3
20TH AVENUE.....				7.05	* 7.44	Via St. Louis Bridge	Via St. Louis Bridge	Via St. Louis Bridge			9.04	9.20	10.05		12.35	* 1.59		2.35	1.3	20TH AVENUE..... D	11.1
D. M. & N. JCT.....				* 7.07	* 7.46 AM						* 9.06	* 9.22	* 10.20		* 12.37	* 2.01		* 2.37	1.9	D. M. & N. JCT.....	10.6
WEST DULUTH.....				7.15							9.13	9.30	10.30		12.45	2.06		2.45	4.2	WEST DULUTH..... N	8.2
WEST DULUTH JCT....				* 7.18							* 9.15 AM	* 9.33	* 10.35		* 12.48	* 2.08		* 2.48	4.0	WEST DULUTH JCT.....	7.5
SPIRIT LAKE.....				7.24								9.39	10.55		12.54	Point Line		2.54	7.6	SPIRIT LAKE.....	6.7
NEW DULUTH.....				7.33								9.48	11.35		431 1.03			3.03	11.4	NEW DULUTH D.....	2.9
FOND DU LAC.....				7.40 AM								9.55 AM	11.50 AM		1.10 PM			3.10 PM	14.3	FOND DU LAC D.....	0.0
ZENITH FURNACE....																* 2.09			5.5	ZENITH FURNACE.....	6.9
GRASSY POINT SIDING..																* 2.16			7.8	GRASSY POINT SIDING.....	4.6
RICE'S POINT.....	12.05 AM		6.15 AM			* 7.51	* 8.06	* 8.11						10.00 AM		Via Grassy			2.0	RICE'S POINT	6.3
BRIDGE SWITCH.....	12.08	* 6.07 AM	6.18			* 7.52	* 8.08 58	* 8.12	* 8.48 AM	* 8.53 AM				10.06			* 2.27 PM		2.3	BRIDGE SWITCH.....	6.0
ELEVATOR STATION...	12.15	* 6.13	6.25			* 7.57	* 8.13	* 8.17 04	* 8.53	* 8.57				10.12			* 2.32		3.2	ELEVATOR STATION...	5.1
OMAHA CONN.....	12.17	* 6.14	6.38			* 7.59	* 8.14	* 8.19	* 8.54 AM	* 8.59				10.15			* 2.34		3.9	OMAHA CONN.....	4.4
SUPERIOR U. D.....		6.15				58 8.00 AM	8.15	8.20		9.00							2.19	2.35	4.2	SUPERIOR U. D..... D	4.1
BELKNAP STREET....	12.20 12.45	* 6.16	6.30 6.57				* 8.16	* 8.21		* 9.01				10.45		* 2.20	* 2.36		4.7	BELKNAP STREET.....	3.6
CENTRAL AVENUE...	1.00 AM	6.35 AM	7.10 AM				8.25 AM	8.30 AM		9.10 AM				10.55 AM		* 2.28 PM	2.45 PM		8.2	CENTRAL AVENUE... N	0.0

EAST BOUND.

On single track East Bound Trains have absolute right of track over West Bound trains of same class, except as per Special Rules on Fond du Lac branch.

TO DULUTH

	2nd CLASS 624 N. P. 624 Daily	2nd CLASS 622 N. P. 621 Daily	2nd CLASS 628 N. P. 628 Daily	1st CLASS 66 N. P. 66 Daily	1st CLASS 18 G. N. 18 Daily	1st CLASS 36 G. N. 36 Daily	1st CLASS 206 D. M. & N. 6 Daily	1st CLASS 58 N. P. 58 Daily	1st CLASS 82 N. P. 82 Ex. Sunday	1st CLASS 94 OMAHA 94 Daily	1st CLASS 72 N. P. 72 Daily	1st CLASS 84 N. P. 84 Sun. Only	1st CLASS 6 D. S. S. & A. 7 Daily	1st CLASS 202 D. M. & N. 2 Daily	1st CLASS 52 N. P. 51 Daily	2nd CLASS 626 N. P. 626 Daily	1st CLASS 38 G. N. 38 Ex. Sunday	1st CLASS 96 OMAHA 96 Daily	Distance from Duluth	TIME TABLE No. 23. Nov. 24th, 1909. STATIONS Telegraph Offices and Calls.	Distance from Central Ave
DULUTH.....				5.20 AM	6.30 AM		7.30 AM	8.15 AM	8.30 AM		9.45 AM	10.45 AM	10.30 AM	10.30 AM	11.15 AM				0.0	DULUTH..... N	8.3
GARFIELD AVENUE...				5.10	* 6.26		* 7.27	* 8.12	* 8.27		* 9.42	* 10.42	* 10.27	* 10.27	* 11.12				1.0	GARFIELD AVENUE	7.3
20TH AVENUE.....	2.30 AM			5.03	6.25		* 7.26	Via St. Louis Bridge	8.25		9.40	10.40	Via St. Louis Bridge	* 10.26	Via St. Louis Bridge	11.45 AM			1.3	20TH AVENUE..... D	11.1
D. M. & N. JCT.....	2.20			4.58	* 6.23		* 7.24 AM		* 8.23		* 9.38	* 10.38		* 10.24 AM		11.35			1.9	D. M. & N. JCT.....	10.5
WEST DULUTH.....	2.15			4.51	6.15				8.15		9.31	10.30				11.25			4.2	WEST DULUTH..... N	8.2
WEST DULUTH JCT....	2.13 AM			4.46 AM	* 6.12				* 8.12		* 9.29 AM	* 10.27				11.20 AM			4.9	WEST DULUTH JCT.....	7.5
SPIRIT LAKE.....					Point Line				8.06			10.21							7.6	SPIRIT LAKE.....	6.7
NEW DULUTH.....									7.57			10.12							11.4	NEW DULUTH D.....	2.9
FOND DU LAC.....									7.50 AM			10.05 AM							14.3	FOND DU LAC D.....	0.0
ZENITH FURNACE....				* 6.10															5.5	ZENITH FURNACE.....	6.9
GRASSY POINT SIDING..				* 6.00															7.8	GRASSY POINT SIDING.....	4.6
RICE'S POINT.....		5.30 AM			Via Grassy			* 8.09					* 10.24		* 11.09				2.0	RICE'S POINT	6.3
BRIDGE SWITCH.....		5.25				* 6.23 AM	* 7.08 AM	* 8.08 53		* 8.22 AM			* 10.23		* 11.08		* 12.23 PM	* 12.44 PM	2.3	BRIDGE SWITCH.....	6.0
ELEVATOR STATION...		5.20				* 6.18	* 7.03	* 8.03		* 8.17 55			* 10.18		* 11.03		* 12.18	* 12.39	3.2	ELEVATOR STATION...	5.1
OMAHA CONN.....		5.16				* 6.16	* 7.01	* 8.01		* 8.16 AM			* 10.16		* 11.01		* 12.16	* 12.35 PM	3.9	OMAHA CONN.....	4.4
SUPERIOR U. D.....				5.55	6.15	7.00		7 8.00					10.15 AM		11.00		12.15		4.2	SUPERIOR U. D..... D	4.1
BELKNAP STREET....		5.10 5.00		* 5.54	* 6.14	* 6.59		* 7.59							* 10.59		* 12.14		4.7	BELKNAP STREET.....	3.6
CENTRAL AVENUE...		4.40 AM		5.45 AM	6.05 AM	6.50 AM		7.50 AM							10.48 AM		12.05 PM		8.3	CENTRAL AVENUE... N	0.0

BETWEEN BRIDGE SWITCH AND ELEVATOR STATION TRAINS WILL BE GOVERNED ENTIRELY BY SIGNALS.

FROM DULUTH										WEST BOUND															
1st CLASS	1st CLASS	Distance from Duluth	TIME TABLE No. 23. Nov. 24th, 1909.			Distance from Central Ave.	1st CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS	2nd CLASS	1st CLASS	1st CLASS	2nd CLASS	2nd CLASS	1st CLASS	1st CLASS	1st CLASS			
37	87		STATIONS				19	95	203	51	163	5	71	93	89	625	205	57	627	623	35	17	65		
G. N. 37 Ex. Sunday	N. P. 87 Daily		Telegraph Offices and Calls.				G. N. 19 Daily	OMAHA 95 Daily	D. M. & N. 3 Daily	N. P. 52 Daily	OMAHA 63 Daily	D. S. S. & A. 5 Daily	N. P. 71 Daily	OMAHA 93 Daily	N. P. 89 Ex. Sunday	N. P. 625 Daily	D. M. & N. 5 Daily	N. P. 57 Daily	N. P. 627 Daily	N. P. 623 Daily	G. N. 35 Daily	G. N. 17 Daily	N. P. 65 Daily		
	2.30 PM	0.0	DULUTH.....	N	8.3			3.50 PM	4.00 PM		5.00 PM	5.10 PM	5.20 PM		7.10 PM	7.30 PM	7.30 PM					11.10 PM			
	* 2.33	1.0	GARFIELD AVENUE.....	DOUBLE TRACK	7.3			* 3.53	* 4.03		* 5.03	* 5.13	* 5.23		* 7.13	* 7.33	7.36					* 11.13			
	2.35	1.3	20TH AVENUE.....		D	11.1			* 3.54	Via St. Louis Bridge	Via St. Louis Bridge		5.14	5.25		* 7.14	Via St. Louis Bridge	7.38					11.15		
	* 2.37	1.9	D. M. & N. JCT.			10.5			* 3.56 PM				* 5.16	* 5.27		* 7.16 PM				7.41					* 11.18
	2.45	4.2	WEST DULUTH.....		N	8.2							5.24	5.35						7.46					11.25
	* 2.48	4.9	WEST DULUTH JCT.....			7.5							* 5.26 PM	* 5.38						7.50 PM					* 11.27
	2.54	7.0	SPIRIT LAKE.....		6.7										5.44										Point Line
	3.03	11.4	NEW DULUTH	D.....	2.9								5.53												
	3.10 PM	14.3	FOND DU LAC	D.....	0.0								6.00 PM												
		5.5	ZENITH FURNACE.....		6.9																	* 11.33			
		7.8	GRASSY POINT SIDING.....		4.0																	* 11.35			
		2.0	RICE'S POINT.....	DOUBLE TRACK	6.3				* 4.05		* 5.06 7.28			6.00 PM		* 7.36		7.40 PM				Via Grassy			
* 2.37 PM		2.3	BRIDGE SWITCH.....			6.0	* 3.32 PM	* 3.37 PM		* 4.06	* 4.43 PM	* 5.07		* 5.23 PM		6.03		* 7.37		7.42	* 9.02 PM		* 11.17 PM		
* 2.39		3.2	ELEVATOR STATION...			5.1	* 3.37	* 3.42		* 4.11	* 4.47	* 5.12		* 5.28		6.09		* 7.42		7.50	* 9.07		* 11.22		
* 2.34		3.9	OMAHA CONN.....			4.4	* 3.39	* 3.44 PM		* 4.12	* 4.49 PM	* 5.14		* 5.29 PM		6.11 50		* 7.44		8.00	* 9.09		* 11.24		
2.35		4.2	SUPERIOR U. D.....		D	4.1	3.40			4.15		5.15 PM						7.45			9.10		11.25	11.40	
* 2.36		4.7	BELKNAP STREET.....		3.6	* 3.41			* 4.16					6.15 34 6.35 54		* 7.46		8.05 8.20	* 9.11	* 11.26	* 11.41				
2.45 PM		8.3	CENTRAL AVENUE... N		0.0	* 3.49 PM			4.25 PM					6.50 PM		7.55 PM		8.35 PM	9.20 PM	11.35 PM	11.50 PM				

TO DULUTH												EAST BOUND													
1st CLASS	1st CLASS	Distance from Duluth	TIME TABLE No. 23. Nov. 24th, 1909.		Distance from Central Ave	2nd CLASS	1st CLASS	1st CLASS	1st CLASS	2nd CLASS	1st CLASS	1st CLASS	1st CLASS	2nd CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS	1st CLASS				
38	96		STATIONS			434	86	20	62	730	204	162	88	728	56	34	54	8	64	90	164	32			
G. N. 38 Ex. Sunday	OMAHA 96 Daily		Telegraph Offices and Calls.			N. P. 434 Ex. Sunday	N. P. 86 Ex. Sunday	G. N. 20 Daily	N. P. 62 Ex. Sunday	N. P. 729 Tu, Th., Sat.	D. M. & N. 4 Daily	Omaha 62 Ex. Sunday	N. P. 88 Daily	N. P. 728 Ex. Sunday	N. P. 56 Daily	G. N. 34 Daily	N. P. 53 Daily	D. S. S. & A. 5 Ex. Sunday	N. P. 64 Daily	N. P. 90 Ex. Sunday	OMAHA 64 Daily	G. N. 32 Ex. Sunday			
		0.0	DULUTH..... N		8.3	3.45 PM	2.00 PM		2.05 PM		3.20 PM		4.00 PM		6.25 PM		6.40 PM	6.55 PM	7.00 PM	6.45 PM					
		1.0	GARFIELD AVENUE	DOUBLE TRACK	7.3	* 3.30	* 1.57		* 2.02		* 3.17		* 3.57		* 6.22		* 6.37	* 6.52	* 6.57	* 6.42					
		1.3	20TH AVENUE..... D		11.1	3.20	1.55		2.00		* 3.16		3.55		Via St. Louis Bridge		Via St. Louis Bridge	Via St. Louis Bridge	* 6.56	6.40					
		1.9	D. M. & N. JCT.....		10.5	* 3.00	* 1.53		* 1.57		* 3.14 PM		* 3.53								* 6.54	* 6.38			
		4.2	WEST DULUTH.... N		8.2	2.30	1.45		1.50				3.45									6.48	6.30		
		4.9	WEST DULUTH JCT....		7.5	* 2.15	* 1.42		* 1.47 PM				* 3.42									* 6.45	* 6.27		
		7.0	SPIRIT LAKE.....	6.7	2.00	1.36						3.36									Point Line	6.21			
		11.4	NEW DULUTH D	2.9	1.32 ⁸⁵ 12.58 ⁸⁶	434 1.27						3.27							6.12						
		14.3	FOND DU LAC.... D	0.0	12.45 PM	1.20 PM						3.20 PM							6.05 PM						
		5.5	ZENITH FURNACE.....	6.9															* 6.43						
		7.8	GRASSY POINT SIDING.....	4.6															* 6.35						
		2.0	RICE'S POINT.....	DOUBLE TRACK	6.3					3.00 PM				5.10 PM	* 6.19		* 6.34	* 6.49	Via Grassy						
* 12.23 PM	* 12.44 PM	2.3	BRIDGE SWITCH.....		6.0			* 1.48 PM		2.42		* 3.19 ¹⁰ PM		5.01	* 6.18	* 6.28 PM	* 6.33	* 6.48				* 9.44 PM	* 10.08 PM		
* 12.18	* 12.39	3.2	ELEVATOR STATION...		5.1			* 1.43		2.35		* 3.14		4.54	* 6.18	* 6.23	* 6.28	* 6.43				* 9.39	* 10.03		
* 12.16	* 12.35 PM	3.9	OMAHA CONN.....		4.4			* 1.41		2.32		* 3.10 PM		4.52	* 6.11 ⁶²⁵	* 6.21	* 6.26	* 6.41				* 9.38 PM	* 10.01		
12.15		4.2	SUPERIOR U. D.... D		4.1			1.40							6.10	6.20	6.25	6.40 PM		6.33			10.00		
* 12.14		4.7	BELKNAP STREET.....	3.6			1.39		2.30 2.10				4.50 4.40	* 6.09	* 6.19 ⁶²⁵	* 6.24 ⁶²⁵		* 6.32			* 9.59				
12.05 PM		8.3	CENTRAL AVENUE... N	0.0			1.30 PM		1.50 PM				4.25 PM	6.00 PM	6.10 PM	6.15 PM		* 6.23 PM			9.50 PM				

AND ELEVATOR STATION TRAINS WILL BE GOVERNED ENTIRELY BY SIGNALS.—See Rules page 3.

EAST BOUND.

	1st CLASS	1st CLASS
	17	65
	G. N. 17	N. P. 65
	Daily	Daily
		11.10 PM
		* 11.13
		11.15
		* 11.18
		11.25
		* 11.27
		Point Line
		* 11.38
		* 11.35
		Via Grassy
PM	* 11.17 PM	
	* 11.23	
	* 11.24	
	11.35	11.40
	* 11.36	* 11.41
PM	11.35 PM	11.50 PM

3rd CLASS	2nd CLASS	1st CLASS	1st CLASS	TIME TABLE No. 23. NOV. 24th, 1909.			1st CLASS	1st CLASS	2nd CLASS	3rd CLASS	
729	621	53	51				52	54	622	730	
WAY FRT.	FREIGHT	PASSENGER	PASSENGER				PASSENGER	PASSENGER	FREIGHT	WAY FREIGHT	
Tues., Thurs & Sat.	Daily	Daily	Daily				Daily	Daily	Daily	Mon., Wed. & Fri.	
1.22 PM	4.02 AM	6.05 PM	10.37 AM	0.0	SP.....EAST END.....D	DOUBLE TRACK	3.9	4.35 PM	8.35 AM	1.33 AM	11.20 AM
1.30	4.15	* 6.09	* 10.41	1.5	HILL AVE..... ^{1.8}		1.8	° 4.31	* 8.31	1.25	11.10
1.40 PM	4.35 AM	6.15 PM	10.48 AM	3.0	AJ..CENTRAL AVE....N ^{2.1}		0.0	4.35 PM	8.25 AM	1.10 AM	11.00 AM

RULES FOR USE OF TRACK BETWEEN EAST END AND CENTRAL AVE.

Double track extends from east leg of Wye, Central Ave., to 3rd Street, just east of passenger station at East End.

At the easterly end of the double track, east of East End passenger station, the normal position of the switches will be set, and kept locked, for the west bound main track for trains approaching from the First District.

The distant Semaphore at the interlocking plat at East End approaching from Ashland, is an Automatic Electric Signal. It is upward movement type and when vertical, or straight up, with green light, indicates track and railroad crossings clear. When at an angle of 45° or yellow light indicates. Caution. When horizontal or red light, it indicates danger, track or Crcssovers between Signal pole and passenger station are in use.

The connection at the west end of the double track near the east leg of the Wye at Central Ave. will be kept set and locked for east bound trains, coming from Central Ave. depot.

Between East End passenger station and the Great Northern connection, north of Cadotte Ave. yard, the two tracks will be operated as double track, each train keeping to the right, and will be considered as yard tracks in yard limits, but when in use the trains must protect their rear ends, if stopped, to avoid the possibility of accident.

Great care must be taken by train and engine men in use of east leg of Wye at Central Ave., it being single track and on sharp curve. Trains and engines will not exceed four (4) miles an hour and in foggy or stormy weather they must protect themselves over such piece of track.

Junction switch at connection of First District and Second District main lines near Central Ave. depot will be kept set and locked for Second District.

Interlocking switches and signals located at Great Northern Crossing, Central Ave., and C. St. P. M. & O. crossing just west of East End passenger station.

All trains and engines must come to full stop before crossing M. St. P. & Ste. St. M. track just east of east switch at Central Avenue, on Ashland line.

Specials, extras, work extras and switch engines do not require telegraphic orders for movements between East End passenger station and Central Ave., but must observe all rules relative to protection of rear end and use of double track. Work extras must protect at all times.

All east bound trains must get clearance at Central Ave. Transfer crews coming from Cadotte Ave. yard will not occupy main line until they know that superior class trains have passed. First class west bound trains will leave register ticket with operator East End passenger station.

To insure personal safety, operators having train orders or messages to deliver to passing trains should stand to the right hand side of train and avoid standing between tracks when possible to do so.

All trains must approach and pass through yards under full control.

Special Rules governing trains on Fend du Lac Branch—

No. 83	has Right over	No. 84.
85	" "	86.
87	" "	88.
89	" "	90.
433	" "	434.
81	" "	82.

[illegible]

DOUBLE TRACK RULES.

1. Double track extends from Duluth Union Depot to West Duluth Junction and from Garfield Ave. to Central Ave. Except over Minnesota Draw Span governed by interlocking signals and from Omaha connection to Superior Union Depot governed by Switch Tenders at both points.
2. All trains and engines using double track will keep to the right. These tracks will be used in no other way except by special orders given by the Superintendent at Duluth.
3. Inferior Class trains will keep out of the way of Superior Class trains going in the same direction.
4. Junction Switch at Garfield Avenue will be kept set for straight line.
5. The switch at end of double track West Duluth Junction will be kept set for in-bound track from Third District.
6. All trains must be under full control approaching Omaha connection at Superior.
7. Grassy Point Line Switch at West Duluth Junction will be kept set for main line east bound track.
8. Specials, extras, work extras and switch engines do not require telegraphic orders for movements between Central Ave. and Duluth running via St. Louis Bridge or between West Duluth Junction and Duluth, but must observe all rules relative to protection of rear end and use of double track. Work extras must protect at all times in both directions.
9. West-bound trains, engines and switch crews will have the right to use east-bound track at Central Ave. between west lead from yard and junction switch leading to first district main line without protection, and all east-bound trains will approach and pass through such territory with train under perfect control, expecting to find track occupied.
10. Rule 288, Book of Rules, is modified to the extent that between Superior and Duluth and between West Duluth Junction and Duluth, Second Class and extra trains may run ahead of First and Second Class trains without orders. Between Central Avenue and Superior extras may run ahead of Second Class trains without orders.

To insure personal safety operators having train orders or messages to deliver to passing trains should stand to the right hand side of train and avoid standing between tracks when possible to do so.

SPECIAL RULES. (Note Changes.)

First Class trains and specials will register at Duluth Union Depot, Superior Union Depot, Central Avenue, West Duluth and Fond du Lac.

Second Class trains, extras and light engines will register at Rice's Point, Superior Freight Station, Central Avenue, West Duluth and Fond du Lac.

Clearances will not be required at Rice's Point, Superior Freight Station and Superior Union Depot. BULLETIN STATIONS:—Duluth Union Depot, Rice's Point Yard Office, Superior Union Depot, Central Avenue. All train and engine men must inspect bulletins before departing on their run.

STANDARD CLOCKS:—Rice's Point Yard Office and Dispatcher's Office, Duluth. East leg of wye at West Duluth Junction is "Grassy Point Main Line," and the switch at junction of east and west legs of wye will be kept set for Grassy Point Line.

All trains must run slow around east leg of wye at West Duluth Junction and passing Zenith Furnace Plant, looking out for switch engines working on main line. This will in no wise excuse switch engines from full compliance with Paragraph "F," Rule 298, Book of Rules.

Third District main line trains will register and receive clearance and orders at West Duluth. East Bound second class and inferior trains coming from Third District, may register at West Duluth by ticket.

No. 64 and No. 627 will register West Duluth by ticket. All east bound trains and engines, and all west bound trains and engines via St. Louis River Bridge must come to a full stop two hundred (200) feet from Junction Switch at Garfield Avenue and must not proceed until the way is known to be clear.

Care and watchfulness must be exercised by all, on both single and double track. A brakeman or flagman must be stationed on the rear car of all trains, and be provided with proper danger signals, and in case of stoppage on the main track must immediately go back and protect the train. Conductors and Switch Foremen will be held responsible for the strict observance of this rule.

All trains must approach and pass through yards under full control. All trains and engines without trains will run under full control between Belknap Street connection and west yard limit board, Superior, expecting to find main track occupied by switch crews.

Duluth Yard extends from Duluth Passenger Station to east end of St. Louis Bridge and from Garfield Avenue to West Duluth Junction and Third District yard limit board and Grassy Point Bridge. Switch engines will work within these limits, avoiding regular trains. All trains must run under full control in these limits, expecting to find track obstructed by transfers and by trains using cross-over tracks.

All extras and delayed regular trains must approach the terminal grounds at Superior with extreme caution, having train under full control.

All trains must come to full stop two hundred (200) feet from draw span Grassy Point Bridge and not proceed until Safety Signal is given. Trains will not exceed 8 miles an hour while on trestle or draw span.

Engines heavier than N. P. Class P3 (total weight of which, including tender is 265,000 pounds) are not permitted to pull or be handled in trains over above bridge. Double-headers, any class engines and 50 ton capacity ore cars loaded with ore are not permitted on bridge. Dead engines, wrecking cranes and steam shovels must be separated from engine hauling and each other by at least 3 cars.

All trains and engines must run under full control between West Yard Limit Board, Superior and Omaha connection. This includes Lake Superior terminal tracks between Belknap St. and Omaha connection. Extreme caution will be used expecting to find track occupied by trains or switch crews. Do not exceed 10 miles an hour over switches at Belknap St.

Track between Fond du Lac and Power Plant must not be used except by authority of train orders. N. P. and Zenith Furnace switch engines will use west leg of Wye at West Duluth Junction and Fond du Lac main line between West Duluth Junction and yard limit board for switching purposes, but will not leave cars on such tracks. All trains will look out for these crews in above limits.

Derailing switches located as follows and must be kept in derailing position when not in use: West End Zenith Furnace track. East End N. P. freight house track, Superior. Main line just east of N. P. freight house, Superior.

Interlocking switches and signals are located at D. M. & N. Junction, and crossing of W. C. Ry. just west of D. M. & N. ore docks.

Great Northern Trains 19 and 20 will register at Central Avenue by ticket.

RULES GOVERNING MOVEMENT OF TRAINS OVER ST. LOUIS BRIDGE.

LOCATION OF SIGNALS.

Interlocking signals and switches will govern use of tracks between Bridge Switch and Elevator Station. All semaphore signals are of the modern, upper quadrant style with following indications:

Top arm, horizontal, red light, stop.

Angle 45°, yellow light, proceed with caution.

Vertical, green light, proceed, clear.

With the exception of the three-arm semaphore located west of Minnesota draw on east bound track, and the two-arm semaphore located just east of Elevator Station on the west bound track, a lower arm, half length, is provided, and following indications of this arm will govern:

Upward, diagonal, yellow light, train may proceed under full control expecting a train immediately ahead, or routes lined up for movement against current of traffic.

The three-arm semaphore on east bound track west of Minnesota draw indicates position of double track switch, position of draw, and route.

Top arm, Northern Pacific.

Middle arm, Great Northern.

Bottom arm, C. St. P. M. & O.

The two-arm semaphore on west bound track east of Elevator Station is route indication.

Top arm, straight main line.

Bottom arm, Great Northern freight track.

Derails are located as follows:

At approach to Elevator Station from east and west.

At approach to Minnesota draw from Duluth.

Full stop is required of trains in both directions, before entering onto Wisconsin draw and, by east bound trains before entering onto Minnesota draw.

If proceed signal is received at the approach to Minnesota draw from the east, it will not be necessary to stop for such draw, it being protected by derail.

Dwarf signals are of modern, upward quadrant style:

Horizontal, red light, stop.

Vertical, green light, caution

and govern movements against current of traffic.

After a train has received a signal to move in one direction it must not move in opposite direction without receiving proper signal for such movement.

Authorized Surgeons.

Dr. C. S. KNOX, East End.
Dr. J. C. ADAMS, Superior.
Dr. W. H. MAGIE, Duluth.
Dr. A. J. BRADEN, Duluth.

Location Stretchers.

East End Freight Station.
Superior Freight Station.
Rices Point Yard Office.
Duluth Union Depot.
Tool Car, Duluth.
West Duluth.

W. H. STRACHAN,
Ass't. Superintendent.

L. F. NEWTON,
Train Master.

F. E. POTTER,
Chief Dispatcher.

