

NORTHERN PACIFIC RAILWAY COMPANY.

DAKOTA DIVISION

TIME 31B TABLE

IN EFFECT AT 12:01 A. M. Central or 90th Meridian Time.

SUNDAY, MAY 29, 1910.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

G. A. GOODELL,
General Manager.

E. C. BLANCHARD,
General Superintendent.

P. H. McCAULEY,
Superintendent of Transportation.

A. M. BURT,
Superintendent.

WEST BOUND

DAKOTA DIVISION

EAST BOUND

THIRD CLASS	SECOND CLASS TRAINS			FIRST CLASS TRAINS					Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Jamestown	Time Table No. 31B. MAY 29, 1910 Succeeding No. 31A.				Distance from Mandan	Capacity of Passing Tracks	FIRST CLASS TRAINS					SECOND CLASS	THIRD CLASS
	779	605	603	601	15	7	5	3				1	STATIONS	2	4			6	8	16	602	780		
WAY FREIGHT	FREIGHT	FREIGHT	FREIGHT	PASSENGER	PASSENGER	PASSENGER	PASSENGER	PASSENGER	Telegraph Offices and Calls.	PASSENGER	PASSENGER	PASSENGER	PASSENGER	PASSENGER	FREIGHT	WAY FREIGHT								
Except Sunday	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily		Daily	Daily	Daily	Daily	Daily	Daily	Except Sunday								
6.15 AM	1.00 AM	11.40 PM	11.10 AM	11.40 AM	10.15 AM 602	6.47 PM	8.28 AM	8.05 PM	JY.....JAMESTOWN.....N	106.7	650	10.28 PM	12.28 PM	6.05 AM 779	8.45 PM	8.50 PM	10.00 AM	5.00 PM						
6.38	1.17	11.57 PM	11.24	* 11.55 AM	* 10.26	* 6.56	* 8.32	* 8.14	BX.....BERNER.....N	102.1	80	* 10.14	* 12.14	* 5.50	* 8.25	* 8.35	9.40	4.45						
6.40	1.24	12.04 AM	11.30 AM	f 12.10 PM	* 10.30	* 6.59	* 8.35	* 8.17	EG.....ELDRIDGE.....D	99.7	160	* 10.10	* 12.10 PM	* 5.46	* 8.17	f 8.30	9.81	4.35						
7.05	1.40	12.30	12.01 PM	* 12.20	* 10.38	* 7.07	* 8.43	* 8.25OSWEGO.....	94.3	80	* 10.02	* 12.01 PM 601	* 5.37	* 8.07	* 8.18	9.10	8.45						
7.25	2.00	12.40	12.11	f 12.28	* 10.50	* 7.17	* 8.53 602	* 8.35	WR.....WINDSOR.....N	90.5	158	* 9.56	* 11.55 AM	* 5.31	* 8.01	f 8.08	8.53	8.20						
7.42	2.10	12.50	12.20	12.35	* 10.56	* 7.22	* 8.59	* 8.41	CD.....CLEVELAND.....D	86.6	80	* 9.50	* 11.49	* 5.28	* 7.55	2.58 780	8.20	2.58 10						
8.05 603	2.22	1.08	12.34	* 12.46	* 11.04	* 7.28	* 9.06	* 8.48DON.....	81.4	80	* 9.41	* 11.40	* 5.15	* 7.45	* 8.44	8.05 779	2.12						
8.20	2.31	1.11	12.42	12.52	* 11.09	* 7.32	* 9.10	* 8.52	W MD.....MEDINA.....N	78.1	160	* 9.34	* 11.38	* 5.08	f 7.40	2.36	7.50	1.55						
8.28	2.36	1.16	12.47	* 12.57	* 11.18	* 7.35 8	* 9.13	* 8.55SOUTHDOWN.....	73.4	80	* 9.31	* 11.30	* 5.04	* 7.35 5	* 2.30	7.42	1.42						
8.58	2.50	1.30	1.10 15-780	f 1.10 601-780	* 11.23 4	* 7.43	* 9.21	* 9.08	W CS.....CRYSTAL SPRINGS.....N	69.4	160	* 9.28	* 11.23 7	* 4.54	* 7.28	f 2.20	7.25	1.10 15-601						
9.10	3.00	1.40	1.30	* 1.17	* 11.29	* 7.48	* 9.26	* 9.08LADOGA.....	65.4	80	* 9.18	* 11.17	* 4.49	* 7.17	* 2.18	7.10	12.28						
9.31 8	3.10	1.50	1.38	f 1.24	* 11.34	* 7.52	* 9.31 779	* 9.13 2	TP.....TAPPEN.....D	61.9	80	* 9.13 1	* 11.12	* 4.44	* 7.12	f 2.06	6.57	12.12 PM						
10.00 4 11.03 780	3.35	2.15	1.55 16	1.35	* 11.46 780	* 8.04	* 9.43	* 9.25	WC DO.....DAWSON.....N	56.4	160	* 9.02	* 11.03 779-780	* 4.35	7.03	1.55 601	6.40	4-7.11 46 AM 779 10.50						
11.20 AM	3.50	2.30	2.15	* 1.43 10	* 11.52 AM	* 8.09	* 9.48	* 9.30SIFTON.....	52.9	80	* 8.52	* 10.52	* 4.28	* 6.51	* 1.43 15	6.30	10.25						
12.01 PM 7	4.16 6	2.50	2.32	1.51	f 12.01 PM 779	f 8.17	* 9.56 780	* 9.37	ST.....STEELE.....N	48.5	160	* 8.46	* 10.47	* 4.16 605	f 6.45	1.32	6.18	9.56 3						
12.40	4.28	3.00	2.42	* 1.56	* 12.05	* 8.21	* 10.00	* 9.41RANKIN.....	45.7	80	* 8.48	* 10.48	* 4.12	* 6.38	* 1.25	6.05	9.40						
12.55	4.48	3.16	2.52	* 2.06	* 12.12	* 8.28	* 10.08	* 9.49GENEVA.....	40.5	80	* 8.37	* 10.34	* 4.05	* 6.31	* 1.16	5.47	9.24						
1.11 10	5.00	3.25	3.12	2.10	f 12.17	* 8.33 2	* 10.12	* 9.58	DR.....DRISCOLL.....N	37.5	160	* 8.33 5	* 10.30	* 4.01	f 6.27	1.11 779	5.37	9.14						
1.58	5.20 602	3.52 6	3.30	* 2.21	* 12.25	* 8.40	* 10.22 4	* 10.00ANGORA.....	32.6	80	* 8.24	* 10.22 3	* 3.52 603	* 6.20	* 1.00	5.20 605	8.55						
2.07	5.30	4.05	3.40	2.27	* 12.29	* 8.44	* 10.26	* 10.04	W SG.....STERLING.....N	30.0	140	* 8.20	* 10.18	* 3.48	* 6.16	12.54	5.05	8.46						
2.42 15	5.56	4.33 602	4.05	2.42 779	* 12.40 10	* 8.54	* 10.35	* 10.12	WY MZ.....McKENZIE.....D	23.8	80	* 8.10	* 10.08	* 3.37	* 6.05	12.40 7	4.33 603	8.22						
3.20	6.18	4.51	4.25	f 2.52	* 12.48	* 9.02	* 10.44	* 10.20	BU.....BURLEIGH.....N	18.6	160	* 8.08	* 10.02	* 3.29	* 5.57	f 12.27	4.10	8.02						
3.45	6.40	5.10	4.45	* 3.00	* 12.56	* 9.10	* 10.58	* 10.28APPLE CREEK.....	13.3	80	* 7.55	* 9.55	* 3.21	* 5.49	* 12.19	3.52	7.43						
4.00	6.50	5.20	4.55	* 3.05	* 1.00	* 9.14	* 10.57	* 10.32PIERCE.....	10.7	80	* 7.52	* 9.52	* 3.17	* 5.45	* 12.15	3.45	7.35						
4.20	7.15 780	5.45	5.35 8	3.20	1.15	9.27	11.12	10.45	W BI.....BISMARCK.....N	5.8	145	7.45	9.45	3.10	5.35 601	12.05 PM	3.30	7.15 605						
5.10 PM 8	8.00 AM	6.30 AM 780	6.05 PM	3.40 PM	1.30 PM	9.42 PM	11.28 AM 16	11.00 PM	WC A.....MANDAN.....N	0.0	450	7.30 PM	9.30 AM	2.55 AM	5.20 PM 779	11.50 AM 3	3.05 AM	6.40 AM 603						
Except Sunday	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily				Daily	Daily	Daily	Daily	Daily	Daily	Except Sunday						
10.55	7.00	6.50	6.55	4.00	3.15	2.55	3.05	2.55Time over District.....			2.58	2.58	3.10	3.25	4.00	6.55	10.20						
9.8	15.2	15.6	15.4	26.7	32.8	36.7	34.6	36.7Average Speed per Hour.....			36.1	36.1	33.6	31.3	26.7	15.4	10.3						

REGISTERING AND BULLETIN STATIONS—Jamestown and Mandan.

STANDARD CLOCKS—Jamestown and Mandan.

Freight trains enter and leave Jamestown Yard at a point just east of Pipestem River Bridge (the extreme west switch). See Rule 298 (e) and (f).

Maximum grades: Windsor to Jamestown. Before descending, freight trains must come to a full stop, air brakes must be tested and known to be working through and signal received by Engineer from rear end of train. Passenger trains will be governed by rule 552. Maximum speed of passenger trains is one minute or 60 seconds per mile. This limit must never be exceeded. All trains will slow to 20 miles per hour around first curve east of Missouri River Bridge.

East-bound passenger trains will use at least six minutes from Berner to Jamestown Coal Dock.

Engineers will not be required to consult register, except at initial or starting point.

Derail switch on east end Windsor passing track to be set and locked for derail only when cars left on this track. All other derail switches to be set and locked for derail at all times when not in use.

No. 8 will take siding for No. 1 and No. 5.

No. 16 will take siding for No. 3 and No. 7.

Nos. 779 and 780 will carry passengers.

Rule 288 is modified to the extent that extra trains may run ahead of third class trains without authority of train orders, and on that portion of road where single track block system is in effect inferior class trains may run ahead of second and third class trains without authority of train orders.

REGISTER TICKETS. Form No. 608.

Conductors of all trains (except passenger trains) will leave with operator of each open telegraph office between Berner and Bismarck (both inclusive, except Berner east bound) two register tickets properly filled out (including the time).

Operators must be watching for them, check time shown and correct if wrong, and report to Superintendent by wire any failure to leave them.

For light engines operators will fill out the register tickets.

Engineers of freight trains and light engines will secure one of these tickets from the operator, and if ticket is not furnished they will report by wire from the next open telegraph office.

At Bismarck, if the operator is not out to deliver register tickets, all freight trains and light engines will stop and secure same, and at other points light engines will stop and secure ticket if operator is not out.

Operator will file one copy of the tickets.

If operators are unable to find blanks thrown off by conductors, they will fill one out and hand to the engine crew of the following train. When an operator is absent for meals, a white marker with the letter "C" on it will be exposed to notify trains that the office is closed. Operators going on duty will furnish first train passing a blank reading "No train by since open at.....M." time

WEST BOUND JAMES RIVER AND OAKES BRANCHES EAST BOUND

Table with columns for Third Class Trains (787, 135), First Class Trains (136, 788), Stations (Jamestown, Reeyes, Ypsilanti, Montpelier, Adrian, Dickey, Grand Rapids, La Moure), and various metrics like Distance from Jamestown and Capacity of Side Tracks.

See Current Time Table of the Fargo Division.

Table with columns for Third Class Trains (9.00 AM, 8.30, 8.00 AM, 6.00, 11.5), First Class Trains (3.50 PM, 2.30, 2.10 PM, 8.20, 20.7), and Stations (Oakes Junction, Glover, Oakes).

REGISTERING STATIONS—Jamestown, La Moure, Oakes Junction and Oakes. BULLETIN STATIONS—Jamestown, La Moure and Oakes. STANDARD CLOCK—Jamestown. The switches at Oakes Junction and La Moure will be set for the Fargo & Southwestern Branch, Fargo Div.

WEST BOUND DEVILS LAKE BRANCH EAST BOUND

Table with columns for Third Class Trains (781, 131), First Class Trains (132, 782), Stations (Jamestown, Parkhurst, Buchanan, Pingree, Edmunds, Melville, Carrington, Guptill, Barlow, New Rockford, Divide, Sheyenne, Oberon, Lallie, Minnewaukan, Brinsmade, Leeds), and various metrics like Distance from Jamestown and Capacity of Side Tracks.

WEST BOUND OBERON BRANCH EAST BOUND

Table with columns for Second Class Trains (463, 464), Stations (Oberon, Genin, Flora, Maddock, Hesper, Pendennis, Esmond), and various metrics like Distance from Oberon and Capacity of Side Tracks.

REGISTERING AND BULLETIN STATIONS—Oberon and Esmond. STANDARD CLOCK—Jamestown and Carrington. Junction Switch at Oberon must be set and locked for D. L. Branch. Deraill switches must be left set and locked for derail when not in use.

WEST BOUND SYKESTON BRANCH EAST BOUND

Table with columns for Third Class Trains (785, 133), First Class Trains (134, 786), Stations (Carrington, Dover, Sykeston, Heaton, Bowdon, Chaseley, Hurdfield, Goodrich, Denhoff, McClusky, Mercer, Turtle Lake), and various metrics like Distance from Carrington and Capacity of Side Tracks.

REGISTERING STATIONS—Jamestown, Carrington, Oberon, Leeds and Turtle Lake. BULLETIN STATIONS—Jamestown, Carrington, Leeds and Turtle Lake. STANDARD CLOCK—Jamestown and Carrington. Devils Lake Branch trains will protect themselves against Main Line trains between Devils Lake Junction and the passenger depot at Jamestown. Sykeston Branch trains will protect themselves against Devils Lake Branch Line trains between "Wye" switch and Carrington.

WEST BOUND LINTON BRANCH EAST BOUND

2ND CLASS TRAINS				TIME TABLE No. 31B.				2ND CLASS TRAINS	
465				May 29, 1910.				466	
MIXED				Succeeding No. 31A.				MIXED	
Ex. Sunday				STATIONS				Ex. Sunday	
				Telephone Offices and Calls.					
10.15 AM	WCY	492	0.0McKENZIE..... D	44.7	100		3.45 PM	
				1 ring					
9.45		DK 7	6.9BURDICK.....	37.8	20		4.05	
				4.7					
F 9.25		DK 11	11.6MOFFITT.....	33.1	No Siding	F 4.20		
				1.3					
9.30		DK 13	12.0BESSOBA.....	31.8	24	4.25		
				0.8					
F 8.55		DK 19	10.7DANA.....	25.0	Spur 8	F 4.45		
				8.1					
8.30	W	DK 25	27.8HAZELTON..... D	16.9	38	5.1 C		
				2 rings					
7.45		DK 37	36.7TEMPLETONVILLE.....	8.0	24	5.45		
				8.0					
7.15 AM	WCY	DK 45	44.7LINTON..... D	0.0	94	6.15 PM		
				3 rings					
Ex. Sunday							Ex. Sunday		
3.00			Time Over District.....			2.30		
14 9			Average Speed per Hour.....			17.8		

Registering Stations—McKenzie and Linton.
 Bulletin Station—McKenzie.
 Standard Clock—Mandan.
 No. 465 has right over No. 466.
 Tracks inside yard limit boards at Linton are joint with C. M. & St. P. Ry. While using joint tracks trains will give precedence to C. M. & St. P. trains of superior class.
 Conductors and engineers must provide themselves with current time table of the James River Division C. M. & St. P. Ry., and while on joint tracks be governed by general and special rules contained therein, and also by general or special instructions issued by train dispatcher or superintendent of the C. M. & St. P. Ry.

COMMERCIAL SPURS.

MAIN LINE.

Distance from Jamestown.
 Bismarck Penitentiary Spur 98 1/2 Miles.
 Bismarck Military Spur 99 1/2 Miles.
 Bismarck Water Works Spur 102 3/4 Miles.

DEVILS LAKE BRANCH.

Farquar 39 miles from Jamestown.
 Garland 47 miles from Jamestown (Sykeston Bch.)

LOCATION OF DERAIL SWITCHES.

DAKOTA DIVISION.

MAIN LINE.

STATION.	TRACK.	WHERE LOCATED
Eldridge.....	House track.....	Both ends.
Windsor.....	House track.....	Both ends.
Windsor.....	North passing track.....	East end.
Cleveland.....	Elevator track.....	West end.
Medina.....	House track.....	Both ends.
Crystal Springs.....	House track.....	East end.
Dawson.....	House track.....	West end.
Steele.....	House track.....	Both ends.
Driscoll.....	House track.....	East end.
Sterling.....	House track.....	Both ends.
McKenzie.....	Stock yard track.....	East end.
Burleigh.....	House track.....	East end.
Apple Creek.....	House track.....	East end.
Bismarck.....	Soo Transfer.....	West end.
Bismarck.....	Water Works Spur.....	West end.

BRANCH LINES.

Devils Lake Branch.

Carrington.....	Soo transfer.....	East end.
New Rockford.....	House track.....	West end.
New Rockford.....	West elevator track.....	West end.
Brinsmade.....	House track.....	West end.

LAP SIDINGS.

Lap Sidings are located at the following points:

- | | |
|------------------|-----------|
| Eldridge, | Steele, |
| Windsor, | Driscoll, |
| Medina, | Sterling, |
| Crystal Springs, | Burleigh. |

When trains meet at these points, Rule No. 286 is modified to the extent that inferior train will head in at the lap.

AUTHORIZED SURGEONS, DAKOTA DIVISION.

LOCATION OF STRETCHERS (S).

- | | | |
|---|-------------------------------|-------------------------------------|
| DR. W. COURTNEY, Chief Surgeon,
Brainerd. | DR. F. B. LODGE, Steele. | DR. O. W. McCLUSKY, Carrington (S). |
| DR. W. A. GERRISH, Jamestown (S).
Jamestown, Tool Car (S).
Jamestown, Store Room (S). | DR. F. R. SMYTH, Bismarck (S) | DR. C. McLACHLAN, New Rockford. |
| DR. G. D. TODD, Medina. | DR. H. O. ALTNOW, Mandan (S). | DR. W. M. BARTLEY, Sheyenne. |
| DR. T. S. PRYSE, Dawson. | DR. R. R. HOGUE, Linton. | DR. J. W. WARREN, Leeds (S). |
| | DR. F. E. HILLIS, La Moure. | DR. JOHN CRAWFORD, Esmond. |
| | DR. T. MAERCHLEIN, Oakes (S.) | DR. C. E. McREYNOLDS, Goodrich. |
| | | DR. E. L. PAULSON, Turtle Lake |

NOTE.

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from

accident, if necessary proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge; and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association, after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at our own hospitals. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty

S. A. WILDER,
Train Master.

W. G. HOWLAND,
Chief Dispatcher.

TONNAGE RATING—FREIGHT ENGINES

DISTRICTS.	ENGINES.								DISTRICTS.	ENGINES.							
	Class D 3		Class S 10		Class R		Class T			Class D 3		Class S 10		Class R		Class T	
	Maximum 65 Cars		Maximum 70 Cars		Maximum 75 Cars		Maximum 75 Cars			Maximum 65 Cars		Maximum 70 Cars		Maximum 75 Cars		Maximum 75 Cars	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars		Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Main Line—West Bound.																	
Jamestown to Windsor.....	1450	36	1650	41	1770	44	1800	45	Oberon Branch—West Bound.								
Windsor to Mandan.....	1085	27	1615	40	1920	48	2000	50	Oberon to Maddock.....	1280	32	1910	48	2265	56	
									Maddock to Esmond.....	820	21	1225	31	1460	37	
Main Line—East Bound.									Oberon Branch—East Bound.								
Mandan to Windsor.....	1085	27	1615	40	1920	48	2000	50	Esmond to Maddock.....	820	21	1225	31	1460	37	
Windsor to Jamestown.....	1600	40	2200	55	2600	65	2800	70	Maddock to Oberon.....	1410	35	2100	52	2485	62	
Devils Lake Branch—West Bound.									J. R. & O. Branch—West Bound.								
Jamestown to Edmunds.....	590	15	885	22	1055	26	Oakes to Oakes Jct.....	820	21	1225	31	1460	37	
Edmunds to New Rockford.....	1085	27	1615	40	1920	48	Oakes Jct. to LaMoure.....	1560	39	2320	58	2750	69	
New Rockford to Leeds.....	590	15	885	22	1055	26	LaMoure to Jamestown.....	1085	27	1615	40	1920	48	
Devils Lake Branch—East Bound.									J. R. & O. Branch—East Bound.								
Leeds to Divide.....	590	15	885	22	1055	26	Jamestown to LaMoure.....	1175	29	1750	44	2080	52	
Divide to Jamestown.....	1280	32	1710	43	2265	56	Oakes Jct. to Oakes Jct.....	725	18	1090	27	1300	33	
Sykeston Branch—West Bound.									Oakes Jct. to Oakes.....	1560	39	2320	58	2750	69	
Carrington to Sykeston.....	1085	27	1615	40	1920	48	Linton Branch—West Bound.								
Sykeston to Turtle Lake.....	725	18	1090	27	1300	32	Linton to Hazelton.....	590	15	885	22	1055	26	
Sykeston Branch—East Bound.									Hazelton to McKenzie.....	1410	35	2100	52	2485	62	
Turtle Lake to Denhoff.....	650	16	975	24	1165	29	Linton Branch—East Bound.								
Denhoff to Bowdon.....	820	21	1225	31	1460	37	McKenzie to Linton.....	490	12	735	18	885	22	
Bowdon to Carrington.....	1410	35	2100	52	2485	62									

Above rating is based on trains consisting of loads only, and rating is calculated for an average speed of ten miles per hour. On Main Line for each car added to the number specified above, deduct 20 tons from rating of engine; for each car less than the number specified above, add 20 tons to rating of engine. On Branch Lines add or deduct 10 tons per car.

In figuring tonnage of the car, less than 1,000 pounds will not be counted; 1,000 pounds or more will be counted one ton.

To secure full tonnage rating a fraction of weight of car more than rating must be counted rather than a fraction less.

Train dispatcher will determine rate to be handled when reduction is necessary account of weather condition, except that for temperature alone, the following rule will be applied by all concerned:

Reduce rating:—10 per cent between 30 and 10 above zero; 15 per cent between 10 above and 10 below zero; 25 per cent when temperature is below 10 below zero.

When engines are unable to haul the rating, engineers will designate to conductors the number of tons to be reduced and will wire the Superintendent why the reduction is necessary. It must be distinctly understood that the responsibility for reducing train below rating of engine must be assumed by the engineer and not by the conductor.

This rating is made to govern ruling grades only, and will in no manner interfere with handling additional tonnage where the grades will permit.

The above rating includes Class "W" Helper east and west from Jamestown and Class "L-9" Helper east from Mandan.


In making up or filling out trains the following rules will be followed as far as practicable:

Solid trains of loads or solid trains of empties.

Where trains consist of both loads and empties, loads in the middle with empties divided between the head and rear ends of trains.

Maximum tonnage for Main Line Local Freight Trains will be 20 per cent less than tonnage for Through Freights.

Tonnage for Fast Freights and Stock Trains will be regulated by bulletin or special instructions from dispatchers.



BRITISH COLUMBIA ALBERTA SASKATCHEWAN MANITOBA ONTARIO

WASHINGTON MONTANA NORTH DAKOTA SOUTH DAKOTA

OREGON CALIFORNIA NEVADA IDAHO WYOMING

UTAH NEBRASKA KANSAS MISSOURI

WISCONSIN ILLINOIS

SAN FRANCISCO

CARSON CITY

SALT LAKE CITY

CHEYENNE

DES MOINES

SIoux CITY

MINNEAPOLIS

ST. PAUL

ST. LOUIS

JEFFERSON CITY

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

RENO

ELKO

WINNEMUCCA

CASTLE CRAG

Mt. Shasta

ASHLAND

ROSEBURG

EUGENE

ALBANY

SALEM

PORTLAND

VICTORIA

YALE

MISION

GRAND FORKS

WANICIA

COAST

WILKINSON

WILKINSON

GREEN RIVER

LEADVILLE

LOUISVILLE

GREENWOOD SPRINGS

LA SALLE

BRUSH

STERLING

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA SALLE

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

LA JUNTA

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

FAIRFIELD

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

JEFFERSON CITY

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS

ST. LOUIS