

NORTHERN PACIFIC RAILWAY COMPANY.

IDAHO DIVISION

With Bulletins

TIME **33A** TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time.

(One hour slower than Mountain or 105th Meridian Time.)

SUNDAY, Dec. 18th, 1910

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

H. C. NUTT,
General Manager.

I. B. RICHARDS,
General Superintendent.

P. H. McCAULEY,
Superintendent of Transportation.

J. M. RAPELJE,
Superintendent.

J. C. ROTH,
Assistant Superintendent of Transportation.

RULES GOVERNING MOVEMENT OF TRAINS AT U. P. CROSSING, SPOKANE.

RULE 1—Engines or trains must never be moved past the signal in interlocking limits without first obtaining clear board.

- A. If board on signal is in horizontal position it indicates "Stop." If in vertical position it indicates "Proceed."
- B. At night a red light in signal indicates "Stop," or a green light "Proceed."

RULE 2—Signals are always located to right of enginemen, considering engine going forward toward signal. Signals on other tracks must be disregarded.

RULE 3—Upper arm of Signal 52 in vertical position, or upper green light at night, shows clear main line for west bound trains on west bound main line

- Lower arm of Signal 52 shows track lined up into new train yard.
- Upper arm of signal governs trains proceeding on east bound main line.
- Lower arm governs trains proceeding into Fair Ground Spur.
- Signal 31 governs east bound movements on west bound main line.
- Signal 32 governs trains pulling out of new train yard.
- Signal 47 governs west bound trains on west bound main line.
- Signal 49 governs west bound movements on east bound main line.
- Signal 48 governs trains pulling out of Fair Ground Spur. (As this signal is at present taken out, and until put in, trains using this spur must be careful not to get past signal foundation until having received hand signal from towerman of green flag by day and green light by night.)
- Signal 4 governs east bound movements of trains on old main line
- Signal 26 governs west bound movements of trains on old main line.

RULE 4—Cars without engine attached must never be left within Interlocking limits.

RULE 5—Trains pulling through Interlocking limits must display some light on rear of trains at night so towerman can see when end of train has passed.

RULE 6—Trains coming out of yard, wanting to go west on west bound main line, must pull by Signal 47 and not proceed until Signal 47 is clear

RULE 7—Train receiving signal must always pull through Interlocking limits before they can receive any other route, excepting as shown in Rule 6.

RULE 8—In case of failure of automatic signals towerman will flag train through Interlocking limits with a green flag or green light by night. Any other signals by whomsoever must be disregarded.

Trains being flagged through Interlocking limits must proceed very carefully, not to exceed four miles per hour, looking out for derails and switches.

RULE 9—Trainmen and switchmen will be held equally responsible with enginemen, if proceed signals are given before automatic signals show "Proceed."

RULE 10—Trains approaching Signal 29 and wishing main line must give 4 short blasts of the whistle O O O O

- Approaching Signal 29 for Fair Ground Spur 3 long ————
- Approaching Signal 52 for Main Line, 4 short O O O O
- Approaching Signal 52 for New Train Yard, 3 long ————
- Approaching Signal 31 for Main Line, 4 short O O O O
- Approaching Signal 31 for Crossover onto east bound main line, 2 long, 2 short ———— O O
- Approaching Signal 31 for Fair Ground Spur, 3 long ————
- Approaching Signal 32—Same as for Signal 31.
- Approaching Signal 49 for east bound main line, 4 short O O O O
- Approaching Signal 49 for crossover into west bound main line, 2 long, 2 short ———— O O
- Approachng Signal 49 for New Train Yard, 3 long ————
- Approaching Signal 48—Same as for Signal 49.
- Enginemen must answer signals by 2 short blasts of the whistle.

NOTE—Trains and switch engines must be careful not to pass Signal 32, if this signal shows "STOP," as, if they do, and Signal 52 is cleared for west bound trains, Signal 52 will automatically assume the Stop position, to the danger of approaching trains. Other high arm signals being similar.

RULINGS IN REGARD TO TELEGRAPH BLOCK SIGNALS

(Always have for reference copy of Block Signal Rules)

RULE 20—The attention of operators is particularly directed to the fact that this rule provides that when there are no orders and the block ahead is clear for an approaching train, signal should be changed to Clear, so train can enter without reducing speed. This means that if an operator has no orders for this particular train, and the block ahead is Clear, the signal will be changed to Clear, so that this train may enter the block, regardless of the fact that the operator may have orders for other trains. He must, however, display Stop signal when he has seen the markers of the train and train has passed three hundred (300) feet beyond block signal. Under this rule only one train is affected by the Clear signal and this the train which is immediately approaching on main track to enter block. A CLEAR Signal MUST NOT Be Displayed Under Any Other Circumstances.

An engine may pass a block signal at Danger in order to take coal or water or do switching in yards under the restrictions provided by general rules, but must in each case receive Block Clearance before departing from station.

Train and engine men must realize that Block Signal rules in no way modify train rules or time table regulations and do not relieve trainmen from necessity of flagging. Conductors must impress this upon their brakemen, and train and engine men understand that train must at all times be as fully protected as prior to Block System Operation.

RULE 43—Any train which has taken a siding at a block station must have block clearance before proceeding. Therefore, a clear block signal will not clear a passenger train which runs through siding in meeting a freight train, and operator should, if block is clear, be out and hand clearance to passenger train, so train will not be delayed.

Operators MUST display Stop signal immediately after train has entered block and rear of train passed three hundred (300) feet beyond signal and markers been seen by operator, and not until this has been done should he notify preceding operator that block is clear, except as per Rule 9.

The matter of displaying block signal at Stop at the proper time must be given preference over other duties. If it is desired to cancel a block or change arrangement of a block, if block clearance has been delivered, operator must not cancel the block or make any change until conductor's and engineer's copies of clearance have been returned to him.

If block signal at a station is at Danger when train is approaching on main track and is changed to Clear before engine is within three hundred (300) feet of the signal, train may proceed without block clearance. Engineer will signal for block by four (4) short blasts of engine whistle.

Except during obscure weather permissive block to helper engines will be allowed following freight train ten minutes on Caution Card when authorized by dispatcher.

Attention of engineers is called to the very great importance of obtaining "Go ahead" signal from rear of train before passing any station, and they should not only procure such signal, but have lookout kept for any other signal which might be given while train is passing station. If "Go ahead" signal is not received, train must STOP. The same rule applies to train standing at station, whether on main track or siding. Signal from rear must be received by engineer before starting.

Conductors will educate their brakemen and engineers their firemen in regard to these instructions, and conductors arrange that signal will not be given until authorized by him and then transmitted to engineer.

Except on mountain grades, trains may proceed when block is occupied by work trains if provided with Caution Card stating that work train is in block. Work trains provided with Caution Card will be permitted to follow trains at the expiration of fifteen minutes without waiting until block is clear. Two or more work trains may work in the block protecting against each other and under Caution Card.

A train intending to go to an intermediate siding to meet or be passed by a train must obtain Caution Card before entering the block, stating that "Train No. — and Train No. — will meet or pass at (naming the intermediate siding) as per time table or as per Train Order No. —." This will permit the opposing train to proceed with Caution Card to the intermediate siding without delay, beyond which point it cannot go unless the train named has arrived or received further orders as per Block Rules Nos. 53 and 54, notwithstanding it may have train rights which otherwise permit it to do so.

After a train has entered a block with ample time and intention to go through to end of same for a certain train and for any reason cannot make the end of the block for the certain train, it will go upon intermediate siding and the opposing train cannot enter the block until the train on intermediate siding has notified the signalman by telephone of its arrival and clearance at intermediate siding. If from failure of telephone the conductor at intermediate siding be unable to communicate with block office, the opposing train must not enter block except under protection of flag. If, however, the trains are moving in the same direction, Caution Cards will be issued to permit the following train to enter the block. It must be borne in mind that a train must not only have train rights, permitting it to go, but block rights also.

When a train receives orders at a blind siding by telephone, as per Rules 53 and 54, conductors will take order in writing, repeat it back to the operator; after getting complete will deliver a copy to the engineer.

SPECIAL RULES GOVERNING USE OF DOUBLE TRACK

In case of break-in-two, or when a train is stopped by the emergency application of air brakes, or by any unknown cause, and it cannot be immediately ascertained that the other main track is clear, a flagman must at once go forward and stop trains running in the opposite direction. The fireman will perform this service when necessary. As soon as it is known that the other track is not obstructed the flagman will be recalled.

The engineer will see that flagman goes forward promptly under the above circumstances and will, also, immediately ascertain whether the other main track is obstructed.

Before clearing any train entering double track at junction or initial points or allowing any train to cross over to opposite track for purpose of running on such track, operators must obtain dispatcher's authority.

Upon receiving proper block clearance and displaying classification signals, any train may proceed without further orders and irrespective of superior class trains moving in the same direction.

Any train making reverse movement on double track against the current of traffic must receive Train Order covering such movement and must get Clearance or Clearance and Caution Card at every block office they pass.

When a train crosses over to, or obstructs, the opposite track, unless otherwise provided, it must be protected as per Rule No. 299, in both directions.

Work extras must move with current of traffic unless otherwise directed.

Caution must be used by engineers of trains approaching stations where any train is receiving or discharging passengers, full stop being made before passing such train. See Rule 304, Transportation Rules.

Cross overs located at Wins.

T. H. LANTRY,
Trainmaster

C. P. HUNT,
Trainmaster

B. W. WALKER,
Trainmaster

J. J. BLAIR,
Chief Dispatcher

WEST BOUND.

FIRST DISTRICT.

EAST BOUND.

THIRD CLASS TRAINS					SECOND CLASS TRAINS		FIRST CLASS TRAINS.					STATIONS.		FIRST CLASS TRAINS					SECOND CLASS TRAINS		THIRD CLASS TRAINS				
875		601	603		3	41	227	5	1			Time Table No. 33A. Dec. 18, 1910 Succeeding No. 33				4	2	228	42	6	602		876	878	
Way Freight		Freight	Freight		Passenger	Passenger	Passenger	Passenger	Passenger	Water, Coal, Scales, Tables and Wyes	Station Numbers	Distance from Paradise	STATIONS.	Distance from Kootenai	Capacity of Passing Tracks	Passenger	Passenger	Passenger	Passenger	Passenger	Freight		Way Freight	Way Freight	
EXCEPT SUNDAY		DAILY	DAILY		DAILY	DAILY	DAILY	DAILY	DAILY	W C S T			Telegraph Offices and Calls			DAILY	DAILY	DAILY	DAILY	DAILY	DAILY		EXCEPT SUNDAY	EXCEPT MONDAY	
6.00 AM 227		11.25 PM	5.55 PM 6		2.30 PM 228-2	10.25 AM	6.30 AM	1.45 AM	12.35 AM	W	1390	0.0	PD.....PARADISE.....N 6.2	115.0	Yard	3.28 AM	1.40 PM 3-878	2.15 PM 3-878	3.05 PM	5.25 PM 603	7.55 PM			1.30 PM 2.228-3	
6.30 7.00 227		11.50 PM	6.13		2.44 42	10.37	6.41 875	1.58 AM	*12.45	W	1396	6.2	HO.....PLAINS.....N 7.4	108.8	120	3.11	*1.25	2.02	2.44 3	5.10	7.35			1.00 12.30	
7.30		12.10 AM	6.30		*2.55	*10.43	6.54	*2.11	*12.55		1404	13.6	KS.....WEEKSVILLE.....N 7.1	101.4	120	*3.00	*1.14	1.47	*2.26	*4.56	7.15			12.05 PM	
8.00		12.35	6.52 602		*3.07	*11.00	7.08	*2.22	*1.05	W	1411	20.7	DY.....EDDY.....N 2.8	94.3	140	*2.43	*1.08	1.32	*2.10	*4.44	6.52 603			11.40 AM	
8.10		12.43	7.02		*3.10	*11.04	7.13	*2.25	*1.09		1413	23.5FROST..... 4.5	91.5	70	*2.44	*12.59	1.26	*2.05	*4.38	6.40			11.30	
8.30		1.00	7.20		*3.20	*11.13 878	7.22	*2.34 4	*1.18		1417	28.0	WN.....WOODLIN.....N 3.6	87.0	70	*2.34 5	*12.50	1.17	*1.55	*4.29	6.25			11.13 11.03 AM	
8.50		1.10	7.35		3.26	11.20	7.30	2.42	*1.23	W	1420	31.6	FN.....THOMPSON FALLS.....N 5.1	83.4	120	2.28	*12.45	1.10	1.45	*4.21	6.10			10.45 9.40 9.15	
9.10 878		1.23 14	7.55		*3.35	*11.30	7.42 875	*2.52	*1.32 601		1426	36.7	BK.....KILDEE.....N 1.0	78.0	No Sdg.	*2.18	*12.37	12.55	*1.33	*4.08	5.50				
9.15		Via New Line	Via New Line		*3.37	*11.33	7.46	*2.55	*1.34	W	1427	37.7BELKNAP..... 6.7	76.3	70	*2.16	*12.35	12.53	*1.28	*4.05				Via New Line	
9.45		Via New Line	Via New Line		3.52 6	*11.46	7.59	*3.08	*1.46	Y	1434	44.4	WP.....WHITE PINE.....N 5.6	69.6	60	*2.07	*12.27	12.37	*1.15	*3.52 3				Via New Line	
10.10		Via New Line	Via New Line		*4.00	*11.59 AM	8.09	*3.16	*1.55 4		1439	50.0VERMILION..... 2.6	64.0	60	*1.55 1	*12.14	12.20	*1.02	*3.40				Via New Line	
Via Old Line		1.40	8.05		Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	W		38.0MARMOT..... 3.6	77.0	80	Via Old Line	Via Old Line	Via Old Line	Via Old Line	Via Old Line	5.45			8.45	
		1.55	8.20									41.6TALC..... 4.5	73.4	80					5.35			8.30		
		2.10	8.35									46.1CHILDS.....N 2.9	68.9	80					5.15			8.15		
		2.25	8.50									49.0RICHARDS..... 4.6	66.0	80					5.00			8.00		
10.25		2.35	9.05		4.05	*12.07 PM 228-2	8.15	*3.23	*2.04	W C	1444	53.6	J.....TROUT CREEK.....N 6.1	61.4	80	*1.49 601	*12.07 PM 41-228	12.12 12.02 PM 2-41	*12.55	*3.35	4.40			7.25 875-227	
10.55		2.50	9.33		*4.16 602	*12.17	8.28	*3.34	*2.14		1449	59.7	TC.....TUSCOR.....N 6.0	55.3	80	*1.40	*11.56 AM	11.48 AM	*12.42	*3.23	4.16 4.11			6.50	
11.20 11.45 AM 228-2		3.10	9.53		*4.27	*12.30 42	8.40	*3.42	*2.27		1455	65.7FURLONG..... 4.0	49.3	75	*1.28	*11.45 875	11.35 875	*12.30 41	*3.10	3.55			6.20	
12.05 PM 12.20 42		3.30	10.10		4.37	*12.40	8.53	*3.50	*2.38	W	1458	69.7	NX.....NOXON.....N 4.3	45.3	120	*1.20	*11.37	11.25	*12.20 875	*2.57	3.40			2.00 PM 6	
12.43 12.55 AM		3.53 4.03 5	10.25		*4.45	*12.48 875	9.00	*3.58 601	*2.48		1463	74.0SMEADS..... 5.2	41.0	60	*1.09	*11.25	11.12	*12.07 PM	*2.44	3.20			1.30	
1.15 876		4.25	10.46		4.57	*1.00 876	9.13	*4.10	*2.58		1468	79.2	HR.....HERON.....N 6.9	35.8	120	*1.01	*11.16 876	11.02 876	*11.55 AM 876	*2.33	3.05			1.15 PM 10.20 AM 42-41-875-2-228	
1.35		4.46	11.10		*5.09	*1.10	9.29 876	*4.21	*3.10	W	1474	86.1	BN.....CABINET.....N 4.8	28.9	60	*12.50	*11.05	10.45	*11.43	*2.20	2.40			9.50 9.20 227	
1.50		5.02	11.28		*5.15	*1.17	9.38	*4.28	*3.17		1478	90.9OZOMA..... 2.6	24.1	140	*12.43	*10.58	10.35	*11.31	*2.07	2.22			8.57	
1.57 2.20 602		5.11	11.38		*5.19	*1.22	9.46	*4.33	*3.22		1482	93.5	CX.....CLARK'S FORK.....N 4.9	21.5	120	*12.39	*10.53	10.30	*11.26	*2.02 875	2.15 875			8.45	
2.40		5.27	11.55 PM		*5.28	*1.30	9.55	*4.41	*3.32		1489	98.4DENTON..... 4.2	16.6	60	*12.31	*10.45	10.20	*11.16	*1.50	2.03			8.20	
3.00		5.45	12.18 AM 12.25 4		*5.36	1.40 6-602	10.10 228	*4.48	*3.42	W C	1492	102.6	H.....HOPE.....N 7.7	12.4	120	*12.23 603	*10.37	10.10 227	11.06	*1.40 41-602	1.45 1.30 6-41			8.00 6.40	
3.30		6.10 876	12.50		*5.48	*1.52	10.25 2	*4.59	*3.55		1499	110.3	OD.....ODEN.....N 4.7	4.7	60	*12.10	*10.25 227	9.55	*10.52	*1.24	1.05			6.10 6.05 AM 601	
4.00 PM		6.25 AM	1.05 AM		*5.57 PM	*2.01 PM 6	10.38 AM 42	*5.08 AM 876	*4.02 AM	C W S T	1505	115.0	KN.....KOOTENAI.....N	0.0	Yard	*12.01 AM	*10.17 AM	9.47 AM	*10.42 AM 227	*1.14 PM 602	12.45 PM 6			5.45 AM 5	
EX. SUN.		DAILY	DAILY		DAILY	DAILY	DAILY	DAILY	DAILY							DAILY	DAILY	DAILY	DAILY	DAILY	DAILY			EX. SUN.	EX. MON.
10.0		7.00	7.10		3.27	3.36	4.08	3.23	3.27				Time over District.			3.27	3.23	4.28	4.23	4.11	7.10			8.15	7.30
11.5		16.4	13.5		33.3	31.2	27.8	33.9	33.3				Average Speed per Hour.			33.3	33.9	27.8	26.2	27.6	16.0			5.4	9.2

Nos. 876 and 878 will register at Noxon.
Where lap sidings occur trains will head in at the first switch as indicated by siding boards.
Reduce speed to eight miles per hour through corporate limits of Thompson Falls.
Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
Nos. 601, 602, 603, 878 will run via new line between Trout Creek and Kildee.
Extra trains will run via new line between Trout Creek and Kildee unless otherwise instructed.

Engineers will not be required to consult Register except at initial or starting point.
Rule No. 288 is modified to the extent that extra trains may run ahead of third class trains without orders.
Double track switches at Kildee and Trout Creek will be set for old main line.
First-class trains when 15 minutes or more late and extra trains running on schedule will observe same precautions as late trains at Paradise and Kootenai as required of second and in former directions in Rule 298.
All trains may run via new line between Trout Creek and Kildee. No. 4 will stop before going on flag at Trout Creek and Kildee. No. 4 will stop on flag at White Pine on Wednesday and Saturdays.

WEST BOUND.

SECOND DISTRICT.

THIRD CLASS TRAINS			SECOND CLASS TRAINS			FIRST CLASS TRAINS													Coal, Water, Scales, Tables and Wyes	Station Numbers	Distance from Kootenai	Time Table No. 33A		Distance from Cheney	Capacity of Passing Tracks
663	883	873	601	665	603	255	257	3	247	41	233	235	227	245	231	5	1	Dec. 18, 1910 Succeeding No. 33							
Freight	Way Freight	Way Freight	Freight	S. P. & S. 75 Freight	Freight	S. P. & S. 3 Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	STATIONS							
DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY				Telegraph Offices and Calls			
		5.15 AM 5	6.30 AM		1.10 AM			* 5.59 PM		* 2.03 PM 6			10.40 AM 2-228-42			* 5.10 AM 873	* 4.04 AM	W C S T	1508	0.0	KN.....KOOTENAI.....N 3.5	88.4	Yard		
		5.30 6.20	6.45		1.25			6.10		2.18			10.50			5.15	* 4.11	W	1507	3.5	SA.....SAND POINT.....N 3.9	84.9	120		
		6.35	6.57		1.40			* 6.18		* 2.22 874			f 10.58			* 5.22	* 4.19		1510	7.4LIGNITE..... 3.0	81.0	60		
		7.00	7.11		1.58			* 6.26		* 2.30			11.11			* 5.30	* 4.25		1513	10.4	AG.....ALGOMA.....N 6.7	78.0	60		
		7.30 7.55 601	7.35 873		2.25			* 6.38		* 2.43			11.30 602			* 5.42	* 4.36	W	1520	17.1	CO.....COCOLALLA.....N 4.1	71.3	120		
		8.20	7.53		2.45			* 6.46		* 2.53			f 11.45 874			* 5.50	* 4.45		1524	21.2CAREYWOOD..... 4.1	67.2	60		
		8.37 9.48 228-2-42	8.03		3.00			* 6.53		* 3.00			11.55 AM			* 5.55	* 4.53	W	1530	25.3	GE.....GRANITE.....N 6.6	63.1	120		
		10.10 10.35 602-874	8.23 8.28 223		3.27			* 7.06		* 3.13			12.15 PM 6			* 6.08	* 5.08	Y C	1535	31.9	AX.....ATHOL.....N 7.5	56.5	120		
		11.10 6	8.55 42-602-874		3.58			* 7.13		* 3.25			f 12.32			* 6.20	* 5.19		1543	39.4	RS.....RAMSEY..... 5.6	49.0	60		
		11.45 AM 12.30 PM	9.25		4.22			7.23	See Page 7	3.36			12.46			f 6.28	* 5.29	W	1549	45.0	RD.....RATHDRUM..... 6.9	43.4	60		
		12.55 1.20 227	9.50		4.50			* 7.38	5.50 PM	* 3.45			f 1.02 873	10.50 AM		* 6.40	* 5.39	C Y	1557	51.9	AU.....HAUSER.....N 5.7	36.5	120		
		1.55 2.10 243	10.15		5.15			* 7.46	6.03	* 3.55			f 1.16	f 11.00		* 6.48 874	* 5.49		1561	57.6	OS.....OTIS.....N 6.0	30.2	120		
		2.35	10.35		5.40 874			* 7.55	6.15	* 4.05			f 1.28	f 11.13 6		* 6.56 246	* 5.59 874	W	1567	63.6	TR.....TRENT.....N 3.9	24.8	60		
		2.50	10.55 6-245		5.50 246-1			* 8.00	f 6.20	* 4.10			f 1.34 243	f 11.21 601		* 7.05 228	* 6.05 246-603		1573	67.5	YD.....YARDLEY..... 2.7	20.9	Yard		
																				70.2U. P. CROSSING Track Connection 1.8	18.2			
		9.45 PM 255 254-4-3	3.00 AM	3.15 PM	11.30 AM 5.00 PM 233-41-258	11.00 PM	6.15 AM	9.40 PM 3-683 254-4	7.00 PM 234	8.15 8.45 255	6.35 PM	4.25	4.00 PM 41-601 258	2.00 PM	1.50 PM	11.35 AM	8.00 AM 42-2-5	7.20 42-602 228	6.20 228 6.30 602-666	W C S T	1576	72.0	SP.....SPOKANE..... 3.3	16.4	Yard
		10.05	3.25 664		5.20 234	11.20		* 9.50	* 7.10	* 8.55 4-254		* 4.45	* 4.10	* 2.10 232		* 8.10	* 7.40 2	* 6.40 42		1577	75.3	NS.....HANGMAN..... 2.9	13.9	00	
		10.20	3.35		5.35	11.35		* 9.58	* 7.17	* 9.01		* 4.54	* 4.16	* 2.20		* 8.18	* 7.48	* 6.50		1582	78.2	WS.....WINS..... 2.8	10.2	00	
		10.35 PM See Page 5	4.00		5.50	11.50 PM		10.05 PM 663	* 7.22	* 9.07		* 5.00	4.25 PM	2.26		8.30 AM	* 7.54	* 7.03	W C Y	1585	81.0	MR.....MARSHALL..... 7.4	7.4	120	

Trains Between Marshall and Cheney Are Operated Under Block Card System

	4.20 AM 602		6.30 PM				7.40 PM	9.25 PM		5.20 PM	2.45 PM 255 See Page 7				8.15 AM	* 7.23 AM 2	W C Y <td>1592</td> <td>88.4</td> <td>CY.....CHENEY.....N</td> <td>0.0</td> <td>75</td>	1592	88.4	CY.....CHENEY.....N	0.0	75		
DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY							
0.50	1.20	10.0	6.30	0.50	5.05		0.25	0.40	2.56	0.45	3.07	0.25	0.45	3.10	0.45	0.30	2.55	3.09						
8.1	12.0	7.2	13.4	8.1	14.1		21.6	24.0	30.0	26.6	28.9	21.6	26.6	27.7	26.6	18.0	30.1	27.9						
Time over District																								
Average Speed Per Hour																								

All trains must obtain Special Block Card, Form C, at Wins and Hangman before passing over single track gauntlet Hangman Bridge, and must fully comply with instructions on Special Block Card. Trains must approach single track gauntlet Hangman Bridge under full control and not exceed 10 miles per hour over gauntlet.

Registering Stations—Kootenai, Ramsey, Rathdrum, Spokane, Marshall and Cheney.
 Bulletin Stations—Kootenai, Spokane and Cheney.
 Standard Clocks—Kootenai and Spokane.
 First class trains will register at Marshall, Rathdrum and Ramsey by Register Ticket Form 608.
 Engineers will not be required to consult Register except at initial or starting point.
 Branch line trains will register at Hauser, Marshall and Cheney.
 Moab flag for trains 245, 246, 247 and 248.
 Nos. 227 and 228 will stop on flag at all sidings and spurs.
 Reduce speed to 8 miles per hour through corporate limits of Spokane and Cheney.
 First-class trains when 15 minutes or more late, and extra trains running on schedule will observe same precautions in yard limits at Kootenai, Sandpoint, Spokane and Cheney as are required of second and inferior class trains by rule 298 F.
 Double track switch at Ramsey will be set for west bound trains.
 Double track switch at Rathdrum will be set for east bound trains.

Double track switch at Yardley will be set for west bound trains.
 Double track switch at Marshall will be set for east bound trains.
 Rule 238 is modified to the extent that extra trains may run ahead of third-class trains without authority of Train Orders.
 Where lap sidings occur trains will head in at the first switch, as indicated by siding board.
 All trains will reduce speed to 20 miles per hour over U. P. crossing, Spokane.
 All trains must approach W. C. Branch junction switch east of Cheney under full control.
 Maximum grades between Spokane and Cheney.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
 West bound trains going off double track at Marshall will whistle as follows for switches:
 To go on single track Northern Pacific main line, four long one short. (————— O)
 To go on Palouse Branch main line, one long two short one long (——— O O ——)
 To go on S., P. & S. main line, one long one short one long (——— O ——)
 To go on west bound passing track, one long one short one long one short (——— O —— O)

SECOND DISTRICT

Time Table No. 33A

Dec. 18, 1910.
Succeeding No. 33

STATIONS.

Telegraph Offices and Calls

Coal, Water, Scales, Tables and Ways	Station Numbers	Distances from Kootenai	STATIONS.
W C S T	1503	0.0	KN.....KOOTENAI..... 3.5
W	1507	3.5	SA.....SAND POINT..... 3.9
	1510	7.4LIGNITE..... 3.0
	1513	10.4	AG.....ALGOMA..... 6.7
W	1520	17.1	CO.....COCOLALLA..... 4.1
	1524	21.2CAREYWOOD..... 4.1
W	1530	25.3	GE.....GRANITE..... 6.6
Y C	1535	31.9	AX.....ATHOL..... 7.5
	1543	39.4	RS.....RAMSEY..... 5.6
W	1549	45.0	RD.....RATHDRUM..... 6.9
W C Y	1557	51.9	AU.....HAUSER..... 5.7
	1561	57.6	OS.....OTIS..... 6.0
W	1567	63.6	TR.....TRENT..... 3.9
	1573	67.5	YD.....YARDLEY..... 2.7
		70.2U. P. CROSSING..... Track Connection 1.8
W C S T	1576	72.0	SF.....SPOKANE..... 3.3
	1577	75.3	NS.....HANGMAN..... 2.9
	1582	78.2	WS.....WINS..... 2.8
W C Y	1585	81.0	MR.....MARSHALL..... 7.4

DOUBLE TRACK

DOUBLE TRACK

DOUBLE TRACK

W C Y	1592	88.4	CY.....CHENEY.....
Time over District.			
Average Speed per Hour.			

All trains must
Trains must ap

Registering Stations—Cheney, M
Bulletin Stations—Kootenai, Spo
Standard Clocks—Kootenai and
First class trains will register at
Engineers will not be required to
Branch line trains will register a
Moab flag for trains 245, 246, 247
Nos. 227 and 228 will stop on flag
Reduce speed to 8 miles per hour
First-class trains when 15 minute
in yard limits at Kootenai, S
by rule 298 F.

Double track switch at Ramsey will be set for west bound trains.
Double track switch at Rathdrum will be set for east bound trains.

NORTHERN PACIFIC RAILWAY COMPANY.

Spokane, Jan 5 - 1910

BULLETIN 3.
CIRCULAR LETTER.

Effective this date and continuing within the
life of time card No. ^{33A} 33-A, Rathdrum will be a flag stop
for train No. 4 to pick up passengers from the Idaho &
Washington Northern Railway destined to Billings and points
east thereof.

J.M. Rapelje,
Superintendent

EAST BOUND.

		SECOND CLASS TRAINS		THIRD CLASS TRAINS		
		602	666	874	664	884
		Freight	S.P. & S. 76 Freight	Freight	Freight	Way Freight
		DAILY	DAILY	EXCEPT SUNDAY	DAILY	EXCEPT MONDAY
		12.40 PM 6		8.00 PM		
		12.30		2.40		
		12.10 PM		2.22 2.17-41		
		11.55 AM		1.40		
		11.30 11.25 227		12.00 6 12.20 PM		
		11.00		11.45 AM 11.40 227		
		10.45		11.15		
		10.20 873		10.35 873		
		9.55		10.00		
		9.25 601-874		9.35 8.40 2-42 602-601		
		9.01 8.51 42		7.55 7.10 246-228		
		8.37 8.25 2		6.48 6.30 5		
		8.02		6.00 5.35 1-603		
		7.50		5.20		
		7.30 2-6 42 228 246 6.20	6.45 AM	5.00 AM	4.50 AM	1.00 PM
		6.00 1	6.25 1-5		4.30	12.40
		5.50	6.18		4.20	12.20
		5.40 666	6.10 AM 602		4.15 AM 883 See Page 5	12.10 PM

System

		5.05 AM 883				11.40 AM
		DAILY	DAILY		EXCEPT SUNDAY	DAILY
		6.25	0.35		10.0	0.35
		13.4	15.1		7.2	15.4

ply with instructions on Special Block Card.

for west bound trains.
for east bound trains.
trains may run ahead of third class trains without the authority of Train

at the first switch as indicated by siding boards.
hour over U. P. crossing, Spokane.
tion switch east of Cheney under full control.
ney.
minute or sixty seconds per mile. This limit must never be exceeded.

arshall will whistle as follows for switches:
c main line, four long one short. (———— O)
ne long two short one long (——— O O ———)
; one short one long (——— O ———)

To go on west bound passing track, one long one short one long one short (——— O ——— O)

WEST BOUND.

EAST BOUND.

THIRD CLASS TRAINS.											SECOND CLASS.					THIRD CLASS TRAINS.											
855	853	857	663	531	859	243	233	239	231	Water, Coal, Scales, Tables and Wyes	Station Number	Distance from Marshall	STATIONS.	Distance from Lewiston	Capacity Passenger	Passenger DAILY See Page 4	Passenger DAILY	Passenger DAILY See Page 4	Passenger DAILY	Passenger DAILY	860	664	858	854	856		
Freight EXCEPT MONDAY	Freight EXCEPT SUNDAY	Freight EXCEPT SUNDAY	Freight DAILY See Page 3	Passenger DAILY	Freight DAILY	Passenger DAILY	Passenger DAILY See Page 3	Passenger DAILY	Passenger DAILY See Page 3				Dec. 10, 1910 Succeeding No. 33							Freight DAILY	Freight DAILY See Page 4	Freight EXCEPT SUNDAY	Freight EXCEPT SUNDAY	Freight EXCEPT MONDAY			
	7.30AM		10.50PM				4.25PM		8.38AM	W C Y	1585	0.0	MR.....MARSHALL.....N 5.0	137.5	113	2.15PM						4.00AM		2.45PM			
	7.55		11.10				* 4.36		f 8.45		ID 5	5.0DYNAMITE..... 6.2	132.5	30	f 2.02			*	6.15		3.40		2.20			
	8.25		11.35				4.49		9.05	W	ID 11	11.2	SG.....SPANGLE.....D 8.5	126.3	35	1.50 854					3.20		1.55 1.40 232		1.10		
	8.50		11.55PM				5.10		9.22		ID 20	19.7	MA.....PLAZA.....D 3.7	117.8	26	1.32					3.00		1.10				
	9.05		12.08AM				* 5.22		* 9.30		ID 23	23.4NORTH PINE..... 3.3	114.1	26	f 1.23			*	5.40		2.40		12.50			
	9.25		12.20				5.32 234		9.36	W	ID 27	26.7	RO.....ROSALIA.....N 2.1	110.8	30	1.17					2.28		12.35				
	9.36 9.55 231		12.28				* 5.37		* 9.41 853		ID 30	28.8DONAHUE..... 3.1	108.7	17	f 1.10			*	5.27		2.15		12.15PM			
	10.10		12.40				* 5.44		f 9.50		ID 32	31.9Mc COYS..... 5.6	105.6	25	f 1.05			*	5.22		1.55		11.55AM			
	10.35		12.55				5.55		10.02		ID 38	37.5	OD.....OAKESDALE.....D 0.7	100.0	65	12.52					1.35		11.30				
												38.2U. P. AND S. & I. CROSSINGS... No Connection 4.6	99.3													
	11.05 854		1.20 664				6.08		10.15	W C Y	ID 43	42.8	BM.....BELMONT.....D 4.3	94.7	90	12.40					1.20 663		11.05 853				
	11.20		1.35				* 6.17		10.25		ID 47	47.1EDEN..... 2.3	90.4	35	f 12.25			*	4.42		12.50		10.55			
	11.45AM 12.25PM 232		1.45				6.23		10.35 854		ID 50	49.4	GF.....GARFIELD.....D 0.3	88.1	40	12.20PM 853					12.40		10.43 10.30 231				
												49.7U. P. AND S. & I. CROSSINGS... Track Connection 3.7	87.8													
											ID 53	53.4CEDAR CREEK..... 5.6	84.1	7	f											
	1.00		2.15				6.48		11.00	W S	ID 59	59.0	PC.....PALOUSE.....N 6.6	78.5	35	11.55AM					12.05AM		9.45 8.40				
	1.20		2.40				* 7.02		f 11.15		ID 66	65.6FALLONS..... 4.8	71.9	30	f 11.40			*	4.00		11.35PM		8.25			
	1.40		2.58				* 7.12		11.25 232		ID 71	70.4WHELAN..... 5.1	67.1	30	f 11.25 231			*	3.48		11.10		8.05			
5.30AM	2.00PM		3.15 8.30	12.10PM 231-232	6.00AM		7.25 7.30		11.40 11.50 532-531	W C	ID 76	75.5	PN.....PULLMAN.....N 0.6	62.0	30	11.12 11.02 852					3.35 8.30	10.35AM 231-232	5.00PM	10.45 10.25		7.45AM	1.20PM
												76.1U. P. CROSSING... No Connection 0.9	61.4													
5.45			3.35	12.15PM	6.05AM		7.35		11.55AM	Y	ID 77	77.0PULLMAN JUNCTION..... 3.6	60.5	52	10.57					3.25	10.25AM 232	4.35PM	10.15		1.00 531	
6.00			3.50	See page 6	See page 6		* 7.41		12.05PM		II 4	80.6SUNSHINE..... 5.2	56.9	32	f 10.51			*	3.17	See page 6	See page 6	10.00		12.45		
6.20 7.10			4.15				7.55		12.27 856	W T C	II 9	85.8	MO.....MOSCOW.....N 6.5	51.7	37	10.40					9.40		12.27PM 11.40AM 231		11.15		
7.30			4.35				f 8.07		f 12.43		II 15	92.3JOEL..... 4.2	45.2	30	f 10.15					9.10		11.15				
7.50			4.55				f 8.18		f 12.53	T	II 20	96.5HOWELL..... 2.9	41.0	80	f 10.05			*	2.38		8.50		10.50			
8.15			5.10				8.25 664		1.00	W	II 22	99.4	VM.....TROY.....D 6.1	38.1	47	9.55					2.28		8.25 8.20 233		10.35		
8.35			5.28				* 8.39		* 1.12		II 28	105.5BOVARD..... 5.5	32.0	13	* 9.30			*	2.08		7.45		10.00			
9.05-232 9.30-856			5.50				8.55		1.30	W C T	II 34	111.0	KR.....KENDRICK.....N 4.0	26.5	47	9.10 855					7.20		9.30 856				
10.00			6.05				9.05	See Page 6	1.40 234		II 38	115.0	JA.....JULIAETTA.....D 8.5	22.5	32	8.55		See Page 6			1.40 231		7.05		9.10		
10.40			6.25				9.23		8.35AM 232-856	W Y	II 47	123.5ARROW..... 3.0	14.0	No Sdg.	8.30 239-856					2.05PM 231		6.45		8.40 8.20 232-239		
11.00 243		2.25PM 231-244-240	6.35				10.35AM 855		f 9.30	Y	II 49	128.5JOSEPH.....	11.0	No Sdg.	8.15				1.57		2.40PM 231		1.15	6.30	8.35AM 239	8.00

BETWEEN LEWISTON AND JOSEPH, TRAINS WILL BE GOVERNED BY CAMAS PRAIRIE RAILROAD TIME TABLE AND SPECIAL RULES.

11.55AM 234	8.10PM	7.15AM 232 858 856	11.00AM	10.00PM	9.10AM	2.50PM	W C T	II 80	137.5	WN.....LEWISTON.....D	0.0	Yard	7.45AM 663	1.35PM 234-854	2.00PM 240	12.50PM 855-240	6.00PM	7.50AM 663-232	7.15AM 663 232 858		
EX. MON.	EX. SUN.	EX. SUN.	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EX. SUN.	EX. SUN.	EX. MON.
6.25	6.30	.45	8.25		.25	5.35		.35	6.17				6.30	.30	0.40	5.38		10.	.45	7.00	6.05
9.6	11.5	12.00	16.2		22.0	24.5		24.0	21.8				21.0	28.0	16.5	24.2		13.7	14.7	10.7	10.1
Time over District.											Average Speed per Hour.										

Bulletin Stations—Spokane, Marshall, Pullman, and Lewiston. Standard Clocks—Spokane, Pullman, and Lewiston. Branch Line trains must obtain orders before occupying main line at Marshall. Engineers will not be required to consult register except at initial or starting point. Registering Stations—Marshall, Pullman, Pullman Jet., Arrow, Joseph and Lewiston. Passenger trains must not exceed speed of 30 miles per hour and freight trains 15 miles per hour between Howell and Kendrick. Special attention is called to Rules 500 to 518 inclusive, governing operations on mountain grades between Howell and Kendrick. All trains must come to a Full Stop two hundred (200) feet from U. P. crossings at Oakesdale, Garfield and Pullman. All engines with or without trains must come to a full stop two hundred (200) feet from the draw span in Clearwater River Bridge, one mile East of Joseph, and will not proceed until bridge is known to be properly closed and secured. All west bound trains are required to get a clearance at Joseph. This will be issued from the dispatcher's office of the Camas Prairie Railroad at Lewiston, Idaho. All east bound trains are required to get a clearance at North Lapwal, clearing them from Joseph. This will be issued from the dispatcher's office at Spokane. Rule 238 is modified to the extent that extra trains may run ahead of third class trains without authority of Train Orders. Nos. 231 and 232 will stop on flag at Kelley's Spur and Spokane County Farm. No. 233 will stop on flag at Spokane County Farm.

WEST BOUND.

THIRD CLASS TRAINS. SECOND CLASS.

Table with columns for train numbers (855, 853, 857, 663, 531, 859) and freight/passenger status. It lists departure and arrival times for various stations.

Office of the Division Superintendent. И О В Л Н Е Я Н Б В Г И К Б В И Р А В А Г О Р Ъ В И Т.

Office of the Superintendent. I IDAHO DIVISION.

Spokane, December 17th, 1910.

BULLETIN NO. 314

All Concerned:

Effective immediately and continuing during the life of time cars 33 A, North Pine and Donahue will be flag stops for train 231.

J.M. Rapelje,

Superintendent.

EAST BOUND.

SECOND CLASS. THIRD CLASS TRAINS.

Table with columns for train numbers (860, 664, 858, 854, 856) and freight status. It lists departure and arrival times for various stations.

BETWEEN LEWISTON AND JOSEPH, TRAINS WILL BE GOVERNED BY CAMAS PRAIRIE RAILROAD TIME TABLE AND SPECIAL RULES.

Detailed schedule table for the Camas Prairie Railroad section, listing times for stations like Lewiston, Arrow, and Joseph.

Bulletin Stations—Spokane, Marshall, Pullman, and Lewiston. Standard Clocks—Spokane, Pullman, and Lewiston. Branch Line trains must obtain orders before occupying main line at Marshall. Engineers will not be required to consult register except at initial or starting point.

WEST BOUND.

EAST BOUND.

SECOND CLASS

SECOND CLASS TRAIN

859				531				Dec. 18, 1910. Succeeding No. 33.				532				860			
Freight				Passenger				STATIONS.				Passenger				Freight			
DAILY See page 5				DAILY See page 5				Telegraph Offices and Calls				DAILY See page 5				DAILY See page 5			
6.05AM				12.15PM	Y	ID 77	0.0	PULLMAN JUNCTION	5.0	27.0	52	10.25AM				4.85PM			
6.25				f 12.23		ID 82	5.0	STALEY	2.4	22.0	35	f 10.12				4.15			
6.35				f 12.34		ID 84	7.4	CHAMBERS	2.4	19.6	30	10.05				4.00			
6.50				12.40		ID 87	9.8	JOHNSON'S	5.2	17.2	35	10.00				3.45			
7.15				12.55	W	ID 92	15.0	COLTON	2.8	12.0	40	9.47				3.10			
7.45				1.02		ID 95	17.8	UNIONTOWN	2.4	9.2	37	9.40				2.50			
8.10				f 1.10		ID 97	20.2	LEON	6.8	6.8	32	f 9.35				2.30			
9.00AM 532				1.30PM 860	W C Y	ID 104	27.0	GENESEE		0.0	37	9.20AM 531				2.00PM 581			
DAILY				DAILY								DAILY				DAILY			
2.55				1.15								1.25				2.35			
9.2				21.6				Time over District.				18.2				10.4			
								Average Speed per Hour.											

Registering Stations—Pullman Junction and Genesee.

No. 859 Has Right Over Nos. 532 and 860 No. 531 Has Right Over 532
No. 859 and 860 Will Carry Passengers.

Bulletin Stations—Pullman and Genesee.

WEST BOUND.

CLEARWATER SHORT LINE.

EAST BOUND.

THIRD CLASS.				FIRST CLASS.				Time Table No. 33A. Dec. 18, 1910. Succeeding No. 33.				FIRST CLASS.				THIRD CLASS.			
861				237				STATIONS.				238				862			
Freight				Passenger				Telegraph Offices and Calls				Passenger				Freight			
EXCEPT SUNDAY				DAILY See page 5								DAILY See page 5				EXCEPT SUNDAY			
12.20PM				2.20PM	Y	I I 47	0.0	ARROW	3.5	62.8	No Sdg.	8.25AM				11.30AM			
12.30				f 2.30		I K 3	3.5	MYRTLE	8.0	59.3	17	f 8.13				11.20			
12.55				f 2.55		I K 12	11.5	AGATHA	1.9	51.3	17	f 7.50				10.50			
1.00				3.00	W	I K 13	13.4	LENORE	6.7	49.4	15	7.45				10.40			
1.25				3.18		I K 20	20.1	PECK	4.9	42.7	52	7.20				10.15			
1.45				f 3.38		I K 25	25.0	AHSAHKA	4.0	37.8	20	f 7.07				9.55			
2.10				3.48	W	I K 29	29.0	ORO FINO	8.1	33.8	28	6.52				9.40			
2.45				4.18		I K 37	37.1	GREER	6.9	25.7	28	6.27				8.55			
				f		I K 44	44.0	PARDEE	1.6	18.8	No Sdg.	f							
3.20				f 4.43		I K 46	45.6	TRAMWAY	5.9	17.2	22	f 5.57				8.30			
3.50				5.07		I K 52	51.5	KAMIAH	7.9	11.3	28	5.42				8.00			
4.15				5.35	W I.M.E.	I K 59	59.4	KOOSKIA	3.4	3.4	35	5.28				7.30			
4.35PM 237				5.50PM	T C W	I K 63	62.8	STITES		0.0	47	5.15AM				7.15AM			
EXCEPT SUNDAY				DAILY								DAILY				EXCEPT SUNDAY			
4.15				3.30				Time over District.				3.10				4.15			
14.6				19.8				Average Speed per Hour.				20.0				14.8			

Registering and Bulletin Stations—Arrow and Stites.

All engines with or without trains must come to a full stop 200 feet from the draw span in Clearwater River Bridge at Kamiah, and will not proceed until bridge is known to be properly closed and secured.

Engineers will not be required to consult register except at initial or starting point. Rule 238 is modified to the extent that extra trains may run ahead of third class trains without the authority of train orders.

Nos. 861 and 862 will carry passengers. No. 238 will run as No. 239, Arrow to Lewiston. No. 237 will run as No. 240, Lewiston to Arrow.

WEST BOUND.

SECOND CLASS

					859
					Freight
					DAILY See page 5
					6.05A
					6.25
					6.35
					6.50
					7.15
					7.45
					8.10
					9.00 582
					DAILY
					2.55
					9.2

Registering Stations—Pullman Junction and Genesee.

NORTHERN PACIFIC RAILWAY COMPANY

Office of the Division Superintendent

IDAHO DIVISION

Spokane, Wash. Jan. 3rd, 1911.

BULLETIN NO. 2.

ALL CONCERNED:

Effective immediately and continuing within the life of Time Card 33-A, Magill's Spur on the Clearwater Short Line will be a flag stop for Trains 237 and 238.

J. M. RAPELJE,

Superintendent.

Effective with time card No. 33A, and until

further notice, trains 237 and 238 will stop on flag to take on or discharge passengers at Corbett's Ferry, about 1/4 mile east of Kamiah.

J. M. Rapelje,

Superintendent.

EAST BOUND.

SECOND CLASS TRAIN

						860
						Freight
						DAILY See page 5
						4.35PM
						4.15
						4.00
						3.45
						3.10
						2.50
						2.30
						2.00PM 581
						DAILY
						2.35
						10.4

ns—Pullman and Genesee.

1.25		3.18		IK 20	20.1	PK.....PECK.....D	42.7	52	7.20		
1.45		f 3.38		IK 25	25.0AHSAHKA.....D	37.8	20	f 7.07		9.55
2.10		3.48	W	IK 29	29.0	OF.....ORO FINO.....D	33.8	28	6.52		9.40
2.45		4.18		IK 37	37.1	GR.....GREER.....D	25.7	28	6.27		8.55
		f		IK 44	44.0PARDEE.....D	18.8	No Sdg.	f		
3.20		f 4.43		IK 46	45.6TRAMWAY.....D	17.2	22	f 5.57		8.30
3.50		5.07		IK 52	51.5	KA.....KAMIAH.....D	11.3	28	5.42		8.00
4.15		5.35	W I.M.E.	IK 59	59.4	KO.....KOOSKIA.....D	3.4	35	5.28		7.30
4.35PM 237		5.50PM	T.C. W	IK 63	62.8	ST.....STITES.....D	0.0	47	5.15AM		7.15AM
EXCEPT SUNDAY		DAILY							DAILY		EXCEPT SUNDAY
4.15		3.30				Time over District.			3.10		4.15
14.6		19.8				Average Speed per Hour.			20.0		14.8

Registering and Bulletin Stations—Arrow and Stites.
All engines with or without trains must come to a full stop 200 feet from the draw span in Clearwater River Bridge at Kamiah, and will not proceed until bridge is known to be properly closed and secured.
Engineers will not be required to consult register except at initial or starting point. Rule 288 is modified to the extent that extra trains may run ahead of third class trains without the authority of train orders.
Nos. 861 and 862 will carry passengers. No. 238 will run as No. 239, Arrow to Lewiston. No. 237 will run as No. 240, Lewiston to Arrow.

WEST BOUND.

SECOND CLASS

					859
					Freight
					DAILY See page 5
					6.05A
					6.25
					6.35
					6.50
					7.15
					7.45
					8.10
					9.00A 582
					DAILY
					2.55
					9.2

Registering Stations—Pullman Junction and Genesee.

EAST BOUND.

SECOND CLASS TRAIN

					860
					Freight
					DAILY See page 5
					4.35PM
					4.15
					4.00
					3.45
					3.10
					2.50
					2.30
					2.00PM 581
					DAILY
					2.35
					10.4

ns—Pullman and Genesee.

NORTHERN PACIFIC RAILWAY COMPANY.

Office of the Superintendent

IDAHO DIVISION.

Spokane, Wash., Dec. 14, 1910.

BULLETIN NO. 307.

ALL CONCERNED:--

Effective with time card No. 33A, and until further notice, trains 237 and 238 will stop on flag to take on or discharge passengers at Corbett's Ferry, about 1/4 mile east of Kamiah.

J. M. Rapelje,

Superintendent.

1.25				I K 20	20.1	PK.....PECK.....D	42.7	52	7.20		
						4.9					
1.45	f	3.33		I K 25	25.0AHSAHKA.....	37.8	20	f	7.07	9.55
						4.0					
2.10		3.48	W	I K 29	29.0	OF.....ORO FINO.....D	33.8	28		6.52	9.40
						8.1					
2.45		4.13		I K 37	37.1	GR.....GREER.....D	25.7	28		6.27	8.55
						6.9					
	f			I K 44	44.0PARDEE.....	18.8	No Sdg.	f		
						1.6					
3.20	f	4.43		I K 46	45.6TRAMWAY.....	17.2	22	f	5.57	8.30
						5.9					
3.50		5.07		I K 52	51.5	KA.....KAMIAH.....D	11.3	28		5.42	8.00
						7.9					
4.15		5.35	W I.M.E.	I K 59	59.4	KO.....KOOSKIA.....D	3.4	35		5.28	7.30
						3.4					
4.35PM 237		5.50PM	T C W	I K 63	62.8	ST.....STITES.....D	0.0	47		5.15AM	7.15AM
EXCEPT SUNDAY		DAILY							DAILY		EXCEPT SUNDAY
4.15		3.30				Time over District.			3.10		4.15
14.6		19.8				Average Speed per Hour.			20.0		14.8

Registering and Bulletin Stations—Arrow and Stites.
 All engines with or without trains must come to a full stop 200 feet from the draw span in Clearwater River Bridge at Kamiah, and will not proceed until bridge is known to be properly closed and secured.
 Engineers will not be required to consult register except at initial or starting point. Rule 288 is modified to the extent that extra trains may run ahead of third class trains without the authority of train orders.
 Nos. 861 and 862 will carry passengers. No. 238 will run as No. 239, Arrow to Lewiston. No. 237 will run as No. 240, Lewiston to Arrow.

WEST BOUND.						WASHINGTON CENTRAL BRANCH.						EAST BOUND.											
THIRD CLASS.			FIRST CLASS.			Water, Coal, Scales, Tables and Wyes	Distance from Cheney	Station Numbers	Time Table No. 33A Dec. 18, 1910 Succeeding No. 33			Distance from Adrian	Capacity of Passing Tracks	FIRST CLASS.			THIRD CLASS.						
867	863	865	251	235	253				236	250	252			864	866	868							
Freight	Freight	Freight	Passenger	See Page 3 Passenger	Passenger	See Page 4 Passenger	Passenger	Passenger	Freight	Freight	Freight												
Tues. Thur. Sat.	EXCEPT SUNDAY	Mon. Wed. Fri.	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	EXCEPT SUNDAY	Mon. Wed. Fri.	Tues. Thur. Sat.												
	8.15AM			2.50PM		W C Y	0.0	1592	CY.....CHENEY.....N	127.1	144	9.55AM											
	8.50			3.15			10.4	I F 10	MK.....MEDICAL LAKE.....D	116.7	30	9.35											
	9.15 9.25 236 f			3.25 864 f		W	15.5	I F 16DEEP CREEK.....D	111.6	37	9.21 863 f											
	9.50			3.40			21.0	I F 21HITE.....D	106.1	16	9.05											
	10.25			3.55		W	26.5	I F 26	RH.....REARDAN.....D	100.6	45	8.52											
	10.55			4.18			33.9	I F 34MONDOVI.....D	93.2	32	8.32											
	11.25AM 12.30PM 864			4.30		W Y	41.4	I F 41	DA.....DAVENPORT.....D	85.7	30	8.14											
	12.50			4.47			47.8	I F 47ROCKLYN.....D	79.3	30	7.54											
	1.20			5.05			56.4	I F 56FELLOWS.....D	70.7	6	7.35											
	1.55			5.25			64.1	I F 64	CR.....CRESTON.....D	63.0	32	7.20											
	2.30			5.45		W	74.1	I F 74	WR.....WILBUR.....D	53.0	40	6.55											
	3.00			6.05			80.7	I F 81	GO.....GOVAN.....D	46.4	35	6.35											
	3.35			6.18		W	87.5	I F 87	A.....ALMIRA.....D	39.6	35	6.19											
	3.50			6.27			91.1	I F 90HANSON.....D	36.0	12	6.08											
	4.10			6.37			96.6	I F 97	RN.....HARTLINE.....D	30.5	30	5.59											
	3.10PM			6.55PM	Ar 6.55PM		105.7	I F 106COULEE JCT.....D	21.4	60	Ar 5.18AM										8.10PM	
	3.20PM			7.00PM		W C T	108.3	I F 108	C.....COULEE CITY.....D	24.0	30	5.35AM	5.40AM	7.35PM	7.40	7.20AM							
				7.20AM	Lv 7.35PM		105.7	I F 106COULEE JCT.....D	21.4	60												
				8.00			116.7	I F 117BACON.....D	10.4	60	4.55										2.30	
				8.40AM		W C T	127.1	I F 127	ND.....ADRIAN.....N	0.0	Yard	4.30AM										1.50PM	
Tues. Thur. Sat.	EXCEPT SUNDAY	Mon. Wed. Fri.	DAILY	DAILY	DAILY							DAILY	DAILY	DAILY	EXCEPT SUNDAY	Mon. Wed. Fri.	Tues. Thur. Sat.						
0.10	8.45	1.20		5.12								5.13		8.50			1.20						
18.0	12.3	15.7		24.4								24.3		12.2			15.7						
Time over District.																							
Average Speed per Hour.																							

WEST BOUND.						FARMINGTON BRANCH.						EAST BOUND.										
THIRD CLASS.			FIRST CLASS.			Water, Coal, Scales, Tables and Wyes	Distance from Belmont	Station Numbers	Time Table No. 33A Dec. 18, 1910 Succeeding No. 33			Distance from Farmington	Capacity of Passing Tracks	THIRD CLASS.								
871			872						872													
Freight	Freight	Freight	Passenger	Passenger	Passenger	Freight	Freight	Freight														
EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	DAILY	DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY														
	11.15AM					W C Y	0.0	I D 43	BM.....BELMONT.....D	6.5	90	12.15AM										
							5.3	U. P. CROSSING.....D	1.2												
	11.40AM						6.5	I H 7	FA.....FARMINGTON.....D	0.0	25	11.50AM										
	DAILY											DAILY										
	.25								Time over District.			.25										
	15.6								Average Speed per Hour.			15.6										

Registering Station—Farmington.
Standard Clock—Spokane.
No. 871 has right over 872.
Nos. 871 and 872 will carry passengers.

WEST BOUND.						SEATTLE BRANCH.						EAST BOUND.										
THIRD CLASS.			FIRST CLASS.			Water, Coal, Scales, Tables and Wyes	Distance from Davenport	Station Numbers	Time Table No. 33A Dec. 18, 1910 Succeeding No. 33			Distance from Dennys	Capacity of Passing Tracks	THIRD CLASS.								
869			870						870													
Freight	Freight	Freight	Passenger	Passenger	Passenger	Freight	Freight	Freight														
EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	DAILY	DAILY	DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY														
	12.20PM					W C Y	0.0	I F 41DAVENPORT.....D	18.0	30	2.30PM										
	12.40						4.8	I E 5WHEATDALE.....D	13.2	8	2.10										
	12.50						7.3	I E 7OMANS.....D	10.7	6	2.00										
	1.05						11.4	I E 12GRAVELLES.....D	6.6	8	1.45										
	1.20PM						18.0	I E 18DENNY'S.....D	0.0	6	1.30PM										
	EXCEPT SUNDAY											EXCEPT SUNDAY										
	1.0								Time over District.			1.0										
	18.0								Average Speed per Hour.			18.0										

No. 869 has right over 870.
Register Station—Davenport.

Registering and Bulletin Stations—Cheney, Adrian and Coulee Junction.
Standard Clocks—Spokane, Cheney and Adrian.
Branch line trains must obtain orders before occupying main line at Cheney.
Engineers will not be required to consult register except at initial or starting point.
Rule 288 is modified to the extent that extra trains may run ahead of third class trains without the authority of train orders.
Switch at Coulee Junction will be set for track leading to Adrian.
Nos. 863, 864, 865, 866, 867 and 868 will carry passengers.
No. 236 will run as No. 253 Coulee Junction to Coulee City, and as No. 250 Coulee City to Coulee Junction.
No. 250 will run as No. 236 Coulee Junction to Cheney.
No. 866 will run as No. 865 Coulee Junction to Adrian.
No. 868 will run as No. 867 Coulee Junction to Coulee City.
No. 235 will run as No. 251 Coulee Junction to Coulee City, and as No. 252 Coulee City to Coulee Junction. No. 252 will run as No. 235 Coulee Junction to Adrian.
No. 253 has right over No. 250 Coulee Junction to Coulee City.
No. 251 has right over No. 252 Coulee Junction to Coulee City.

WEST BOUND.						FORT SHERMAN BRANCH.						EAST BOUND.					
FIRST CLASS TRAINS.			FIRST CLASS TRAINS.			Water, Coal, Scales, Tables and Wyes	Distance from Hauser Station	Station Numbers	Time Table No. 33A Dec. 18, 1910 Succeeding No. 33			Distance from Hauser Station	Capacity of Passing Tracks	FIRST CLASS TRAINS.			
247	245		246	248					246	248							
Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger										
DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY										
	5.20PM					C Y	0.0	I A 14	CA.....COEUR D'ALENE.....D	13.5	16	8.00AM	2.45PM				
	5.38						9.2	I A 4	PF.....POST FALLS.....D	4.3	22	7.38	2.27				
							11.3	S. I. CROSSING.....D	2.2							
	5.50PM See Page 3	10.50AM See Page 3				Y W	13.5	1557	AU.....HAUSER.....N	0.0	120	7.25AM See Page 4	2.15PM See Page 4				
	DAILY	DAILY										DAILY	DAILY				
	0.30	0.30							Time over District.			0.25	0.30				
	26.0	26.0							Average Speed per Hour.			31.2	26.0				

Registering Stations—Hauser and Coeur d'Alene.
Bulletin Stations—Spokane and Coeur d'Alene.
Standard Clocks—Spokane and Coeur d'Alene.
When backing down incline at Coeur d'Alene brakes must be set to control the train without assistance from the engine.
Branch Line trains must obtain orders before occupying main line at Hauser.
Nos. 245, 246, 247 and 248 connect with steamer at Coeur d'Alene.

COMMERCIAL SPURS.

MAIN LINE.		CLEARWATER SHORT LINE.		WASHINGTON CENTRAL BRANCH	
DISTANCE FROM PARADISE.		DISTANCE FROM ARROW		DISTANCE FROM CHENEY	
	Car Cap'y		Car Cap'y		Car Cap'y
Russell	19.6 Miles 5	Magills	22.1 Miles 10	Meadow Lake.....	6.6 Miles 8
Alger	48.7 " 57	Flume	24.6 " 4	Forrey	122.1 " 8
Beeson	49.2 " 6	Penoyers.....	31.0 " 4	SEATTLE BRANCH	
Cedar Spur	80.3 " 50	FARMINGTON BRANCH.		DISTANCE FROM DAVENPORT	
Lane Potter	90.9 " 42	DISTANCE FROM BELMONT			Car Cap'y
Culver.....	111.6 " 10		Car Cap'y	Frys	9.0 Miles 8
Boyer.....	114.1 " 15	P. & L. BRANCH.		FORT SHERMAN BRANCH	
Sagel.....	124.2 " 10	DISTANCE FROM MARSHALL JCT.		DISTANCE FROM HAUSER	
Dufort.....	127.6 " 12		Car Cap'y	Heutters.....	9.4 Miles 10
Westmond.....	129.3 " 15	Marshall Quarry Spur.....	2.0 Miles 40	Wrights.....	9.7 " 30
Thomson.....	136.9 " 120	Freedom.....	15.5 " 5	Blackwell Lmb. Co.....	10.8 " 20
King's.....	138.1 " 6	Broadview	28.0 " 8	Gibbs.....	11.0 " 15
North Pole.....	151.2 " 11	Kelly's.....	40.3 " 7		
Rogers.....	153.9 " 10	Pullman.....	73.7 " 6		
Calispel	157.3 " 8	Busbey's.....	78.9 " 8		
Crosby.....	165.2 " 4	Troy Log	100.0 " 6		
Moab.....	170.7 " 5	Rock Spur	106.1 " 10		
		Clyde.....	106.8 " 14		
		Haynes.....	134.0 " 6		
		Water Co.....	135.6 " 3		

AUTHORIZED SURGEONS, IDAHO DIVISION.

LOCATION OF STRETCHERS (S).

DR. J. P. AYLEN, Chief Surgeon,
Central Div., Missoula.
Paradise (S) (Station and Tool Car.)
DR. H. H. HATTERY, Plains
DR. E. D. PEEK, Thompsons Falls, Station (S)
DR. O. F. PAGE, Sand Point (S)
Kootenai (S)
DR. FRANK WENZ, Rathdrum (S)

DR. N. F. ESSIG, Spokane (S)
DR. F. P. WITTER, Spokane (S)
DR. E. F. POPE, (S)
DR. X. L. ANTHONY (Oculist), Spokane.
(Stretchers at Baggage Room, Yard Office, M. M. Office and
Tool Cars 1 and 2.)
DR. F. A. POMEROY, Cheney
DR. E. T. HEIN, Palouse (S)

DR. ED. MAGUIRE, Pullman (S)
DR. W. H. CARITHERS, Moscow (S)
DR. JOHN B. MORRIS, Lewiston (S)
DR. C. F. TUOMY, Genesee.
DR. E. M. ASHLEY, Lamont.
DR. G. M. FAIRLEY, Oro Fino
Stites (S)

DR. R. P. MOORE, Davenport.
Wilbur (S)
Hartline
DR. JNO. C. DWYER, Coeur d' Alene (S)

NOTE.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency arising from accident, if necessary proper surgical aid should be procured until the

arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty

TONNAGE RATINGS—FREIGHT ENGINES.

DISTRICTS.	ENGINES.												DISTRICTS.	ENGINES.											
	Class F 1		Class F 4		Class E 1		Class E 2-3 D 2-3		Class B		Class C			Class S 1-2-3-4, F-1		Class F, F 4		Class E 1		Class E 2-3 D 2-3		Class B, B 1		Class C	
	A	B	A	B	A	B	A	B	A	B	A	B		A	B	A	B	A	B	A	B	A	B	A	B
C. W. Branch—West Bound. Cheney to Hanson.....	850	600	565	511	434	350	Not Allowed.	Sixty Cars.	
Hanson to Coulee Jct.....	700	450	365	350	300	250	Not Allowed.	1300	1170	1200	1070	1100	970	1000	870	850	765
Coulee Jct. to Adrian.....	1300	1250	1200	1150	1000	900	Not Allowed.
C. W. Branch—East Bound. Adrian or Coulee City to Hanson.....	785	513	484	437	361	300	Not Allowed.	Sixty Cars.
Hanson to Med. Lake.....	850	600	567	511	434	350	Not Allowed.	750	675	675	608	600	540	562	506	450	405	405	324
Med. Lake to Cheney.....	1500	1300	1250	1200	1000	950	Not Allowed.	450	405	405	365	360	324	337	304	270	243
													Not Allowed.	1166	1050	1049	945	932	839	874	787	650	585

DISTRICTS.	ENGINES.													
	Class S 1-2-3-4		Class F 1		Class F 4		Class E 1		Class E 2-3, D 2-3		Class B		Class C	
	A	B	A	B	A	B	A	B	A	B	A	B	A	B
Idaho Div.—West Bound. Marshall to Oakesdale.....	664	598	664	598	425	383	382	344	340	306	318	287	255	230
Oakesdale to Belmont.....	1093	984	1093	984	700	630	630	567	560	504	525	473	420	378
Belmont to Pullman.....	664	598	664	598	425	383	382	344	340	306	318	287	255	230
Pullman to Howell.....	625	563	625	563	400	360	360	324	320	288	300	270	240	216
Howell to Kendrick.....								Forty Cars.						
Kendrick to Lewiston.....								Sixty Cars.						
Idaho Div.—East Bound. Lewiston to Arrow.....	1700	1530	1700	1530	1200	1080	1080	972	960	864	900	810	720	638
Arrow to Kendrick.....	1000	900	1000	900	650	585	585	526	520	468	487	449	400	360
Kendrick to Troy.....	350	315	350	315	225	203	191	172	168	152	155	140	130	117
Troy to Howell.....	400	360	400	360	265	239	225	203	198	179	190	171	153	138
Howell to Pullman.....	625	563	625	563	400	360	360	324	320	288	300	270	240	216
Pullman to Belmont.....	825	738	825	738	525	473	472	425	420	378	393	354	315	284
Belmont to Oakesdale.....	1500	1350	1500	1350	1050	956	944	850	840	756	786	708	630	568
Oakesdale to McCoys.....	1000	900	1000	900	650	585	585	527	520	458	487	439	390	351
McCoys to North Pine.....								Sixty Cars.						
North Pine to Spangle.....	937	844	937	844	600	540	540	486	480	432	450	405	360	324
Spangle to Marshall.....	1300	1170	1300	1170	1000	900	950	860	875	800	800	740	650	600

DISTRICTS.	ENGINES.																	
	Class B		Class C		Class D 2-3		Class E 1-2-3		Class F 1		Class F 4		Class S 1-2-3-4		Class T		Class W	
	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B
Idaho Div.—East Bound. Spokane to Paradise.....	940	750	1000	1025	1600	1050	1600	1750	2400
Idaho Div.—West Bound. Paradise to Athol.....	775	675	925	950	1400	975	1400	1500	1800
Athol to Spokane.....	1400	1300	1600	1600	Train Limit	1600	Train Limit					

