

NORTHERN PACIFIC RAILWAY COMPANY.

SEATTLE DIVISION

TIME 39 TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time.

SUNDAY, November 23, 1913

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

E. C. BLANCHARD,
General Manager.

I. B. RICHARDS,
General Superintendent.

P. H. McCAULEY,
Superintendent of Transportation.

J. E. CRAVER,
Superintendent.

Westward.

FIRST SUBDIVISION (MAIN LINE)

Eastward.

Table with columns for Third Class, Second Class, First Class, Stations, and Car Capacity. Includes train numbers (939, 937, 603, 5, 1, 335, 3, 317, 41, 318, 336, 4, 42, 2, 6, 602, 938, 940) and times for various stations from 8:00 AM to 11:40 PM.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. SEE SPECIAL RULES, PAGE 2, 3, 4, 5, and 6

SPECIAL RULES FOR FIRST SUBDIVISION (Main Line).

Automatic Block.—Between East Auburn and west switch Lester and between extreme east switch Cle Elum and extreme west switch Ellensburg.

Manual Block.—Between Lester and Cle Elum.

Yard Limits.—Ellensburg, Cle Elum, Easton, Lester, West End Kanaskat and East Auburn.

Registering Stations.—Ellensburg and East Auburn. At East Auburn all trains register by ticket. Freight trains also register at Auburn Transfer. At Easton and Lester trains terminating will register arrival, and at Easton and Lester departing freight trains ascending will register whether "all air" or helper on rear. Palmer Junction is registering station for trains using eighth Subdivision of Tacoma Division only, which will register by ticket.

Bulletin Stations.—Ellensburg and Auburn Transfer. (Lester and Easton are bulletin stations for enginemen on helper engines).

Standard Clocks.—Ellensburg, Lester and Auburn Transfer.

Mountain Grade.—Easton to Weston.

Helper District.—Between Auburn and Easton.

Lap Sidings are located at Thorp, Bristol, Teanaway, Nelsons, Upham, Maywood, Eagle Gorge, Kanaskat and Covington. (Trains taking siding will head in at lap.)

In tunnel section, between east switch of westward siding at Martin and west switch of Track No. 1, at Stampede, (A) westward trains will not pass Martin or eastward trains Stampede without receiving block clearance. (B) Flagging is not required. (C) Head and tail lights will be used both day and night.

At Palmer Junction, the upper semaphore arms are train order signals and govern movement of trains via first Subdivision; middle arms are also train order signals and govern movement to, and from eighth Subdivision of Tacoma Division; lower arm is Automatic Block (west home signal).

Switch at Palmer Junction will be set for the first Subdivision line. Speed of freight trains over switches at Palmer Junction must not exceed twenty (20) miles per hour.

Westward siding at Ravensdale extends westward 18-10 miles connected with C. & P. S. at Henrys.

Engines must not run on Page Lumber Co.'s spur.

Derail switches are located as follows, and must be kept set in derailing position when not in use:

Ellensburg.—East end of east yard.	Easton.—East end of yard.
Bristol.—East end of loading track, located on west end of westward siding.	Easton.—East end of No. 2 track.
Cle Elum.—East end of extension and at east end house track.	Eagle Gorge.—West end of eastward siding.
	Soos Creek.—Spur track.
	Auburn.—East end gravel pit siding.

Interlocking Derails are Located as follows:

Kountz.—East end of siding.	Kennedy.—West end of siding.
Teanaway.—East end of eastward siding.	Lester.—West end of roundhouse track.
Cle Elum.—East end of yard.	Lester.—West end of yard.
Cle Elum.—East end of extension to house track.	Maywood.—West end of westward siding.
Upham.—East end of eastward siding.	Eagle Gorge.—West end of westward siding.
Martin.—East end of westward siding.	Lemolo.—West end of siding.
Borup.—West end of westward siding.	Kanaskat.—West end of wye.
Borup.—West end of eastward siding.	Covington.—West end of westward siding.

Derail is connected with main line switch and the derail is closed when main line switch is thrown for siding; derail is open when main line switch is not thrown for siding. Switch lamps will not be maintained upon derailing switches in above locations.

Position of "Wye" switches at Auburn will be ascertained before using. Normal position of switch at head of the wye at Auburn will be for Seattle leg of the wye. Switch target and switch lamp will show clear indication for Seattle leg.

Speed westward will not exceed twenty (20) miles per hour around curves at old tunnel 5, between Stampede and Borup, thirty-five (35) miles per hour, Humphrey to Eagle Gorge, thirty (30) miles per hour, Eagle Gorge to Palmer Junction and thirty-five (35) miles per hour from one mile west of Covington to one-half mile west of Green River bridge.

NOTE—Maximum speed of passenger trains is one minute, or sixty seconds, per mile. This limit must never be exceeded. Speed of passenger trains must not exceed thirty miles per hour, and speed of freight trains twenty miles per hour, between Martin and Easton, and between Stampede and Weston. Speed of all trains through Stampede tunnel must not exceed fifteen miles per hour.

Speed of trains through cross-over tracks or entering sidings must not exceed fifteen miles per hour.

Rule 316 is modified as follows: When the telephone is used, signalmen will transmit the words, represented by the figures.

Freight train conductors and enginemen will comply with the following, concerning the handling of trains through tunnel No. 3:

On whistling for either Martin or Stampede the engineman must place the handle of the brake valve in full release position and obtain 90 pounds train pipe pressure as promptly as possible. (Engineman must see that low pressure governor head does not exceed 90 pounds). Following this he must obtain "Proceed" signal before entering tunnel No. 3, to be passed from conductor to head engineman by helper engine whistle and head brakeman. Conductor will not give this signal until the train pipe pressure in the caboose has been increased to at least 80 pounds.

No retaining valves need be used with trains of all empties through tunnel No. 3, but such trains must be stopped and all retaining valves turned up before leaving either Stampede or Martin. With other freight trains, before entering tunnel No. 3 turn up all retaining valves Westward, and all but the rear one-third Eastward, turning all up before leaving Martin.

If for any reason the train breaks in two or more parts while in tunnel No. 3, train and enginemen should arrange

Special rules governing operation of trains and yard engines between East Auburn and Auburn and between East Auburn and Auburn Transfer:

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K," "L," "M" or "N" from operator at Auburn, East Auburn or Auburn Transfer properly filled out. Automatic Block rules must also be observed.

Cards must be surrendered to operator at end of block immediately upon arrival and during hours telegraph office at

Automatic Block Signals.

It is possible for light engine and train using Crossover in automatic Signal Territory to stand between the switches in such a manner as to release the signals when switches are closed.

Light engine and train using Crossovers in Automatic Signal Territory must have at least one switch open while engine or train is on any part of the Crossover.

Note following amendment to Automatic Block rule 504:

"504-C. When a train is stopped by block signal having two lights (called the home signal) on single track, Auto-

Hereafter when any slow boards are erected, they will be of the new standard pattern reading in the following form:

SLOW

25 35
1/2 Mile

The first figures being the speed for freight and the second the speed for passenger trains, and the distance given indicating the distance that the slow speed should be maintained commencing at the sign. If only one rate of speed given under the word slow this will be the limit for all trains.

When trains by train order, or trains of same class by time table, meet at Upham, Martin, Stampede, Borup, Kennedy or Weston, ascending train will take siding. It must be understood that meeting by train orders refers to trains having a positive meeting order, and meeting by time table refers to stations designated on time table as a scheduled meeting point between two trains of the same class, and that, except as specified in this rule and the following paragraph, an inferior train meeting a superior train at either of these stations must take siding and clear the time of superior train five minutes, as per general rule.

Descending freight trains, in making meeting point with ascending passenger trains at Stampede, will be required to be into clear before passenger train is due at Borup; at Borup before due at Weston, and at Kennedy and Weston before passenger train due to leave Lester; at Martin before passenger train due Upham and at Upham before passenger train due to leave Easton.

Trains must be so controlled in Tunnel 3 (between Stampede and Martin) that they can be stopped on emerging.

At Dudley, Weston and Humphrey, Track No. 1, located next to main track, will be known as Eastward Siding. Track No. 2 will be known as Westward Siding.

At Stampede, track No. 1 will be westward siding, and tracks Nos. 2 and 3 eastward sidings. Siding at Borup, which is located east of the depot, will be used as westward siding, and siding west of depot as eastward siding. Whenever it is found necessary for eastward trains to use westward siding and westward trains to use eastward sidings, movement should be protected as per rule 99.

Descending freight train must not be permitted to leave Stampede until descending passenger train has passed Weston and descending freight train must not be permitted to leave Martin until descending passenger train has passed Easton.

Electric coal bunker, located on west extension, Cle Elum, will not clear man on side of car or engine.

All trains will reduce speed to 10 miles per hour through incorporated city limits of Cle Elum.

Speed of Z-3 engines must not exceed 25 miles per hour at any time.

Mallet power must not be double-headed over bridges except between Easton and Lester.

Dead freight trains will fill to tonnage at Cle Elum.

Nos. 3, 42, 335 and 336 will stop on signal at Nagrom, and Nos. 335 and 336 will stop on signal at Headworks and Soos Spur.

On Sundays, special trains are operated on Roslyn Branch for the accommodation of passengers.

Leave Cle Elum 10 a. m., 1:15 p. m., 4:00 p. m. and 6:00 p. m.

Leave Beekman 10:45 a. m., 2:00 p. m., 4:45 p. m. and 6:45 p. m.

No. 4 will connect with No. 596 at Kanaskat.

No. 336 will connect with No. 568 at Palmer Jct.

No. 5 will stop on signal at Headworks, and on signal Saturdays at Kanaskat.

No. 3 will connect with No. 567 at Kanaskat.

No. 6 will connect with Tacoma Division No. 598 at Kanaskat.

No. 423 will connect with No. 335 at Auburn.

Tacoma division No. 595 will connect with No. 317 at Kanaskat.

When making back-up movement, running test of air brakes must be made from rear of train.

Track No. 3 at Stampede can not be used.

Eastward passenger trains must not exceed thirty (30) miles per hour between extreme west switch Ellensburg Yard and Ellensburg Station.

All toilets in trains must be kept locked while in the limits between Headworks and Humphrey and all employees are cautioned against throwing any refuse or articles, which might become unsanitary, off the train while passing through that territory.

to get engines out of tunnel promptly as possible. If necessary, take engines and cars out in either or both directions. When portion of train is left in tunnel, same should be made secure by blocking and not moved out until smoke and gas has cleared and it can be done safely. Blocking will be found on walls of tunnel on right hand side going east, about 50 feet apart and three feet above the rail.

Descending trains will carry 90 pounds train pipe pressure to Lester and to Easton. Following any stops during descent, the engineman must fully recharge the brakes before starting and the conductor must not give the "Proceed" signal until at least 80 pounds is shown by the caboose gauge.

Eastward freight trains will stop at Lester to make terminal test, and at Easton to make examination of wheels and brakes. Westward freight trains will stop at Easton to make terminal test, and at Weston to make examination of wheels and brakes.

East Auburn is closed conductor or foreman in charge of train terminating at that point must personally report clear over telephone to operator at Auburn or Auburn Transfer. Eastward trains will, during closed hours of East Auburn office, surrender card to operator at Covington unless instructed by dispatcher to report clear over telephone at East Auburn. Westward trains, during closed hours of East Auburn office, will secure card order at Covington, when dispatcher cannot issue such at the time, conductor must be on the head end on arrival at East Auburn and obtain card over telephone at that point. (Telephone located in box on wall of station.)

matic Block Signal territory, it may proceed when signal goes to caution or clear position, or if not immediately changed, by obtaining authority from the train dispatcher, or if unable to communicate with the train dispatcher, the train may proceed under protection of flag, to the next signal that indicates clear or caution.

"504-D. When a train is stopped by a block signal on single track, it may proceed when the signal goes to caution or clear position, or if it is not immediately changed, it may proceed at once under caution, except when train is proceeding under flag from the last home signal as provided in rule 504-C."

Westward			SECOND SUBDIVISION—Main Line.													FIRST CLASS.				
			THIRD CLASS.					SECOND CLASS		Car Capacity of Sidings	Distance from King St. Station	Time Table No. 39 November 23, 1913 Succeeding No. 38C			Station Numbers	Water, Fuel, Scales, Turntables and Wyes				
			931	929	927	923	941	481	675			STATIONS.					443	441	447	
			Way Freight Mon., Wed., Fri.	Way Freight EXCEPT SUNDAY	Way Freight EXCEPT SUNDAY	Way Freight EXCEPT SUNDAY	Freight EXCEPT MONDAY	Mixed EXCEPT SUNDAY	Freight DAILY			Telegraph Offices and Calls					Passenger	Passenger	Passenger	
																	DAILY	DAILY	DAILY	
												UD. KING STREET STATION. DN					L 7.40AM	L 8.10AM	L 4.20PM	
BETWEEN KEITH AND SEATTLE TRAINS WILL BE GOVERNED BY PUGET SOUND DIVISION TIME TABLE RULES AND REGULATIONS																				
								s 7.35AM				50	11.6 KEITH	CF 42		f 18.18AM	L 8.48AM	f 5.03PM 442	
								s 7.50				60	15.5 LAKE	CF 46		f 8.28	8.50	f 5.14	
								s 8.20				50	22.4	B..... BTHELL.....D	CF 55		s 8.45	s 9.05	s 5.30	
								A 8.30AM 443 441	L 3.05AM 676			100	24.2	CJ..... WOODINVILLE.....DN	CF 55	WC T	s 8.50 923	s 9.10 923	s 5.35	
								See page 5	8.55			80	30.1	MB..... MALTBY.....DN	CF 60		s 9.10	9.30	s 5.55	
							L 8.30AM	A 4.30AM		L 9.10AM	s 11.10	150	38.3	OM..... SNOHOMISH.....DN	CF 69	WC O Y	s 9.30	s 9.50	s 6.15 6.25	
							s 8.55	See P. 5		s 9.30	11.40	45	43.7	MA..... MACHIAS.....D	CF 74	W	s 9.53	s 10.05	s 6.42	
														RUCKER BROS. LOGGING CO. OVERHEAD CROSSING..... 0.2 M N..... Connection at Hartford						
								s 9.15		A 9.50AM 443 441 444	11.59PM	102	46.8	FD..... HARTFORD.....D	CF 77		s 10.05 481	s 10.15 481	s 7.00 448	
								s 9.35		See page 6	12.20PM 676	60	51.2 GETCHELL.....	CF 82		10.15 443 444	10.25 443 444	s 7.10	
								s 9.55 10.53 443 441 444			12.35	53	57.4 EDGECOMB.....	CF 88	W 1 M N	f 10.42 927	10.35 927	s 7.22	
														M. & A. OVERHEAD CROSSING 1.4 M N						
								s 11.10AM 12.15PM 928			s 1.05	132	60.4	A..... ARLINGTON.....DN	CF 91	W 10 M N	s 10.53 928	s 10.45 928	s 7.35	
								s 12.40			1.20	40	64.2	{ BT... M. & N. CROSSING... D } { ... BRYANT... } Trak Connection. 6.3	CF 95		s 11.08	10.58	s 7.45	
								s 1.10			1.40	65	70.5	MU..... McMURRAY.....D	CF 101	W	s 11.20	s 11.10	s 8.03	
								s 1.45			2.00	25	76.1 MONTBORNE.....	CF 107		s 11.38	11.28	s 8.21	
								s 2.10 442			2.05	70	77.7	BQ..... BIG LAKE.....D	CF 109		s 11.48	f 11.32	s 8.26	
								s 2.45			2.20	195	83.2	CA..... CLEAR LAKE.....D	CF 114		s 11.58AM	f 11.47AM	s 8.41	
							L 7.00AM	L 6.00AM	A 8.00PM		s 3.05	290	86.4	{ WL... SEDRO-WOOLLEY... DN } { ... TWO G. N. CROSSINGS... } Trak Connection. 0.6	CF 117	WC T	s 12.12PM	s 12.01PM	s 8.55 676	
													87.0 P. S. & B. R. CROSSING..... Trak Connection. 4.9						
								s 7.40	s 6.35		3.35	45	91.9 THORNWOOD.....	CF 122		f 12.32	12.18	f 9.18	
								s 8.00 444	A 7.00AM		s 4.05	75	97.8	WK..... WICKERSHAM.....DN	CF 128	W	A 12.45PM 932	s 12.30 932	A 9.25PM	
								s 8.15	See page 6		4.15	Spur 50	100.5 SAXON.....	CF 131		See page 6	f 12.37	See page 6	
								s 8.25			4.25	18	102.7	MC..... ACME.....D	CF 133	W	s 12.48			
								s 8.40			4.32	20	104.7 STANDARD.....	CF 135		f 12.55 442			
								s 9.15			4.55	38	110.6	DM..... DEMING.....D	CF 141		s 1.15			
								s 9.30			4.57	9	111.2 ABBOTT.....	CF 142		1.17			
								s 10.15			5.25	18	120.1	NC..... NOOKSACK.....D	CF 151		s 1.40			
													125.5 B. B. & B. C. CROSSING..... No Connection. 0.9						
								A 11.00AM 442			A 5.55AM	110	126.4	SU..... SUMAS.....D	CF 157	WC O T	A 2.00PM			
								Mon., Wed., Fri. 4.00	EXCEPT SUNDAY 1.00	EXCEPT SUNDAY 6.30	EXCEPT SUNDAY 0.55	EXCEPT MONDAY 1.25		EXCEPT SUNDAY .40	DAILY 8.05		DAILY 4.27	DAILY 5.15	DAILY 4.22	
								10.0	11.4	7.4	13.8	9.6		12.4	12.6		20.4	21.6	20.7	
														Time Over Subdivision						
														Average Speed per Hour						

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.
Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

Registering Stations—Woodinville, Snohomish, Sedro-Woolley, Wickersham and Sumas.
Yard Limits—West end Keith, Woodinville, Maltby, Snohomish, Hartford, Arlington, Sedro-Woolley, Wickersham and Sumas.
Maximum Grades—Snohomish to Woodinville.
Bulletin Stations—Snohomish, Sedro-Woolley and Sumas.
Standard Clocks—Everett and Sedro-Woolley.
Helper District—Between Snohomish and Arlington, limit 30 cars.
Helper District—Snohomish to Woodinville.

No. 675 has right over No. 676 Woodinville to Sumas.
No. 329 has right over No. 930 Sedro Woolley to Wickersham.
No. 481 will register arrival at Hartford.
Eastward trains must not exceed 25 miles per hour around curves between Thornwood and Sedro-Woolley.
Passing track at Machias is located west of the station, and westward trains taking siding at that point will head in at cross-over just west of depot. Eastward trains taking siding will head in at extreme west switch.
Trains need not obtain clearance at Wickersham from 1.00 a. m. to 7.00 a. m. unless stop signal is displayed.

SECOND SUBDIVISION—Main Line.

Eastward

FIRST CLASS			Water, Fuel, Scales, Turn Tables & Wyes	Station Numbers	Time Table No. 39 November 23, 1913 Succeeding No. 38C	Distance from Sumas	Car Capacity of Siding	SECOND CLASS.			THIRD CLASS								
448	442	444						676	482		924	928	932	930	942				
Passenger	Passenger	Passenger						Freight	Mixed		Way Freight	Way Freight	Way Freight	Way Freight	Freight				
DAILY	DAILY	DAILY						DAILY	EXCEPT SUNDAY		EXCEPT MONDAY	EXCEPT SUNDAY	Tuesday, Thurs., Sat.	EXCEPT SUNDAY	EXCEPT SUNDAY				
A 9.25PM	A 5.50PM	A 1.15PM			UD. KING STREET STATION .DN	126.4					A 8.05PM								

BETWEEN KEITH AND SEATTLE TRAINS WILL BE GOVERNED BY PUGET SOUND DIVISION TIME TABLE RULES AND REGULATIONS

f A 8.42PM	A 5 03PM	f 12.25PM		CF 42KEITH.....	114.8	50					s A 2.05PM							
f 8.31	4.55	f 12.12PM		CF 46LAKE.....	110.9	60					s 1.45							
s 8.15	s 4.40	s 11.55AM		CF 53	B.....BOTHELL.....D	104.0	50	See page 5				s 1.10							See page 5
s 8.10	s 4.35	s 11.48	WC T	CF 55	CJ.....WOODINVILLE.....DN	102.2	100	A 3.05AM			L 1.00PM								s 9.30PM
s 7.55	4.20	s 11.33		CF 60	MB.....MALBY.....DN	96.3	80	2.40	See 483, p 5			See 925, p.5							s 8.55
f 7.30PM	s 8.58	f 11.05	WC OY	CF 69	OM.....SNOHOMISH.....DN	87.9	150	s 1.45	A 3.05PM			A 1.50PM							L 7.50PM
s 7.20PM	s 8.43	s 10.55	W	CF 74	MA.....MACHIAS.....D	82.7	45	12.50	s 2.45			s 1.25							448
					RUCKER BROS. LOGGING CO. OVERHEAD CROSSING.....														
					0.2 M E.....Connection at Hartford														
s 7.00	s 8.35	s 10.35		CF 77	FD.....HARTFORD.....D	79.6	102	12.35	L 2.25PM			s 1.00							
s 6.49	8.24	s 10.25		CF 82GETCHELL.....	75.2	60	12.20M				s 12.25PM							
s 6.34	8.09	f 10.08	W 1 M E	CF 88EDGEComb.....	69.0	53	11.25PM				s 11.85AM							
					M. & A. OVERHEAD CROSSING 1.4 M E														
s 6.26	s 8.00	s 10.00	Y 1 M E	CF 91	A.....ARLINGTON.....DN	66.0	132	11.10				s 11.10							441 9.35
				M. & N. CROSSING.....							s 9.15							443-444-927
s 6.14	2.48	s 9.48		CF 95	{.....BRYANT.....D}	62.2	40	10.37											
s 5.56	s 2.30	s 9.30	W	CF 101	MU.....McMURRAY.....D	55.9	65	10.17				s 8.30							
s 5.40	2.14	s 9.12		CF 107MONTBORNE.....	50.3	25	9.57				s 7.45							
s 5.35	s 2.10	s 9.07		CF 109	BQ.....BIG LAKE.....D	48.7	70	9.52				s 7.30							
s 5.18	s 1.58	s 8.50		CF 114	CA.....CLEAR LAKE.....D	43.2	195	9.32				s 6.45							
s 5.05	s 1.48	s 8.40	WC T	CF 117	{WL.....SEDRO-WOOLLEY.....DN}	40.0	290	s 9.20				L 6.30AM	A 2.30PM	A 2.50PM					
					{Two G. N. CROSSINGS.....}														
					Track Connection 0.6														
				P. S. & B. R. CROSSING.....														
					Track Connection 4.9														
f 4.49	1.28	f 8.25		CF 122THORNWOOD.....	34.5	45	8.28				s 2.05	s 2.30						
L 4.85PM	s 1.15	L 8.12AM	Y W	CF 128	WK.....WICKERSHAM.....DN	28.6	75	8.05				s 1.30	L 2.00PM						
				SAXON.....	25.9	Spur 50	7.50				s 11.55AM							
	s 1.01		W	CF 133	MC.....ACME.....D	23.7	18	7.45				s 11.35							
	f 12.55			CF 135STANDARD.....	21.7	20	7.40				s 11.20							
	s 12.88			CF 141	DM.....DEMING.....D	15.8	38	7.22				s 10.55							
	12.85			CF 142ABBOTT.....	15.2	9	7.20				s 10.45							
	s 12.18			CF 151	NC.....NOOKSACK.....D	6.3	18	7.08				s 10.15							
				B. B. & B. C. CROSSING.....	0.9													
					No Connection 0.9														
	L 12.01PM		WC OT	CF 157	SU.....SUMAS.....D	0.0	110	L 6.45PM				L 9.30AM							
DAILY	DAILY	DAILY						DAILY	EXCEPT SUNDAY	EXCEPT MONDAY	EXCEPT SUNDAY	Tuesday, Thurs., Sat.	EXCEPT SUNDAY	EXCEPT SUNDAY					
4.07	5.02	4.13			Time Over Subdivision			8.20	.40	1.05	7.20	5.00	.50	1.40					
22.2	22.8	21.6			Average Speed per Hour			12.0	12.4	11.2	6.6	8.0	13.6	8.6					

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION

Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

No. 442, when meeting No. 447 at Keith, will head in on spur track and back out.
 No. 444 will take siding when meeting No. 441.
 No. 443 will wait at Woodinville 15 minutes for No. 446's connection.
 No. 447, when meeting No. 448 at Hartford, will head in on Seventh Subdivision.
 No. 482 will register departure at Hartford.
 Nos. 441, 442, 443, 444, 447 and 448 will wait 15 minutes at Snohomish for motor connection from Everett.

Maximum speed of passenger trains is one minute, or sixty seconds, per mile. This limit must never be exceeded.
 Filchuck and Ehrlich regular stop for Nos. 443, 444, 447 and 448.
 All trains keep under control where view of switches is obstructed, and within yard limits at Woodinville, Snohomish, Hartford, Arlington, Sedro-Woolley, Wickersham and Sumas expecting to find main line occupied.
 See further special rules, page 8.

Hereafter when any slow boards are erected, they will be of the new standard reading in the following form:

SLOW

25 Mile
 1/2 Mile

The first figures being the speed for freight and the second for passenger trains, and the distance given indicating the distance that the slow speed should be maintained commencing at the sign. If only one rate of speed given under the word "slow" this will be the limit for all trains.

Westward			THIRD SUBDIVISION—ROSLYN BRANCH			Eastward		
SECOND CLASS.			Time Table No. 39 November 23, 1913 Succeeding No. 38C			SECOND CLASS.		
477	475	473	STATIONS.			474	476	478
Mixed	Mixed	Mixed	Telegraph Offices and Calls			Mixed	Mixed	Mixed
EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	CL.....CLE ELUM.....DN			EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY
L 1.15PM	L 9.20AM	L 7.00AMMINE 5.....			A 8.30AM	A 11.00AM	A 5.15PM
s 1.20	s 9.25	s 7.05RS.....ROSLYN.....D			s 8.25	s 10.55	s 5.10
s 1.80	s 9.35	s 7.15RONALD.....			s 8.15	s 10.45	s 5.00
s 1.88	s 9.43	s 7.23BEEKMAN.....			s 8.05	s 10.85	s 4.60
A 1.45PM	A 9.50AM	A 7.30AMLAKEDALE.....			L 8.00AM	L 10.80AM	L 4.45PM
30	30	30	Time Over Subdivision			30	30	30
12.2	12.2	12.2	Average Speed per Hour			12.2	12.2	12.2

Eastward trains are superior to trains of the same class in the opposite direction.
 Bulletin and Registering Station.—Cle Elum.
 Maximum Grades.—Cle Elum to Lakedale
 Derail Switch.—Cle Elum, upper switch at the head of wye toward Roslyn, will be left set for west leg. Roslyn coal train is required to come to a full stop above this switch. The stub switch on the main line, nearly in front of scale house at Roslyn, will be left set to act as derail to prevent cars running down main track toward Cle Elum.
 Extra trains must wait at Roslyn until second class trains clear at Cle Elum.
 No. 475 has right over 476 Cle Elum to Beekman. No. 473 has right over 474 Cle Elum to Beekman.
 No engines of any class must pass under the tippie on tippie tracks on the Roslyn Fuel Company's tracks at Beekman.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.

Westward			FOURTH SUBDIVISION—BELT LINE			Eastward			
THIRD CLASS			Time Table No. 39 November 23, 1913 Succeeding No. 38C			THIRD CLASS.			
935	941	675	STATIONS.			446	676	936	942
Way Freight	Freight	Freight	Telegraph Offices and Calls			Passenger	Freight	Way Freight	Freight
EXCEPT SUNDAY	EXCEPT MONDAY	DAILY	BI.....BLACK RIVER.....DN			DAILY	DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY
L 8.40AM	L 12.10AM	L 8.10PMRT.....RENTON.....D			s 10.00	4.55	s 5.00	11.85
s 8.50	12.20	8.18C. & P. S. CROSSING.....			935		4.20	11.85
10.00		S. R. & S. CROSSING.....					5.00	
		KENNYDALE.....					4.20	11.00
s 11.15	1.05	8.55WILBURTON.....			s 9.85	4.20	s 8.50	11.00
s 11.80AM	1.15	9.02NORTHROP.....			f 9.80	4.10	s 8.85	10.50
s 12.01PM	1.30	9.15KIRKLAND.....			s 9.18	8.55	s 8.10	10.85
A 1.00PM	A 2.00AM	A 9.35PMR. R. CROSSING.....						
		WOODINVILLE.....DN			L 8.55AM	L 8.20AM	L 2.30PM	L 9.55PM
EXCEPT SUNDAY	EXCEPT MONDAY	DAILY	Time Over Subdivision			DAILY	DAILY	EXCEPT SUNDAY	EXCEPT SUNDAY
4.20	1.50	1.25	Average Speed per Hour			1.10	1.45	2.40	1.50
5.7	13.3	16.0				20.1	13.7	9.0	13.3

Eastward trains are superior to trains of the same class in the opposite direction.
 Registering Stations.—Woodinville and Black River. Nos. 445 and 446 will register by ticket at Black River.
 Engines must not use glass works spur at Renton.
 No. 935 has right over No. 936 and No. 675 has right over No. 676, Black River to Woodinville.
 Nos. 445 and 446 will stop on signal at Houghton Crossing.
 All trains will send man ahead to line derail and flag across C. & P. S. crossings at Renton.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
 Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.
 Telegraph office at Kirkland is located 2250 feet east of siding.

Westward.		FIFTH SUBDIVISION—SNOQUALMIE BRANCH		Eastward.	
THIRD CLASS		Time Table No. 39 November 23, 1913 Succeeding No. 38C		THIRD CLASS	
923	445	STATIONS.		446	924
Way Freight	Passenger	Telegraph Offices and Calls		Passenger	Way Freight
EXCEPT SUNDAY	DAILY	CJ.....WOODINVILLE.....DN		DAILY	EXCEPT MONDAY
L 9.20AM	L 5.35PMWILLOWS.....		A 8.45AM	A 12.45PM
	fREDMOND.....D		f	
s 10.00	s 5.52PARADISE LOGG. RY. CRSG..		s 8.30	s 12.15PM
		Track Connection 0.1			
	fCAMPTON.....		f	
	fSAMAMISH.....		f	
	fINGLEWOOD.....		f	
s 10.45	s 6.15MONOHON.....		s 8.15	s 11.35AM
s 11.05AM	s 6.25ISSAQUAH.....D		s 8.05	s 11.05
12.15PM	HIGH POINT.....		923	
	fPRESTON.....D		f	
s 1.15	s 6.55FALLS CITY.....D		s 7.42	s 8.40
s 1.40	s 7.06SNOQUALMIE FALLS.....		s 7.30	s 8.10
	fSNOQUALMIE.....D		f	
s 2.05	s 7.20NORTH BEND.....D		s 7.18	s 7.35
A 2.30PM	A 7.30PMSALLAL.....		L 7.10AM	L 7.20AM
EXCEPT SUNDAY	DAILY	Time Over Subdivision		DAILY	EXCEPT MONDAY
5.10	1.55	Average Speed per Hour		1.38	5.25
6.6	13.7			22.2	5.5

Eastward trains are superior to trains of the same class in the opposite direction.
 Registering Stations.—Woodinville and North Bend.
 Maximum Grades.—Issaquah to Preston.
 Yard Limits.—Issaquah and North Bend. North Bend yard limits extend to Sallal.
 The maximum rate of speed over truss bridges and high trestles must not exceed 20 miles per hour. Trains must not exceed schedule time descending Preston and Fall City grades.
 All trains leaving Preston must keep fifteen minutes apart.
 Siding located one-half mile east of Preston telegraph office is time table station for that point.
 All trains will reduce speed to 10 miles per hour crossing Raging River Bridge 39 and 4 miles per hour between Bridge 49 and Snoqualmie Falls.
 West "Y" switch at North Bend will be lined for "Y."
 Nos. 923 and 924 will carry adult male passengers holding proper transportation between Woodinville and North Bend. Women and children must not be carried on these trains.
 No. 445 has right over No. 446 Woodinville to North Bend.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
 Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

Westward.			SIXTH SUBDIVISION—EVERETT BRANCH			Eastward.		
THIRD CLASS.			Time Table No. 39 November 23, 1913 Succeeding No. 38C			THIRD CLASS.		
925	941	401	STATIONS.			480	926	942
Way Freight	Freight	G. N. Freight	Telegraph Offices and Calls			Mixed	Way Freight	Freight
EXCEPT SUNDAY	EXCEPT MONDAY	DAILY	OM.....SNOHOMISH.....DN			EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY
L 6.45AM		VARDEN.....					
		EBEY JCT.....					
		LOWELL.....DN					
s 8.15	7.15	L 7.00PMEVERETT.....DN			s 8.20	7.15	6.20
A 8.30PM	A 7.30AM	7.10G. N. JUNCTION.....DN			L 8.15AM	L 7.10AM	L 6.15PM
		G. N. CROSSING.....					
		SMELTER.....					
EXCEPT SUNDAY	EXCEPT MONDAY	DAILY	Time Over Subdivision			EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY
.45	.45	.20	Average Speed per Hour			.30	.30	.30
10.3	10.3	8.1				15.4	11.5	15.4

Eastward trains are superior to trains of the same class in the opposite direction.
 Registering Stations.—Snohomish and Everett.
 Bulletin Station.—Everett.
 Lowell Yard Limits.—Snohomish river draw to yard limit board 1000 feet west high line switch.
 Everett Yard Limits.—Yard limit board 2050 feet east of east switch to overhead bridge at Everett Avenue. Speed over draw bridges must not exceed six (6) miles per hour.
 No steam or electric trains will occupy main track in either direction between Snohomish and Lowell, Everett and Lowell, or between Everett and G. N. Junction without first procuring Card Order from operator at Snohomish, Lowell, Everett or G. N. Junction properly filled out. Cards will not be issued for steam trains to follow electric trains, until electric trains have cleared block.
 Cards must be surrendered to operator at end of block immediately upon arrival.
 Look out for trolley wires between tell tales at Snohomish and Ebey Slough bridges. Wires will not clear man on top of box car.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
 Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

Westward.		SEVENTH SUBDIVISION. MONTE CRISTO BRANCH										Eastward.			
SECOND CLASS			Time Table No. 39 November 23, 1913 Succeeding No. 88C										SECOND CLASS		
487	485	481	STATIONS.										482	486	488
Mixed	Mixed	Mixed	Telegraph Offices and Calls										Mixed	Mixed	Mixed
WEDNESDAY	MONDAY AND FRIDAY	TUESDAY THURSDAY AND SAT.	Distance from Monte Cristo	Car Capacity of Sidings	Distance from Hartford	Distance from Monte Cristo	Car Capacity of Sidings	Distance from Hartford	TUESDAY THURSDAY AND SAT.	MONDAY AND FRIDAY	WEDNESDAY	Distance from Monte Cristo	Car Capacity of Sidings	Distance from Hartford	
L 10.40AM	L 10.40AM	L 10.40AM	CF 77	0.0	FD.....HARTFORD.....D	42.0	102	A 2.00PM	A 8.00PM	A 4.50PM					
s 10.50	s 10.50	s 10.50	BD 3	2.5LOCHLOY.....	39.5	No Sdg.	s 1.40	s 2.40	s 4.85					
s 11.05AM	s 11.05AM	s 11.05AM	BD 6	6.3	GF.....GRANITE FALLS.....D	35.7	70 Spur	s 1.15	s 2.15	s 4.10					
		A 12.80PM	BD 9	9.5CUTOFF.....	32.5	20	L 12.40PM							
			BD 12	11.9TUNNEL No. 2.....	30.1	10								
s 1.00	A 1.00PM		BD 14	13.6ROBE.....	28.4	10		L 1.15PM	s 8.20					
			BD 19	19.0BOGARDUS.....	23.0	5 Spur								
s 1.25			BD 20	20.0GOLD BASIN.....	22.0	6 Spur			s 8.05					
A 2.15PM			BD 29	29.0SILVERTON.....	13.0	16			L 2.20PM					
			BD 30	30.0BONANZA QUEEN.....	12.0	3 Spur								
			BD 37	37.3BARLOW PASS.....	4.7	1 Spur								
			BD 42	42.0MONTE CRISTO.....	0.0	100								
WEDNESDAY	MONDAY AND FRIDAY	TUESDAY THURSDAY AND SAT.						TUESDAY THURSDAY AND SAT.	MONDAY AND FRIDAY	WEDNESDAY					
3.35	2.20	1.50						1.20	1.45	2.30					
8.5	5.8	5.2						7.1	7.8	11.6					
Time Over Subdivision													Time Over Subdivision		
Average Speed per Hour													Average Speed per Hour		

Eastward trains are superior to trains of the same class in the opposite direction. See Special Rules on this and Page 8.

Westward.		NINTH SUBDIVISION. BELLINGHAM BRANCH										Eastward.						
THIRD CLASS.			Time Table No. 39 November 23, 1913 Succeeding No. 88C										FIRST CLASS.			THIRD CLASS.		
929	447	443	STATIONS.										444	448	930			
Way Freight	Passenger	Passenger	Telegraph Offices and Calls										Passenger	Passenger	Way Freight			
EXCEPT SUNDAY	DAILY	DAILY	Distance from So. Bellingham	Car Capacity of Sidings	Distance from Wickersham	Distance from So. Bellingham	Car Capacity of Sidings	Distance from Wickersham	EXCEPT SUNDAY	DAILY	DAILY	EXCEPT SUNDAY	DAILY	DAILY	EXCEPT SUNDAY			
L 7.10AM	L 9.25PM	L 12.45PM	CF 128	0.0	WK.....WICKERSHAM.....D	22.5	75	A 8.12AM	A 4.85PM	A 1.80PM								
s 7.15	f 9.30	f 12.50	BM 1	1.3MIRROR LAKE.....	21.2	15	f 8.05	f 4.25	s 1.20								
s 7.30	f 9.37	f 12.57	BM 4	3.8PARK.....	18.7	15	f 7.58	f 4.18	s 1.10								
s 7.55	f 9.43	f 1.03	BM 5	4.8BLUE CANYON.....	17.7	20	f 7.55	f 4.15	s 1.03								
			BM 7	6.6IDLEWILD.....	15.9	No Sdg.											
			BM 9	9.0TOWANDA.....	13.5	No Sdg.											
8.25	f 10.05	f 1.25	BM 11	11.4AGATE BAY.....	11.1	11	f 7.85	f 3.55	s 12.20								
s 8.40	f 10.16	f 1.36	BM 15	15.1SILVER BEACH.....	7.4	No Sdg.	s 7.27	s 8.47	s 12.05								
s 8.45	10.19	1.39	BM 16	16.1LARSON.....	6.4	30	7.25	8.45	s 12.01PM								
A 9.15AM	A 10.80PM	A 1.50PM	BM 20	20.1	WD.....BELLINGHAM.....D	2.4	50	L 7.10AM	L 8.80PM	L 11.80AM								
				21.9G. N. CROSSING.....	0.6												
			BM 23	22.5	FN.....SO. BELLINGHAM.....D	0.0	50											
EXCEPT SUNDAY	DAILY	DAILY						DAILY	DAILY	EXCEPT SUNDAY								
2.05	1.05	1.05						1.02	1.05	2.00								
9.6	18.7	18.7						19.5	18.7	10.1								
Time Over Subdivision													Time Over Subdivision					
Average Speed per Hour													Average Speed per Hour					

Eastward trains are superior to trains of the same class in the opposite direction. Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded. Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour. See Special Rules on this and Page 8.

Westward.		EIGHTH SUBDIVISION. DARRINGTON BRANCH										Eastward.						
SECOND CLASS			Time Table No. 39 November 23, 1913 Succeeding No. 88C										FIRST CLASS.			SECOND CLASS		
469	427		STATIONS.										428	470				
MIXED	Passenger		Telegraph Offices and Calls										Passenger	MIXED				
EXCEPT SUNDAY	EXCEPT SUNDAY		Distance from Arlington	Car Capacity of Sidings	Distance from Darrington	Distance from Arlington	Car Capacity of Sidings	Distance from Darrington	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY	EXCEPT SUNDAY				
L 11.00AM	L 7.45PM	CY	CF 91	0.0ARLINGTON.....DN	28.6	132	A 9.40AM	A 5.80PM									
s 11.25	8.00	W	BK 4	5.4COOPER.....	23.2	4 Spur	s 9.25	s 4.50									
s 11.45AM	s 8.08		BK 7	8.4CICERO.....	20.2	7 Spur	s 9.17	s 4.80									
s 12.00N	s 8.20		BK 11	11.9OSO.....	16.7	28	s 9.07	s 4.10									
s 12.15PM	s 8.25		BK 13	14.0HALTERMAN.....	14.6	33	s 9.01	s 3.55									
s 12.25	s 8.29		BK 15	15.7ROWAN.....	12.9		s 8.56	s 3.40									
s 12.40	s 8.35	W	BK 17	17.9HAZEL.....D	10.7	80	s 8.49	s 3.26									
s 12.50	s 8.40		BK 19	19.7WELTON.....	8.9	30	s 8.43	s 3.20									
s 1.00	s 8.45		BK 21	22.1FORTSON.....	6.5	14	s 8.35	s 3.18									
s 1.15	s 8.47		BK 22	22.6SHEOMET.....	6.0	4 Spur	s 8.33	s 3.10									
s 1.25	s 8.53		BK 24	24.7GEBBOTT.....	3.9	10 Spur	s 8.27	s 3.00									
A 2.00PM	A 9.05PM	CY	BK 28	28.6DARRINGTON.....D	0.0	24	L 8.15AM	L 2.45PM									
3.00	1.20							1.25	2.45									
9.5	21.4							20.2	10.4									
Time Over Subdivision													Time Over Subdivision					
Average Speed per Hour													Average Speed per Hour					

Eastward trains are superior to trains of the same class in the opposite direction. See Special Rules on this and Page 8.

Special Rules Seventh Subdivision MONTE CRISTO BRANCH
Registering Station—Hartford.
Derail Switch—Siding at Tunnel No. 2.
Mountain Grades—Descending Monte Cristo to Sauk River Bridge, Barlow pass to Bonanza Queen and from Robe to Cutoff. Eastward Trains must not exceed schedule time within above limits.
 Trains must not exceed five miles per hour around 18 and 24 degree curves on Shoofly, two miles west of Gold Basin. Trains will approach all bluffs, where slides are liable to occur, under full control.
 Nos. 481, 485 and 487 will wait at Hartford for No. 443's and 444's connection, unless otherwise instructed.
 No. 481 has right over No. 482, Hartford to Cutoff.
 No. 485 has right over No. 486, Hartford to Robe.
 No. 487 has right over No. 488, Hartford to Silverton.
 No. 447, when meeting No. 448 at Hartford, will head in on Seventh Subdivision.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
 Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.
 No engines or cars must, under any circumstances, go beyond a point 800 feet west of the west switch at Silverton.

Special Rules Eighth Subdivision. (DARRINGTON BRANCH)
Registering Stations—Arlington and Darrington.
Bulletin Station—Arlington.
Yard Limit—Darrington.
 Trains will keep under control where landslides or washouts are liable to occur.
 No. 469 has right over No. 470—Arlington to Darrington.
 No. 470 has right over 427 Darrington to Arlington.
 West wye switch at Darrington will be kept set for the wye. This is a stub switch.
 When making back-up movement, running test of air brakes must be made from rear of train.
 Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
 Speed of trains through cross-over tracks or entering sidings must not exceed 15 miles per hour.

Special Rules Ninth Subdivision. (BELLINGHAM BRANCH)
Registering Stations—Wickersham and Bellingham.
Bulletin Station—Bellingham.
Yard Limit—Bellingham.
 Trains will not exceed 6 miles per hour over bridge 20.
Maximum Grades—Larson to Bellingham and Mirror Lake to Wickersham.
 Wye switch at Wickersham will be kept set for East Leg. All trains will come to full stop before crossing Holly street, Bellingham. Flagman precede train with red flag or light. Reduce speed to eight (8) miles per hour over street car crossing at Kentucky Street, Bellingham; and not exceed this speed between Kentucky Street and Bellingham station.
 Reduce speed to six miles per hour over street car crossing between Silver Beach and Larson.
 No. 443 has right over No. 448, Wickersham to Bellingham.
 No. 929 has right over No. 930, Wickersham to Bellingham.
 Trains will not exceed speed of eight miles per hour between MP. 5 and 714 feet west and between MP. 8 and 900 feet west.

COMMERCIAL SPURS.

FIRST SUBDIVISION.
Distance from Ellensburg.

STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capacity
Younger.....	22.4	1 E	10	Sandberg.....	76.8	1 W	20
Nagrom, F 335, 336, 3 & 42.	67.8	1 W	20	Headworks, F 5, 335 & 336...	81.6	1 W	7
Garibaldi, F 335 & 336.....	75.6	1 E	8	Soos, F 335 & 336.....	98.3	1 E	7

SECOND SUBDIVISION.
Distance from King Street Station.

Pontiac, F 443, 444, 447 & 448	13.2	1 E	4	Milldale.....	65.5	1 E	20
Lavilla, F 443, 444, 447 & 448	14.5	1 E	Pilchuck, S 443, 444, 447 & 448	65.9	Siding	20
Belden.....	14.7	1 E	8	Day's F 443, 444, 447 & 448 ..	68.2	Siding	10
Briarcrest, F 443, 444, 447 & 448	17.5	Ehrlich, S 443, 444, 447 & 448	73.6	1 W	20
Lake Forest Park, F 443, 444, 447 & 448.....	18.1	1 W	8	Buxton.....	75.7	1 E	29
Kenmore, F 443, 444, 447 & 448	18.9	1 E	7	Chilco.....	77.2	1 W	7
Wrenwood.....	20.6	1 W	Conway.....	78.7	1 E
Wayne, F 443, 444, 447 & 448	21.5	Nookechamp, F 443, 444, 447 & 448.....	79.1	1 E	5
Hannan.....	22.3	1 E	14	Tiloh.....	79.5	1 E	12
Stockton.....	23.5	1 E	8	Forrest Home, F 444 & 447..	80.0
Bear Creek.....	25.4	1 E	17	Heather.....	81.5	1 E	5
Sand Spur.....	25.8	1 E	12	Skagit Junction.....	84.5	1 E	7
Grace, F 443, 444, 447 & 448..	26.3	Norlum.....	88.7	1 E	40
Cathcart, F 443, 444, 447 & 448	33.5	1 W	12	Cohone.....	92.6	1 E	18
Cobbner.....	36.0	1 W	Prairie, F 443, 444, 447 & 448	94.1	Siding	10
Bromart.....	37.2	1 E	32	Lumans.....	95.2	1 W	16
Bartlett.....	44.5	1 E	4	Patham.....	95.6	1 W	20
Lake Cassidy.....	50.0	1 E	3	Morgood.....	99.4	1 E
Kelmire.....	50.5	1 W	6	Doran, F 441 & 442.....	99.8	1 W	4
Ryton.....	51.7	1 E	3	Comar.....	103.9	1 E
Harvey.....	54.9	1 E	4	McDonald's, F 441 & 442... ..	105.7	1 W	4
Sisco, F 443, 444, 447 & 448..	55.8	1 E	15	Coyne.....	107.5	1 E	7
M. & A. Tfr.....	58.8	1 E	6	Van Zant's, F 441 & 442.....	107.9	1 W	8
				Case's Spur, F 441 & 442....	108.8	1 E	5
				Eliton.....	112.6	1 E	13
				Lawrence, F 441 & 442.....	113.7	1 E	6
				McKee's.....	117.8	1 W	14
				Crescent.....	121.9	1 W	5

FOURTH SUBDIVISION.
Distance from Black River.

Firloch, F 445 & 446.....	19.8	1 E	4	Hazelwood, F 445 & 446....	7.3
Feriton.....	16.6	1 E	2	May Creek, F 445 & 446....	6.6	1 E	4
Kincaid.....	16.0	1 E	5	Quendall.....	6.0	Siding	8
Midlakes, F 445 & 446.....	12.6	1 W	5	Sanford, F 445 & 446.....	4.1	1 E	2
Factoria, F 445 & 446.....	9.5				
Factoria.....	9.2	1 E	6				

FIFTH SUBDIVISION.
Distance from Woodinville.

STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capacity
Hargon.....	1.7	1 W	7	Craven.....	29.3	Siding	14
Hollywood, F 445 & 446....	2.4	1 W	19	Niblock.....	32.4	1 W	100
Pickering, F 445 & 446.....	17.4	1 E	3	Quariton.....	34.6	1 E
Grand Ridge, F 446.....	21.9	1 W	15	Tanners.....	38.1	1 E	15
Lovegreen.....	27.6	1 E	5	Weeks.....	38.2	1 E	100

SIXTH SUBDIVISION.
Distance from Snohomish.

Sherwood.....	4.1	1 E	4	Madrona.....	8.4	1 E	80
---------------	-----	-----	---	--------------	-----	-----	----

SEVENTH SUBDIVISION.
Distance from Hartford.

Zahler.....	1.0	1 E	5	Atlas.....	8.3	1 E	5
Denmark.....	2.0	1 E	2	Turlo.....	17.0	1 E	4
Beechwood.....	2.7	1 E	7	Hemple.....	20.2	1 E	5
Sulbro.....	3.7	1 E	4	Tyree.....	23.2	1 E	21
Enos Quarry.....	7.3	1 E	30	Waldheim.....	26.7
				Weiden Creek.....	39.0

EIGHTH SUBDIVISION.
Distance from Arlington.

Gravel Pit.....	0.7	1 E	4	Jenfred.....	14.0	1 W	20
Jenora.....	5.7	1 E	20	Gorlock.....	18.4	Siding	25
Cavano, S. 469 & 470.....	9.0	Spur	Lampson.....	20.2	1 E	5

NINTH SUBDIVISION.
Distance from Wickersham.

Gale.....	1.7	1 E	5	Matson.....	14.5	1 W	7
Roxbury.....	3.6	1 W	7	Mogul Log Co.....	14.5	1 E	24

SPECIAL RULES—SECOND, FOURTH, FIFTH, SIXTH, SEVENTH, EIGHTH AND NINTH SUBDIVISIONS

RAILROAD CROSSING AT GRADE

C. & P. S. crossing at Renton. C. & P. S. crossing two miles west of Renton. Campbell Lumber Co. crossing at Campton. M. & N. Ry. crossing at Bryant. Two G. N. crossings at Sedro Woolley. P. S. & B. R. crossing west end yard Sedro Woolley. Standard Ry. crossing mile post 104. G. N. crossing at E. K. Wood mill, Bellingham. B. B. & B. C. crossing just east of Sumas. C. M. & St. P. crossing 300 feet west of Ebey Jct.

Crossing Gate situated at G. N. crossing near E. K. Wood Mill at South Bellingham. Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block G. N. main line and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

Crossing Gate situated where Puget Sound & Baker River Railway company track crosses N. P. tracks at Sedro Woolley. Normal position blocks P. S. & B. R. Ry. Co. track; same procedure as at South Bellingham.

Crossing Gate situated where Marysville & Northern Ry. crosses N. P. tracks at Bryant. Normal position blocks M. & N. tracks. N. P. trains will not stop at this crossing unless gates are against them. Freight trains must not exceed speed of twelve (12) miles and passenger trains twenty (20) miles per hour over this crossing.

C. & P. S. crossing at Renton is protected by derails located 75 feet east and 75 feet west of the crossing and operated by switch stand between the C. & P. S. tracks. **NORMAL POSITION OF DERAILS IS AGAINST N. P. TRAINS.** All trains will stop to clear derails, brakeman will go ahead and line up for N. P. track, cross to opposite side of track and remain there until train has cleared both derails; then line back to derail.

Hereafter when any slow boards are erected, they will be of the new standard reading in the following form:

SLOW
 25 35:
 $\frac{1}{2}$ Mile

The first figure being the speed for freight and the second the speed for passenger trains, and the distance given indicating the distance that the slow speed should be maintained commencing at the sign. If only one rate of speed given under the word "slow" this will be the limit for all trains.

No power heavier than Class "C" engines coupled together may cross Skagit River bridge, No. 50, on Second Subdivision. Bridge No. 5 on Fourth Subdivision. Bridge No. 39 on Fifth Subdivision. Bridge Nos. 4 and 7 on Sixth Subdivision. Bridge No. 14 on Seventh Subdivision. Truss bridges Nos. 1, 4, 6, 7, 9 and 12 on Eighth Subdivision.

F-1 or heavier engines must not be used on Seventh Subdivision west of Granite Falls wye. No engine heavier than Class F-1 can be run on Fifth, Sixth, Seventh, Eighth and Ninth Subdivisions.

No engine heavier than Class F-1 can be run between Sedro-Woolley and Clear Lake and between Keith and Woodinville, and no engine heavier than Class Y-5 can be run over balance territory on Second Subdivision. No engine heavier than Class Y-5 can be run over Fourth Subdivision.

LOCATION DRAW SPANS

Snohomish River bridge, just east of Snohomish. Skagit River bridge between Sedro Woolley and Clear Lake. Ebey Slough and Snohomish River bridges on Everett Branch between Snohomish and Lowell. All trains come to full stop before crossing, giving whistle signal before proceeding.

All Eastward freight trains will come to full stop at Public Road crossing just east of Hartford station to clear Seventh Subdivision junction switch and ascertain that track is clear before proceeding.

J. E. CAMPBELL,
Trainmaster, Seattle

O. F. OHLSON,
Trainmaster, Seattle

J. F. FITZSIMMONS,
Trainmaster, Seattle

F. M. SMITH,
Assistant Trainmaster, Seattle

H. M. MORAN,
Chief Dispatcher Seattle

TONNAGE RATINGS—FREIGHT ENGINES.

FIRST SUBDIVISION.—EASTWARD.

GRADES.	Class Z 3		Class Z		Class W		Class Y 5		Class Y 2		Class F 1		Class S		Class E 4		Class E 3 or D 3		Class C 6	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Auburn to Lester.....	2200	80	1600	50	1100	37	1100	37	900	30	900	30	800	27	500	17	475	16	350	12
Lester to Easton.....	1300	35	850	28	550	18	575	19	450	15	450	15	400	14	250	9	235	8	175	6
Easton to Ellensburg.....	Maximum 80 Cars		Maximum 80 Cars			80		80		60		60		50		50		50		40

Rating time freight, Class W engine, 1000 tons. Auburn to Lester.
Between Lester and Easton maximum 60 cars.

FIRST SUBDIVISION.—WESTWARD.

Ellensburg to Easton.....	3300	80	2100	60	1700	53	1550	52	1300	43	1250	42	1200	40	700	24	670	23	545	18
Easton to Lester.....	1300	35	850	28	550	18	575	19	450	15	450	15	400	14	250	9	235	8	175	6
Lester to Auburn.....	Maximum 80 Cars		Maximum 80 Cars		Maximum 80 Cars		Maximum 80 Cars		Maximum 60 Cars		Maximum 60 Cars		Maximum 60 Cars		Maximum 40 Cars		Maximum 40 Cars		Maximum 40 Cars	

Rating time freight, Class W engine, 1600 tons; Y-2, 1200 tons. Ellensburg to Easton.
Between Easton and Lester maximum 60 cars.

SECOND SUBDIVISION—EASTWARD

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Sumas to Wickersham.....	800	27	850	28	950	31	925	31	1100	36	1300	43
Wickersham to Thornwood.....	425	14	450	15	550	18	535	18	600	20	700	23
Thornwood to Clear Lake.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Clear Lake to McMurray.....	425	14	450	15	540	18	525	18	575	19	675	22
McMurray to Sisco.....	850	28	900	30	1080	36	1050	35	1150	38	1350	45
Sisco to Getchell.....	425	14	450	15	540	18	525	18	575	19	675	22
Getchell to Snohomish.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Snohomish to Maltby.....	340	11	365	12	430	14	415	14	475	16	625	20
Maltby to Bothell.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Bothell to Keith.....	800	27	850	28	975	32	960	32	1025	34	1150	38
Keith to Seattle.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60

SECOND SUBDIVISION—WESTWARD.

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Seattle to Fremont.....	2000	50	2000	50	3000	60	3000	60	3000	60	3000	60
Fremont to Keith.....	525	18	550	18	615	20	600	20	650	21	750	25
Keith to Woodinville.....	1200	40	1200	40	1500	50	1500	50	1650	55	1800	60
Woodinville to Maltby.....	320	11	340	11	415	14	400	14	450	15	600	19
Maltby to Snohomish.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Snohomish to Machias.....	820	28	900	30	980	32	950	32	1000	33	1100	37
Machias to Getchell.....	425	14	450	15	530	17	515	17	565	19	675	22
Getchell to Arlington.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Arlington to McMurray.....	660	22	685	23	765	26	750	25	800	27	900	30
McMurray to Sedro-Woolley.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Sedro-Woolley to Thornwood.....	425	14	440	14	525	17	510	17	560	18	660	22
Thornwood to Sumas.....	900	30	1000	31	1200	40	1200	40	1300	43	1500	50

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Fourth Subdivision—Eastward. Woodinville to Kirkland.....	800	27	825	27	975	32	960	32	1030	34	1150	38
Kirkland to Black River.....	2000	40	2000	40	2500	50	2500	50	2750	55	3000	60
Fifth Subdivision—Eastward. North Bend to Falls City.....	775	26	800	27	1250	41	1200	40	1350	45	1650	55
Falls City to Preston.....	260	9	300	10	415	14	400	13	450	15	550	18
Preston to Woodinville.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Sixth Subdivision—Eastward— Everett to Snohomish.....	800	27	850	28	1000	33	980	33	1100	37	1400	46
Seventh Subdivision—Eastward Monte Cristo to Silverton.....	200	7	215	7	300	10	285	10	335	11	435	14
Silverton to Hartford.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Eighth Subdivision—Eastward and Westward. Arlington and Darrington.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Ninth Subdivision—Eastward. Bellingham to Larson.....	340	11	365	12	415	14	400	13	475	16	575	19
Larson to Wickersham.....	1040	35	1100	37	1300	43	1250	42	1500	50	1800	60

DISTRICTS.	Class D 2 & E 3		Class E 6		Class E 7		Class F 3		Class F 5		Class F 1	
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Fourth Subdivision—Westward. Black River to Woodinville.....	1100	37	1200	40	1400	46	1400	46	1500	50	1800	60
Fifth Subdivision—Westward Woodinville to Issaquah.....	1200	40	1200	40	1500	50	1500	50	1800	60	2200	60
Issaquah to Preston.....	260	9	300	10	415	14	400	13	450	15	550	18
Preston to North Bend.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60
Sixth Subdivision—Westward— Snohomish to Everett.....	800	27	850	28	1000	33	980	33	1100	37	2000	50
Seventh Subdivision—Westward. Hartford to Granite Falls.....	500	17	525	18	850	28	825	27	900	30	1000	33
Granite Falls to Robe.....	310	10	315	10	350	12	325	11	375	13	475	16
Robe to Silverton.....	325	11	350	12	450	15	425	14	475	16	575	19
Silverton to Monte Cristo.....	200	7	215	7	300	10	285	10	335	11	435	14
Ninth Subdivision—Westward. Wickersham to Mirror Lake.....	340	11	365	12	415	14	400	13	475	16	575	19
Mirror Lake to Larson.....	1040	35	1100	37	1300	43	1250	42	1500	50	1800	60
Larson to Bellingham.....	2000	40	2000	40	2500	50	2500	50	3000	60	3000	60

AUTHORIZED SURGEONS, SEATTLE DIVISION.

Location of Stretchers (S).

S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.

CLINTON T. COOKE, Oculist, Seattle. P. W. WILLIS, King St. Sta. (S). F. S. BOURNS, Seattle Yd. Office (S). Seattle Tool Car (S).	E. M. ADAMS, Arlington (S). N. S. McCREADY, Snohomish (S). W. C. COX, Everett (S). C. C. HARBOUGH, Sedro-Woolley (S).	W. E. GIBSON, Issaquah, (S). E. S. CLARK, Sumas (S). A. M. SMITH, Bellingham (S). Woodinville (S).	J. C. McCAULEY, Ellensburg (S). R. R. PINKARD, Ellensburg (S). H. R. SMITH, Easton (S). Lester (S).	D. O. KEARBY, Cle Elum (S). B. E. HOYE, Auburn (S). WM. H. BRANDT, Auburn Auburn Yard Office (S). Puyallup (S).	P. B. WING, Oculist, Tacoma. W. G. CAMERON, Specialist, Tacoma. N. P. B. A. Hospital, Tacoma (S). Baggage Room, Tacoma (S). Round House, Tacoma (S).	Head-of-Bay Yard Office, Ta- coma (S). Half Moon Yard Office, Ta- coma (S). Tool Car, Tacoma (S). Wharf, Tacoma (S).
---	--	---	--	---	--	---

Note.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical aid should be procured until the

arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

