

# **NORTHERN PACIFIC RAILWAY COMPANY.**

**IDaho DIVISION**

# **TIME 40 TABLE**

**In Effect at 12:01 A. M. Pacific or 120th Meridian Time.**

**SUNDAY, JUNE 7, 1914**

**For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure.  
Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the  
Special Rules and always have for reference a copy of TRANSPORTATION RULES.**

**E. C. BLANCHARD,  
General Manager.**

**I. B. RICHARDS,  
General Superintendent.**

**J. L. DeFORCE,  
Superintendent.**

**P. H. McCauley,  
Superintendent of Transportation.**

## RULES GOVERNING MOVEMENT OF TRAINS AT U. P. CROSSING, SPOKANE.

**RULE 1**—Signal 52 is high arm semaphore on long crossover between old and new lines east of crossing. Upper arm governs westward movements on westward main line. Lower arm governs movements into yard.  
Signal 50 is high arm semaphore on westward main line east of crossing. Upper arm governs westward movements on westward main line. Lower arm governs movements into yard.  
Signal 29 is high arm semaphore on eastward main line west of crossing. Upper arm governs eastward movements on eastward main line. Lower arm governs movements to Fair Grounds tracks.  
Signal 49 is dwarf signal located between eastward and westward main lines east of crossing, and opposite signal 50. It governs westward movements on eastward main line, and westward movements from eastward to westward main lines through crossover east of crossing.  
Signal 31 is dwarf signal located between eastward and westward main lines west of crossing, and opposite signal 29. It governs eastward movements on westward main line; eastward movements from westward main line to old main line through long crossover east of crossing, and eastward movements from westward to eastward main lines through short crossover east of crossing.  
Signal 32 is dwarf signal located between westward main line and yard lead west of crossing. It governs eastward movements out of yard.  
Signal 47 is dwarf signal located just west of crossing and north of westward main line. It governs westward movements on westward main line. Engines coming out of new yard and wanting to go west on westward main line must pull by signal 47 and not proceed until signal 47 shows clear.  
Signal 48 is dwarf signal located just north of Fair Grounds track east of crossing. It governs movements from Fair Grounds track. (At present this signal is not in service, and movements from that track must be governed by hand signals from Towerman. Care must be used not to pass signal foundation until hand signal is obtained—yellow flag by day and yellow light by night.)

### RULE 2. Trains:

Approaching signal 29 and wishing main line, must give 4 short blasts of whistle: 0 0 0 0  
Approaching signal 29 for Fair Grounds, 3 long: \_\_\_\_\_  
Approaching signal 29, 31 or 32, for old main line, 1 long, 2 short, one long: \_\_\_\_\_ 0 0 \_\_\_\_\_  
Approaching signal 52 for main line, 4 short: 0 0 0 0  
Approaching signal 52 for new yard, 3 long: \_\_\_\_\_  
Approaching signal 31 for main line, 4 short: 0 0 0 0  
Approaching signal 31 for crossover onto eastward main line, 2 long 2 short: \_\_\_\_\_ 0 0 \_\_\_\_\_  
Approaching signal 31 for Fair Grounds, 3 long: \_\_\_\_\_  
Approaching signal 32, same as for signal 31.  
Approaching signal 49 for eastward main line, 4 short: 0 0 0 0  
Approaching signal 49 for crossover onto westward main line, 2 long 2 short: \_\_\_\_\_ 0 0 \_\_\_\_\_  
Approaching signal 49 for new yard, 3 long: \_\_\_\_\_  
Approaching signal 50 for main line, 4 short: 0 0 0 0  
Approaching signal 50 for new yard, 3 long: \_\_\_\_\_  
Approaching signal 48, same as for signal 49.  
Enginemen must answer signals by 2 short blasts of whistle.

## SPECIAL RULES FOR MOVEMENT OF TRAINS ON DOUBLE TRACK.

- 1—On double track, as indicated by division time table, rule 86 is modified to the extent that inferior class trains and extras may run ahead of second class trains without authority of a train order.
- 2—In manual block territory any train moving against the current of traffic must receive a proper clearance card at every open block office.
- 3—In automatic block territory rule 514 does not apply to trains moving against the current of traffic, and the rear of the train must be protected as prescribed by rule 99.
- 4—It is possible for a light engine using cross over in automatic signal territory to stand between the switches in such a manner as to release the signals when the switches are closed. Light engines and trains using crossovers in automatic territory must have at least one switch open while engine is on any part of the crossover, except at Steno, Irvin and Parkwater.

5—To insure personal safety, operators having train orders or messages for passing trains should stand on the right-hand side of the train, and never stand between the tracks.

6—Rules 86 and D97 are modified to the extent that eastward from Marshall and eastward and westward from Spokane or Yardley any train may run with the current of traffic and ahead of superior class trains without orders. At Spokane or Yardley clearance card Form A must be obtained from Operator. At Marshall trains will be governed by interlocking signals. Operator must obtain authority from Dispatcher before issuing clearance card or clearing interlocking signals.

7—Except as modified above the Transportation Rules govern.  
Double track switch Ramsey set for westward trains.  
Double track switch Rathdrum set for eastward trains.  
Double track switch Velox set for westward trains.

## SPECIAL RULES FOR MOVEMENT OF TRAINS UNDER AUTOMATIC BLOCK.

Trains pulling out of side tracks or spurs will open main line switch before car or engine is moved over fouling point. At Cocolalla, where trains taking siding head in at first switch, signal indicators are placed at lap; two for each direction marked "Eastward" "Eastward Home" and "Westward" "Westward Home." Trains pulling off proper sidings will push the two indicators in the direction of their movement, one of which will indicate position of Home signal, and other if block in rear is clear.

At Sandpoint, Marshall and Cheney telephone connected to Train Dispatcher's circuit is located at home signal.

Following is amendment to Rule 504:

504-C. When a train is stopped by a block signal having two lights (called a home signal) on single track automatic block signal territory, it may proceed when the signal goes to caution or clear position, or if not immediately changed, by obtaining authority from the Train Dispatcher, or if unable to communicate with the Train Dispatcher, the train may proceed under protection of flag, to the first signal that indicates clear or caution.

504-D. When a train is stopped by a block signal on single track, it may proceed when the signal goes to caution or clear position, or if not immediately changed, it may proceed at once under caution, except when a train is proceeding under flag from the home signal, as provided in rule 504-C.

## RULES GOVERNING MOVEMENT OF TRAINS AT MARSHALL INTERLOCKING PLANT.

- 1—Eastward trains desiring to enter double track will call for signal by four short blasts of whistle (0000).
- 2—Westward trains will call for signals as follows:  
To go on single track Northern Pacific main line, four long and one short (\_\_\_\_\_ O).  
To go on Palouse Branch main line, one long, two short, one long (\_\_\_\_ O O \_\_\_\_).  
To go on S. P. & S. main line, one long, one short, one long (\_\_\_\_ O \_\_\_\_).  
To go on westward passing track, one long, one short, one long, one short (\_\_\_\_ O \_\_\_\_ O).
- 3—Bracket mast 600 feet west of switch to P. & L. main line governs eastward movements: Left bracket for N. P. main line; right bracket for movements from P. & L. line.
- 4—Mast 355 feet west of switch to S. P. & S. crossover governs eastward movement from S. P. & S. to N. P. main line.
- 5—Mast 400 feet east of tower governs movements from westward main line. Top arm to single track; middle arm to S. P. & S. and P. & L. lines; bottom arm to westward passing track.

6—Top arms on these masts are home signals for interlocking plant and in addition automatic block signals, and trains must observe automatic block rules in passing them.

7—The bottom arms, or short blade semaphores, are for use by Operator to move trains which are stopped by home signals: That is, after train is brought to stop it can, on receipt of caution indication of operator's signal, proceed through interlocking plant expecting to find track beyond obstructed.

8—Located between main lines and opposite westward signal mast is dwarf signal to control westward movements on eastward main line.

9—Between passing track and main line opposite S. P. & S. signal mast is dwarf signal to control eastward movements out of passing track.

10—Eastward trains will approach home signals under control.

11—When engines are stopped for water, they must back clear of interlocking limits and a clear or caution signal be obtained before passing through plant.

12—In switching moves engine and cars must pass clear of interlocking limits before reverse movement is made.

J. J. BLAIR,

Trainmaster

C. P. HUNT,

Trainmaster

B. W. WALKER,

Trainmaster

B. B. JOHNSON,

Chief Dispatcher

WESTWARD

2  
FIRST SUBDIVISION

(MAIN LINE)

EASTWARD

THIRD CLASS		SECOND CLASS		FIRST CLASS				Time Table No. 40				FIRST CLASS				SECOND CLASS		THIRD CLASS										
863	861	603		305	41	3	1	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	602	862	864							
Way Freight	Way Freight			Freight				Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Freight	Way Freight	Way Freight							
Wed., Fri., Sun.	Tue., Thu., Sat.			DAILY				DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	Wed., Fri., Sun.	Tue., Thu., Sat.								
L 7.00AM		L 10.50PM		L 6.30AM	L 10.10AM	L 2.40PM	L 12.35AM	W C OT	1390	0.0	PD.....PARADISE .....	DN	114.6	Yards	Car Capacity of Siding				A 10.35PM	A 1.00PM								
s 7.25		11.10		s 6.41	s 10.22	s 2.51	12.44	W	1396	6.1	HO.....PLAINS .....	PD	108.5	E-85 W-85	1.15 f 3.15	s 2.25 s 1.55		10.15	s 12.10PM									
f 7.55		11.30		f 6.54	10.88	3.02	12.54		1404	13.2	KS.....WEEKSVILLE .....	PN	101.4	E-76 W-85	1.04	3.04	2.11 s 1.40		9.55	s 11.25AM								
s 8.25		11.50		s 7.08	10.43	3.12	1.04	W	1411	20.6	DY.....EDDY .....	PD	94.0	E-85 W-85	12.52	2.58	1.59 s 1.24		9.85	s 10.43	41							
f 8.35		11.57PM		f 7.18	10.47	3.16	1.08		1413	23.1	FROST .....	P	91.5	78	12.48	2.49	1.58 f 1.18		9.25	f 10.25								
f 8.55		12.10AM		f 7.22	10.55	3.28	1.16		1417	28.3	WOODLIN .....	PN	86.3	85	12.40	2.40	1.44 f 1.08		9.10	f 10.00								
s 9.15		12.20		s 7.80	s 11.05	s 3.80	f 1.21	W	1420	31.6	FN.....THOMPSON FALLS .....	PD	53.0	E-85 W-77	12.84	f 2.84	s 1.86 s 1.00		9.00	s 9.40								
f 9.40		12.35		f 7.42	11.18	3.88	1.28		1426	36.8	BK.....KILDEE .....	DN	77.8	No Sdg.	12.26	2.28	1.21 f 12.45		8.40	f 9.10								
f 9.45		Via New Line		f 7.46	11.15	3.40	1.80	W	1427	37.9	BELKNAP .....	P	76.7	78	12.24		1.19 s 12.48											
s 10.20				s 7.59	11.28	f 3.58	1.43	Y	1434	44.3	WHITE PINE .....	WP	70.3	62	12.15		1.08 s 12.80											
f 10.50		Via New Line		f 8.09	11.85	4.02	1.51		1439	50.0	VERMILION .....	OLD LINE	64.6	69	12.02PM		12.53 f 12.16		Via New Line	Via New Line								
	Via Old Line			12.39				W		38.2	MARMOT .....	1.4 8.7		P	77.7	89	2.21			8.85	f 8.55							
				12.48						41.9	TALC .....	4.5		NEW LINE	74.0	97	2.15			8.25	f 8.40							
				1.00						46.4	CHILDS .....	2.9		... P	69.5	85	2.08			8.04	f 8.20							
				1.08						49.3	RICHARDS .....	4.7			66.6	85	2.08			7.55	f 8.05							
s 11.10AM	41-306			1.25		s 8.15	11.39	f 4.08	1.57	W C	1444	52.7	J.....TROUT CREEK .....	DN	61.9	85	11.57AM	1.57	12.46	s 12.10PM	7.45	305						
12.55PM	2-42																											
s 1.20				1.41	2-306			s 8.28	11.48AM	4.19	2.07	603		PD	55.7	86	11.48AM	1.46	12.33	f 11.57AM	7.00							
f 1.45				2.35				f 8.40	12.01PM	4.29	2.17		1455	64.8	FURLONG .....	P	49.8	85	11.38	1.35	12.20	f 11.19	7.05	f 6.25				
L 7.00AM	A 2.00PM			2.55				s 8.50	12.10	4.39	2.24	W	1458	68.8	NX.....NOXON .....	DN	45.8	E-85 W-85	11.81	1.25	12.10PM	s 11.10	6.50	L 6.00AM A 1.45PM				
f 7.20				3.10				f 9.00	12.21	4.49	2.33		1463	73.6	SMEADS .....	P	41.0	85	11.24	1.18	11.59AM	f 11.01	6.35	f 1.10				
s 7.55				3.85				s 9.18	12.32	4.59	2.43		1468	79.0	HR.....HERON .....	DN	35.6	E-85 W-85	11.15	1.10	11.48	s 10.51	6.15	s 12.32	41			
s 8.25				3.55				s 9.27	f 12.43	5.09	2.53	W	1474	85.2	BN.....CABINET .....	PD	29.4	85	11.04	12.59	11.86	s 10.40	5.40		s 12.05PM			
f 8.50				4.10				f 9.86	12.50	5.16	3.01		1478	90.0	OZOMA .....	P	24.6	E-84 W-66	10.56	12.51	11.28	f 10.81			f 11.35AM			
s 9.05				4.20				s 9.48	12.55	s 5.21	3.05	W	1482	92.6	CX.....CLARK'S FORK .....	DN	22.0	E-85 W-85	10.52	12.47	f 11.24	s 10.25	5.05		s 11.24	42		
f 9.30				4.40				f 9.52	1.02	5.29	3.18		1489	97.6	DENTON .....	P	17.0	85	10.44	12.89	11.15	f 10.15	4.50		f 10.44	2		
s 9.45	305-306			5.05				s 10.05	864-306-363	f 1.12	f 5.87	8.20	W C	1492	102.2	H.....HOPE .....	DN	12.4	E-85 W-85	10.36	12.81	f 11.05	s 10.05	4.80		s 10.15	8.10	305-306
11.45AM				5.35				f 10.25	1.23	5.48	3.33		1499	109.3	ODEN .....	P	5.3	85	10.25	12.20	10.53	f 9.50	4.00			f 7.30AM		
3.15PM				A 6.00AM				A 10.41AM	A 1.34PM	A 5.59PM	A 3.45AM	O W T	1503	114.6	KN.....KOOTENAI .....	DN	0.0	Yard	L 10.15AM	L 12.12AM	L 10.43AM	L 9.40AM	L 3.85PM		L 7.00AM			
Wed., Fri., Sun.	Tue., Thu., Sat.			DAILY				DAILY	DAILY	DAILY	DAILY					DAILY	DAILY	DAILY	DAILY	DAILY	DAILY		Wed., Fri., Sun.	Tue., Thu., Sat.				
5.15	7.00			7.10				4.11	3.24	3.19	3.10					3.15	3.18	3.57	4.30	7.00	7.00	6.45						
8.9	9.8			16.3				27.6	34.0	34.8	36.2					35.2	35.0	29.2	25.7	16.5	9.8	12.5						

BULLETIN STATIONS  
REGISTERING STATIONS  
STANDARD CLOCKS

Paradise and Kootenai.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.  
MANUAL BLOCK BETWEEN PARADISE AND KOOTENAI

YARD LIMITS—Paradise, Trout Creek, Hope, Kootenai.  
 LAP SIDINGS—Plains, Weeksville, Eddy, Thompson Falls, Noxon, Heron,  
 Ozona. Trains taking siding head in at lap.  
 DERAIL SWITCHES—See Page 8.

FOR OTHER SPECIAL RULES FIRST SUB-DIVISION SEE PAGE 10.

## **WESTWARD.**

## **SECOND SUBDIVISION. (MAIN LINE.)**

**Trains Between Marshall and Cheney Are Operated Under Block Card System**

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.**

Double track between Ramsey and Rathdrum, and between Velox and Marshall. Manual Block between Kootenai and Sandpoint, and Athol and Hauser. Automatic Block between Sandpoint and Athol, Hauser and U. P. crossing Spokane, and from one mile west passenger station Spokane to Cheney. See Special Rules, Pages 1 and 4.

**DERAIL SWITCHES**—See Page 8.

**YARD LIMITS**—Kootenai-Sandpoint, Parkwater-Spokane, Cheney.

**LAP SIDINGS**—Granite, Athol, Hauser, Otis Orchards. Trains taking siding head in at lap.

**Crossover**—Steno, Irvin, Parkwater, and Hangman, trailing point switches.

**PUSHER DISTRICT:** Between East yard limit board Spokane and west yard limit board Chéney; and on S. P. & S. Ry., from junction switch Marshall to west switch at Mock.

**MAXIMUM GRADES—Between Spokane and Cheney.**

## **REGISTERING STATIONS**

## BULLETIN STATION

## **STANDARD CLOCKS**

#### **SPEED RESTRICTIONS**

Maximum speed, which must never be exceeded: one minute or sixty seconds per mile.

Through crossover Marshall: 35 miles per hour.

Rathdrum eastward trains: 25 miles per hour approaching junction switch

Pend d'Oreille River bridge No. 13. 1 mile west of Sandpoint; 30 miles per hour, draw span 15 miles per hour.

Granite Viaduct: Class "W" or heavier engines 8 miles per hour; all other engines 15 miles per hour.

Granite Tunnel: 30 miles per hour.

Parkwater-Spokane: First class trains run under control within yard limits in same manner as required of second and inferior class trains.

### **City or Village ordinances rest**

Athol, 15 miles per hour.

Spokane, 8 miles per hour.

Bath drum, 15 miles per hour.

Rathdrum, 15 miles per hour.  
Cheney, 8 miles per hour.

Cheney, 8 miles per hour.

SECOND SUBDIVISION  
(MAIN LINE.)

EASTWARD.

**FIRST CLAS**

#### **Trains Between Cheney and Marshall Are Operated Under Block Card System**

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OFFICE DIRECTION.**  
Double track between Ramsey and Rathdrum, and between Velox and Marshall. Manual Block between Kootenai and Sandpoint, and Athol and Hauser. Automatic Block between Sandpoint and Athol, Hauser and U. P. crossing Spokane, and from one mile west passenger station Spokane to Cheney. See Special Rules, Pages 1 and 3.

Between Marshall and Cheney trains will be handled under special block card system: All westward trains must receive special block card Form "A" at Marshall, and all eastward trains must receive special block card Form "B" at Cheney. Exceptions on these cards must be complied with. Westward trains take siding unless instructed to contrary. If no exceptions, operator will insert the word "blank." These cards must be turned in by Conductor to Operators at Marshall and Cheney immediately on arrival.

Eastward freight trains of 1500 tons or over must have ten to twenty retainers turned up on head end Marshall to Hangman.  
Eastward freight trains terminating Kootenai or taking siding Kootenai will head in on siding Sand Point and pull through connection to Kootenai yard.  
Eastward passenger trains taking siding Kootenai will head in on siding at Kootenai yard office.  
Branch line trains will register at Hauser, Marshall and Cheney.

Eastward trains going on to single track Velox will call for switch by four short blasts of engine whistle.  
Nos. 2 and 4 will register at Kootenai by ticket.  
Nos. 305 and 306 will stop on flag at all sidings and spurs.  
No. 2 will stop on flag at Sand Point for passengers destined St. Paul and head of the Lake terminals and beyond.  
Nos. 307, 308, 309 and 310 will stop on flag at Moab and Steno.

WESTWARD

FOURTH SUB-DIVISION  
(PALOUSE AND LEWISTON BRANCH)

EASTWARD

THIRD CLASS				SECOND CLASS.				FIRST CLASS				Time Table No. 40				FIRST CLASS				SECOND CLASS.				THIRD CLASS			
871	869			665	661	323	321	313	311	Water, Fuel, Scales, Turn- bles and Wyes	Station Numbers	Distance from Marshall	Distance from Lewiston	Car Capacity of Sidings	312	314	322	324	662	666		870	872				
Way Freight	Way Freight			Freight	Freight	Passenger	Passenger	Passenger	Passenger	Water, Fuel, Scales, Turn- bles and Wyes					Passenger	Passenger	Passenger	Passenger	Freight	Freight		Way Freight	Way Freight				
EXCEPT MONDAY	Tue. Thu. Sat. See Page 3			DAILY	EXCEPT SUNDAY See Page 3	DAILY	DAILY	DAILY	DAILY		1585	0.0	136.7		DAILY	DAILY	DAILY	DAILY	EXCEPT MONDAY See Page 4	DAILY		Mon., Wed. and Fri. See Page 4	EXCEPT MONDAY				
L 6.45AM				L 11.25PM		L 4.25PM	L 8.45AM	W C Y		I D 5	5.3	131.4	26	A 2.20PM	s A 6.35PM			A 4.00AM				s A 1.50PM					
f 7.00				11.45PM		f 4.86	f 8.57			I D 11	11.2	125.5	33	s 1.54	s 6.12					8.40			f 1.85				
s 7.80				12.10AM		s 4.49	s 9.14	W		I D 20	19.7	117.0	26	s 1.88	s 5.58					8.20			s 1.15				
s 8.00				12.25		s 5.05	s 9.32			I D 23	23.4	113.3	22	f 1.28	5.48					2.55			s 12.45				
f 8.10				12.40		5.12	f 9.40			I D 27	25.8	110.9							2.85			f 12.80					
s 8.80				12.52		s 5.22	s 9.48	W		I D 30	26.7	110.0	59	s 1.21	s 5.86					2.28			s 12.15PM				
f 8.85				1.00		5.30	f 9.54			I D 32	28.1	108.6							2.10			f 11.59AM					
f 8.45				1.12		5.88	f 10.02			I D 38	31.9	108.0	14	f 1.16	5.30					1.55			f 11.40				
s 9.15				1.32	662	s 5.50	s 10.15			I D 43	37.6	104.8	24	f 1.11	5.28					1.32	661		s 11.25				
s 9.40				1.52		s 6.08	s 10.27	W C Y		I D 47	42.9	99.1	60	s 12.59	s 5.12								s 11.10				
f 9.55				2.05		6.12	f 10.87			I D 50	47.2	93.8	45	s 12.48	s 5.00					1.25			f 10.55				
s 10.45	311			2.15		s 6.19	s 10.45	869-870		I D 53	49.4	89.5	41	f 12.88	4.49					12.50			s 10.45	311			
										I D 59	49.7	87.3	29	s 12.82	s 4.41					12.40							
						6.26	f 10.54			I D 66	53.0	87.0															
s 11.15				2.40		s 6.42	s 11.10	WO		I D 71	59.0	77.7	32	s 12.07PM	s 4.18					12.05AM			s 9.80				
f 11.52AM	312			8.00		f 6.56	f 11.27			I D 76	65.6	71.1	27	f 11.52AM	f 4.05					11.35PM			f 8.25				
f 12.05PM				8.18		f 7.06	f 11.40	312		I D 77	70.4	66.3	27	f 11.40	f 3.54					11.10			f 8.05				
s 1.20				8.45		s 7.17	s 11.50AM	W C		I D 78	75.6	61.1	30	s 11.80	s 8.45					10.45			s 7.45				
				L 6.00AM		L 12.10PM	7.82	321		I D 79	76.2	60.5								A 10.85AM			A 5.00PM				
f 1.80				A 6.10AM	8.55	A 12.17PM	7.88	12.10	Y	I D 80	77.0	59.7	43	11.12	8.24					10.20	L 4.85PM		f 6.10	665			
f 1.50				See page 6	4.10	See page 6	7.45	f 12.18		I I 4	80.6	56.1	27	f 11.02	8.18					10.10	See page 6		f 5.50				
L 6.30AM	A 2.20PM			4.35		s 7.58	s 12.30	W T C		I I 9	85.8	50.9	35	s 10.47	s 8.08					9.50			L 5.80AM	A 3.50PM			
f 7.00				4.55		f 8.14	f 12.43			I I 15	92.3	44.4	28	f 10.26	f 2.49					9.20			f 3.80				
f 7.20				5.15		f 8.26	f 12.54	T		I I 20	96.5	40.2	29	f 10.14	2.40					9.00			f 3.15				
s 7.40				5.80		s 8.35	s 1.04	W		I I 22	99.4	37.3	44	s 10.00	s 2.80					8.35	313		s 2.50				
f 8.20				5.48		f 8.48	1.22			I I 28	105.5	31.2	18	9.80	f 2.05					7.50			f 2.15				
s 9.05	312			6.10		s 9.01	s 1.40	W C T		I I 34	111.0	25.7	44	s 9.05	s 1.40					7.20			s 1.40	311-314			
s 9.45				6.25	See Page 6	s 9.10	s 1.50			I I 38	115.0	21.7	30	s 8.55	s 1.29					7.05			s 1.10				
f 10.20				6.45	L 8.40AM	f 9.80	s 2.17	W Y		I I 47	123.4	13.3	32	s 8.35	f 1.10					A 2.15PM	6.45		f 12.80PM				
A10.40AM				6.55	f 8.48	f 9.88	f 2.27	Y		I I 49	126.5	10.2	No Sdg.	f 8.28	f 1.08					f 2.08	6.80			L 11.40AM			

BETWEEN LEWISTON AND JOSEPH, TRAINS WILL BE GOVERNED BY CAMAS PRAIRIE RAILROAD TIME TABLE AND SPECIAL RULES.

				A 7.30AM	A 9.15AM	A 10.10PM	A 8.05PM	W C T	136.7	LEWISTON	0.0	Yard	L 8.00AM	L 12.40PM	L 1.40PM	L 6.00PM							
EXCEPT MONDAY	Tue. Thu. Sat.			DAILY	EXCEPT SUNDAY	DAILY	DAILY	DAILY					DAILY	DAILY	DAILY	DAILY	EXCEPT MONDAY	DAILY				Mon., Wed. and Fri. See Page 4	EXCEPT MONDAY
4.10	7.35			0.10	8.05	0.85	0.07	5.40	6.05					6.10	5.40	0							

## WESTWARD.

**SEVENTH SUB-DIVISION  
(GENESEE BRANCH)**

EASTWARD.

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.**

WESTWARD.

**EIGHTH SUB-DIVISION  
(CLEARWATER SHORT LINE)**

EASTWARD

THIRD CLASS.		FIRST CLASS.		Water, Fuel, Scales, Turntables and Wyes	Station Numbers	Distance from Arrow	Time Table No. 40			FIRST CLASS.		THIRD CLASS.	
	875		325				STATIONS.			Passenger	DAILY	EXCEPT SUNDAY	876
	Freight		Passenger				Telegraph Offices and Calls			Distance from Stations	Car Capacity of Sidings		Freight
	EXCEPT SUNDAY		DAILY See page 5										EXCEPT SUNDAY
L 1.00PM		L 2.20PM	Y W	I I 47	0.0		ARROW..... 3.6		62.7	32	A 8.30AM s	A 11.50AM	
f 1.15		f 2.30		I K 3	3.6		MYRTLE..... 8.1		59.1	14	f 8.18	f 11.30	
f 1.40		f 2.55		I K 12	11.7		AGATHA..... 1.7		51.0	17	f 7.57	f 11.00	
s 1.50		s 3.00	W	I K 13	13.4		LENORE..... 6.9	D	49.3	15	s 7.51	s 10.45	
s 2.20		s 3.18		I K 20	20.3		PK..... PECK..... 5.0	D	42.4	49	s 7.34	s 10.15	
f 2.35		f 3.30		I K 25	25.3		AHSAHKA..... 3.7		37.4	38	f 7.22	f 9.55	
s 3.00		s 3.42	W	I K 29	29.0		OF..... ORO FINO..... 8.3	D	33.7	25	s 7.10	s 9.35	
s 3.35		s 4.12	C	I K 37	37.3		GR..... GREER..... 7.0	D	25.4	26	s 6.40	s 9.05	
s 4.05		s 4.40		I K 44	44.3		PARDEE..... 1.4		18.4	No Sdg.	s 6.15	s 8.40	
f 4.15		f 4.45		I K 46	45.7		TRAMWAY..... 5.9		17.0	23	f 6.10	f 8.85	
s 4.40		s 5.05		I K 52	51.6		KA..... KAMIAH..... 7.9	D	11.1	26	s 5.50	s 8.15	
s 5.30 325		s 5.30 875	W 1 M.E.	I K 59	59.5		KO..... KOOSKIA..... 3.2	D	3.2	32	s 5.28	s 7.45	
A 5.45PM		A 5.40PM	T C W	I K 63	62.7		ST..... STITES.....	D	0.0	46	L 5.20AM	L 7.80AM	
EXCEPT SUNDAY		DAILY									DAILY	EXCEPT SUNDAY	
4.45		3.20					Time over Subdivision.				3.10	4.20	
13.2		18.8					Average Speed per Hour.				19.7	12.2	

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE  
OPPOSITE DIRECTION.**

**BULLETIN STATION AND STANDARD CLOCK**—Stites. **REGISTERING STATIONS**—Arrow and Stites. Engineers will not consult register except at initial or starting point. See Rule 83-A.  
**DERRAIL SWITCHES**—See Page 8.  
**YARD LIMITS**—Arrow.  
Nos. 875 and 876 will carry passengers. No. 326 will run as No. 323, Arrow to Lewiston. No. 325 will run as No. 324, Lewiston to Arrow.  
Nos. 325 and 326 will stop on flag at Magills Spur, Corbett's Ferry, Fir Bluff and Big George.  
All trains will reduce speed and run carefully around bluffs where slides are liable to occur.  
All trains passing through crossovers or entering sidings reduce speed to 15 miles per hour.

**REGISTERING STATIONS**—Pullman Jct. and Genesee. Engineers will not consult register except at initial or starting point. See Rule 83-A.

**STANDARD CLOCK**—Pullman.  
**BULLETIN STATIONS**—Pullman and Genesee.  
No. 665 has right over Nos. 322 and 666 Pullman Jct. to Genesee.  
Nos. 665 and 666 will carry passengers.

Nos. 665 and 666 will carry passengers.  
All trains passing through crossovers or entering sidings reduce speed to 15 miles per hour.

**WESTWARD.**      **SIXTH SUB-DIVISION**      **EASTWARD.**

(FARMINGTON BRANCH)

Time Table No. 40									
June 7, 1914									
Succeeding No. 89									
STATIONS.									
Telegraph Offices and Calls									
Freight	Water, Fuel, Scales, Turntables and Wyes	Station Numbers	Distance from Belmont	Distance from Farmington	Car Capacity of Sidings	Freight	Friday Only	Freight	Friday Only
Friday Only									
L 10.15 AM	W G Y	I D 43	0.0 BM.....BELMONT.....5.3	6.5	45	A 11.15 AM			
			5.3 .....U. P. CROSSING.....1.2	1.2					
A 10.40 AM 874		I H 7	6.5 FA.....FARMINGTON.....	0.0	25	L 10 50 AM 873			
Friday Only							Friday Only		
0.25			Time over Subdivision.					0.25	
15.6			Average Speed per Hour.					15.6	

**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.**

No. 873 has right over No. 874 Belmont to Farmington.  
**REGISTERING STATION**—Belmont and Farmington. Engineers will not consult register except at initial or starting point. See Rule 83-A.

register except at initial or starting  
**STANDARD CLOCK**—Spokane.

Nos. 873 and 874 will carry passengers.  
Gates at U. P. crossing must be set and locked across N.P. track when not in use.  
All trains passing through crossovers and entering sidings reduce speed to 15 miles per hour.

S or heavier engines will not exceed 15 miles an hour per hour.

## WESTWARD.

FIFTH SUB-DIVISION  
(WASHINGTON CENTRAL BRANCH)

## EASTWARD.

## WESTWARD.

NINTH SUB-DIVISION  
(SEATTLE BRANCH)

## EASTWARD.

THIRD CLASS.			FIRST CLASS.			Time Table No. 40						FIRST CLASS.			THIRD CLASS.					
881	879	877	329	327	315	June 7, 1914 Succeeding No. 89	STATIONS.	Distance from Adrian	Car Capacity of Sidings	Passenger	Passenger	Freight	Freight	Freight	316	328	330	878	880	882
Freight	Freight	Freight	Passenger	Passenger	See Page 3 Passenger		Water, Fuel, Sales, Turntables and Wyes	Station Numbers												
Tues. Thur. Sat.	Mon. Wed. Fri.	EXCEPT SUNDAY	DAILY	DAILY			W. C Y	0.0	1592	CY.....CHENEY.....DN 2.6	126.8 Yard s A 10.57AM									
		L 8.20AM								.....W. W. P. CROSSING..... 7.7 No Con.	124.2									
										.....W. W. P. CROSSING..... 0.1 Track Con.	116.5									
		s 8.55		s 3.15 878			I F 10	10.4		MK.....MEDICAL LAKE.....D 3.5	116.4 28 s 10.80				s 3.15 815					
										.....G. N. CROSSING..... No. Con. 1.6 over	112.9									
		f 9.25		f 3.25			W	15.5	I F 16	.....DEEP CREEK..... 5.5	111.3 34 f 10.19				f 2.40					
		f 10.05 316		f 3.40			I F 21	21.0		.....HITE..... 5.5	105.8 14 f 10.05 877				2.10					
		s 10.80		s 3.55			W	26.5	I F 26	RH.....REARDAN.....D 7.4	100.3 41 s 9.58				s 1.40					
		f 10.55		f 4.18			I F 34	33.9		.....MONDOVI..... 7.5	92.9 29 s 9.87				f 12.55					
		s 12.10PM 878		s 4.80			W Y C	41.4	I F 41	DA.....DAVENPORT.....D 6.4	85.4 26 s 9.20				s 12.10PM 877					
		f 12.40		f 4.47			I F 47	47.8		.....ROCKLYN..... 8.6	79.0 27 f 9.00				f 11.40AM					
		f 1.20		f 5.05			I F 56	56.4		.....FELLOWS..... 7.8	70.4 00 f 8.42				f 11.10					
		s 1.55		s 5.25			I F 64	64.2		CR.....CRESTON.....D 10.0	62.6 28 s 8.28				s 10.40					
		s 2.80		s 5.45			W	74.2	I F 74	WR.....WILBUR.....D 6.6	52.6 88 s 8.05				s 10.00					
		s 8.00		s 6.00			I F 81	80.8		.....GOVAN..... 6.7	46.0 28 s 7.45				s 9.25					
		s 8.85		s 6.18			W	87.5	I F 87	A.....ALMIRA.....D 3.6	39.3 33 s 7.29				s 8.55					
		f 8.50		f 6.27			I F 90	91.1		.....HANSON..... 5.5	35.7 12 f 7.18				f 8.80					
		s 4.10		s 6.87			I F 97	96.6		RN.....HARTLINE.....D 9.1	30.2 27 s 7.09				s 8.15					
		L 4.10PM		4.45	L 6.28AM	L 6.55PM	A 6.55PM	Y	105.7	I F 106	.....COULEE JCT..... 2.6	21.1 61 L 6.50AM	A 6.50AM	A 7.80PM	7.40	A 7.20AM				
		A 4.20PM		A 5.00PM	A 6.85AM	A 7.05PM		W C	108.3	I F 108	C.....COULEE CITY.....D 2.6	23.7 26			L 6.45AM	L 7.20PM	L 7.80AM	L 7.10AM		
		L 7.20AM						L 7.80PM	Y	105.7	I F 106	.....COULEE JCT..... 11.0	21.1 61 A 6.28AM				A 4.10PM			
		f 8.00						f 7.55		116.7	I F 117	.....BACON..... 8.6	10.1 61 f 6.05				f 8.80			
										125.3		.....ADCO..... 1.5	1.5 26							
		A 8.40AM						A 8.20PM	W T	126.8	I F 127	ND.....ADRIAN.....DN	0.0 Yard L 5.40AM				L 2.50PM			
Tues. Thur. Sat.	Mon. Wed. Fri.	EXCEPT SUNDAY	DAILY	DAILY								DAILY	DAILY	DAILY	EXCEPT SUNDAY	Mon. Wed. Fri.	Tues. Thur. Sat.			
0.10	1.20	8.40	0.07	0.10	4.55							4.55	0.05	0.10	8.50	0.10	1.20			
15.6	15.7	12.4	27.3	15.6	25.7							Time over Sub-Division			25.7	31.2	15.6	12.4	15.6	
												Average Speed per Hour.						15.7		

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

No. 329 has right over No. 328, and No. 327 has right over No. 330 Coulee Junction to Coulee City.

REGISTERING STATIONS—Cheney, Adrian, Coulee Junction. Coulee City, except for extra trains run through.

Engineers will not consult register except at initial or starting point. See Rule 83-A.

BULLETIN STATIONS—Cheney, Adrian and Coulee City.

STANDARD CLOCKS—Spokane, Cheney and Adrian.

DERAIL SWITCHES—See Page 8.

YARD LIMITS at Cheney, Coulee Jct.

All trains passing through crossovers and entering sidings reduce speed to 15 miles per hour.

Stop two hundred feet from W. W. P. Crossings between Cheney and Medical Lake.

Switch at Coulee Junction will be set for track leading to Adrian.

Nos. 315 and 316 stop on flag at Meadow Lake and Forrey.

Nos. 877, 878, 879, 880, 881 and 882 will carry passengers.

No. 316 will run as No. 329 Coulee Junction to Coulee City, and as No. 328 Coulee City to Coulee Junction.

No. 328 will run as No. 316 Coulee Junction to Cheney.

No. 880 will run as No. 879 Coulee Junction to Adrian.

No. 882 will run as No. 881 Coulee Junction to Coulee City.

No. 315 will run as No. 327 Coulee Junction to Coulee City, and as No. 330 Coulee City to Coulee Junction. No. 330 will run as No. 315 Coulee Junction to Adrian.

## WESTWARD.

NINTH SUB-DIVISION  
(SEATTLE BRANCH)

## EASTWARD.

THIRD CLASS.			FIRST CLASS.			Time Table No. 40						FIRST CLASS.			THIRD CLASS.		
883	883	883	883	883	883	June 7, 1914 Succeeding No. 89	STATIONS.	Distance from Davenport	Car Capacity of Sidings	Passenger	Passenger	Freight	Freight	Freight	884	884	884
Freight	Freight	Freight	Freight	Freight	Freight		Telegraph Offices and Calls								Freight	Freight	
Thursday Only	Thursday Only	Thursday Only	Thursday Only	Thursday Only	Thursday Only		L 12.05PM W C Y	I F 41	0.0	DAVENPORT.....4.6	18.1 30	DAVENPORT.....4.6	13.5 8	DAVENPORT.....4.6	A 3.30PM	A 3.30PM	
							12.40	I E 5	4.6	WHEATDALE.....2.7					1.25	I E 12	6.6 8
							1.00	I E 7	7.3	OMANS.....4.2					1.45	I E 18	10.8 24
							A 1.50PM	I E 18	18.1	GRAVELLES.....6.6					10.2	Time over Subdivision.	1.30

## COMMERCIAL SPURS.

### FIRST SUBDIVISION.

	DISTANCE FROM PARADISE.	Car Cap'y
Russell	19.6 Miles	5
Hydro	32.3 "	12
Alger	48.7 "	57
Stultz Spur	50.0 "	5
Moderie	78.0 "	5
Cedar Spur	80.3 "	50
Dorite	86.6 "	5
Lane Potter	90.9 "	42
Kolliner	105.3 "	7
Culver	111.6 "	10
Boyer	114.1 "	15

### SECOND SUBDIVISION

	DISTANCE FROM KOOTENAI	Car Cap'y
Sagel	7.2 Miles	10
Dufort	11.6 "	12
Petit	12.8 "	18
King's	21.4 "	6
North Pole	33.5 "	4
Calispel	40.3 "	8
Dean	46.5 "	4
Moab	53.8 "	11
Steno	61.9 "	18
Sand Spur	87.2 "	5

### THIRD SUBDIVISION

	DISTANCE FROM HAUSER	Car Cap'y
Heutters	9.4 Miles	10
Wrights	9.7 "	30
Gibbs	11.0 "	15

### FOURTH SUBDIVISION.

	DISTANCE FROM MARSHALL	Car Cap'y
Marshall Quarry Spur	2.0 Miles	40
Cospur	12.8 "	7
Freedom	15.5 "	5
Broadview	28.0 "	8
Kelly's	40.3 "	7
Pullman	73.7 "	6
Hagan	85.0 "	16
Troy Brick Yard	99.1 "	10
Troy Log	100.0 "	6
Clarence	103.3 "	3
Rock Spur	106.1 "	10
Clyde	106.8 "	14
Arrow Storage	124.0 "	15

### FIFTH SUBDIVISION

	DISTANCE FROM CHENEY	Car Cap'y
Meadow Lake	6.6 Miles	8
Carr	101.4 "	5
Forrey	121.8 "	8

### SIXTH SUBDIVISION.

	DISTANCE FROM BELMONT	Car Cap'y
Hayfield	2.0 Miles	4

### SEVENTH SUBDIVISION

	DISTANCE FROM PULLMAN JUNCTION	Car Cap'y
Busby's	1.8 Miles	8

### EIGHTH SUBDIVISION.

	DISTANCE FROM ARROW	Car Cap'y
Fir Bluff	7.3 Miles	5
Magills	22.1 "	10
Flume	24.6 "	4
Dunlap	28.2 "	10
Penoyers	31.0 "	4
Newspur	50.1 "	40

### NINTH SUBDIVISION

	DISTANCE FROM DAVENPORT	Car Cap'y
Frys	9.0 Miles	4

### FIRST SUBDIVISION

Alger Spur	West end
Stultz Spur	West end
Trout Creek	East end coal dock
Moderie	West end
Cedar Spur	East end
Cabinet	West end commercial track
Kootenai	West end coal dock
Kootenai	East and West end Rip Track Leads

### SECOND SUBDIVISION

Sand Point	West end S. & I. Transfer
Sagle	West end
Dufort	East end
Petit	East end
Careywood	West end
Kings	West end
Calispell	West end
Dean	West end
Steno	West end
Cheney	East end stock track
Cheney	East end crossover
Cheney	East end coal dock
Cheney	East end wye

### DERAIL SWITCHES

#### THIRD SUBDIVISION

Alan	East end passing track
Blackwell Spur	West end

#### FIFTH SUBDIVISION

Cheney	East end cross over
Cheney	East end coal dock
Hansen	West end passing track
Reardon	West end mill track

#### EIGHTH SUBDIVISION

Lenore	East end warehouse track
--------	--------------------------

#### FOURTH SUBDIVISION

Freedom	East end
Plaza	west end elevator track
North Pine	West end
Donahue	East end passing track
McCoys	East end passing track
Belmont	East end track No. 2
Garfield	West end passing track
Garfield	West end house track
Fallons	East end passing track
Whelan	West end passing track
Pullman	East end College Spur
Sunshine	East end pasing track
Hagen	West end
Joel	West end house track
Troy	West end house track
Troy	West end passing track
Clarence	West end
Rock Spur	West end
Bovard	West end passing track
Kendrick	West end Elevator track
Juliaetta	West end passing track
Juliaetta	West end house track
Arrow	West end passing track

## TONNAGE RATINGS—FREIGHT ENGINES.

SUB-DIVISION	DISTRICT	Ruling Grade %	CLASS OF ENGINE							
			W W-1	S-4	S-1 S-2	S	E-1	E-2 E-3 D-2 D-3	B	C
First Westward	Paradise to Kootenai.....	0.5	2800	1425	1875	1800				
First Eastward	Kootenai to Trout Creek.....	0.4	2800	1700	1625	1525				
	Trout Creek to Paradise.....	0.3	3200	2000	1900	1800				
Second Westward	Kootenai to Spokane.....	0.5	2800	1425	1875	1800				
	Spokane to Marshall.....	1.1	1150	900	860	825				
	Marshall to Cheney.....	1.0	1250	975	985	895				
Second Eastward	Cheney to Spokane.....	1.0	1850	975	985	895				
	Spokane to Athol .....	0.4	2900	1700	1625	1525				
	Athol to Kootenai.....	0.3	3200	2000	1900	1800				
Third Westward	Coeur d'Alene to Blackwell ...									
	Blackwell to Hauser .....									
Third Eastward	Hauser to Blackwell .....									
	Blackwell to Coeur d'Alene .....									
Fourth Westward	Marshall to Pullman.....	1.4		695	665	645	885	840	820	255
	Pullman to Howell.....	1.7		620	585	565	860	820	800	240
	Howell to Kendrick.....			FOR TY CARS						
	Kendrick to Lewiston.....			SIX TY CARS						
Fourth Eastward	Lewiston to Arrow.....	0.5		1700	1600	1500	1000	960	900	720
	Arrow to Kendrick.....	0.8		1160	1115	1060	585	520	490	400
	Kendrick to Troy.....	2.4		385	360	355	195	170	155	180
	Troy to Howell.....	2.2		415	395	390	225	200	190	150
	Howell to Pullman.....	1.5		685	595	570	875	880	815	250
	Pullman to Belmont.....	1.1		900	860	825	495	420	400	315
	Belmont to Oakesdale.....	0.5		1700	1600	1500	1000	960	900	720
	Oakesdale to Spangle.....	1.0		975	985	895	540	480	450	360
	Spangle to Marshall.....	0.6		1280	1230	1170	950	875	800	650
Fifth Westward	Cheney to Medical Lake.....	1.1		900	860	825	495	420	400	315
	Medical Lake to Creston.....	1.2		805	770	740	475	390	345	275
	Creston to Almira.....	0.7		1160	1120	1065	625	575	520	420
	Almira to Hanson .....	1.3		750	715	690	430	350	325	265
	Hanson to Coulee Jct .....			SIX TY CARS						
	Coulee Jct. to Adrian.....	0.5		1700	1600	1500	1000	960	900	720
Fifth Eastward	Adrian or Coulee City to Hartline.....	1.0		975	985	895	540	480	450	360
	Hartline to Creston.....	1.2		805	770	740	475	390	345	275
	Creston to Cheney.....	1.0		975	985	895	540	480	450	360
Sixth Westward	Belmont to Farmington.....									
Sixth Eastward	Farmington to Belmont .....									
Seventh Westward	Pullman Jct. to Johnsons.....	0.8		1150	1180	1060	585	520	490	400
	Johnsons to Colton .....	1.3		775	760	710	480	350	325	265
	Colton to Genesee .....	0.5		1420	1895	1800	950	875	800	650
Seventh Eastward	Genesee to Bolton .....	0.5		1420	1895	1800	050	875	800	550
	Colton to Johnsons .....	1.1		900	860	825	495	420	400	315
	Johnsons to Pullman Jet .....			SIX TY CARS						
Eighth Westward	Arrow to Stites.....	0.3					1000	960	900	720
Eighth Eastward	Stites to Arrow.....	Down			SIX TY CARS					
Ninth Westward	Davenport to Dennys .....	1.0		975	985	895	540	480	450	360
Ninth Eastward	Dennys to Davenport .....	1.0		975	985	895	540	480	450	360

Main line rating is based on loads having a gross weight of forty tons. At Spokane and Kootenai Daly tonnage computing machines will be used to give a draw bar pull equivalent to the rating shown. In filling out on line actual tonnage will be used. Leaving terminals conductors will be furnished statement of machine tons in their train and will fill out the difference between this and the intermediate rating.

Rating is based on trains consisting of loads only and is calculated for an average speed of ten miles per hour.

Train dispatcher will determine rate to be handled when reduction is necessary account of weather condition.

When engines are unable to haul the rating, Engineman will designate to conductors the number of tons to be reduced and will wire the Superintendent why the reduction is necessary. It must be distinctly understood that the responsibility for reducing train below rating of engine must be assumed by the Engineman and not by the conductor.

This rating is made to govern ruling grades only, and will in no manner interfere with the handling of additional tonnage where the grades will permit.

## AUTHORIZED SURGEONS, IDAHO DIVISION

### LOCATION OF STRETCHERS (S).

DR. G. M. JENNINGS, Chief Surgeon,  
Central Div., Missoula  
Paradise (S) (Station and Tool Car.)

DR. H. H. HATTERY, Plains

DR. E. D. PEEK, Thompsons Falls, Station (S)

DR. O. F. PAGE, Sand Point (S)  
Kootenai (S)

DR. FRANK WENZ, Rathdrum (S)

DR. FRANK ROSE, Spokane (S)  
DR. JOHN H. O'SHEA, Spokane (S)  
DR. X. L. ANTHONY (Oculist), Spokane  
(Stretchers at Baggage Room, Freight Office, M. M. Office  
and Tool Cars 1 and 2, at Parkwater, Yard Office at Yardley.)

DR. F. A. POMEROY, Cheney

DR. W. W. BRAND, Rosalia

DR. E. T. HEIN, Palouse (S)

DR. L. G. KIMZEY, Pullman (S)  
DR. W. H. CARITHERS, Moscow (S)  
DR. JOHN B. MORRIS, Lewiston (S)  
DR. WALTER BURG, Genesee.

DR. J. M. VERBERKMOES, Kooskia.  
Stites (S)

Davenport.  
DR. J. L. EDWARDS, Wilbur (S)  
DR. JNO. C. DWYER, Coeur d' Alene (S)

### NOTE.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employees or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency arising from accident, if necessary proper surgical aid should be procured until the

arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty

#### FIRST SUBDIVISION SPECIAL RULES.

Westward trains terminating Kootenai or taking siding Kootenai, will head in on siding Kootenai depot.

Nos. 2 and 4 will register at Kootenai by ticket.

Junction switches Kildee and Trout Creek will be set for old main line. All trains using new line between Kildee and Trout Creek will come to full stop before passing junction switches unless they have been furnished a train order stating that all superior trains due at or before time given have arrived or passed.

Nos. 4, 602, 603 and 862 will run via new line, extra trains will run via new line unless otherwise instructed, between Kildee and Trout Creek.

Moderie spur one mile east of Heron protected by two position distant signal. When arm or light shows stop, all eastward trains will come to full stop and proceed under protection of flag expecting to find switch open or track impassable.

At stations Kootenai to Paradise, inclusive, agents will secure authority from Superintendent to stop train No. 2 for Passengers destined St. Paul and East.

No. 3 stops at Belknap to let off passengers from Thompson Falls.

Local freight trains will tie up on westward siding at Noxon.

#### SPEED RESTRICTIONS:

Maximum speed, which must never be exceeded: One minute or sixty seconds per mile.

Through crossovers and entering sidings: 15 miles per hour.

Thompson River bridge No. 279, between Frost and Woodlin: Class "W" engines or heavier, 8 miles per hour; all other engines 20 miles per hour.

Beaver Creek bridge, No. 283, between White Pine and Vermillion: 25 miles per hour.

Kildee for westward trains, Trout Creek for eastward trains, passing on to old line: 25 miles per hour approaching junction switch.

Cabinet tunnel: 20 miles per hour.

Lightning Creek bridge No. 303, one-quarter mile west Clark's Fork: Class "W" or heavier engines, 8 miles per hour.

City or Village ordinances restrict speed of trains over highway crossings within corporate limits as follows: Plains 25 miles per hour; Thompson Falls 8 miles per hour.

#### FOURTH SUBDIVISION SPECIAL RULES.

Yard Limits—Marshall, Belmont, Palouse, Pullman, Pullman Jct., Moscow and Arrow.

Mountain grade between Kendrick and Howell.

Pusher District—Between west switch Kendrick and east switch Moscow.

Manual block between Kendrick and Troy.

Special attention is called to Rules 731 to 737 inclusive, governing operations on mountain grade between Howell and Kendrick.

#### Derail Switches—See Page 8.

All westward trains are required to get a clearance at Joseph. This will be issued from the Dispatcher's office of the Camas Prairie Railroad at Lewiston. All eastward trains are required to get a clearance at North Lapwai, clearing them from Joseph. This will be issued from the Dispatcher's office at Spokane.

When one or both engines of double headers are heavier than "E" class, engines should be uncoupled and run separately over bridge 202, Clearwater River, 1 mile east of Joseph; and to pass over bridge 190, two and one-half miles west of Bovard, second engine should be cut back in train 5 car lengths, or placed on rear.

Nos. 311 and 312 will stop on flag at Kelley's Spur, Spokane County Farm and Freedom Spur.

No. 313 will stop on flag at Spokane County Farm.

No. 313 will stop on flag at Bovard on Sundays.

No. 314 will stop on flag at Bovard on Saturdays.


#### SPEED RESTRICTIONS:

Through crossovers and entering sidings: 15 miles per hour.

Howell to Kendrick: Passenger trains: One mile in two minutes; Freight trains: One mile in four minutes.

Clearwater River bridge No. 202, one mile east of Joseph: 5 miles per hour.

STOP: two hundred feet from U. P. crossings Oakesdale, Garfield and Pullman.



MCGILL WARNER CO., ST.PAUL, MINN.