

NORTHERN PACIFIC RAILWAY COMPANY.

DAKOTA DIVISION

TIME 41 TABLE

In Effect at 12:01 A. M. Central or 90th Meridian Time.

(Except Eighth and Ninth Sub-Divisions)

Mountain or 105th Meridian Time for Eighth and Ninth Sub-Divisions

SUNDAY, NOVEMBER 22, 1914.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

J. M. RAPELJE,
General Manager.

C. L. NICHOLS,
General Superintendent.

P. H. McCAULEY,
Superintendent of Transportation.

W. E. BERNER,
Superintendent.

WESTWARD

FIRST SUB-DIVISION (MAIN LINE.)

EASTWARD

Table with columns for Third Class, Second Class, First Class, Stations, and Third Class. Includes train numbers (779, 605, 603, 7, 3, 1, 2, 4, 8, 602, 780), times, and station names like JAMESTOWN, BERNER, ELDRIDGE, OSWEGO, WINDSOR, CLEVELAND, DON, MEDINA, SOUTHDOWN, CRYSTAL SPRINGS, LADOGA, TAPPEN, DAWSON, SIFTON, STEELE, RANKIN, GENEVA, DRISCOLL, ANGORA, STERLING, MCKENZIE, BURLEIGH, APPLE CREEK, PIERCE, SOO LINE CROSSING, BISMARCK, MANDAN.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. MANUAL BLOCK—BETWEEN JAMESTOWN AND ELDRIDGE 7:00 a. m. to 7:00 p. m.; BETWEEN JAMESTOWN AND BERNER 7:00 p. m. to 7:00 a. m.

REGISTERING AND BULLETIN STATIONS—Jamestown and Mandan.

LAP SIDINGS—Eldridge, Windsor, Cleveland, Medina, Crystal Springs, Ladoga, Steele, Driscoll, Sterling and Burleigh. A train taking siding will head in at the lap.

STANDARD CLOCKS—Jamestown Dispatcher's Office, Jamestown Yard Office and Mandan.

DERAIL SWITCHES—See page 5.

YARD LIMITS—Jamestown, Windsor, Dawson, Bismarck and Mandan.

Nos. 779 and 780 will carry adult male passengers.

No. 3 will stop at McKenzie except Sunday.

Nos. 7 and 8 will stop at Jamestown Shops opposite storeroom to discharge and receive company express.

SPEED LIMITS—Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded. All trains will reduce speed to 10 miles per hour around first curve east of Missouri River Bridge. Eastward freight trains and light engines will reduce speed to 10 miles per hour between the west switch at Jamestown west of the Pipestem River Bridge and a point one mile west thereof. Eastward freight trains of 2000 tons or more will use at least 30 minutes Windsor to Berner. Eastward passenger trains will use at least six minutes from Berner to Jamestown Yard Office. A speed of 12 miles per hour must not be exceeded through crossovers or entering sidings. A speed of 35 miles per hour must not be exceeded over interlocking plant at Soo Line Crossing. Westward passenger trains will reduce speed to 25 miles per hour from crossover at east end of Mandan yard. MAXIMUM GRADES—Windsor to Jamestown. Before descending, freight trains must come to a full stop. Air brakes must be tested and known to be working through and signal received by engineman from rear end of train. Passenger trains will be governed by Rule 703. HELPER DISTRICTS—Jamestown to Windsor, Mandan to Missouri River Bridge.

WESTWARD		SECOND SUB-DIVISION (JAMES RIVER AND OAKES BRANCHES)										EASTWARD	
THIRD CLASS	FIRST CLASS	Water, Fuel, Scales, Turn Tables and Wyes	Station Numbers	Distance from Oakes	Time Table No. 41. NOVEMBER 22, 1914. Succeeding No. 40.					Distance from Jamestown	Car Capacity of Sidings	FIRST CLASS	THIRD CLASS
787	155				154	788							
Way Freight	Passenger	Passenger	Way Freight										
Tue., Thur. and Sat.	Ex. Sun.	Ex. Sun.	Mo., Wed. and Fri.										
L 8.00AM	L 2.45PM	WCY DD 69	0.0 OX.....OAKES.....D	69.5	72	A 1.40PM	A 3.40PM						
s 8.30	s 3.03 788	DD 62	7.5 GR.....GLOVER.....D	62.0	35	s 1.20	s 3.03 155						
s 9.00AM	s 3.21PM	Y DA 83	15.2.....INDEPENDENCE.....	51.3	58	s 1.00PM	s 2.00PM						

See Current Time Table of the Fargo Division.

THIRD CLASS	FIRST CLASS	Water, Fuel, Scales, Turn Tables and Wyes	Station Numbers	Distance from Oakes	Time Table No. 41. NOVEMBER 22, 1914. Succeeding No. 40.					Distance from Jamestown	Car Capacity of Sidings	FIRST CLASS	THIRD CLASS
154	788				158	782							
Passenger	Way Freight	Passenger	Mixed										
Ex. Sun.	Mo., Wed. and Fri.	Ex. Sun.	Ex. Sun.										
s 10.00AM	s 3.40PM	WYC DA 88	20.5 OR.....LA MOURE.....D	40.0	151	s 12.15PM	s 12.30PM						
s 10.35	s 3.57	DD 41	28.2 GD.....GRAND RAPIDS...D	41.3	60	s 11.58AM 788	s 11.58AM 154						
s 11.38AM 154	s 4.17	DD 33	36.8 DQ.....DICKEY.....D	32.7	69	s 11.38 787	s 11.05						
s 12.05PM	s 4.32	W DD 26	43.1 DN.....ADRIAN.....D	26.4	18	s 11.23	s 10.25						
s 12.37	s 4.49	DD 19	50.5 MP.....MONTPELIER.....D	10.0	20	s 11.06	s 9.35						
s 1.03	s 5.04	DD 13	56.0 PI.....YPSILANTI.....D	12.0	84	s 10.51	s 9.00						
f 1.27	s 5.17	DD 7	62.1.....REEVES.....	7.4	Spur S	f 10.38	f 8.35						
A 2.00PM	A 5.35PM	WCY DD 400	69.5 JY.....JAMESTOWN.....DN	0.0	080	L 10.20AM	L 8.00AM						
Tue., Thur. and Sat.	Ex. Sun.	Ex. Sun.	Mo., Wed. and Fri.										
5.00	2.31Time Over Sub-division.....	2.35	6.10									
12.8	25.5Average Speed per Hour.....	21.8	10.4									

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

REGISTERING STATIONS—Jamestown, La Moure, Independence and Oakes. Enginemen will not be required to consult register except at initial or starting point. See Rule 83-a.

BULLETIN STATIONS—Jamestown, LaMoure and Oakes.

STANDARD CLOCKS—Jamestown Dispatcher's Office and Jamestown Yard.

YARD LIMITS—Jamestown, La Moure and Oakes.

Nos. 787 and 788 will carry adult male passengers.

HELPER DISTRICTS—Jamestown and point 1½ miles east.

The switches at Independence and LaMoure will be set for the Fargo & South Western Branch, Fargo Division. Between LaMoure and Independence, train and enginemen will be governed by Fargo Division Time Table and orders and special instructions from the Superintendent of Fargo Division.

Trains with Class R engines will not exceed 20 miles per hour between Jamestown and Grand Rapids and 15 miles per hour between Grand Rapids and LaMoure.

WESTWARD		THIRD SUB-DIVISION (DEVILS LAKE BRANCH)										EASTWARD		
THIRD CLASS	SECOND CLASS	Water, Fuel, Scales, Turn Tables and Wyes	Station Numbers	Distance from Jamestown	Time Table No. 41. NOVEMBER 22, 1914. Succeeding No. 40.					Distance from Leeds	Car Capacity of Sidings	FIRST CLASS	SECOND CLASS	THIRD CLASS
781	171				157	158	172	782						
Way Freight	Mixed	Passenger												
Ex. Sun.	Ex. Sun.	Ex. Sun.	Passenger	Mixed	Way Freight									
L 5.30AM	L 9.15AM	L 12.05PM	WCY DD 109	0.0 JY.....JAMESTOWN.....DN	108.5	050	A 4.00PM	A 5.25PM	A 3.05PM					
f 5.55	f 9.40	f 12.20	DE 7	6.4.....PARKHURST.....	102.1	28	f 3.31	f 4.50	f 2.42					
s 6.20	f 10.00	s 12.37	DE 14	13.4 BC.....BUCHANAN.....D	95.1	27	s 3.13	f 4.30	s 2.12					
s 6.47	As 10.30AM	s 12.55	DE 21	21.3 PN.....PINGREE.....D	87.2	80	s 2.51	L 4.10PM	s 1.39					
s 7.10		s 1.11 782	W DE 28	27.8 EM.....EDMUNDS.....D	80.7	35	s 2.33		s 1.11 157					
s 7.35		s 1.28	DE 35	34.6 MV.....MELVILLE.....D	73.9	33	s 2.15		s 12.38PM					
s 8.10		15S 1.50 s 2.00	CY DE 44	43.6 CN.....CARRINGTON.....D	61.9	134	157 1.50 s 1.40		s 11.59AM					
				44.5.....SOO LINE CROSSING.... Track Conn. 3.7	61.0									
f 9.00		f 2.13	W 11 mi E DE 48	48.2.....GUPTILL.....	60.3	29	f 1.29		f 11.00					
s 9.30		s 2.24	DE 51	52.0 BW.....BARLOW.....D	66.5	35	s 1.20		s 10.45					
				59.3 GREAT NORTHERN CROSSING Interlocked	49.0									
s 10.20 782		s 2.46	DE 60	59.7 NR.....NEW ROCKFORD.....D	48.8	85	s 1.01		s 10.20 781					
f 10.50		f 3.04	DE 66	66.0.....DIVIDE.....	42.5	30	f 12.46		f 10.00					
s 11.30AM		s 3.18	W DE 71	70.8 NY.....SHEYENNE.....D	37.7	38	s 12.34		s 9.40					
s 12.12PM 155		s 3.43	WY DE 70	70.5 OB.....OBERON.....D	29.0	77	s 12.12 781		s 9.10					
f 1.09		f 3.54	DE 83	83.4.....LALLIE.....	25.1	25	f 12.02PM		f 8.50					
s 1.40		s 4.14	DE 90	90.3 MW.....MINNEWAUKAN...D	18.2	57	s 11.45AM		s 8.25					
				90.4.....SOO LINE CROSSING.... 2.4	12.1									
s 2.20		s 4.38	DE 99	98.8 BR.....BRINSMADE.....D	9.7	49	s 11.24		s 8.00					
A 3.00PM		A 5.05PM	WCY DE 108	108.5 LD.....LEEDS.....D	0.0	80	L 11.00AM		L 7.30AM					
Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.	Ex. Sun.					
0.30	1.15	4.50Time Over Sub-division.....	4.50	1.15	7.35								
11.4	17.0	22.4Average Speed per Hour.....	22.4	17.0	14.3								

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

REGISTERING STATIONS—Jamestown, Pingree, Carrington, Oberon and Leeds. Enginemen will not be required to consult register except at initial or starting point. See Rule 83-a.

BULLETIN STATIONS—Jamestown, Carrington and Leeds.

STANDARD CLOCKS—Jamestown Dispatcher's Office, Jamestown Yard and Carrington.

DERAIL SWITCHES—See page 5.

YARD LIMITS—Jamestown, Pingree, Carrington, Oberon and Leeds.

Nos. 781 and 782 will carry adult male passengers.

HELPER DISTRICTS—Jamestown to Parkhurst.

Third Sub-division trains will protect themselves against First Sub-division first class trains at Jamestown.

Fifth Sub-division trains will protect themselves against Third Sub-division trains at Carrington except Third Sub-division freight trains will keep clear of trains 159 and 160.

No. 171 will start from Jamestown Passenger station. No. 172 will terminate at Jamestown Passenger station.

Trains with Class W helpers must not exceed 15 miles per hour through sag 1½ miles west of Junction switch Jamestown.

A speed of 35 miles per hour must not be exceeded over interlocking plant at Great Northern Crossing.

WESTWARD

FOURTH SUB-DIVISION (WILTON BRANCH)

EASTWARD

Table for Fourth Sub-Division (Wilton Branch) showing train schedules for Second Class (171 and 172) with columns for stations, times, and distances.

WESTWARD

FIFTH SUB-DIVISION (SYKESTON BRANCH)

EASTWARD

Table for Fifth Sub-Division (Sykeston Branch) showing train schedules for Third Class (785), First Class (159), and Second Class (160, 786) with columns for stations, times, and distances.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

REGISTERING AND BULLETIN STATIONS—Carrington and Turtle Lake. STANDARD CLOCK—Carrington. YARD LIMITS—Carrington. Nos. 785 and 786 will carry adult male passengers. Fifth Sub-division trains will protect themselves against Third Sub-division trains between "Wye" switch and Carrington, except Third Sub-division freights will keep clear of trains 159 and 160.

WESTWARD

SIXTH SUB-DIVISION (OBERON BRANCH)

EASTWARD

Table for Sixth Sub-Division (Oberon Branch) showing train schedules for Second Class (173 and 174) with columns for stations, times, and distances.

WESTWARD

SEVENTH SUB-DIVISION (LINTON BRANCH)

EASTWARD

Table for Seventh Sub-Division (Linton Branch) showing train schedules for Second Class (175 and 176) with columns for stations, times, and distances.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

REGISTERING AND BULLETIN STATIONS—Oberon and Esmond. STANDARD CLOCKS—Jamestown and Carrington. YARD LIMITS—Oberon.

REGISTERING STATIONS—McKenzie and Linton. BULLETIN STATION—Linton. STANDARD CLOCKS—Mandan. YARD LIMITS—Linton. Tracks inside yard limit boards at Linton are joint with the C. M. & St. P. Ry. While using joint tracks, trains will give precedence to C. M. & St. P. trains of superior class.

WESTWARD

EIGHTH SUB-DIVISION
(MANDAN SOUTH LINE.)

EASTWARD

WESTWARD

NINTH SUB-DIVISION
(MANDAN NORTH LINE.)

EASTWARD

SECOND CLASS				Water, Fuel, Scales, Turn Tables and Wyes	Station Numbers	Distance from Mandan	Time Table No. 41. NOVEMBER 22, 1914. Succeeding No. 40. Mountain or 105th Meridian Time.			Distance from Mott	Car Capacity of Sillings	SECOND CLASS															
177							178					179															
Mixed							Mixed					Mixed															
Ex. Sun.							Ex. Sun.					Ex. Sun.															
STATIONS							STATIONS																				
Telegraph Offices and Calls							Telegraph Offices and Calls																				
L	7:00	WOC	TY	515	0.0	A	MANDAN	DN	127.5	980	A	4:40	PM	WOC	TY	515	0.0	A	MANDAN	DN	87.0	980	A	4:30	PM		
s	7:40			DJ	13	12.8	SCHMIDT		111.7	31	s	4:00				DW	10	10.8	HARMON		77.1	67	s	3:35			
s	8:10			W	DJ	20	HUFF		107.4	28	s	3:35				DW	20	21.1	PRICE		66.8	60	s	2:42			
s	8:45				DJ	28	FW	FORT RICE	D	99.0	42	s	3:00			W	DW	27	28.1	SANGER		59.8	38	s	2:07		
	9:10			Y	DJ	36	CANNON BALL JCT.		91.3	No S'd'g		2:30				DW	35	35.7	HENSLER		52.2	69	s	1:29			
s	9:25				DJ	37	CB	CANNON BALL	D	91.9	28	s	2:25				DW	43	44.4	FC	FORT CLARK	D	43.5	26	s	12:46	
	9:30			Y	DJ	36	CANNON BALL JCT.		91.3	No S'd'g		2:05				WY	DW	52	53.5	SK	STANTON	D	34.4	26	s	12:01	PM
s	10:20				DM	11	SN	SOLEN	D	80.4	28	s	1:35				DW	65	65.4	HN	HAZEN	D	22.5	26	s	9:40	
s	10:50			W	DM	18	PARKIN		73.1	21	s	1:05					DW	73	73.0	BH	BEULAH	D	14.3	26	s	8:55	
s	11:05				DM	22	MR	TIMMER	D	69.4	36	s	12:50					DW	80	80.7	ZAP		7.2	22	s	8:15	
f	11:35				DM	30	GALL		61.4	Spur 8	f	12:20				CY	DW	87	87.9	GV	GOLDEN VALLEY	D	0.0	26	L	7:30	AM
s	11:55			WC	DM	35	FLASHER	D	56.5	56	s	12:01	PM														
s	1:05				DM	43	LARK		47.9	21	s	11:05	AM														
f	1:25				DM	47	THIAN		43.0	28	f	10:40															
s	2:00				DM	53	CO	CARSON	D	38.1	30	s	10:15														
s	2:25				DM	60	HEIL		31.3	21	s	9:50															
s	3:00				DM	67	SY	ELGIN	D	24.2	50	s	9:30														
s	3:25				DM	72	NE	NEW LEIPZIG	D	18.8	18	s	9:00														
s	3:45			W	DM	76	ODESSA		15.0	40	s	8:40															
s	4:15				DM	83	BURT		8.5	21	s	8:10															
A	5:00			WCY	DM	91	MO	MOTT	D	0.0	45	L	7:45	AM													
Ex. Sun.												Ex. Sun.															
9:25				Time Over Sub-division				8:55																			
13.5				Average Speed per Hour				14.2																			

SECOND CLASS				Water, Fuel, Scales, Turn Tables and Wyes	Station Numbers	Distance from Mandan	Time Table No. 41. NOVEMBER 22, 1914. Succeeding No. 40. Mountain or 105th Meridian Time.			Distance from Golden Valley	Car Capacity of Sillings	SECOND CLASS																
179							180																					
Mixed							Mixed																					
Mon., Wed. & Fri.							Tue., Thur. & Sat.																					
STATIONS							STATIONS																					
Telegraph Offices and Calls							Telegraph Offices and Calls																					
L	7:15	WOC	TY	515	0.0	A	MANDAN	DN	87.0	980	A	4:30	PM	WOC	TY	515	0.0	A	MANDAN	DN	87.0	980	A	4:30	PM			
s	7:50			DW	10	10.8	HARMON		77.1	67	s	3:35				DW	10	10.8	HARMON		77.1	67	s	3:35				
s	8:35			DW	20	21.1	PRICE		66.8	60	s	2:42				DW	20	21.1	PRICE		66.8	60	s	2:42				
s	9:05			W	DW	27	28.1	SANGER		59.8	38	s	2:07				DW	27	28.1	SANGER		59.8	38	s	2:07			
s	9:42				DW	35	35.7	HENSLER		52.2	69	s	1:29				DW	35	35.7	HENSLER		52.2	69	s	1:29			
s	10:25				DW	43	44.4	FC	FORT CLARK	D	43.5	26	s	12:46				DW	43	44.4	FC	FORT CLARK	D	43.5	26	s	12:46	
	11:15				DW	52	53.5	SK	STANTON	D	34.4	26	s	12:01	PM													
s	1:30				DW	65	65.4	HN	HAZEN	D	22.5	26	s	9:40														
s	2:15				DW	73	73.0	BH	BEULAH	D	14.3	26	s	8:55														
s	2:50				DW	80	80.7	ZAP		7.2	22	s	8:15															
A	3:30			CY	DW	87	87.9	GV	GOLDEN VALLEY	D	0.0	26	L	7:30	AM													
Mon., Wed. & Fri.												Tue., Thur. & Sat.																
7:00				Time Over Sub-division				7:39																				
12.5				Average Speed per Hour				11.4																				

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

REGISTERING STATIONS—Mandan and Golden Valley.

BULLETIN STATIONS—Mandan and Golden Valley.

STANDARD CLOCK—Mandan.

YARD LIMITS—Mandan.

Trains will not exceed a speed of 15 miles per hour between M. P. 40 and a point one-half mile west thereof.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

REGISTERING STATIONS—Mandan and Mott.

BULLETIN STATIONS—Mandan and Mott.

STANDARD CLOCK—Mandan.

DERAIL SWITCHES—Solen, house track, east end; Parkin, house track, east end.

YARD LIMITS—Mandan, Cannon Ball, Mott.

SPECIAL INSTRUCTIONS.

FIRST SUB-DIVISION.

When stop is made at Windsor for air test, ample time will be given trainmen to make an inspection of train before starting. A sufficient number of retainers will be used on descending grade between Windsor and Jamestown to insure control of train. Engineman will specify the number of retainers he desires turned up.

At Oswego, westward freight trains must not hold the main track when it can be avoided, even though they are superior to the train to be met. Eastward freight trains will take siding at Oswego if they arrive there before the train to be met.

REGISTER TICKETS. (FORM 508)—Conductors of all trains (except passenger trains) will leave with operator at each open telegraph office between Berner and Bismarck, both inclusive except Berner eastbound, two register tickets properly filled out (including time). Operators must be watching for them, check time shown and correct if wrong, and report to Superintendent by wire any failure to leave them. For light engines, operators will fill out the register tickets. Enginemen of freight trains and light engines will secure one of these tickets from the operator, and if ticket is not furnished they will report by wire from the next open telegraph office. At Bismarck, if the operator is not out to deliver register tickets, all freight trains and light engines will stop and secure same, and at other points, light engines will stop and secure ticket if operator is not out. Operator will file one copy of ticket. If operators are unable to find blanks thrown off by conductors, they will fill out one and hand to the engine crew of the following trains. When an operator is absent for meals, a white marker with the letter "C" on it will be exposed to notify trains that office is closed. Operators going on duty will furnish the first train passing a blank reading "No train by since open at.....M".

COMMERCIAL SPURS

FIRST SUB-DIVISION.

DISTANCE FROM JAMESTOWN.

- BISMARCK PENITENTIARY SPUR..... 98½ Miles.
- BISMARCK MILITARY SPUR..... 99½ Miles.
- BISMARCK WATER WORKS SPUR.....102½ Miles.

SECOND SUB-DIVISION.

- SINGLETON.....4.3 MILES FROM OAKES.

THIRD SUB-DIVISION.

- FARQUAR.....39 MILES FROM JAMESTOWN.

FIFTH SUB-DIVISION.

- GARLAND.....4 MILES FROM CARRINGTON.

NINTH SUB-DIVISION.

DISTANCE FROM MANDAN.

- WATER WORKS SPUR.....3½ Miles.
- ROCK HAVEN SPUR.....4½ Miles.

S. A. WILDER,
Trainmaster.

P. J. COLEMAN,
Trainmaster.

J. B. GLASGOW,
Trainmaster.

J. J. MULROY,
Chief Dispatcher.

DERAIL SWITCHES.

FIRST SUB-DIVISION.

- Eldridge..... Both ends House Track.
- Windsor..... Both ends House Track.
- Windsor..... East end North Siding.
- Cleveland..... West end Elevator Track.
- Medina..... Both ends House Track.
- Crystal Springs..... East end House Track.
- Tappen..... East end Industry Track.
- Dawson..... West end House Track.
- Dawson..... East end Elevator Track.
- Steele..... Both ends House Track.
- Driscoll..... East end House Track.
- Sterling..... Both ends House Track.
- McKenzie..... East end Stockyard Track.
- Burleigh..... East end House Track.
- Apple Creek..... East end House Track.
- Bismarck..... West end Soo Transfer.
- Bismarck Water Works Spur..... West end.

THIRD SUB-DIVISION.

- Carrington..... East end Soo Transfer.
- New Rockford..... West end House Track.
- New Rockford..... West end West Elevator Track.
- Brinsmade..... West end House Track.

EIGHTH SUB-DIVISION.

- Solen..... East end House Track.
- Parkin..... East end House Track.

Derail switch on East end Windsor North siding to be set and locked for derail only when cars left on this track. All other derail switches to be set locked for derail at all times when not in use.

AUTHORIZED SURGEONS, DAKOTA DIVISION

- | | |
|---|-------------------------------------|
| DR. A. W. IDE, Chief Surgeon, Brainerd. | DR. F. W. MAERCKLEIN, Oakes (S). |
| DR. R. H. BEACH, Chief Surgeon, Glendive. | DR. G. H. SPIELMAN, Flasher. |
| DR. W. A. GERRISH, Jamestown (S). | DR. B. A. PLACE, Elgin. |
| Jamestown Tool Car (S). | DR. F. E. REDMAN, Mott. |
| Jamestown Store Room (S). | DR. A. M. TREAT, Pingree. |
| DR. FRED C. SOPER, Medina. | DR. C. A. OLSON, Oberon. |
| DR. T. S. PRYSE, Dawson. | DR. A. E. DONKER, Goodrich. |
| DR. F. B. LODGE, Steele. | DR. O. W. McCLUSKY, Carrington (S). |
| DR. F. R. SMITH, Bismarck (S). | DR. L. B. DERRIGER, Esmond. |
| DR. D. A. SCHIFFER, Bismarck (S). | DR. W. McLACHLAN, New Rockford. |
| DR. H. O. ALTNOW, Mandan (S). | DR. J. F. WARREN, Leeds (S). |
| DR. R. R. HOGUE, Linton. | DR. Wm. P. THELEN, Wilton. |
| DR. A. E. HILLIS, La Moure. | DR. C. C. SMITH, Stanton. |

NOTE

Surgeons will attend when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations. Railway officials are required to call on the nearest authorized surgeons whenever practicable, or when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge; and in no case should the services of any but an authorized surgeon be continued at the expense of the Railway Company or of the Association, after such surgeon is able to assume charge of the case. Boarding and nursing are furnished only at our own hospitals. We are not responsible for bills incurred elsewhere, unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

TONNAGE RATINGS—FREIGHT ENGINES.

SUB-DIVISION	DISTRICT	Car Factor	CLASS OF ENGINE.									
			W 2		T		R		D 5		D 3	
			Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
FIRST— Westward...	Jamestown to Windsor.....	5	2600	52	2100	42	1900	38	1690	34	1550	31
	Windsor to Mandan.....	12	3200	64	2100	42	1900	38	1570	31	1085	22
FIRST— Eastward...	Mandan to Bismarek.....	12	3000	70	2100	42	1900	38	1570	31	1085	22
	Bismarek to Windsor.....	12	3200	64	2100	42	1900	38	1570	31	1085	22
	Windsor to Jamestown.....	12					Car Limit					
SECOND— Westward...	Oakes to Independence.....	15					1460	37	1200	30	820	21
	Independence to La Moure...	15					2750	69	2250	56	1560	39
	La Moure to Jamestown.....	15					1920	48	1570	39	1085	27
SECOND— Eastward...	Jamestown to La Moure.....	15					2080	52	1700	42	1175	29
	La Moure to Independence...	15					1300	33	1060	26	725	18
	Independence to Oakes.....	15					2750	69	2250	56	1560	39
THIRD— Westward...	Jamestown to Edmunds.....	15			1260	32	1055	26	860	21	590	15
	Edmunds to New Rockford...	15			2000	50	1920	48	1570	39	1085	27
	New Rockford to Leeds.....	15			1260	32	1055	26	860	21	590	15
THIRD— Eastward...	Leeds to Divide.....	15		1	1260	32	1055	26	860	21	590	15
	Divide to Jamestown.....	15			2500	62	2265	56	1655	41	1280	32
FOURTH— Westward...	Pingree to Wilton.....	15			1090	27	875	22	750	19	500	13
FOURTH— Eastward...	Wilton to Woodworth.....	15			1000	25	800	22	700	19	450	12
	Woodworth to Pingree.....	15			2250	56	2000	50	1500	37	1125	29
FIFTH— Westward...	Carrington to Sykeston.....	15					1920	48	1570	39	1085	27
	Sykeston to Turtle Lake.....	15					1300	32	1060	26	725	18
FIFTH— Eastward...	Turtle Lake to Denhoff.....	15					1165	29	955	24	650	16
	Denhoff to Bowdon.....	15					1460	37	1200	30	820	21
	Bowdon to Carrington.....	15					2485	62	2035	51	1410	35
SIXTH— Westward...	Oberon to Maddock.....	15					2265	56	1855	46	1280	32
	Maddock to Esmond.....	15					1460	37	1200	30	820	21
SIXTH— Eastward...	Esmond to Maddock.....	15					1460	37	1200	30	820	21
	Maddock to Oberon.....	15					2485	62	2035	51	1410	35
SEVENTH— Westward...	McKenzie to Linton.....	15					885	22	720	18	490	12
SEVENTH— Eastward...	Linton to Hazelton.....	15					1055	26	860	21	590	15
	Hazelton to McKenzie.....	15					2485	62	2035	51	1410	35
EIGHTH— Westward...	Mandan to Cannon Ball.....	15			1900	50	1660	42	1360	34	915	23
	Cannon Ball to Mott.....	15			1640	41	1375	34	1125	28	755	19
EIGHTH— Eastward...	Mott to Cannon Ball.....	15			2305	57	1920	48	1570	39	1065	27
	Cannon Ball to Mandan.....	15			2725	68	2265	57	1855	46	1260	31
NINTH— Westward...	Mandan to Stanton.....	15			2725	68	2265	57	1855	46	1260	31
NINTH— Eastward...	Stanton to Mandan.....	15					Water Grade.					

For each car added to the number specified above, deduct the car factor in tons from rating of engine; for each car less than the number specified above, add the car factor in tons to rating of engine. In figuring tonnage of the car, less than 1000 pounds will not be counted; 1000 pounds or more will be counted one ton.

To secure tonnage rating, a fraction of weight of car more than rating must be counted rather than a fraction less.

Train Dispatcher will determine rate to be handled when reduction is necessary account of weather conditions. When engines are unable to haul the rating, enginemen will designate to conductors the number of tons to be reduced and will wire the Superintendent why reduction is necessary. It must be distinctly understood that the responsibility for reducing train below rating of engine must be assumed by the engineman and not by the conductor.

This rating is made to govern ruling grades only, and will in no manner interfere with handling additional tonnage where the grades will permit.

The above rating includes Class "W" Helper east and west from Jamestown and Class "L-9" Helper east from Mandan.

In making up or filling out trains, the following rules will be followed as far as practicable:

Solid trains of loads or solid trains of empties.

Where trains consist of both loads and empties, loads in the middle with empties divided between the head and rear ends of trains.

