NORTHERN PACIFIC RAILWAY COMPANY.

PUGET SOUND DIVISION.

TIME



In Effect at 12:01 A. M. Pacific or 120th Meridian Time

SUNDAY, NOVEMBER 22, 1914.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

E. C. BLANCHARD, General Manager. I. B. RICHARDS, General Superintendent. P. H. McCAULEY, Superintendent of Transportation. J. J. McCULLOUGH, Superintendent.

											FIR	ST-SUI	BDIVIS	ION												
	Time Table 41												1	FIRST (CLASS					1		,				
nbers	November 22, 1914	ä	401	437	425	415	403			407	405								423	449	597	439	429	563	511	569
Nan		e fr																								
tion	SIAIIUNS	tanc				-																				Daily O-W R & N
Sta	Telegraph Offices and Calls	Sea	Portland Express								Express	Portland	Con. N. P. Express	Express							Accommo- dation	No. Coast Limited	No. 1	Portland Express	Shasta Limited	Ore&Wash Express
	0.8			L12.10AM	6.00AM		L 7.00AM			₽ 8.00w	8.15AM	L10 00A		L12.20PM	L 3.45PM	L 4.00PM	4.15M	4.35PM	L 4.40PM	7.10PM			8.35PM	n 1		
31	SEATTLE YDF	0.8	3	* .																						~
C F 27	O.W.R.&N.andC.&P.S.R.R Crossings 6.8	3.2	12.09AM	12.20	6.09		7.09		7.55	8.09	8.24	10.09		12.29	3.54	4.09	4.24	4.44	4.49	7.19			8.44			
	C.M. & St.P.R.R. Crossing	10.0)									-														
C F 1	BIBLACK RIVERDN	10.1	12.20	12.30	6.18		f 7.20		8.04	8.19	8.34	f10.19		12.40	4.04	As 4.20PM	4.34	4.55	4.58	7.29			8.54			
	ORILLIA	12.2	2				f 7.23											7		4						
C F	O'BRIEN'S	14.2	2				f 7.26															-				
C F 1	KNKENTD	16.3	f12.30	12.40	6.25		s 7.30		8.12	s 8.30	8.43	s10.29		s12.50	s 4.14		4.43	5.03	s 5.07	7.37			9.04			
C F	THOMAS	18.2	2				f 7.33																			
C F	CHRISTOPHER	19.6	6				f 7.35																			
C _F	AUAUBURNDN	21.5	f12.40	s12.48	6.32		s 7.40		8.20	s 8.40	s 8.52	s10.38		s 1.00	s 4.23		s 4.51	s 5.10	s 5.17	s 7.45			9.14			
22	GREAST AUBURNDN	22.4		A12.52AM		L 7.10AM		L 7.58AM			A 8.55AM							A 5.15PM		As 7.50PM		8.13PM				
CF	AUDN 4.9	21.5	f12.40		6.32	s 7.15	s 7.40	s 8.01	8.20	s 8.40		s10.38		s 1.00	s 4.23		s 4.51		s 5.17			s 8.18	9.14			
CF.	DIERINGER	26.4	12.50		6.40	s 7.23	7.48	8.09	8.27	f 8.50		s10.48		1.11	4.32		5.00		f 5.27			8.26	9.25			
C _F	SNSUMNERD	29.0	f12.55		6.44	s 7.28	s 7.53	8.15	8.31	s 8.55		s10.54		s 1.18	4.36		f 5.05		s 5.31	,		s 8.31	9.30			
1966 .	MEEKERP	30.6	1.00		6.46	7.33	7.58	8.19	8.33	8.58		10.57	L11.02AM	1.21	4.39		5.08		5.34		L 6.40PM	8.35	9.34			
1967 I	PYPUYALLUPDN	31.9	s 1.05		6.48	s 7.38	s 8·10	8.23	s 8.37	s 9.05		s11.02	s11.07	s 1.30	s 4.43		s 5.15		s 5.40		s 6.50	s 8.40	9.38			
1972 F	RNTIDEWATERDN 0.1	38.7	1.20		7.00	7.50	8.23	8.35	8.50	9.18		11.15	11.20	1.45 562	4.53		5.28		5.52		7.00	8.53	9.50	L12.33AM	L10 38AM	L12 40P
0	OW. R.& N. Co. Crossing	38.8														•										
					A 7.05AM	A 8.00AM	A 8.30AM	A 8.45AM	8.55 L 9.00	A 9.25 L 9.35		A11:20 L11:30	A11.25AM	1.50 2.00	A 5.00 5.05		A 5:35 L 5:45	-	A 6.00 L 6.10		A 7.05PM	A 9.00PM	10.00PM	A1240 L1245	A1045 L1050	A12 45%
1976 .	TACOMA WHARF	41.7																								
1981	SUSO. TACOMADN	45.0	A 1.55AM						A 9.15AM	As 9.50AM		A11.44AM		As 2.15PM	A 5.19PM	v 8	A 5.59PM		As 6.25PM					A 1 00AM	A11 04AM	A 1 1 7 PM
			Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
	Time Over Subdivision		1.46	.42	1.05	. 50	1.30	.47	1.25	1.40	.40	1.34	. 23	1.45	1.29	.20	1.34	.40	1.35	.40	. 25	.47	1.25	.22	.21	16.8
	C F 31 C F 27 C F 17 C F 15 C F 11 C F 9 C F 4 C F 2 1966 1967 1972	November 22, 1914	November 22, 1914 Succeeding No. 40A. STATIONS Telegraph Offices and Calls UDKING ST. STADN 0.6 0.8 0.9 0.8 0.9	November 22, 1914 Succeeding No. 40A. STATIONS Telegraph Offices and Calls Calls Daily Seattle Portland Express Daily Seattle Portland Exp	November 22, 1914 Succeeding No. 40A. STATIONS Telegraph Offices and Calls Seattle Portland Express Daily Time Over Subdivision Daily Daily Daily Daily Daily Time Over Subdivision Daily D	November 22, 1914 Succeeding No. 40A. STATIONS Telegraph Offices and Calls Calls Daily D	November 22, 1914 Succeeding No. 40A. STATIONS Telegraph Offices and Calls Daily D	November 22, 1914 Succeeding No. 40A. Exercise Passenger Passenger	November 22, 1914 Succeeding No. 40A. S T T T T T T T T T	November 22, 1914 Succeeding No. 40A. STATIONS Telegraph Offices and Calls STATIONS STA	November 22, 1914 Succeeding No. 40A. Succeeding No. 40A.	November 22, 1914 Succeeding No. 40A. Succeeding No. 40A.	November 22, 1914 Succeeding No. 40A Sasenger Passenger Passenger	Movember 22, 1314 Succeding No. 40A 437 425 415 403 435 421 407 405 457 595	November 22, 134 Succeeding No. 49A. Fastinger Passenger Passenger	Movember 22, 1314 Succeeding No. 40A State Passenger Pas	## A01 437 425 415 403 435 421 407 405 457 595 465 459 445	Movementer 22, 1914 Succeeding 18, vis. 46, as Succeeding 18, vis. 4	Marches Marc	Marchester 22, 1914 Successing 18.00	Marchander 22, 1914 Susception 12, 1914	March Marc	## Color Col	Marchane	Marche	March Marc

Double Track.—Between King Street Station, Seattle, and South Tacoma, except single track between Tidewater and Union Station, Tacoma. (See special rules governing operation of drawbridge line).

Automatic Block.—Between Holgate Street, Seattle, and Tidewater, between Auburn and East Auburn and between Half Moon Yard, Tacoma, and South Tacoma.

Registering Stations.—King Street Station, Seattle Yard, Auburn, East Auburn, Auburn Transfer, Puyallup, Tacoma; Union Station and Half Moon Yard, South Tacoma.

At Auburn, East Auburn, Puyallup and South Tacoma all trains register by ticket. Clearance will not be issued at East Auburn to westward trains, nor at South Tacoma to eastward trains unless stop or caution signal is displayed.

At Tacoma Yard Office and Tacoma Union Station no clearance required.

Through trains, or trains other than those that enter double track, originate or take siding at Puyallup or Auburn need not obtain clearance at these points unless stop or caution signal is displayed.

Bulletin Stations.—Seattle (King Street Station and Yard Office), Auburn, (Auburn Transfer), Tacoma (Head of Bay and Half Moon Yard and Union Station).

Standard Clocks.—King Street Station, Auburn Transfer and Tacoma Union Station.

Yard Limits.—Indicated by signs at proper locations.

On Colorado Street at Seattle, Trains or Engines holding Cards "A" or "B" via this line will move under control inside Yard limit board, looking out for switch engines working on Main line.

On double track, as indicated by division time table, Rule 86 is modified to the extent that inferior class trains and extras may run ahead of second class trains without authority of a train order.

Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.

Rule D-97 is modified to the extent that extra trains may run with the current of traffic without orders provided they secure clearance Form A upon entering double track. Operators secure authority from dispatcher before issuing clearance.

In automatic block territory any train moving against the current of traffic must receive a proper clearance card at every open

In automatic block territory Rule 514 does not apply to trains moving against the current of traffic, and the rear of the train must be protected as prescribed in Rule 99.

Except as modified above the transportation rules govern.

To insure personal safety, operators having train orders or messages for passing trains should stand on the right hand side of the train and never stand between the tracks.

Any train moving against the current of traffic on double track will be governed by the indication of the arm to the right on semaphore of train order signal as seen by an approaching train, same as if moving with the current of traffic.

Trains handling logs on double track will not be permitted to meet passenger trains between stations. Conductors of such trains

must secure block order at Puyallup and Auburn to the effect that passenger trains will be held at next station until they have arrived. Conductors of trains coming from Buckley line must arrange with operator at Puyallup to hold opposing passenger trains.

Speed of trains through crossover tracks or entering sidings must not exceed 15 miles per hour. Speed must not exceed ten miles per hour within the corporate limits of Puyallup, Sumner, Auburn and Kent.

Position of "Wye" switches at Auburn will be ascertained before using. Normal position of switch at head of the wye at Auburn will be for Seattle leg of the wye. Switch target and switch lamp will show clear indication for Seattle leg.

	WES	STWARD			n							FIRST S	UB-DI	IVISI	on.												
1	F	Time Table 41		N 1			SEC	OND CL	ASS							TH	IRD CL	ASS									
ales, Wyes	2	November 22, 1914		681	683	679	675	677	691			94	3 9	35	997	963	975	965	971								
el, Sc	umbe	Succeeding No. 40A.	rom	Freight	Freight	Freight	Freight	Freight	Freight			Wa Freig	y V tht Fre	Way eight	Way Freight	Way Freight	Way Freight	Way Freight	Way Freight								
Fu able	N N	STATIONS	nce f	Ex. Sun.	Ex. Sun.	Daily	Daily	Ex. Sun.	Daily			Dai		. Sun.	Daily		Ex. Mon.	Ex. Sun.	Ex. Sun.								
Water, Fuel, Scales, Turntables and Wyes	Statio	Telegraph Offices and Calls	Dista	MDSE. Nor. Pac.	MDSE. Nor. Pac.	Nor. Pac. Portland	Sumas Freight	No. 602's Conn.	O-W R & N Portland Freight			Gt. 1 Taco	lor. Belt	t Line reight	Gt. Nor. Portland	Nor. Pac. Centralia	O-WR&N	Nor. Pac. Olympia	From Tacoma Division								
T W		UDKING ST. STADN	0.0									L 20	OOM														
CW	CF	SEATTLE YDP			L 5 00PM	L 645PM	L 740PM	L 8 35PM					L 8	3 OOAM								-					
7 0 1	31 C F	ARGOP O.W.R.&N.andC.&P.S.R.R.	3.2	2								29	8 08	3 15									-	-	_		
		Crossings 6.8			510	6'56	7 55	848																			
0.1 M E		C.M. & St.P.R.R. Crossing																2									
Y	C F 21	BIBLACK RIVERDN	10.1	325	5 2 5	710	A 810PM	9 0 5				24	45 A 8	30AM													
$\ -$		ORILLIA																									
		O'BRIEN'S	_																								
\parallel		KNKENTD			5 35	7 22		920			-	s 3	10												_		
╟─	CF	THOMAS																								-	
1		CHRISTOPHER				ļ													-						_	-	-
		AUDN			A 545PM	7 35		A 935PM				s 3	15									-	-	-	_	-	-
<u> </u>	9	0.9 GREAST AUBURNDN																	-		<u> </u>		_		_		-
		0.9																							_		-
Y	9	AUAUBURNDN 4.9				7 35						s 34															
	CF 4	DIERINGER	26.4			747						40	00														
	CF 2	SNSUMNERD	29.0			7 55						s 4 ()5														
YW	1966	MEEKERP	30.6			7 58						4	15				-		L12.40PM								
	1967	PYPUYALLUPDN	31.9		,	803						s 4:	30						1.32 465								
╟	1972	RNTIDEWATERDN	38.7			8.20			L 930M	•		4.	50				L 940A	-	1 55								1
		OW.R.&N.Co. Crossing	38.8				,																				
w	11	QDN				-						A 50	OOM	ī	4:50M		10 15										
W.C OTY	1976	TACOMA WHARF	41.7.			A 830 L 915				-						L 5 00AH		L 700A	A 2 00PM								
WS	1981	SUSO. TACOMADN	45.0			A 9 45PM			A10 00PM					A	5 15AM	A 545AM	A10404	A 745N	•								
				Ex. Sun.	Ex. Sun.	Daily	Daily	Ex. Sun.	Daily			Dai	ly Ex.	Sun.	Daily	Ex. Sun.	Ex. Mon.	Ex. Sun.	Ex. Sun.								
		Time Over Subdivision		.45	.45	2.30	.30	1.00	.30			3.	00	.30	. 25	.45	1.00	.45	1.20								
		Average Speed per Hour		27.6	27.6	17.9	21.4	21.5	12.4			13.	5 20	0.0	10.8	8.0	7.6	8.0	8.2			1					
6		EASTWARD TE	PAIN	S ARF SI	IPFRIOR	TO TR	INS OF	THE SAR	ME CLAS	S IN TH	F APPASITI	F DIRECTIC	N	7	Jovimum	speed of	naggangar	trains is a	ne minute	or givty go	econde no	rmile T	his limit	must neve	r he exceed	ha	

Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.

It is possible for light engines and trains using crossover in automatic signal territory to stand between the switches in such a manner as to release the signals when switches are closed.

Light engines and trains using crossovers in automatic signal territory must have at least one switch open while engine or train is on any part of the crossover.

All trains reduce speed to fifteen miles per hour over C. M. & St. P. crossing at Black River.

No 401 stop on signal at Aubrun for paying passengers only.

No 421 stop on signal at Sumner for passengers on days that Train No. 415 is behind No. 421 and will also stop on flag at Kent, Sumner and Auburn for any business west of Lakeview on the Grays Harbor branch.

No. 598 wait at Puyallup for connections Nos. 413 and 423.

No. 450 connect with No. 597 at Puyallup and with No. 2 at East Auburn.

No. 405 stop on signal at Kent for passengers holding tickets for St. Paul and East thereof.

No. 410 connect with No. 595 at Puyallup.

No. 434 stop at Puyallup, Sumner, Auburn and Kent to let off passengers from points south of Tacoma only.

No. 435 stop at Puyallup, Sumner, Auburn and Kent to let off passengers from points south of Tacoma only.

No. 435 stop at Sumner and Puyallup and Nos. 406, 416, 436 and 440 stop at Kent to let off passengers from points east of Auburn.

Nos. 417 and 437 stop on signal at Kent to pick up passengers for points east of Auburn.

No. 596 wait at Puyallup for Seattle-Buckley Line business from No. 403.

No. 423 handle Buckley Line business from Kent and Sumner.

No. 424 stop on flag at Christopher, O'Brien, Orillia and Thomas for parcel post mail and passengers.


No. 413 will handle passengers, baggage and express for Buckley line points from Seattle and Auburn and stop on flag at Kent to pick up passengers for points south of Tacoma.

Extra leaving Auburn about 1,00 a. m. after making No. 318's connection will stop on flag at Dieringer.

No. 438 stop on flag opposite freight transfer shed, Auburn Yard, for Way Bills.

When making back-up movement, running test of air brakes must be made from rear of train.

SPECIAL RULES FOR MOVEMENTS OF TACOMA DIVISION TRAINS BETWEEN MEEKER AND PUYALLUP:



- 1 All westward trains from Eighth Subdivision, Tacoma Division, use Line A from points 1 to 5 (Meeker to Meridian St.)
- thence to Line C.

 All eastward Eighth Subdivision trains use Line B from points 6 to 2 (Puyallup to Meeker), thence to Line A.

 Line A between points 1 and 5 (Meeker and Meridian St.), may be used as siding, protecting as per Transportation Rule 93.

 Normal position of switches: At points 4 and 5 will be for Line A; at points 2 and 3, and 6 and 7 for Line B; at point 8 for Line C.

FIRST SUB-DIVISION

														FIRST C	LASS			1/								
	Time Table 41 November 22, 1914.		438	402	416	436	596	446	406	410	466	408	458	418	424	598		440			434		456		562	1
1 8	Succeeding No. 40A	y of		Passenger																		Passenger	Passenger	Passenger	Passenger	Passeng
Lacon	STATIONS	pacit	Daily	Daily	Daily	Daily	Daily No. 4's con-	Daily	Daily	Daily	Daily	Daily	Daily	No. 42's	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
South	Telegraph Offices and Calls	Car Ca Sidings	318's Connection Spokane Limited	Portland Seattle Express	No. 41 Puget Sound Limited	No. 317 Spokane Limited	nection via Buckley Line to Kanaskat	NorthBend accommo- dation	No. 3 Northern Pacific Express	Buckley Line connection	Puget Sound Express	Portland Seattle Express	Gt. Nor. Portland	connection Mississippi Valley Limited	Grays Harbor Express	Kanaskat accommo- dation	Gt. Nor. No. 2 Tacoma	No. 1 North Coast Limited	No.2's and Buckley Line connection		Evergreen State Limited	Gt. Nor. No. 28 Tacoma	Gt. Nor. Portland	O-W R & N Seattle Express	O-W R & N Seattle Passenger	O-WR & Shasta Limite
5.0	UDKING ST. STADN			A 6.50AM	A 8.00AM	A 8.45AM		A10.30AM	A11.00AM	A12.15PM	A 1.55PM	A 2.10PM	A 4.15PM		A 6.15PM		A 7.10PM	A 9.00PM	A 8.50PM	A10-10PM	A10.40PM	A11.10PM	A11.15PM			
1.2	SEATTLE YDP																									
1.8	O-WR&NandC&PSRR cros.			6.35	7.48	8.33		10.17	10.47	12.03M	1.42	1.58	4.03	,	6.00		6.56	8.47	8.37	9.58	10.27	10.58	11.04			
5.0	C. M. & St. P. R. R. Cros.																							,		
4.9	BIBLACK RIVERDN	20		6.20	7.35	8.20		L10.05AM	10.32	11.52A	1.30	1.46	3.51		5.47		6.45	8.35	8.26	9.47	10.13	10.48	10.52			
2.8	ORILLIA	5 Spur					0																			
0.8	O'BRIEN'S	3 Spur								f11.46		*													,	
3.7	KNB 1.9	90		f 6.07	7.23	8.08			10.18	s11.43	s 1.20	f 1.36	s 3.40		s 5.37		6.34	8.25	s 8.16	f 9.38	10.05	10.37	s10.43			
6.8	THOMAS	8 Spur								f11.38														`		
5.4	CHRISTOPHER	4 Spur																								
	AUDN 0.9				s 7.10	s 7.58			s10.08	s11.32	s 1.10	s 1.25	s 3.30		s 5.27		6.24	8.13	s 8.05	s 9.29	9.57	10.29	s10.34			
4.4	GREAST AUBURNDN 0.9	,35	A12.48M		L 7.07M	L 7.55M			L10.05M					A 5.20PM				L 8.10PM	A 7.45							
3.5	AUDN 4.9	70	s12.45	f 5.53						s11.32	s 1.10	s 1.25	s 3.30	s 5.15	s 5.27		6.24		s 7.40	s 9.29	9.57	10. 2 9	s10.34	10		
8.6	DIERINGER	No Sdg.	f12.38	5.42						s11.22	1.00	1.16	3.23	5.03	s 5.17		6.12		7.29	9.17	9.49	10.23	10.28		, 187	
6.0	SNSUMNERD	No Sdg.	\$12.33	s 5.37						s11.18	s12.55	s 1.11	3.19	s 5.00	s 5.13		6.08		f 7.24	s 9.13	9.45	10.19	s10.24			
	MEEKERP		12.28	5.30			A 8.19AM			11.13	12.50	1.06	3.16	4.55	5.08	A 5.55PM	6.05		7.19	9.08	9.41	10.16	10.21			
	PYPUYALLUPDN 6.8		\$12.25	s 5.27			s 8.15			L 11:18	s12.47	s 1.03	s 3.14	s 4.52	s 5.05	s 5.50	6.03		s 7.16	s 9.05	9.39	10.14	\$10.19			
	RNTIDEWATERDN	No Sdg	12.14	5.15			8.04			10.50	12.34	12.49	3.04	4.39	4.50	5.35	5.50		7.05	8.54	9.29	10.04	10.09	A 4.52M	1.45PM 465	A 7.46
	O.=W. R. & N. Co. Cross.																					, ,			*** / * .	
4.6	QDN		L12.10AM	5:10 A 5:00			L 8.00AM			L10.45M	12:30 12:20	A12:35	3.00 A 2.55	L 4.35™	4:45	L 5.30M	L 5.45M		L 7.00PM	8.50 8.40	9.25 A 9.15	L10.00PM	18:85 A18:85	4:45	1:40	7:40 7:35
	TACOMA WHARF																									
0.0	SUSO. TACOMADN	70		L 4.45M	,						L12.04PM	8			4.15PM						L 9.00PM			L 4.25M	1.17PN 569	
	This course Call Visited		Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
	Time Over Subdivision Average Speed Per Hour		.38	1.55	. 53	. 50	.19	. 25	. 55	1.30	1.41	1.40	1.30	.45	1.50	. 25	1.25	. 50	1.35	1.35	1.30	1.10	1.25	. 22	.23	.21

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.

EASTWARD

RULES GOVERNING INTERLOCKING PLANT C. M. & St. P. CROSSING (Black River).

All movements and the direction of traffic are governed by "Home Signal" No. 40 eastward track, and "Home Signal" No. 37 on westward track, which are located 500 feet from crossing.

"DAY INDICATIONS."

"Home Signals." Both upper and lower arm horizontal—Stop. Upper arm inclined upward 90 degrees to vertical position; lower arm horizontal—Proceed. Upper arm at 45 degrees, upward position—Stop.
"Dwarf Signals." Arm horizontal—Stop. Arm inclined upward 90 degrees to vertical position—Proceed. Used in back-up movements.

All movements against regular movements of traffic are governed by back-up or dwarf signals. These signals are located 390 feet from crossing and on opposite side of track from "Home Signals" Nos. 37 and 40. Signals Nos. 37 and 40 are equipped with two blades and two lights. Dwarf signals are equipped with one blade and one light.

"NIGHT INDICATIONS."

"Home Signals." Both upper and lower lights red—Stop. Upper light green; lower light red—Proceed. Upper light yellow: lower light red—Stop.
"Dwarf Signals." Red light—Stop. Green light—Proceed. Used in back-up movements.

TACOMA TERMINAL

RULES GOVERNING INTERLOCKING PLANT, O.-W. R. & N. CO. CROSSING (TIDEWATER)

- All movements are governed by DISTANT and HOME SIGNALS, located as follows:
 "Distant Signals," 1300 feet WEST of Crossing, and 2000 feet EAST of Telegraph Office at Tidewater.
 "Home Signals," 500 feet from Crossing.
 "Dwarf Signals" govern movement on track known as "St. Paul & Tacoma Lumber Co's lead;" are located 500 feet from Crossing.

INDICATIONS

90 degrees upward, Green Light, "Proceed."
45 degrees upward, Yellow Light, "Proceed under Control."
Horizontal, Red Light, "Stop."
Derailing switches, located 55 feet beyond Home and Dwarf Signals, and will be in derail position when signals are at "Stop" position.

Mountain Grade.—Tacoma Yard Office to 21/2 miles west.

Speed of passenger trains must not exceed 30 miles per hour and speed of freight trains must not exceed 20 miles per hour on descending grade between Bailey Street and Pacific Avenue, Tacoma. Rule No. 93 must also be strictly observed.

The normal position of double track switch at South Tacoma is for eastward trains.

Trains will approach Tidewater under full control and will not proceed until tracks are known to be clear and signal is received from switch tender.

Trains will approach crossover switches on double track between Tidewater and Tacoma Wharf located at East "L" street (near Head of Bay Yard Office), east "D" street (near roundhouse), and South Twenty-first street (entering passenger station), under full control and will not proceed until tracks are known to be clear and signal is received from switch tender.

								FIR	ST SUI	3-DIVI	SION								EAS	TWAI	ΚD
					SECO	ND CLASS.					THIRD	CLASS.			 						
	Time Table 41 November 22, 1914.		680	692	682		972	964	966	998	936	944	976			ye 2000					
18	Succeeding No. 40A	y of	Freight	Freight	Freight.		Way Freight	Way Freight	Way Freight	Way Freight	Way Freight	Way Freight	Way Freight								
Taco	STATIONS	apacit	Daily	Daily	Ex. Sun.		Ex. Sun.	Ex. Mon.	Ex. Sun.	Daily	Ex. Sun.	Daily	Ex. Sun.								
Distance from South Tacoma	Telegraph Offices and	Car Cap Sidings	Nor. Pac. Portland	O-WR&N Freight	Nor. Pac. MDSE.		Nor. Pac.	Nor. Pac.	Nor. Pac.	Gt. Nor.	Belt Line Local	Tacoma Gt. Nor.	0-W R & N								
5.0	UDKING ST. STADN											A 8.00PM									
	SEATTLE YDP		A 6.45AM							,	A 5.15PM										
	O-WR&NandC&PSRR cros.		6.30	6							5.00	7.45									
	C. M. & St. P. R. R. Cros.														 						
	BIBLACK RIVERDN	20	6.15				e e				L 4.45PM	7.25			 					-	
	ORILLIA																				
	O'BRIEN'S														 						
	KNKENTD		6.00	,								s 7.00					 ,				
	THOMAS	11 7 2									,			,	 						
	CHRISTOPHER																	-			
23.5	AUDN 0.9	70	5.45									s 6.40					 				
24.4	GREAST AUBURNDN	35																			
	AUAUBURNDN 4.9		5.45		A 7.05PM							s 6.40									
18.6	DIERINGER	No Sdg.	5.35		6.50		H.					6.20			 						
	SNSUMNERD		5.30		6.45							s 6.15									
	MEEKERP		5.25		6.40		A 4.00AM					6.10									
3.1	PYPUYALLUPDN	70	5.20	- 4	6.35		3.45	E 10				s 6.05									
6.3	RNTIDEWATERDN	No Sdg.	4.55	A 4.00AM	6.20		3.10					5.35							-	. ,	
	OW. R. & N. Co. Crossing																				
4.6	QTACOMADN				L 6.15PM					A 3.40PM		L 5.30M	A 5.45PM							,	
	TACOMA WHARF		L 4.45 A 3.30				L 3.00AM	A11.15AM	A 3.20PM				5.35								
0.0	SUSO. TACOMADN			L 3.40AM				s 975	L 2.55PM				L 5.10PM								-
	Time Over C. L.V.		Daily		Ex. Sun.				Ex. Sun.	Daily		Daily	Ex. Sun.								
	Time Over Subdivision Average Speed Per Hour		3.30	18.6	22.6		 1.00	.35	17.7	13.5	20.0	16.2	8.8		 		 				

Trains entering passenger station via Head of the Bay will use extreme care and not exceed eight (8) miles per hour around curve at south end of passenger station yard, and will use extra precaution during foggy weather while running over single track leads at that point. As there are no switch tenders at switches at the north end of passenger yard, trains coming into the yard at that point must positively know that switches are lined up for clear track before passing them.

RULES GOVERNING OPERATION BETWEEN FIFTEENTH STREET TOWER AND PASSENGER STATION, TACOMA

At Tacoma a signal of the single arm semaphore pattern located near junction of line leading to passenger station and the draw bridge line at Fifteenth street; another signal of the same pattern located at the north end of passenger yard. The two signals are controlled by operator at Fifteenth street and will govern single track passenger line between Fifteenth street and Tacoma passenger station. No train from the drawbridge line or eastward main line will enter passenger station when signal at Fifteenth street is at "Stop," and no train will proceed from passenger station to drawbridge line or westward main line when signal at the north end of yard is at "Stop." Push button operating signal to towerman is located on post under concourse. Switch crew will operate for Portland bound trains and conductors attend to it for Seattle bound trains

RULES GOVERNING OPERATION OF DRAWBRIDGE LINE

Between Tidewater and Fifteenth Street Tower at Tacoma, enginemen and conductors will obtain card order at Fifteenth Street Tower or Tidewater as authority to use Drawbridge line. Drawbridge card form "A" will govern movement from Tidewater to Fifteenth Street. Drawbridge card form "B" will govern movement from Fifteenth Street to Tidewater. This bridge card to be delivered to operator at Tidewater or Fifteenth Street.

Trains receiving drawbridge card on which exceptions are noted of trains running ahead, will proceed under full control. This bridge card does not relieve trains from protecting rear end as per Rule 99, Book of Transportation Rules.

Interlocking signals at east and west approach to Drawbridge control use of bridge and trains will not proceed unless home signal

shows clear indication. Distant signal located at Drawbridge line 1500 feet east of home signal just east of Tacoma draw span is semi-automatic. When home signal is clear, distant signal will be clear; when home signal shows stop position, distant signal will show stop position. Trains will observe automatic block rules.

Enginemen will not use sand over derail switches and rail locks at east and west end of Tacoma draw span.

Speed of trains over crossover switches at Tidewater and over Fifteenth Street bridge entering passenger yard, must not exceed ten (10) miles per hour and five (5) miles per hour over switches at north end of passenger yard.

Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.

No engine heavier than N. P. class W loaded weight of which is as follows: Weight on drivers 207,000 lbs.; weight of engine and tender 456,000 lbs., will be run over Bridge No. 254, Tacoma Draw Span. No two engines of any class will double head over this bridge where the combined weight is greater than N. P. class W.

Enginemen will reduce exhaust on engine to the lowest possible point while passing under concourse, Tacoma Union Station.

Tell Tales have been placed on train sheds at north and south end of concourse, Tacoma Union Station.

Test inspection and understanding, as required by Rule 703, Book of Transportation Rules, will be had at South Tacoma eastward on all freight trains. Conductors will fill out card, Form 3632, and deliver same to the operator at South Tacoma, who will complete and mail to Trainmaster, Tacoma, each day. Retainers will be turned up on all cars before descending Tacoma Hill.

Enginemen on road engines of eastward trains, before backing into the passenger station after stop has been made, will cut out air

brake valve, and leave air applied, to be released by switch engine. Switch engine will control the air until stop is made at the passenger

Enginemen on road engines of westward trains, will, after terminal air test is made, apply air to the train and cut out air brake valve, leaving the air applied to be released by switch engine when ready to depart. Switch engine will control the air while backing out of the station and make the stop before starting up the hill, leaving the air applied to be released by the road engine. The leading engine will control the air under all conditions.

Pusher engines will come to full stop at once after parting from rear end of train.

Freight trains leaving Tacoma yard or switch engine taking transfer to South Tacoma, will not pass crossover track above Fifteenth street leading from passenger yard to outgoing track without signal from switch tender, who will not allow trains or transfers to pass this crossover when any passenger train is backing out of or waiting in the passenger station.

Eastward trains will be under absolute control approaching Pacific avenue at Tacoma and will not pass Pacific avenue crossing without signal from switch tender indicating that crossovers at Pacific avenue are clear, and no train or engine moving east will exceed speed of six miles per hour with any part of train while passing over crossing. At night switch tender will give signal with a "White" light.

All trains using the drawbridge line without entering passenger station, will stop above Pacific avenue and not proceed beyond there until engineman is furnished with a bridge card and an understanding established with switch tender covering movement of train over drawbridge line. If it is found that freight train cannot use drawbridge line and passenger train will be delayed on this account, conductor will arrange to enter Half Moon yard and be handled via freight tracks to Tidewater.

WESTWARD.		4	× 9	8 18		9	S	ECC	OND SUB-DIVISION									EASTWA	ARD.
THIRD CLASS		SECOND CLASS.	FIRST	CLASS.		, s			Time Table No. 41			1	FIRST (LASS.	SECOND	CLASS.		THIRD CLASS.	
	923	687		441	443	l, Scale s and	mbers	om	Time Table No. 41 November 22, 1914.	u o	ty of	444	442		686	676	924		
	Way Freight	Freight		Passenge C. P. R.	Passenger Bellingham	er, Fue 1 Table 18	lon Nu	Distance from King St. Station	Succeeding No. 40A	ance fr	Capaci ngs	Passenger Bellingham	Passenger C. P. R.		Freight	Freight	Way Freight		7 39
	Ex. Sun.	Ex. Mo.		Daily	Daily	Wat Turi Wye	Statio	Dist	Telegraph Offices and Calls	Distar Keith	Car	Daily	Daily		Ex. Sun.	Daily	Ex. Mo.		
	L 6.30A	L 1.15AM				WCOT	C F 31		SEATTLE YARDP						A12.15AM	A 2.45AN	A 3.45M		
				L 2.15P	L 7.40A			0.0	UDKING STREET STADN	11.6		A12.30PM	A 3.50PM				3.15		
		1.30		2.20	7.45			1.4	END DOUBLE TRACK	10.2		12.24	3.42		11.55PM		3.05		
								2.6	G. N. CROSSING	9.0								7. 2	- i
	s 7.00	1.45		2.30	f 7.55	wo	C F 35	4.5	BAD	7.1	90	f12.14	3.32		s11.40	2.17	s 2.55		
								5.2	P. S. T. L. & P. CO. CROSSING	6.4									
	s 7.10	2.05 676		s 2.38	s 8.03	w	C F 37	6.7	FRFREMONTD	4.9	20	s12.06PM	s 3.24		s11.25	2.05 687	s 2.38		
	s 7.20	2.15		s 2.43	s 8.10		C F 39	8.5	BKD	3.1		s11.57AM	f 3.18		11.08	1.55	s 2.20		
	A 7.35A	A 2.30AM		A 2.50P	Af 8.18A		C F 42	11.6	KEITH	0.0	Spur 13	f11.50AM	L 3.10PM		L10.55PM	L 1.45AM	Ls 2.10PM		1
	Ex. Sun.	Ex. Mo.		Daily	Daily							Daily	Daily		Ex. Sun.	Daily	Ex. Mo.		4
	1.05	1.15		.35	.38				Time Over Subdivision			.40	.40		1.20	1.00	1.35		
	10.8	10.0		20.4	18.3				Average Speed Per Hour			17.4	17.4		9.4	12.5	7.9		

Yard Limits—Seattle, Indicated by signs at proper locations.

Registering Stations.—Seattle Yard, King Street Station.

Bulletin Stations.—Seattle Yard, King Street Station.

Standard Clocks.—Seattle Yard, King Street Station.

Maximum speed between Clay and Bell Streets, Seattle, is 6 miles per hour.

All trains keep under control where view of switches is obstructed.

Nos. 442 and 443 stop on flag at Yesler to handle parcel post mail.

Speed of trains through crossover tracks or entering sidings must not exceed 15 miles per hour.

Extra trains and yard engines must obtain train orders and clearance before using single track in yard limit territory, second subdivision.

COMMERCIAL SPURS

Distance	from Ki	ng Street Sta	tion		Distance	from I	nterbay	
STATIONS	Miles	How Connected	Car Capacity	STATIONS	Station Number	Miles	How Connected	Car Capacity
Edgewater	6.9	1 E	8	Ballard	B-5	1.1	••••	50
Latona	7.9	1 E	4					
Wood Spur	10.5	1 E	16					

SPECIAL RULES.

SEATTLE TERMINAL.

All trains come to a full stop before passing over the intersection of N. P. and King Street Station tracks, between Massachu setts and Holgate Streets, Seattle.

All trains using track between Argo and King Street Station will be governed by automatic block rules and will have train under full control and be prepared to stop approaching and passing over wye switches at Spokane Avenue.

King Street Station. G. N. and N. P. switch engines will work between Seattle and west leg of Spokane Avenue wye without train orders, governing their movements by rules of switch engines working on main line in yards.

Trains must procure Colorado Street line card, forms A or B, before using Colorado Street line between Argo and Seattle yard, which card will be obtained by towerman at Argo and Spokane Avenue towers, Seattle yard. Towerman at Argo will place card order in dummy waiter located on side of tower facing tracks. Conductors and Yard Foremen will leave Colorado Street card in dummy waiter at Argo instead of walking up in tower to surrender same. Towerman at Spokane Avenue tower, Seattle yard, will deliver and receive cards to and from trains and yard engines as they pass. Conductors and Yard Foremen in charge of trains and engines leaving Seattle yard via Colorado Street line will, prior to leaving yard, call towerman at Spokane Avenue tower over telephone located in General Yardmaster's office or at south end Spokane Avenue yard, advising him of engine number and time will be ready to leave. During foggy and obscure weather, when indication of signal controlling C. & P. S. and C. M. & St. P. crossings at Spokane Avenue, Colorado Street, cannot be seen from south end of Spokane Avenue yard, flag must be sent to tower before proceeding to ascertain that card order has been issued authorizing movement to Argo.

No engine or train will go over Atlantic Street crossings, Seattle, unless they receive signal from crossing flagman. One motion of regular proceed signal is for the Northern Pacific, two motions of regular proceed signal is for Chicago, Milwaukee & Saint Paul, three motions of the regular proceed signal is for the C. & P. S. R. R., and four motions of the regular proceed signal is for the O.-W. R. & N. If flagman should be absent trains should flag themselves across.

OPERATION BASCULE DRAWBRIDGE.

Bascule drawbridge over Canal Waterway, located 1 mile west of Interbay, not protected by interlocking device.—All trains come to full stop as per Rule 98.

Rules governing interlocking plant Great Northern crossing on field track east of Interbay are posted in cabin located on G. N. tracks at crossing to the field track.

Class G engines can be used on the following piers: Pier 1, 2, Colman Dock, south side Pier 3, Pier 4, 5, 6½, 7, 9, 11, 11½, 12 and 13, and cannot be used on north side Pier 3, Piers 6, 8, 10 and 14.

Class L-9 engines can be used on all bridges and tracks, Seattle terminal territory, except on spur tracks leading to piers, Seattle water front and the West Seattle Line. Heavier engines than L-9 must not go north of Columbia Street, Seattle.

Trains and switch engines using transfer track between Seattle and Interbay will not exceed four miles per hour over G. N. crossing at Clay Street.

Do not exceed five miles per hour over scales in passing track at Interbay.

All trains will reduce speed to 6 miles per hour at Public Road crossing leading to Great Northern dock at Smith Cove and enginemen will keep vigilant lookout for teams and pedestrians at this point.

Overhead bridge at 13th ave. west, located ½ mile west of Interbay station does not clear man on top of high cars.

The operation of Bascule Drawbridge, West Seattle Line. It will be necessary for trains to get signal from Bridge Tender, green flag by day and green lantern by night, before entering on this draw.

Track on West Seattle Line between O.-W. R. & N. connection and switch leading to the Fisher Flour Mill is joint with the O.-W. R. & N. and will be operated by both companies. O.-W. R. & N. has rights to this track between 12:00 Midnight and 12:00 Noon, and the N. P. between 12:00 Noon and 12:00 Midnight; either company has the right to switch on the hours assigned to the other but must move through the joint territory under full protection.

Track known as the "Fisher Mill Spur" is joint with O.-W. R. & N., C. M. & St. P. and N. P., and operated the same as above on the following hours: O.-W. R. & N., 4:00 A. M. to 12:00 Noon; N. P. Ry., 12:00 Noon to 8:00 P. M.; C. M. & St. P., 8:00 P. M. to 4:00 A. M.

SPECIAL RULES GOVERNING OPERATION OF TRAINS AND YARD ENGINES BETWEEN EAST AUBURN AND AUBURN AND BETWEEN EAST AUBURN AND AUBURN TRANSFER.

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K", "L," "M" or "N" from operator at Auburn, East Auburn or Auburn Transfer properly filled out. Automatic Block rules must also be observed.

Card must be surrendered to operator at end of block immediately upon arrival.

RAILROAD CROSSINGS AT GRADE.

O.-W. R. & N. and C. & P. S. crossings at Argo, interlocked. C. M. & St. P. crossing just east of overhead bridge on Colorado Street Line. Seattle. C. & P. S. and O.-W. R. & N. crossings at Atlantic Street, Seattle. G. N. crossing at Washington Street, Seattle. G. N. crossing at Bell Street, Seattle. G. N. crossing at Seattle Lumber Company, Seattle. G. N. crossing at Field tracks, just east of Interbay. C. M. & St. P. and O.-W. R. & N. crossing at Black River, interlocked. O.-W. R. & N. crossing 0.1 mile west of Tidewater on drawbridge line, interlocked. C. & P. S. and C. M. & St. P. crossing at Spokane Avenue and Colorado Street, Seattle, in-

Crossing Gate at Van Asselts where N. P. Spur Crosses P. S. E. track. Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block P. S. E. tracks and locked in that position while crossing is in use of translated to possible position and the property of is in use, after which gate will be locked to normal position across N. P. tracks.

RULES GOVERNING USE OF INTERLOCKING PLANT AT SOUTH PORTAL OF TUNNEL AT SEATTLE.

Signals are of the dwarf type (low semaphores) and are located to right of track governed; where two arms are on one post, higher arm governs trains along main tracks and lower arm trains diverging fron main track.

Signal arm in horizontal position indicates "Stop." Signal arm in diagonal position 60° below horizontal indicates "Proceed." By night, signal indications will be given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed." Yellow indicates "Caution, proceed with Caution."

RULES GOVERNING INTERLOCKING PLANT AT NORTH PORTAL OF TUNNEL AT SEATTLE.

All signals located at right hand side of tracks they govern.

Train movements to Main Line controlled by Semaphore signals, about 25 feet in height.

Train movements to sidings or to main tracks against current of traffic controlled by dwarf semaphores, about two feet in height. The home signal is the semaphore arm with a square end, which in a horizontal position indicates "Stop" and 60° below horizontal indicates "Proceed".

The distant signal is the semaphore arm with a forked end, which in a horizontal position indicates "Caution, proceed with Caution", and 60° below horizontal indicates "Proceed.'

By night signal indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."
Yellow indicates "Caution, proceed with Caution."
Westward N. P. trains from tunnel are governed by lower arm of semaphore, located about 150 feet east of tower building.
Eastward N. P. trains to the tunnel and to the water front are governed by semaphore signal, located about 350 feet west of the tower. Upper arm governs to tunnel, lower arm to water front.

Westward N. P. trains from the water front are governed by semaphore, located about 300 feet east of the tower. Upper arm

governs movement, lower arm stationary in stop position. The dwarf signal, at the base of this semaphore, governs G. N. trains. Trains will not exceed 10 miles per hour between Battery St., 400 feet east of tower and King Street Station.

At night and during foggy weather, eastward trains will give one long blast of whistle for tunnel and three shorter blasts for water

Westward trains from water front will give three blasts of whistle for N. P. Main Line.

Hand signals must not be taken against interlocking signals, except when given by the towerman from the center of the track, with a yellow flag by day and a yellow light by night.

RULES GOVERNING TUNNEL BLOCK SEMAPHORES AND MOVEMENTS OF TRAINS THROUGH TUNNEL AT SEATTLE.

Westward trains are governed by the semaphore block signal located about 50 feet south of the south portal of the tunnel. Eastward trains are governed by the semaphore block signal located 250 feet north of the north portal of the tunnel.

A semaphore arm in the horizontal position indicates "Stop." A semaphore arm 60° below horizontal indicates "Proceed."

By night indications are given by colored lights, as follows:

Red indicates "Stop." Green indicates "Proceed."

Block signal rules do not modify train rules nor relieve trainmen from protecting as per Rule 99.

AUTHORIZED SURGEONS, PUGET SOUND DIVISION.

Location of Stretchers (S).

CLINTON T. COOKE, Oculist, Seattle P.W. WILLIS, Seattle F. S. BOURNS, Seattle Seattle Tool Car (S) Seattle Yard Office (S) King St. Station, Seattle (S)

B. E. HOYE, Auburn WM. H. BRANDT, Auburn Auburn Yard Office (S) Auburn Station (S) H. Y. BELL, Puyallup (S)

S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.

IOYE, Auburn
BRANDT, Auburn
Ourn Yard Office (S)
Ourn Station (S)
BELL, Puyallup (S)

P. B. WING, Oculist, Tacoma
N. P. B. A. Hospital, Tacoma (S)
Baggage Room, Tacoma (S)
Round House, Tacoma (S)

Head-of-Bay Yard Office, Tacoma (S) Half Moon Yard Office, Tacoma (S) Tool Car, Tacoma (S) Wharf, Tacoma (S)

Note.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival

of a regularly appointed surgeon, when the case should be placed in his charge and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge

AUTHORIZED SURGEONS, G. N. RY.

DR. H. M. READ, Seattle.

DR. J. A. LA GASA, Tacoma.

J. F. ALSIP, Trainmaster, Tacoma. O. F. OHLSON, Trainmaster, Seattle. Chief Dispatcher, Seattle.

J. F. COLEMAN, Chief Dispatcher, Tacoma

