

# **NORTHERN PACIFIC RAILWAY COMPANY.**

---

**PUGET SOUND DIVISION.**

# **TIME 41D TABLE**

**In Effect at 12:01 A. M. Pacific or 120th Meridian Time**

**WEDNESDAY, FEBRUARY 3, 1915**

---

**For the Government of Employees only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.**

**E. C. BLANCHARD,**  
General Manager.

**I. B. RICHARDS,**  
General Superintendent.

**P. H. McCAULEY,**  
Superintendent of Transportation.

**J. J. McCULLOUGH,**  
Superintendent.

## WESTWARD

## FIRST-SUBDIVISION

Water, Fuel, Scales, Turntables and Wyes		Station Numbers		Time Table 41D February 3, 1915 Succeeding No. 41C.		Distance from Seattle		FIRST CLASS																								
								437	563	425	415	403	435	421	407	405	511	595	569	457	465	459	445	413	417	423	449	597	439	429		
								Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger
								Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
STATIONS		Telegraph Offices and Calls						No. 318 Spokane Limited	O-W R & N Portland Express	Gt. Nor. No. 27 Tacoma	No. 41's Con. Puget Sound Ltd.	Buckley Line Connection	No. 31's Con. Spok. Limited	Grays Harbor Limited	Seattle Portland Express	No. 4 Atlantic Express	O-W R & N Shasta Limited	No. 3's Con. N. P. Express	O-W R & N Ore & Wash. Express	Gt. Nor. Portland	Puget Sound Express	Gt. Nor. Portland	North Bend Accommo- dation	Seattle & Portland Special	No. 42 Miss'p. Val. Limited	Grays Harbor Express	No. 2 No. Coast Limited	Kanaskat Accommo- dation	No. 1 Con. No. Coast Limited	Gt. Nor. No. 1		
UD..KING ST. STA..DN 0.8	0.0	L 12.10AM		L 6.00AM		L 7.00AM		L 7.45AM	L 8.00AM	L 8.20AM										L 11.00AM	L 12.20PM	L 3.45PM	L 4.00PM	L 4.15PM	L 4.35PM	L 4.40PM	L 7.10PM			L 8.35PM		
.....SEATTLE YD....P 2.4	0.8																															
.....ARGO.....P O.W.R.&N.andC.&P.S.R.R. Crossings 6.8	3.2	12.20		6.09		7.09		7.55	8.09	8.28										11.09	12.29	3.54	4.09	4.24	4.44	4.49	7.19			8.44		
C.M. & St.P.R.R. Crossing 0.1	10.0																															
BI..BLACK RIVER..DN 2.1	10.1	12.30		6.18		f 7.20		8.04	8.19	8.37										11.19	12.40	4.04	A 4.20PM	4.34	4.55	4.58	7.29			8.54		
.....ORILLIA..... 2.0	12.2					f 7.23																										
.....O'BRIEN'S..... 2.1	14.2					f 7.26																										
KN.....KENT.....D 1.9	16.3	12.40		6.25		s 7.30		8.12	s 8.30	8.45										f 11.29	s 12.50	f 4.14		f 4.43	5.03	s 5.07	7.37			9.04		
.....THOMAS..... 1.4	18.2					f 7.33																										
.....CHRISTOPHER..... 1.9	19.6					f 7.35																										
AU.....AUBURN.....DN 0.9	21.5	s 12.48		6.32		s 7.40		8.20	s 8.40	s 8.52										f 11.38	s 1.00	f 4.23		s 4.51	s 5.10	s 5.17	s 7.45			9.14		
GR..EAST AUBURN..DN 0.9	22.4	A 12.52AM			L 7.10AM		L 7.58AM		A 8.55AM																A 5.15PM		A s 7.50PM			L 8.13PM		
AU.....AUBURN.....DN 4.9	21.5			6.32	s 7.15	s 7.40	s 8.01	8.20	s 8.40											f 11.38	s 1.00	f 4.23		s 4.51		s 5.17			s 8.18	9.14		
.....DIERINGER..... 2.6	26.4			6.40	s 7.23	7.48	8.09	8.27	f 8.50											f 11.48	1.11	4.32		5.00		f 5.27			8.26	9.25		
SN.....SUMNER.....D 1.6	29.0			6.44	s 7.28	s 7.53	8.15	8.31	s 8.55											f 11.54	s 1.18	f 4.36		f 5.05		s 5.31			s 8.31	9.30		
.....MEEKER.....P 1.3	30.6			6.46	7.33	7.58	8.19	8.33	8.58											L 11.02AM	11.57AM	1.21	4.39		5.08		5.34		L 6.40PM	8.35	9.34	
PY.....PUYALLUP.....DN 6.8	31.9			6.48	s 7.38	s 8.10	8.23	s 8.37	s 9.05											f 12.02PM	s 1.30	f 4.43		s 5.15		s 5.40		s 6.50	s 8.40	9.38		
RN...TIDEWATER...DN 0.3	38.7		L 12.33AM	7.00	7.50	8.23	8.35	8.50	9.18			L 10.38AM	11.20	L 11.50AM	12.15	1.45	4.53									5.28		5.52		7.00	8.53	9.50
....RIYER STREET...P 1.1	39.0																															
Q.....TACOMA.....DN 2.3	40.1		s 12.40 s 12.45		Via Drawbridge Line		A 8.30AM		s 8.55 9.00			10.45 s 10.50	Via Drawbridge Line	11.55AM s 12.00N		s 1.50 2.00	Via Drawbridge Line								s 5.35 5.45		Via Drawbridge Line			Via Drawbridge Line	Via Drawbridge Line	Via Drawbridge Line
NX....STADIUM.....DN 0.3	42.4		12.54		Via Drawbridge Line				9.06			10.59	Via Drawbridge Line			2.08	Via Drawbridge Line							5.51								
WU.....RYAN.....DN	42.7		A 12.55AM					A 9.07AM				A 11.00AM		A 12.10PM		A 2.07PM				A 5.52PM												
RN...TIDEWATER...DN 0.1	38.7			7.00	7.50		8.35		9.18					12.15		4.53										5.52		7.00	8.53	9.50		
O.-W. R. & N. Co. Crossing 1.6	38.8																															
Q.....TACOMA.....DN 4.6	40.4			A 7.05AM	A 8.00AM		Via Head of Bay	A 8.45AM		s 9.25 9.35		Via Head of Bay	A 11.25AM		Via Head of Bay	s 12.20 12.30		Via Head of Bay		s 5.00 5.05						Via Head of Bay		s 6.00 6.10		A 7.05PM	A 9.00PM	A 10.00PM
SU...SO. TACOMA...DN	45.0								A s 9.50AM							A 12.44PM 40s				A 5.19PM						A 6.25PM						
Time Over Subdivision				Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	
Average Speed per Hour				.42	.17	1.05	.50	1.30	.47	1.17	1.40	.35	.17	.23	.15	1.34	1.37	1.29	.20	1.27	.40	1.35	.40	.25	.47	1.25						
				32.0	14.1	37.2	23.8	26.6	25.2	31.2	26.9	38.4	14.1	25.8	16.0	28.5	26.4	30.0	30.3	29.4	33.6	28.8	33.6	23.5	25.2	28.8						

## EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

- REGISTERING STATIONS.**—King Street Station, Seattle Yard, Auburn, East Auburn, Auburn Transfer, Puyallup, Union Station Tacoma, Stadium, South Tacoma and for freight trains at River Street, Tacoma.  
At Auburn, East Auburn, Puyallup, Stadium and South Tacoma all trains register by ticket. Clearance will not be issued at East Auburn to westward trains, at Stadium and South Tacoma to eastward trains unless stop or caution signal is displayed. At Tacoma Yard Office and Tacoma Union Station no clearance required.
- BULLETIN STATIONS.**—Seattle (King Street Station and Yard Office), Auburn (Auburn Transfer), Tacoma (River Street Yard and Union Station).
- STANDARD CLOCKS.**—King Street Station, Auburn Transfer and Tacoma Union Station.
- YARD LIMITS.**—Indicated by signs at proper locations.
- SPEED RESTRICTIONS.**  
15 miles per hour through crossovers and entering sidings.  
15 miles per hour over C. M. & St. P. crossing at Black River.  
10 miles per hour within the corporate limits of Puyallup, Sumner, Auburn and Kent.  
Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
- On Colorado Street at Seattle, Trains or Engines holding Cards "A" or "B" via this line will move under control inside Yard limit board, looking out for switch engines working on Main line.
- On double track, as indicated by division time table, Rule 86 is modified to the extent that inferior class trains and extras may run ahead of second class trains without authority of train order.
- Through trains, or trains other than such that enter double track, originate or take siding at Puyallup or Auburn need not obtain clearance at these points unless stop or caution signal is displayed.
- Rule D-97 is modified to the extent that extra trains may run with the current of traffic without orders provided they secure clearance Form A upon entering double track. Operators secure authority from dispatcher before issuing clearance.
- In automatic block territory any train moving against the current of traffic must receive a proper clearance card at every open block office.
- In automatic block territory Rule 514 does not apply to trains moving against the current of traffic, and the rear of the train must be protected as prescribed in Rule 99.
- Except as modified above the transportation rules govern.
- To insure personal safety, operators having train orders or messages for passing trains should stand on the right hand side of the train and never stand between the tracks.
- Any train moving against the current of traffic on double track will be governed by the indication of the arm to the right on semaphore of train order signal as seen by an approaching train, same as if moving with the current of traffic.
- Trains handling logs on double track will not be permitted to meet passenger trains between stations. Conductors of such trains must secure block order at Puyallup and Auburn to the effect that passenger trains will be held at next station until they have arrived. Conductors of trains coming from Buckley line must arrange with operator at Puyallup to hold opposing passenger trains.
- Position of "Wye" switches at Auburn will be ascertained before using. Normal position of switch at head of the wye at Auburn will be for Seattle leg of the wye. Switch target and switch lamp will show clear indication for Seattle leg.

## WESTWARD

## FIRST SUB-DIVISION.

Station Numbers		Time Table 41D February 3, 1915 Succeeding No. 41C		STATIONS		Telegraph Offices and Calls		Distance from Seattle		FIRST CLASS						SECOND CLASS						THIRD CLASS									
										401		681		679		675		677		691		943		935		997		963		971	
										Passenger	Freight	Freight	Freight	Freight	Freight	Way Freight	Way Freight	Way Freight	Way Freight	Way Freight											
Daily		Ex. Sun.		Daily		Daily		Ex. Sun.		Daily		Daily		Ex. Sun.		Daily		Ex. Sun.		Daily		Ex. Sun.		Ex. Sun.							
Seattle Portland Express		MDSE. Nor. Pac.		Nor. Pac. Portland		Sumas Freight		No. 602's Conn.		O-W R & N Portland Freight		Gt. Nor. Tacoma		Belt Line Freight		Gt. Nor. Portland		Nor. Pac Centralia		From Tacoma Division											
T W	Y	UD..KING ST. STA..DN	0.8	0.0	L 11.59PM												L 2.00AM														
C W	CF	...SEATTLE YD.....P	2.4	0.8		L 4.00PM	L 6.45PM	L 7.40PM	L 8.35PM									L 8.15AM													
O T	CF	...ARGO.....P	2.4	3.2	12.09AM	4.12	6.56	7.55	8.48								2.20	8.30													
		O.W.R.&N.and C.&P.S.R.R. Crossings	6.8																												
		C.M. & St.P.R.R. Crossing	0.1	10.0																											
W	CF	BI..BLACK RIVER..DN	2.1	10.1	12.20	4.25	7.10	A 8.10PM	9.05								2.45	A 8.45AM													
0.1 M	CF	.....ORILLIA.....	2.0	12.2																											
Y	CF	.....O'BRIEN'S.....	2.1	14.2																											
	CF	KN.....KENT.....D	1.9	16.3	12.30	4.35	7.22		9.20								S 3.10														
	CF	.....THOMAS.....	1.4	18.2																											
	CF	.....CHRISTOPHER.....	1.9	19.6																											
Y	CF	AU.....AUBURN.....DN	0.9	21.5	12.40	A 4.45PM	7.35		A 9.35PM								S 3.45														
A 22	CF	GR..EAST AUBURN..DN	0.9	22.4																											
Y	CF	AU.....AUBURN.....DN	4.9	21.5	12.40		7.35										S 3.45														
	CF	.....DIERINGER.....	2.6	26.4	12.50		7.47										4.00														
	CF	SN.....SUMNER.....D	1.6	29.0	12.55		7.55										S 4.05														
Y W	1966	.....MEEKER.....P	1.3	30.6	1.00		7.58										4.15					L 12.40PM									
	1967	PY.....PUYALLUP.....DN	6.8	31.9	S 1.05		8.03										S 4.30					1.32 4.65									
	1972	RN.....TIDEWATER.....DN	0.3	38.7	1.20		8.20			L 9.25PM							A 4.50AM					1.55									
		.... RIVER STREET...P	1.1	39.0																	A 2.00PM										
W	1976	Q.....TACOMA.....DN	2.3	40.0	S 1.30 1.40		8.30 9.16			9.30																					
	CS	NX.....STADIUM.....DN	0.3	42.4	1.49		9.30			9.45																					
	CS	WU.....RYAN.....DN	2 1/4	42.7	A 1.50AM		A 9.31PM			A 9.46PM																					
	1972	RN...TIDEWATER...DN	0.1	38.7																											
		O-W.R.&N.Co. Crossing	1.6	38.8																											
W	1976	Q.....TACOMA.....DN	4.6	40.4	Via Head of Bay					Via Head of Bay																					
Y S	1981	SU.....SO. TACOMA.....DN		45.0																											
Time Over Subdivision					Daily	Ex. Sun.	Daily	Daily	Ex. Sun.	Daily							Daily	Ex. Sun.	Daily	Ex. Sun.	Ex. Sun.										
Average Speed per Hour					25.2	27.6	21.4	21.4	21.5	11.4							13.8	20.0	12.6	6.1	6.3										

## EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

- It is possible for light engines and trains using crossover in automatic signal territory to stand between the switches in such a manner as to release the signals when switches are closed. Light engines and trains using crossovers in automatic signal territory must have at least one switch open while engine or train is on any part of the crossover.
- No. 401 stop on signal at Auburn for paying passengers only.
- No. 421 stop on signal at Sumner for passengers on days that Train No. 415 is behind No. 421 and on flag at Kent, Sumner and Auburn for Grays Harbor business west of Lakeview.
- No. 598 connect with 413 at Puyallup.
- No. 450 connect with No. 597 at Puyallup and with No. 2 at East Auburn.
- No. 405 stop on signal at Kent for passengers holding tickets for St. Paul and East thereof.
- No. 410 connect with No. 595 at Puyallup.
- No. 434 stop at Puyallup, Sumner, Auburn and Kent to let off passengers from points south of Tacoma.
- No. 435 stop at Sumner and Puyallup and Nos. 406, 416, 436 and 440 stop at Kent to let off passengers from points east of Auburn.
- Nos. 417 and 437 stop on signal at Kent to pick up passengers for points east of Auburn.
- No. 596 wait at Puyallup for Seattle-Buckley Line business from No. 403.

- No. 424 stop on flag at Christopher, O'Brien, Orillia and Thomas for parcel post mail and passengers.
- No. 438 stop on flag opposite freight transfer shed, Auburn Yard, for Way Bills.
- No. 436 stop on flag at Thomas and Kent for express shipments.
- All westward N. P. trains come to full stop at O-W. R. & N. connection located 1/4 mile east of Tidewater and will not proceed unless track is clear and switches in proper position.
- O-W. R. & N. westward trains arriving at connection with N. P. located 1/4 mile east of Tidewater and eastward O-W. R. & N. trains before crossing over to enter their line at this point will comply with N. P. Transportation Rule 508. Normal position of switches used in above movements to be set and locked for N. P. tracks.
- RULES GOVERNING SINGLE TRACK BETWEEN STADIUM AND RYAN OPERATED BY AUTOMATIC STAFF SYSTEM**—No train, engine or propelled cars will be run in either direction, until engineman receives from operators and has in his possession the staff which must be retained and delivered to operator at opposite end of block. Signals interlocked with staff machine located at ends of double track at Ryan and Stadium are set normally at stop and can not be cleared until operator at opposite end of block returns staff to machine, which must not be done until train passes 300 feet beyond the home signal.
- Head and tail lights will be used by all trains while passing through tin tunnel between Stadium and Ryan.
- WHEN MAKING BACK-UP MOVEMENT, RUNNING TEST OF AIR BRAKES MUST BE MADE FROM REAR OF TRAIN.**



## FIRST SUB-DIVISION

EASTWARD.

Distance from Ryan.	Time Table 41D February 3, 1915 Succeeding No. 41C		Car Capacity of Singles	FIRST CLASS																							
	STATIONS			438	564	402	416	436	596	446	406	410	466	408	562	458	418	424	598	430	512	450	456	440	422	434	
	Telegraph Offices and Calls			Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily
				318's Connection Spokane Limited	O-W R & N Seattle Express	Portland Seattle Express	No. 41 Puget Sound Limited	No. 317 Spokane Limited	No. 4's con- nection via Buckley Line to Kanasat	North Bend accommo- dation	No. 3 Northern Pacific Express	Buckley Line connection	Puget Sound Express	Portland Seattle Express	O-W R & N Seattle Passenger	Gt. Nor. Portland	No. 42's connection Mississippi Valley Limited	Grays Harbor Express	Kanaskat accommo- dation	Gt. Nor. No. 2 Tacoma	O-W R & N Shasta Limited	No. 2's and Buckley Line connection	Gt. Nor. Portland	No. 1 North Coast Limited	Grays Harbor Limited	Evergreen State Limited	
42.7	UD..KING ST. STA..DN 0.8				A 6.50AM	A 8.00AM	A 8.45AM		A 10.30AM	A 11.00AM	A 12.15PM	A 1.55PM	A 2.10PM		A 4.15PM		A 6.10PM		A 7.10PM		A 8.50PM	A 8.45PM	A 9.00PM	A 10.10PM	A 10.45PM		
41.9	.....SEATTLE YD....P 2.4																										
39.5	.....ARGO.....P O-W R & N C&P SRR cros. 6.8				6.35	7.48	8.33		10.17	10.47	12.03PM	1.42	1.58		4.03		5.55		6.56		8.37	8.34	8.47	9.58	10.32		
32.7	C. M. & St. P. R. R. Cros. 0.1																										
32.6	BI...BLACK RIVER...DN 2.1	20			6.20	7.35	8.20		L 10.05AM	10.32	11.52AM	1.30	1.46		3.51		5.42		6.45		8.26	8.22	8.35	9.47	10.18		
30.5	.....ORILLIA..... 2.0	5 Spur															f										
28.5	.....O'BRIEN'S..... 2.1	3 Spur									f 11.46						f										
26.4	KN.....KENT.....D 1.9	90			f 6.07	7.23	8.08			10.18	s 11.43	s 1.20	f 1.36		f 3.40		s 5.32		6.34		s 8.16	s 8.13	8.25	f 9.38	10.10		
24.5	.....THOMAS..... 1.4	8 Spur									f 11.38						f										
23.1	.....CHRISTOPHER..... 1.9	4 Spur															f										
21.2	AU.....AUBURN.....DN 0.9	70			f 5.53	s 7.10	s 7.58			s 10.08	s 11.32	s 1.10	s 1.25		f 3.30		s 5.22		6.24		s 8.05	s 8.04	8.13	s 9.29	10.02		
22.1	GR...EAST AUBURN...DN 0.9	35	A 12.48AM			L 7.07AM	L 7.55AM			L 10.05AM						A 5.20PM					s 8.00 7.45		L 8.10PM				
21.2	AU.....AUBURN.....DN 4.9	70	s 12.45		f 5.53						s 11.32	s 1.10	s 1.25		f 3.30	s 5.15	s 5.22		6.24		s 7.40	s 8.04		s 9.29	10.02		
16.3	.....DIERINGER..... 2.6	No Sdg.	f 12.38		5.42						s 11.22	1.00	1.16		3.23	5.03	s 5.12		6.12		7.29	7.58		9.17	9.54		
13.7	SN.....SUMNER.....D 1.6	No Sdg.	s 12.33		s 5.37						s 11.18	s 12.55	s 1.11		f 3.19	s 5.00	s 5.08		6.08		f 7.24	s 7.54		s 9.13	9.50		
12.1	.....MEEKER.....P 1.3	70	12.28		5.30			A 8.19AM			11.13	12.50	1.06		3.16	4.55	5.03	A 5.25PM	6.05		7.19	7.51		9.08	9.46		
10.8	PY...PUYALLUP...DN 0.8	70	s 12.25		s 5.27			s 8.15			s 11.10 11.00	s 12.47	s 1.03		f 3.14	s 4.52	s 5.00	s 5.20	6.03		s 7.16	s 7.49		s 9.05	9.44		
4.0	RN...TIDEWATER...DN 0.3	No Sdg.	12.14	A 4.52AM	5.15			8.04			10.50	12.34	12.49	A 1.45PM	3.04	4.39	4.45	5.05	5.50	A 6.50PM	7.05	7.39		8.54	9.34		
3.7	.....RIVER STREET...P 1.1	500																									
2.6	Q.....TACOMA.....DN 2.3		L 12.10AM	s 4.45 4.40	s 5.10 5.00			L 8.00AM			L 10.45AM	Via Drawbridge Line	Via Drawbridge Line	s 1.40 1.35	Via Drawbridge Line	L 4.35PM	4.40 4.30	L 5.00PM	L 5.45PM	s 6.45 6.40	L 7.00PM	Via Drawbridge Line			s 8.50 8.40	s 9.30 9.20	
0.3	NX...STADIUM...DN 0.3	No Sdg.		4.29	4.51							1.26		L 1.25PM			4.21			6.31				8.33	9.13		
0.0	WU.....RYAN.....DN	No Sdg.	L 4.28AM	L 4.50AM													L 4.20PM			L 6.30PM				L 8.32PM	L 9.12PM		
6.3	RN...TIDEWATER...DN 0.1	No Sdg.										12.34	12.49	Via Head of Bay	3.04	Via Head of Bay	Via Head of Bay	Via Head of Bay	Via Head of Bay	Via Head of Bay	Via Head of Bay	7.39			Via Head of Bay	Via Head of Bay	
6.2	O.-W. R. & N. Co. Cross. 1.6																										
4.6	Q.....TACOMA.....DN 4.6										s 12.30 12.20	s 12.45 12.35	Via Head of Bay	s 3.00 2.55	Via Head of Bay	Via Head of Bay	Via Head of Bay	Via Head of Bay	Via Head of Bay	Via Head of Bay	s 7.35 7.30				Via Head of Bay	Via Head of Bay	
0.0	SU...SO. TACOMA...DN	70									L 12.04PM	L 12.20PM	L 12.45PM	L 2.40PM							L 7.15PM						
Time Over Subdivision			.38	.19	1.50	.53	.50	.19	.25	.55	1.30	1.41	1.40	.15	1.30	.45	1.40	.25	1.25	.15	1.35	1.25	.50	1.28	1.23		
Average Speed Per Hour			30.6	12.6	23.4	25.2	25.5	30.0	24.2	24.5	26.6	26.7	26.9	16.0	29.8	26.0	25.6	22.8	27.6	16.0	26.4	31.2	25.5	28.5	30.6		

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

## RULES GOVERNING INTERLOCKING PLANT C. M. &amp; St. P. CROSSING (Black River).

- All movements and the direction of traffic are governed by "Home Signal" No. 40 eastward track, and "Home Signal" No. 37 on westward track, which are located 500 feet from crossing.
- "Home Signals." Both upper and lower arm horizontal—Stop. Upper arm inclined upward 90 degrees to vertical position; lower arm horizontal—Proceed. Upper arm at 45 degrees, upward position—Stop.
- All movements against regular movements of traffic are governed by back-up or dwarf signals. These signals are located 390 feet from crossing and on opposite side of track from "Home Signals" Nos. 37 and 40. Signals Nos. 37 and 40 are equipped with two blades and two lights. Dwarf signals are equipped with one blade and one light.
- "Home Signals." Both upper and lower lights red—Stop. Upper light green; lower light red—Proceed. Upper light yellow; lower light red—Stop.

## "DAY INDICATIONS."

## "NIGHT INDICATIONS."

## TACOMA TERMINAL

- All movements are governed by DISTANT and HOME SIGNALS, located as follows:  
"Distant Signals," 1300 feet WEST of Crossing, and 2000 feet EAST of Telegraph Office at Tidewater.  
"Home Signals," 500 feet from Crossing.  
"Dwarf Signals" govern movement on track known as "St. Paul & Tacoma Lumber Co.'s lead," are located 500 feet from Crossing.  
Derailing switches, located 55 feet beyond Home and Dwarf Signals, and will be in derail position when signals are at "Stop" position.
- 90 degrees upward, Green Light, "Proceed."  
45 degrees upward, Yellow Light, "Proceed under Control."  
Horizontal, Red Light, "Stop."  
No towermen are used to manipulate this plant and when O.-W. R. & N. trains or yard cuts have occasion to use crossing the conductor or foreman will operate the levers, bearing in mind that after used signals and derails must be set clear for Northern Pacific route. When signals are against Northern Pacific route, conductor investigate cause and if necessary flag through interlocking district.
- MOUNTAIN GRADE.—Fifteenth Street, Tacoma, to 2½ miles west.
- Speed of passenger trains must not exceed 30 miles per hour and speed of freight trains must not exceed 20 miles per hour on descending grade between Bailey Street and Pacific Avenue, Tacoma. Rule No. 93 must also be strictly observed.
- The normal position of double track switch at South Tacoma is for eastward trains.
- All eastward trains or engines moving via Draw Bridge Line come to full stop at stop-board located 200 feet from Junction with Head-of-Bay main tracks at Tidewater and will not proceed until signal is received and tracks known to be clear. All other trains will approach Tidewater under full control, and will not proceed until tracks are known to be clear and signal is received from switch tender.
- Trains will approach crossover switches on double track between Tidewater and Union Station, Tacoma, located at East "L" Street (near River Street Yard Office), East "D" Street (near roundhouse), and South Twenty-first Street (entering passenger station), under full control and will not proceed until tracks are known to be clear and signal is received from switch tender.
- All first class trains will approach main line switches, located near Cold Storage plant, opposite Tacoma wharf, about one-half mile east of Stadium, under control, and enginemen must know track is clear and switches properly lined up.

## FIRST SUB-DIVISION

## EASTWARD

Time Table 41D February 3, 1915 Succeeding No. 41C		FIRST CLASS		SECOND CLASS.				THIRD CLASS.														
		426		680	692	682				972	964	998	936	944								
		Passenger		Freight	Freight	Freight.				Way Freight	Way Freight	Way Freight	Way Freight	Way Freight								
		Daily		Daily	Daily	Ex. Sun.				Ex. Sun.	Ex. Mon.	Daily	Ex. Sun.	Daily								
STATIONS		Gt. Nor. No. 28 Tacoma		Nor. Pac. Portland	O-W R & N Freight	Nor. Pac. MDSE.				Nor. Pac.	Nor. Pac.	Gt. Nor.	Belt Line Local	Tacoma Gt. Nor.								
42.7	UD...KING ST. STA...DN	0.8	A 11.10 PM											A 8.00 PM								
41.9	.....SEATTLE YD.....P	2.4		A 6.45 AM									A 5.15 PM									
39.5	.....ARGO.....P	2.4	10.58	6.30									5.00	7.45								
32.7	O-W R & N and C & PSRR cros.	6.8																				
32.6	C. M. & St. P. R. R. Cros.	0.1																				
30.5	BI...BLACK RIVER...DN	2.1	10.48	6.15									L 4.45 PM	7.25								
28.5	.....ORILLIA.....	2.0																				
26.4	.....O'BRIEN'S.....	2.1																				
24.5	KN.....KENT.....D	1.9	10.37	6.00										s 7.00								
23.1	.....THOMAS.....	1.4																				
21.2	.....CHRISTOPHER.....	1.9																				
22.1	AU.....AUBURN.....DN	0.9	10.29	5.45										s 6.40								
21.2	GR...EAST AUBURN...DN	0.9																				
16.3	AU.....AUBURN.....DN	4.9	10.29	5.45		A 7.05 PM								s 6.40								
13.7	.....DIERINGER.....	2.6	10.23	5.35		6.50								6.20								
12.1	SN....SUMNER.....D	1.6	10.19	5.30		6.45								s 6.15								
10.8	.....MEEKER.....P	1.3	10.16	5.25		6.40				A 4.00 AM				6.10								
4.0	PY...PUYALLUP...DN	6.8	10.14	5.20		6.35				3.45				s 6.05								
3.7	RN...TIDEWATER...DN	0.3	10.04	4.55	A 4.05 AM	6.20				3.10				L 5.35 PM								
2.6	.....RIVER STREET...P	1.1				L 6.15 PM				L 3.00 AM	A 3.45 PM											
0.3	Q.....TACOMA.....DN	2.3	L 10.00 PM	s 4.45	4.00						3.40											
0.0	NX....STADIUM...DN	0.3		3.10	3.40																	
6.3	WU.....RYAN.....DN			L 3.09 AM	L 3.39 AM						L 3.30 PM											
6.2	RN...TIDEWATER...DN	0.1										A 2.10 PM										
4.6	O-W R. & N. Co. Crossing	1.6																				
0.0	Q.....TACOMA.....DN	4.6										2.00										
	SU...SO. TACOMA...DN											L 1.35 PM										
Time Over Subdivision			Daily	Daily	Daily	Ex. Sun.				Ex. Sun.	Ex. Mon.	Daily	Ex. Sun.	Daily								
Average Speed Per Hour			1.10	3.21	.26	.50				1.00	.15	.35	.30	2.25								
			34.2	12.8	9.0	21.0				8.4	14.8	10.8	20.0	17.2								

## EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

- Trains entering passenger station via Head of the Bay will use extreme care and not exceed eight (8) miles per hour around curve at south end of passenger station yard, and will use extra precaution during foggy weather while running over single track leads at that point. As there are no switch tenders at switches at the north end of passenger yard, trains coming into the yard at that point must positively know that switches are lined up for clear track before passing them.
- Speed of trains over crossover switches at Tidewater and over Fifteenth Street bridge entering passenger yard, must not exceed ten (10) miles per hour and five (5) miles per hour over switches at north end of passenger yard.

## RULES GOVERNING OPERATION BETWEEN FIFTEENTH STREET TOWER AND PASSENGER STATION, TACOMA

- At Tacoma a signal of the single arm semaphore pattern located near junction of line leading to passenger station and the draw bridge line at Fifteenth Street; another signal of the same pattern located at the north end of passenger yard. The two signals are controlled by operator at Fifteenth Street and will govern single track passenger line between Fifteenth Street and Tacoma passenger station. No train from the drawbridge line or eastward main line will enter passenger station when signal at Fifteenth Street is at "Stop," and no train will proceed from passenger station to drawbridge line or westward main line when signal at the north end of yard is at "Stop." Push button operating signal to towerman is located on post under concourse. Switch crew will operate for Portland bound trains and conductors attend to it for Seattle bound trains.

## RULES GOVERNING OPERATION OF DRAWBRIDGE LINE

- Between Tidewater and Fifteenth Street Tower at Tacoma, enginemen and conductors will obtain card order at Fifteenth Street Tower or Tidewater as authority to use Drawbridge line. Drawbridge Card Form "A" will govern movement from Tidewater to Fifteenth Street. Drawbridge Card Form "B" will govern movement from Fifteenth Street to Tidewater. This bridge card to be delivered to operator at Tidewater or Fifteenth Street.
- Trains receiving drawbridge card on which exceptions are noted of trains running ahead, will proceed under full control. This bridge card does not relieve trains from protecting rear end as per Rule 99, Book of Transportation Rules.
- Interlocking signals at east and west approach to Drawbridge control use of bridge and trains will not proceed unless home signal shows clear indication. Distant signal located at Drawbridge line 1500 feet east of home signal just east of Tacoma draw span is semi-automatic. When home signal is clear, distant signal will be clear; when home signal shows stop position, distant signal will show stop position. Trains will observe automatic block rules.
- Enginemen will not use sand over derail switches and rail locks at east and west end of Tacoma draw span.

- No engine heavier than N. P. class W loaded weight of which is as follows: Weight on drivers 207,000 lbs.; weight of engine and tender 458,000 lbs., will be run over Bridge No. 254, Tacoma Draw Span. No two engines of any class will double head over this bridge where the combined weight is greater than N. P. class W.
- Enginemen will reduce exhaust on engine to the lowest possible point while passing under concourse, Tacoma Union Station. Tell Tales have been placed on train sheds at north and south end of concourse, Tacoma Union Station.
- Test inspection and understanding, as required by Rule 703, Book of Transportation Rules, will be had at South Tacoma eastward on all freight trains. Conductors will fill out card, Form 3632, and deliver same to the operator at South Tacoma, who will complete and mail to Trainmaster, Tacoma, each day. Retainers will be turned up on all cars before descending Tacoma Hill.
- Enginemen on road engines of eastward trains, before backing into the passenger station after stop has been made, will cut out air brake valve, and leave air applied, to be released by switch engine. Switch engine will control the air until stop is made at the passenger station, leaving brakes applied after making the stop.
- Enginemen on road engines of westward trains, will, after terminal air test is made, apply air to the train and cut out air brake valve, leaving the air applied to be released by switch engine when ready to depart. Switch engine will control the air while backing out of the station and make the stop before starting up the hill, leaving the air applied to be released by the road engine. The leading engine will control the air under all conditions.
- Pusher engines will come to full stop at once after parting from rear end of train.
- Freight trains leaving Tacoma yard or switch engine taking transfer to South Tacoma, will not pass crossover track above Fifteenth Street leading from passenger yard to outgoing track without signal from switch tender, who will not allow trains or transfers to pass this crossover when any passenger train is backing out of or waiting in the passenger station.
- Eastward trains will be under absolute control approaching Pacific Avenue at Tacoma and will not pass Pacific Avenue crossing without signal from switch tender indicating that crossovers at Pacific Avenue are clear, and no train or engine moving east will exceed speed of six miles per hour with any part of train while passing over crossing. At night switch tender will give signal with a "White" light.
- All trains using the Drawbridge line that do not enter passenger station, will stop above Pacific Avenue and not proceed until engineman is furnished with a bridge card and an understanding established with switch tender covering movement of train over Drawbridge line. If it is found that freight train cannot use Drawbridge line and following passenger train will be delayed on this account, conductor will arrange to enter Half Moon yard and be handled via freight tracks to Tidewater.



**EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.**

- ## COMMERCIAL SPURS

## SPECIAL RULES.

18. Overhead bridge at Thirteenth Avenue West, located 1/4 mile west of Interbay station does not clear man on top of high cars.
19. The operation of Bascule Drawbridge, West Seattle Line. It will be necessary for trains to get signal from Bridge Tender, green flag by day and green lantern by night, before entering on this draw.
20. Track on West Seattle Line between O-W. R. & N. connection and switch leading to the Fisher Flour Mill is joint with the O-W. R. & N. and will be operated by both companies. O-W. R. & N. has rights to this track between 12:00 Midnight and 12:00 Noon, and the N. P. between 12:00 Noon and 12:00 Midnight; either company has the right to switch on the hours assigned to the other but must move through the joint territory under full protection.
21. Track known as the "Fisher Mill Spur" is joint with O-W. R. & N., C. M. & St. P. and N. P., and operated the same as above on the following hours: O-W. R. & N., 4:00 A. M. to 12:00 Noon; N. P. Ry., 12:00 Noon to 8:00 P. M.; C. M. & St. P., 8:00 P. M. to 4:00 A. M.

All westward trains from Tenth Subdivision, Tacoma Division, use Line A from points 1 to 5 (Meeker to Meridian Street) thence to Line C.  
All eastward Tenth Subdivision trains use Line B from points 6 to 2 (Puyallup to Meeker), thence to Line A.  
Line A between points 1 and 5 (Meeker and Meridian Street), may be used as siding, protecting as per Transportation Rule 93.  
Normal position of switches: At points 4 and 5 will be for Line A; at points 2 and 3, and 6 and 7 for Line B; at point 8 for Line C.

### SPECIAL RULES GOVERNING OPERATION OF TRAINS AND YARD ENGINES BETWEEN EAST AUBURN AND AUBURN AND BETWEEN EAST AUBURN AND AUBURN TRANSFER.

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K", "L", "M" or "N" from operator at Auburn, East Auburn or Auburn Transfer properly filled out. Automatic Block rules must also be observed.

Card must be surrendered to operator at end of block immediately upon arrival.

### RAILROAD CROSSINGS AT GRADE.

O.-W. R. & N. and C. & P. S. crossings at Argo, interlocked. C. M. & St. P. crossing just east of overhead bridge on Colorado Street Line, Seattle. C. & P. S. and O.-W. R. & N. crossings at Atlantic Street, Seattle. G. N. crossing at Washington Street, Seattle. G. N. crossing at Bell Street, Seattle. G. N. crossing at Seattle Lumber Company, Seattle. G. N. crossing at Field tracks, just east of Interbay. C. M. & St. P. and O.-W. R. & N. crossing at Black River, interlocked. O.-W. R. & N. crossing 0.1 mile west of Tide-water on drawbridge line, interlocked. C. & P. S. and C. M. & St. P. crossing at Spokane Avenue and Colorado Street, Seattle, interlocked.

**Crossing Gate at Van Asselts where N. P. Spur Crosses P. S. E. track.** Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block P. S. E. tracks and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

### RULES GOVERNING USE OF INTERLOCKING PLANT AT SOUTH PORTAL OF TUNNEL AT SEATTLE.

Signals are of the dwarf type (low semaphores) and are located to right of track governed; where two arms are on one post, higher arm governs trains along main tracks and lower arm trains diverging from main track.

Signal arm in horizontal position indicates "Stop."

Signal arm in diagonal position 60° below horizontal indicates "Proceed."

By night, signal indications will be given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

### RULES GOVERNING INTERLOCKING PLANT

#### SALMON BAY BASCULE DRAWBRIDGE, BETWEEN INTERBAY AND FREMONT.

Distant signal located near electric line crossing east of Drawbridge, in horizontal position indicates home signal in stop position. Distant signal 45 degrees upward indicates route is clear for Ballard. Distant signal 90 degrees upward indicates route clear for Fremont. Home signal located east of Drawbridge is equipped with two arms; upper arm controls movement to Fremont, lower arm, movements to Ballard.

Approaches to Drawbridge from west and from Ballard line are controlled by home signals only.

## AUTHORIZED SURGEONS, PUGET SOUND DIVISION.

#### Location of Stretchers (S).

CLINTON T. COOKE, Oculist, Seattle	S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.	P. B. WING, Oculist, Tacoma.	Head-of-Bay Yard Office, Tacoma (S)
P. W. WILLIS, Seattle	B. E. HOYE, Auburn	W. G. CAMERON, Specialist, Tacoma	Half Moon Yard Office, Tacoma (S)
F. S. BOURNS, Seattle	WM. H. BRANDT, Auburn	N. P. B. A. Hospital, Tacoma (S)	Tool Car, Tacoma (S)
Seattle Tool Car (S)	Auburn Yard Office (S)	Baggage Room, Tacoma (S)	Wharf, Tacoma (S)
Seattle Yard Office (S)	Auburn Station (S)	Round House, Tacoma (S)	
King St. Station, Seattle (S)	M. W. KARSHNER, Puyallup (S)		

### Note.

**Surgeons** will attend, when called upon officially, to all cases of ACCIDENT occurring to employees or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists for which distinct official authority must be had in accordance with established regulations.

**Railway Officials** are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival

of a regularly appointed surgeon, when the case should be placed in his charge and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

**Boarding and Nursing** are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

## AUTHORIZED SURGEONS, G. N. RY.

DR. H. M. READ, Seattle.

DR. J. A. LA GASA, Tacoma.

J. F. ALSIP,  
Trainmaster, Tacoma.

O. F. OHLSON,  
Trainmaster, Seattle.

P. R. LEO,  
Chief Dispatcher, Seattle.

J. F. COLEMAN,  
Chief Dispatcher, Tacoma

## RULES GOVERNING INTERLOCKING PLANT AT NORTH PORTAL OF TUNNEL AT SEATTLE.

All signals located at right hand side of tracks they govern.

Train movements to Main Line controlled by Semaphore signals, about 25 feet in height.

Train movements to sidings or to main tracks against current of traffic controlled by dwarf semaphores, about two feet in height.

The home signal is the semaphore arm with a square end, which in a horizontal position indicates "Stop" and 60° below horizontal indicates "Proceed."

The distant signal is the semaphore arm with a forked end, which in a horizontal position indicates "Caution, proceed with Caution", and 60° below horizontal indicates "Proceed."

By night signal indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

Westward N. P. trains from tunnel are governed by lower arm of semaphore, located about 150 feet east of tower building.

Eastward N. P. trains to the tunnel and to the water front are governed by semaphore signal, located about 350 feet west of the tower. Upper arm governs to tunnel, lower arm to water front.

Westward N. P. trains from the water front are governed by semaphore, located about 300 feet east of the tower. Upper arm governs movement, lower arm stationary in stop position. The dwarf signal, at the base of this semaphore, governs G. N. trains.

Trains will not exceed 10 miles per hour between Battery St., 400 feet east of tower and King Street Station.

At night and during foggy weather, eastward trains will give one long blast of whistle for tunnel and three shorter blasts for water front.

Westward trains from water front will give three blasts of whistle for N. P. Main Line.

Hand signals must not be taken against interlocking signals, except when given by the towerman from the center of the track, with a yellow flag by day and a yellow light by night.

## RULES GOVERNING TUNNEL BLOCK SEMAPHORES AND MOVEMENTS OF TRAINS THROUGH TUNNEL AT SEATTLE.

Westward trains are governed by the semaphore block signal located about 50 feet south of the south portal of the tunnel.

Eastward trains are governed by the semaphore block signal located 250 feet north of the north portal of the tunnel.

A semaphore arm in the horizontal position indicates "Stop."

A semaphore arm 60° below horizontal indicates "Proceed."

By night indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Block signal rules do not modify train rules nor relieve trainmen from protecting as per Rule 99.



