

NORTHERN PACIFIC RAILWAY COMPANY.

PUGET SOUND DIVISION.

TIME 41H TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time

SUNDAY, JUNE 6, 1915

For the Government of Employees only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

E. C. BLANCHARD,
General Manager.

I. B. RICHARDS,
General Superintendent.

P. H. McCAULEY,
Superintendent of Transportation.

J. J. McCULLOUGH,
Superintendent.

WESTWARD

FIRST-SUBDIVISION

Time Table 41H June 6, 1915 Succeeding No. 41G.			FIRST CLASS																							
STATIONS			437	563	425	415	435	403	421	407	405	511	595	569	457	465	417	459	445	413	423	449	597	439	429	
Telegraph Offices and Calls			Passenger Daily	Passenger Daily	Mail Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	
Distance from Seattle			No. 318 Spokane Limited	O-W R & N Portland Express	Gt. Nor. No. 27 Tacoma.	No. 41's Con. Puget Sound Ltd.	No. 317's Con. Spok. Limited	Buckley Line Connection	Grays Harbor Limited	Seattle Portland Express	No. 4 Atlantic Express	O-W R & N Shasta Limited	No. 3's Con. N. P. Express	O-W R & N Ore & Wash. Express	Gt. Nor. Portland	Puget Sound Express	No. 42 Miss'p. Val. Limited	Gt. Nor. Portland	North Bend Accommo- dation	Seattle Portland Special	Grays Harbor Express	No. 2 No. Coast Limited	Kanaskat Accommo- dation	No. 1 Con. No. Coast Limited	Gt. Nor. No. 1	
UD.....SEATTLE.....DN	King Street Station	0.8	12.10AM		6.00AM			7.00AM	7.45AM	8.00AM	8.20AM				11.15AM	12.20PM	3.35PM	3.45PM	4.00PM	4.15PM	4.40PM	7.10PM			8.35PM	
.....SECOND AVE. YD..P		2.4																								
.....ARGO.....P		3.2	12.19		6.09			7.09	7.54	8.09	8.28				11.24	12.29	3.44	3.54	4.09	4.24	4.49	7.18			8.44	
O.W.R.&N.andC.&P.S.R.R. Crossings		6.8																								
C.M. & St.P.R.R. Crossing		0.8																								
BI...BLACK RIVER...DN		1.4	12.30		6.18			7.20	8.04	8.19	8.38				11.34	12.40	3.54	4.04	4.20PM	4.34	4.58	7.28			8.54	
.....ORILLIA.....		2.0						7.23																		
.....O'BRIEN'S.....		2.1						7.26																		
KN.....KENT.....D		1.9	12.40		6.25			7.30	8.12	8.30	8.47				11.44	12.50	4.03	4.14		4.43	5.07	7.35			9.04	
.....THOMAS.....		1.4						7.33																		
.....CHRISTOPHER.....		1.9						7.35																		
AU.....AUBURN.....DN		0.9	12.48		6.32			7.40	8.20	8.40	8.55				11.53AM	1.00	4.10	4.23		4.51	5.17	7.45			9.14	
GR...EAST AUBURN...DN		0.9	12.52AM			7.10AM	7.33AM				9.00AM						4.15PM				7.50PM					
AU.....AUBURN.....DN		4.9			6.32	7.15	7.38	7.40	8.20	8.40					11.53AM	1.00		4.23		4.51	5.17			7.40PM	9.14	
.....DIERINGER.....		2.6			6.40	7.23	7.46	7.48	8.27	8.50					12.03PM	1.11		4.32		5.00	5.27			7.50	9.25	
SN.....SUMNER.....D		1.6			6.44	7.28	7.51	7.53	8.31	8.55					12.09	1.18		4.36		5.05	5.31			7.55	9.30	
.....MEEKER.....P		1.3			6.46	7.33	7.55	7.58	8.33	8.58			10.27AM		12.12	1.21		4.39		5.08	5.34		6.40PM	7.59	9.34	
PY.....PUYALLUP.....DN		6.8			6.48	7.38	7.58	8.10	8.37	9.05			10.32		12.17	1.30		4.43		5.15	5.40		6.50	8.04	9.38	
RN...TIDEWATER...DN		0.3		12.33AM	7.00	7.50	8.10	8.23	8.50	9.18		10.38AM	10.45	11.50AM	12.30	1.45		4.53		5.28	5.52		7.00	8.20	9.50	
.....RIYER STREET...P		1.1																								
Q.....TACOMA.....DN		2.3		12.40 12.46	Via Drawbridge Line	Via Drawbridge Line	Via Drawbridge Line	A 8.30AM	8.55 9.00	Via Drawbridge Line		10.45 10.50	Via Drawbridge Line	11.55AM 12.00N	Via Drawbridge Line	1.50 2.00		Via Drawbridge Line		5.35 5.46	Via Drawbridge Line		Via Drawbridge Line	Via Drawbridge Line	Via Drawbridge Line	
NX...STADIUM...DN		0.3		12.54					9.06			10.59		12.09PM		2.06				5.51						
WU.....RYAN.....DN				A 12.55AM				A 9.07AM			A 11.00AM		A 12.10PM		A 2.07PM				A 5.52PM							
RN...TIDEWATER...DN		0.1			7.00	7.50	8.10			9.18			10.45		12.30			4.53			5.52		7.00	8.20	9.50	
O.-W.R.&N.Co. Crossing		0.9						Via Head of Bay				Via Head of Bay		Via Head of Bay		Via Head of Bay										
O.-W.R.&N.Co. Crossing		0.7																								
Q.....TACOMA.....DN		4.6			A 7.05AM	A 8.00AM	A 8.15AM			9.25 9.35			A 10.50AM	Via Head of Bay	12.35 12.45			5.00 5.05			6.00 6.10		A 7.05PM	A 8.30PM	A 10.00PM	
SU...SO. TACOMA...DN										A 9.50AM					A 1.00PM			A 5.19PM			A 6.25PM					
Daily			Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	
Time Over Subdivision			.42	.17	1.05	.50	.42	1.30	1.17	1.40	.40	.17	.23	.15	1.35	1.37	.40	1.29	.20	1.27	1.35	.40	.25	.50	1.25	
Average Speed per Hour			32.0	14.1	37.2	23.8	27.0	26.6	31.2	26.9	33.6	14.1	25.2	16.0	28.8	26.4	33.6	30.0	30.3	29.4	28.8	33.6	23.5	22.8	28.8	

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

1. **REGISTERING STATIONS.**—King Street Station, Middle Yard, Seattle, Auburn, East Auburn, Auburn Transfer, Puyallup, Union Station Tacoma, Stadium, South Tacoma and for freight trains at River Street, Tacoma.
A. Auburn, East Auburn, Puyallup, Stadium and South Tacoma all trains register by ticket. Clearance will not be issued at East Auburn to westward trains, at Stadium and South Tacoma to eastward trains unless stop or caution signal is displayed. At Tacoma Yard Office and Tacoma Union Station no clearance required.
2. **BULLETIN STATIONS.**—Seattle (King Street Station and Yard Office), Auburn (Auburn Transfer), Tacoma (River Street Yard and Union Station).
3. **STANDARD CLOCKS.**—King Street Station, Seattle, Auburn Transfer and Union Station, Tacoma.
4. **YARD LIMITS.**—Indicated by signs at proper locations.
5. **SPEED RESTRICTIONS.**
15 miles per hour through crossovers and entering sidings.
15 miles per hour over C. M. & St. P. crossing at Black River.
10 miles per hour within the corporate limits of Puyallup, Sumner, Auburn and Kent.
8 miles per hour passing over all switches, King Street Passenger Station, Seattle.
Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
6. All trains and light engines entering King Street Passenger Station, Seattle, from the south must not pass the standpipe at south end of yard without proceed signal from the switchtender, and from the south flag by day or green light by night.
7. On Colorado Street at Seattle, Trains or Engines holding Cards "A" or "B" via this line will move under control inside Yard limit board, looking out for switch engines working on Main line.
8. On double track, as indicated by division time table, Rule 86 is modified to the extent that inferior class trains and extras may run ahead of second class trains without authority of train order.
9. Through trains, or trains other than such that enter double track, originate or take siding at Puyallup or Auburn need not obtain clearance at these points unless stop or caution signal is displayed.
10. Rule D-97 is modified to the extent that extra trains may run with the current of traffic without orders provided they secure clearance Form A upon entering double track. Operators secure authority from dispatcher before issuing clearance.
11. In automatic block territory any train moving against the current of traffic must receive a proper clearance card at every open block office.
12. In automatic block territory Rule 514 does not apply to trains moving against the current of traffic, and the rear of the train must be protected as prescribed in Rule 99.
13. Except as modified above the transportation rules govern.
14. To insure personal safety, operators having train orders or messages for passing trains should stand on the right hand side of the train and never stand between the tracks.
15. Any train moving against the current of traffic on double track will be governed by the indication of the arm to the right on semaphore of train order signal as seen by an approaching train, same as if moving with the current of traffic.
16. Trains handling logs on double track will not be permitted to meet passenger trains between stations. Conductors of such trains must secure block order at Puyallup and Auburn to the effect that passenger trains will be held at next station until they have arrived. Conductors of trains coming from Buckley line must arrange with operator at Puyallup to hold opposing trains.
17. Position of "Wye" switches at Auburn will be ascertained before using. Normal position of switch at head of the wye at Auburn will be for Seattle leg of the wye. Switch target and switch lamp will show clear indication for Seattle leg.

WESTWARD

FIRST SUB-DIVISION.

Station Numbers		Time Table 41H June 6, 1915 Succeeding No. 41G		STATIONS		Distance from Seattle		FIRST CLASS										SECOND CLASS										THIRD CLASS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								455		401		683		673		681		689		699		677		691		679		685		943		935		997		963		971																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</	

FIRST SUB-DIVISION

EASTWARD.

Distance from Ryan.	Time Table 41H June 6, 1915 Succeeding No. 41G		Car Capacity of Siding	FIRST CLASS																							
	STATIONS			438	564	402	460	416	436	596	406	446	410	466	408	562	458	418	424	598	430	512	440	450	422	434	
	Telegraph Offices and Calls			Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily	Passenger Daily
				318's Connection Spokane Limited	O-W R & N Seattle Express	Portland Seattle Express	Gt. Nor. Portland	No. 41 Puget Sound Limited	No. 317 Spokane Limited	No. 4's con- nection via Buckley Line to Kanasat	No. 3 Northern Pacific Express	North Bend accommoda- tion	Buckley Line connection	Puget Sound Express	Portland Seattle Express	O-W R & N Seattle Passenger	Gt. Nor. Portland	No. 42's connection Mississippi Valley Limited	Grays Harbor Express	Kanaskat accommoda- tion	Gt. Nor. No. 2 Tacoma	O-W R & N Shasta Limited	No. 1 North Coast Limited	No. 2's and Buckley Line connection	Grays Harbor Limited	Evergreen State Limited	
42.7	UD.....SEATTLE.....DN King Street Station 0.8					A 6.50AM	A 7.30AM	A 8.00AM	A 8.15AM		A 10.30AM	A 10.32AM	A 11.40AM	A 1.55PM	A 2.10PM		A 4.15PM		A 6.10PM		A 7.10PM		A 8.30PM	A 8.50PM	A 10.10PM	A 10.45PM	
41.9	...SECOND AVE. YD...P 2.4																										
39.5	O-W R & N and C & P S R R cross. 6.8					6.35	7.17	7.48	8.03		10.17	10.19	11.27	1.42	1.58		4.03		5.55		6.56		8.17	8.37	9.58	10.32	
32.7	C. M. & St. P. R. R. Cros. 0.8																										
31.9	BI...BLACK RIVER...DN 1.4			20		6.20	f 7.06	7.35	7.50		10.02	L 10.05AM	11.14	1.32	1.46		3.51		5.42		6.45		8.03	8.26	9.47	10.18	
30.5ORILLIA..... 2.0			5 Spur														f									
28.5O'BRIEN'S..... 2.1			3 Spur									f 11.08					f									
26.4	KN.....KENT.....D 1.9			90		f 6.07	s 6.56	7.23	7.40		9.52		s 11.05	s 1.22	f 1.36		f 3.40		s 5.32		6.34		7.52	s 8.16	f 9.38	10.10	
24.5THOMAS..... 1.4			8 Spur									f 11.00					f									
23.1CHRISTOPHER..... 1.9			4 Spur														f									
21.2	AU.....AUBURN.....DN 0.9			70		f 5.53	s 6.45	s 7.10	s 7.33		s 9.42		s 10.54	s 1.12	s 1.25		f 3.30		s 5.22		6.24		s 7.40 7.30	s 8.05	s 9.29	10.02	
22.1	GR..EAST AUBURN..DN 0.9			35	A 12.48AM			L 7.07AM	L 7.30AM		L 9.37AM						A 4.10PM					L 7.25PM	s 8.00 7.45				
21.2	AU.....AUBURN.....DN 4.9			70	s 12.45		f 5.53	s 6.45					s 10.54	s 1.12	s 1.25		f 3.30	s 4.05	s 5.22		6.24			s 7.40	s 9.29	10.02	
16.3DIERINGER..... 2.6			No Sdg.	f 12.38		5.42	6.34					s 10.44	1.03	1.16		3.23	3.56	s 5.12		6.12			7.29	9.17	9.54	
13.7	SN.....SUMNER.....D 1.6			No Sdg.	s 12.33		s 5.37	s 6.30					s 10.40	s 12.58	s 1.11		f 3.19	s 3.53	s 5.08		6.08			f 7.24	s 9.13	9.50	
12.1MEEKER.....P 1.3			70	12.28		5.30	6.26			A 8.19AM		10.35	12.53	1.06		3.16	3.48	5.03	A 5.25PM	6.05			7.19	9.08	9.46	
10.8	PY...PUYALLUP...DN 6.8			70	s 12.25		s 5.27	s 6.23			s 8.15		s 10.32 10.27	s 12.50	s 1.03		f 3.14	s 3.45	s 5.00	s 5.20	6.03			s 7.16	s 9.05	9.44	
4.0	RN...TIDEWATER...DN 0.3			No Sdg.	12.14	A 4.52AM	5.15	6.10			8.04		10.15	12.38	12.49	A 1.45PM	3.04	3.34	4.45	5.05	5.50	A 6.50PM		7.05	8.54	9.34	
3.7RIVER STREET...P 1.1			500																							
2.6	Q.....TACOMA.....DN 2.3				L 12.10AM	s 4.45 4.40	s 5.10 5.00	Via Drawbridge Line			L 8.00AM		L 10.10AM	Via Drawbridge Line	Via Drawbridge Line	s 1.40 1.35	Via Drawbridge Line	L 3.30PM	s 4.40 4.30	L 5.00PM	L 5.45PM	s 6.45 6.40		L 7.00PM	s 8.50 8.40	s 9.30 9.20	
0.3	NX.....STADIUM.....DN 0.3			No Sdg.		4.29	4.51								1.26				4.21					8.33	9.13		
0.0	WU.....RYAN.....DN			No Sdg.	L 4.28AM	L 4.50AM									L 1.25PM				L 4.20PM			L 6.30PM			L 8.32PM	L 9.12PM	
6.3	RN...TIDEWATER...DN 0.1			No Sdg.				6.10						12.38	12.49		3.04										
6.2	O-W. R. & N. Co. Cross. 0.9																										
5.3	O-W. R. & N. Co. Cross. 0.7																										
4.6	Q.....TACOMA.....DN 4.6							s 6.05 6.00						s 12.35 12.30	s 12.45 12.35		s 3.00 2.55										
0.0	SU...SO. TACOMA...DN			70		L 5.45AM 963							L 12.04PM	L 12.20PM		L 2.40PM											
Time Over Subdivision					Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	
Average Speed Per Hour					30.6	12.6	23.4	26.9	25.2	29.8	30.0	25.2	24.0	27.6	28.5	26.9	16.0	29.8	29.1	25.6	22.8	27.6	16.0	24.5	26.4	28.5	

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

RULES GOVERNING INTERLOCKING PLANT C. M. & St. P. CROSSING (Black River).

- All movements and the direction of traffic are governed by "Home Signal" No. 40 eastward track, and "Home Signal" No. 37 on westward track, which are located 500 feet from crossing.
- "Home Signals." Both upper and lower arm horizontal—Stop. Upper arm inclined upward 90 degrees to vertical position; lower arm horizontal—Proceed. Upper arm at 45 degrees, upward position—Stop.

"DAY INDICATIONS."

- "Dwarf Signals." Arm horizontal—Stop. Arm inclined upward 90 degrees to vertical position—Proceed. Used in back-up movements.

- All movements against regular movements of traffic are governed by back-up or dwarf signals. These signals are located 390 feet from crossing and on opposite side of track from "Home Signals" Nos. 37 and 40. Signals Nos. 37 and 40 are equipped with two blades and two lights. Dwarf signals are equipped with one blade and one light.

"NIGHT INDICATIONS."

- "Home Signals." Both upper and lower lights red—Stop. Upper light green; lower light red—Proceed. Upper light yellow; lower light red—Stop.

"Dwarf Signals." Red light—Stop. Green light—Proceed. Used in back-up movements.

TACOMA TERMINAL

RULES GOVERNING INTERLOCKING PLANT, O-W. R. & N. CO. CROSSING (TIDEWATER)

- All movements are governed by DISTANT and HOME SIGNALS, located as follows: "Distant Signals," 1300 feet WEST of Crossing, and 2000 feet EAST of Telegraph Office at Tidewater. "Home Signals," 500 feet from Crossing. "Dwarf Signals" govern movement on track known as "St. Paul & Tacoma Lumber Co.'s lead," are located 500 feet from Crossing.

Derailing switches, located 55 feet beyond Home and Dwarf Signals, and will be in derail position when signals are at "Stop" position.

INDICATIONS

- 90 degrees upward, Green Light, "Proceed."
 - 45 degrees upward, Yellow Light, "Proceed under Control."
 - Horizontal, Red Light, "Stop."
- No towermen are used to manipulate this plant and when O-W. R. & N. trains or yard cuts have occasion to use crossing the conductor or foreman will operate the levers, bearing in mind that after used signals and derails must be set clear for Northern Pacific route. When signals are against Northern Pacific route, conductor investigate cause and if necessary flag through interlocking district.

- MOUNTAIN GRADE.—Fifteenth Street, Tacoma, to 2 1/4 miles west.
- Speed of passenger trains must not exceed 30 miles per hour and speed of freight trains must not exceed 20 miles per hour on descending grade between Bailey Street and Pacific Avenue, Tacoma. Rule No. 93 must also be strictly observed.
- The normal position of double track switch at South Tacoma is for eastward trains.
- All eastward trains or engines moving via Draw Bridge Line come to full stop at stop-board located 200 feet from Junction with Head-of-Bay main tracks at Tidewater and will not proceed until signal is received and tracks known to be clear. All other trains will approach Tidewater under full control, and will not proceed until tracks are known to be clear and signal is received from switch tender.
- Trains will approach crossover switches on double track between Tidewater and Union Station, Tacoma, located at East "L" Street (near River Street Yard Office), East "D" Street (near roundhouse), and South Twenty-first Street (entering passenger station), under full control and will not proceed until tracks are known to be clear and signal is received from switch tender.
- All first class trains will approach main line switches, located near Cold Storage plant, opposite Tacoma wharf, about one-half mile east of Stadium, under control, and enginemen must know track is clear and switches properly lined up.
- All westward trains and yard engines operated on freight double tracks and in either direction on switch lead will come to full stop at stop sign located 200 feet east and west of O-W. R. & N. crossing at 15th Street, Tacoma, and will not proceed unless tracks are clear and signal is received from switch tender.

FIRST SUB-DIVISION

EASTWARD

Distance from Ryan	Time Table 41H June 6, 1915 Succeeding No. 41G		STATIONS		Telegraph Offices and Calls		Car Capacity of Siding		FIRST CLASS.										SECOND CLASS.										THIRD CLASS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
									426	456	684	672	680	692	678	682	688	674		972	964	998	936	944																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

- Trains entering passenger station via Head of the Bay will use extreme care and not exceed eight (8) miles per hour around curve at south end of passenger station yard, and will use extra precaution during foggy weather while running over single track leads at that point. As there are no switch tenders at switches at the north end of passenger yard, trains coming into the yard at that point must positively know that switches are lined up for clear track before passing them.
- Speed of trains over crossover switches at Tidewater and over Fifteenth Street bridge entering passenger yard, must not exceed ten (10) miles per hour and five (5) miles per hour over switches at north end of passenger yard.

RULES GOVERNING OPERATION BETWEEN FIFTEENTH STREET TOWER AND PASSENGER STATION, TACOMA

- At Tacoma a signal of the single arm semaphore pattern located near junction of line leading to passenger station and the draw bridge line at Fifteenth Street; another signal of the same pattern located at the north end of passenger yard. The two signals are controlled by operator at Fifteenth Street and will govern single track passenger line between Fifteenth Street and Tacoma passenger station. No train from the drawbridge line or eastward main line will enter passenger station when signal at Fifteenth Street is at "Stop" and no train will proceed from passenger station to drawbridge line or westward main line when signal at the north end of yard is at "Stop." Push button operating signal to towerman is located on post under concourse. Switch crew will operate for Portland bound trains and conductors attend to it for Seattle bound trains.

RULES GOVERNING OPERATION OF DRAWBRIDGE LINE

- Between Tidewater and Fifteenth Street Tower at Tacoma, enginemen and conductors will obtain card order at Fifteenth Street Tower or Tidewater as authority to use Drawbridge line. Drawbridge Card Form "A" will govern movement from Tidewater to Fifteenth Street. Drawbridge Card Form "B" will govern movement from Fifteenth Street to Tidewater. This bridge card to be delivered to operator at Tidewater or Fifteenth Street.
- Trains receiving drawbridge card on which exceptions are noted of trains running ahead, will proceed under full control. This bridge card does not relieve trains from protecting rear end as per Rule 99, Book of Transportation Rules.
- Interlocking signals at east and west approach to Drawbridge control use of bridge and trains will not proceed unless home signal shows clear indication. Distant signal located at Drawbridge line 1500 feet east of home signal just east of Tacoma draw span is semi-automatic. When home signal is clear, distant signal will be clear; when home signal shows stop position, distant signal will show stop position. Trains will observe automatic block rules.
- Enginemen will not use sand over derail switches and rail locks at east and west end of Tacoma draw span.

- No engine heavier than N. P. class W loaded weight of which is as follows: Weight on drivers 207,000 lbs.; weight of engine and tender 456,000 lbs., will be run over Bridge No. 254, Tacoma Draw Span. No two engines of any class will double head over this bridge where the combined weight is greater than N. P. class W.
- Enginemen will reduce exhaust on engine to the lowest possible point while passing under concourse, Tacoma Union Station. Tell Tales have been placed on train sheds at north and south end of concourse, Tacoma Union Station.
- Test inspection and understanding, as required by Rule 703, Book of Transportation Rules, will be had at South Tacoma eastward on all freight trains. Conductors will fill out card, Form 3632, and deliver same to the operator at South Tacoma, who will complete and mail to Trainmaster, Tacoma, each day. Retainers will be turned up on all cars before descending Tacoma Hill.
- Enginemen on road engines of eastward trains, before backing into the passenger station after stop has been made, will cut out air brake valve, and leave air applied, to be released by switch engine. Switch engine will control the air until stop is made at the passenger station, leaving brakes applied after making the stop.
- Enginemen on road engines of westward trains, will, after terminal air test is made, apply air to the train and cut out air brake valve, leaving the air applied to be released by switch engine when ready to depart. Switch engine will control the air while backing out of the station and make the stop before starting up the hill, leaving the air applied to be released by the road engine. The leading engine will control the air under all conditions.
- Pusher engines will come to full stop at once after parting from rear end of train.
- Freight trains leaving Tacoma yard or switch engine taking transfer to South Tacoma, will not pass crossover track above Fifteenth Street leading from passenger yard to outgoing track without signal from switch tender, who will not allow trains or transfers to pass this crossover when any passenger train is backing out of or waiting in the passenger station.
- Eastward trains will be under absolute control approaching Pacific Avenue at Tacoma and will not pass Pacific Avenue crossing without signal from switch tender indicating that crossovers at Pacific Avenue are clear, and no train or engine moving east will exceed speed of six miles per hour with any part of train while passing over crossing. At night switch tender will give signal with a "White" light.
- All trains using the Drawbridge line that do not enter passenger station, will stop above Pacific Avenue and not proceed until engineman is furnished with a bridge card and an understanding established with switch tender covering movement of train over Drawbridge line. If it is found that freight train cannot use Drawbridge line and following passenger train will be delayed on this account, conductor will arrange to enter Half Moon yard and be handled via freight tracks to Tidewater.

WESTWARD.

SECOND SUB-DIVISION.

EASTWARD.

THIRD CLASS.				FIRST CLASS.				Water, Fuel, Seals, Turn Tables and Wyes	Station Numbers	Distance from King St. Sta., Seattle	Time Table No. 41H June 6, 1915 Succeeding No. 41G				Distance from Keith	Car Capacity of Sidings	FIRST CLASS.				THIRD CLASS.			
923				443 441							STATIONS						442 444				924			
Way Freight				Passenger Bellingham Passenger							Telegraph Offices and Calls						Passenger Passenger Bellingham				Way Freight			
Ex. Sun.				Daily Daily													Daily Daily				Ex. Mo.			
			L 8.00AM					WCOT	CF 31	MIDDLE YARD.....P 0.8					A 3.45PM								
			8.15				L 4.20PM	L10.00AM			0.0UD.....SEATTLE.....DN King Street Station 1.4	12.2		A 2.15PM	A 8.30PM					3.15				
			8.22				4.25	10.05			1.4.....END DOUBLE TRACK..... 1.2	10.8		2.06	8.23					3.05				
										2.6.....G. N. CROSSING..... 1.4	9.6													
			s 8.32				f 4.34	10.14	W O	CF 35	4.0BA.....INTERBAY.....D 1.1	8.2	No Sdg.	1.58	f 8.14					s 2.55				
										5.1P. S. T. L. & P. CO. CROSSING 1.8	7.1													
			s 8.42				s 4.43	s10.23	W	CF 37	6.9FR.....FREMONT.....D 1.8	5.3	45	s 1.48	s 8.04					s 2.38				
			s 8.50				s 4.52	s10.32		CF 39	8.7BK.....UNIVERSITY.....D 3.5	3.5		f 1.39	s 7.55					s 2.20				
			A 9.00AM				A f 4.58PM	A10.38AM		CF 42	12.2.....KEITH.....	0.0	Spur 13	L 1.32PM	f 7.48PM					L 2.10PM				
			Ex. Sun.				Daily	Daily						Daily	Daily					Ex. Mo.				
			1.00				.38	.38			Time Over Subdivision			.43	.42					1.35				
			13.0				19.2	19.2			Average Speed Per Hour			16.8	17.4					8.4				

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

1. **YARD LIMITS.**—Indicated by signs at proper locations.
2. **REGISTERING STATIONS.**—Middle Yard, King Street Station, Seattle.
3. **BULLETIN STATIONS.**—Middle Yard, King Street Station, Seattle.
4. **STANDARD CLOCKS.**—King Street Station, Seattle.
5. **SPEED RESTRICTIONS.**
15 miles per hour through crossovers and entering sidings.
6 miles per hour between Clay and Bell Street, Seattle.
6. Extra trains and yard engines must obtain train orders and clearance before using single track in yard limit territory, second sub-division.
7. Nos. 442 and 443 stop on flag at Yesler to handle parcel post mail.
8. Fremont Station is Time Table Station for that point, siding is located one-half mile east of station.

COMMERCIAL SPURS

Distance from King Street Station, Seattle				Distance from Interbay				
STATIONS	Miles	How Connected	Car Capacity	STATIONS	Station Number	Miles	How Connected	Car Capacity
Edgewater....	7.2	1 E	8	Ballard.....	B-5	2.7	50
Latona.....	8.7	1 E	4	Ballard to Fremont...	...	2.3
Wood Spur...	11.2	1 E	16					
Flaherty.....	11.6	1 W	7					


SPECIAL RULES.

SEATTLE TERMINAL.

9. **SPEED RESTRICTIONS.**
4 miles per hour through transfer track over G. N. crossing at Clay Street.
6 miles per hour at Public Road crossing leading to G. N. dock at Smith Cove, also keep vigilant lookout for trains and pedestrians.
10. All trains come to a full stop before passing over the intersection of N. P. and King Street Station tracks, between Massachusetts and Holgate streets, Seattle.
11. All trains will move under full control and be prepared to stop approaching and passing over wye switches at Spokane Avenue.
12. King Street Station. G. N. and N. P. Switch engines will work between Seattle and west leg of Spokane Avenue wye without train orders, governing their movements by rules of switch engines working on main line in yards.
13. Trains must procure Colorado Street line card, Forms A or B, from towerman at Argo and Spokane Avenue, before using Colorado Street line between Argo and Middle yard. Towerman at Argo will place card order in dummy waiter located on side of tower facing tracks. Conductors and Yard Foremen will leave Colorado Street card in dummy waiter at Argo instead of walking up in tower to surrender same. Towerman at Spokane Avenue tower will deliver and receive cards to and from trains and yard engines as they pass. Conductors and Yard Foremen in charge of trains and engines leaving Middle yard via Colorado Street line will, prior to leaving yard, call towerman at Spokane Avenue tower over telephone located in General Yardmaster's office or at south end Spokane Avenue yard, advising him of engine number and time will be ready to leave. During foggy and obscure weather, when indication of signal controlling C. & P. S. and C. M. & St. P. crossings at Spokane Avenue, Colorado Street, cannot be seen from south end of Spokane Avenue yard, flag must be sent to tower before proceeding to ascertain that card order has been issued authorizing movement to Argo.
14. No engine or train will go over Atlantic Street crossings, Seattle, unless they receive signal from crossing flagman. One motion of regular proceed signal is for the Northern Pacific, two motions of regular proceed signal is for Chicago, Milwaukee & Saint Paul, three motions of the regular proceed signal is for the C. & P. S. R. R., and four motions of the regular proceed signal is for the O.-W. R. & N. If flagman should be absent trains should flag themselves across.
15. Rules governing interlocking plant Great Northern crossing on field track east of Interbay are posted in cabin located on G. N. tracks at crossing to the field track.
16. Class G engines can be used on the following piers: Pier 1, 2, Colman Dock, south side Pier 3, Pier 4, 5, 6½, 7, 9, 11, 11½, 12 and 13, and cannot be used on north side Pier 3, Piers 6, 8, 10 and 14.
17. Class L-9 engines can be used on all bridges and tracks, Seattle terminal territory, except on spur tracks leading to piers, Seattle water front and the West Seattle Line. Heavier engines than L-9 must not go north of Columbia Street, Seattle.

18. Overhead bridge at Thirteenth Avenue West, located ¼ mile west of Interbay station does not clear man on top of high cars.
19. The operation of Bascule Drawbridge, West Seattle Line. It will be necessary for trains to get signal from Bridge Tender, green flag by day and green lantern by night, before entering on this draw.
20. Track on West Seattle Line between O.-W. R. & N. connection and switch leading to the Fisher Flour Mill is joint with the O.-W. R. & N. and will be operated by both companies. O.-W. R. & N. has rights to this track between 12:00 Midnight and 12:00 Noon, and the N. P. between 12:00 Noon and 12:00 Midnight; either company has the right to switch on the hours assigned to the other but must move through the joint territory under full protection.
21. Track known as the "Fisher Mill Spur" is joint with O.-W. R. & N., C. M. & St. P. and N. P., and operated the same as above on the following hours: O.-W. R. & N., 4:00 A. M. to 12:00 Noon; N. P. Ry., 12:00 Noon to 3:00 P. M.; C. M. & St. P., 3:00 P. M. to 4:00 A. M.
22. Freight trains containing cars loaded with logs must not be run via King Street Station tunnel.

22. SPECIAL RULES FOR MOVEMENTS OF TACOMA DIVISION TRAINS BETWEEN MEEKER AND PUYALLUP: AS PER DIAGRAM FOLLOWING:



All westward trains from Tenth Subdivision, Tacoma Division, use Line A from points 1 to 5 (Meeker to Meridian Street) thence to Line C.
All eastward Tenth Subdivision trains use Line B from points 6 to 2 (Puyallup to Meeker), thence to Line A.
Line A between points 1 and 5 (Meeker and Meridian Street), may be used as siding, protecting as per Transportation Rule 93.
Normal position of switches: At points 4 and 5 will be for Line A; at points 2 and 3, and 6 and 7 for Line B; at point 8 for Line C.

1. SPECIAL RULES GOVERNING OPERATION OF TRAINS AND YARD ENGINES BETWEEN EAST AUBURN AND AUBURN AND BETWEEN EAST AUBURN AND AUBURN TRANSFER.

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K", "L", "M" or "N" from operator at Auburn, East Auburn or Auburn Transfer properly filled out. Automatic Block rules must also be observed.

Card must be surrendered to operator at end of block immediately upon arrival.

RAILROAD CROSSINGS AT GRADE.

2. O.-W. R. & N. and C. & P. S. crossings at Argo, interlocked. C. M. & St. P. crossing just east of overhead bridge on Colorado Street Line, Seattle. C. & P. S. and O.-W. R. & N. crossings at Atlantic Street, Seattle. G. N. crossing at Washington Street, Seattle. G. N. crossing at Bell Street, Seattle. G. N. crossing at Seattle Lumber Company, Seattle. G. N. crossing at Field Tracks, just east of Interbay. P. S. T. L. & P. Co. crossing 1.1 miles west of Interbay, C. M. & St. P. and O.-W. R. & N. crossing at Black River, interlocked. O.-W. R. & N. crossing 0.1 mile west of Tidewater on drawbridge line, interlocked. O.-W. R. & N. crossing 1 mile west of Tidewater on drawbridge line, O.-W. R. & N. crossing 0.3 mile west of Tacoma on freight double tracks, C. & P. S. and C. M. & St. P. crossing at Spokane Avenue and Colorado Street, Seattle, interlocked.
3. Crossing Gate at Van Asselts where N. P. Spur Crosses P. S. E. track. Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block P. S. E. tracks and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

4. RULES GOVERNING USE OF INTERLOCKING PLANT AT SOUTH PORTAL OF TUNNEL AT SEATTLE.

Signals are of the dwarf type (low semaphores) and are located to right of track governed; where two arms are on one post, higher arm governs trains along main tracks and lower arm trains diverging from main track.

Signal arm in horizontal position indicates "Stop."

Signal arm in diagonal position 60° below horizontal indicates "Proceed."

By night, signal indications will be given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

5. RULES GOVERNING INTERLOCKING PLANT

SALMON BAY BASCULE DRAWBRIDGE, BETWEEN INTERBAY AND FREMONT.

Distant signal located near electric line crossing east of Drawbridge, in horizontal position indicates home signal in stop position. Distant signal 45 degrees upward indicates route is clear for Ballard. Distant signal 90 degrees upward indicates route clear for Fremont. Home signal located east of Drawbridge is equipped with two arms; upper arm controls movement to Fremont, lower arm, movements to Ballard.

Approaches to Drawbridge from west and from Ballard line are controlled by home signals only.

6. RULES GOVERNING INTERLOCKING PLANT AT NORTH PORTAL OF TUNNEL AT SEATTLE.

All signals located at right hand of tracks they govern.

Train movements to Main Line controlled by Semaphore signals, about 25 feet in height.

Train movements to sidings or to main tracks against current of traffic controlled by dwarf semaphores, about two feet in height.

The home signal is the semaphore with a square end, which in a horizontal position indicates "Stop" and 60° below horizontal indicates "Proceed."

The distant signal is the semaphore arm with a forked end, which in a horizontal position indicates "Caution, proceed with Caution," and 60° below horizontal indicates "Proceed."

By night signal indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

Westward N. P. trains from tunnel are governed by lower arm of semaphore, located about 150 feet east of tower building.

Eastward N. P. trains to the tunnel and to the water front are governed by semaphore signal, located about 350 feet west of the tower. Upper arm governs to tunnel, lower arm to water front.

Westward trains from the water front are governed by semaphore, located about 300 feet east of the tower. Upper arm governs movement, lower arm stationary in stop position. The dwarf signal, at the base of this semaphore, governs G. N. trains.

Trains will not exceed 10 miles per hour between Battery St., 400 feet east of tower and King Street Station.

At night and during foggy weather, eastward trains will give one long blast of whistle for tunnel and three shorter blasts for water front.

Westward trains from water front will give three blasts of whistle for N. P. Main Line.

Hand signals must not be taken against interlocking signals, except when given by the towerman from the center of the track, with a yellow flag by day and a yellow light by night.

7. RULES GOVERNING TUNNEL BLOCK SEMAPHORES AND MOVEMENTS OF TRAINS THROUGH TUNNEL AT SEATTLE.

Westward trains are governed by the semaphore block signal located about 50 feet south of the south portal of the tunnel.

Eastward trains are governed by the semaphore block signal located 250 feet north of the north portal of the tunnel.

A semaphore arm in the horizontal position indicates "Stop."

A semaphore arm 60° below horizontal indicates "Proceed."

By night indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Block signal rules do not modify train rules nor relieve trainmen from protecting as per Rule 99.

AUTHORIZED SURGEONS, PUGET SOUND DIVISION.

Location of Stretchers (S).

CLINTON T. COOKE, Oculist, Seattle	S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.	
P. W. WILLIS, Seattle	B. E. HOYE, Auburn	P. B. WING, Oculist, Tacoma.
F. S. BOURNS, Seattle	WM. H. BRANDT, Auburn	W. G. CAMERON, Specialist, Tacoma
Seattle Tool Car (S)	Auburn Yard Office (S)	N. P. B. A. Hospital, Tacoma (S)
Seattle Yard Office (S)	Auburn Station (S)	Baggage Room, Tacoma (S)
King St. Station, Seattle (S)	M. W. KARSHNER, Puyallup (S)	Round House, Tacoma (S)
		Head-of-Bay Yard Office, Tacoma (S)
		Half Moon Yard Office, Tacoma (S)
		Tool Car, Tacoma (S)
		Wharf, Tacoma (S)

Note.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employees or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival

of a regularly appointed surgeon, when the case should be placed in his charge and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

AUTHORIZED SURGEONS, G. N. RY.

DR. H. M. READ, Seattle.

DR. J. A. LA GASA, Tacoma.

J. F. ALSIP,
Trainmaster, Tacoma.

O. F. OHLSON,
Trainmaster, Seattle.

P. R. LEO,
Chief Dispatcher, Seattle.

J. F. COLEMAN,
Chief Dispatcher, Tacoma

