

NORTHERN PACIFIC RAILWAY COMPANY.

PUGET SOUND DIVISION.

TIME 41M TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time

SUNDAY, SEPTEMBER 26, 1915

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

E. C. BLANCHARD,
General Manager.

I. B. RICHARDS,
General Superintendent.

P. H. McCAULEY,
Superintendent of Transportation.

J. J. McCULLOUGH,
Superintendent.

SEE SPECIAL RULES, PAGES 1, 2, 3, 4, 5 and 6.

WESTWARD

FIRST SUB-DIVISION.

STATION NUMBERS		STATIONS		Distance from Seattle		FIRST CLASS		SECOND CLASS										THIRD CLASS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
						401		683	673	681	689	685	699	677	691	679	943	997	963	971	929																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

- It is possible for light engines and trains using crossover in automatic signal territory to stand between the switches in such a manner as to release the signals when switches are closed. Light engines and trains using crossovers in automatic signal territory must have at least one switch open while engine or train is on any part of the crossover.
- No. 401 stop on signal at Auburn for paying passengers only.
- No. 421 stop on signal at Sumner for passengers on days that Train No. 415 is behind No. 421 and on flag at Kent, Sumner and Auburn for Grays Harbor business west of Lakeview.
- No. 598 connect with 413 at Puyallup.
- No. 450 connect with No. 597 at Puyallup, with No. 440 at Auburn and with No. 2 at East Auburn.
- No. 405 stop on signal at Kent for passengers holding tickets for St. Paul and East thereof.
- No. 410 connect with No. 595 at Puyallup.
- No. 434 stop at Puyallup, Sumner, Auburn and Kent to let off passengers from points south of Tacoma.
- Nos. 406, 416, 436 and 440 stop at Kent to let off passengers from points east of Auburn.
- Nos. 417 and 437 stop on signal at Kent to pick up passengers for points east of Auburn.
- No. 596 wait at Puyallup for Seattle-Buckley Line business from No. 403.
- No. 424 stop on flag at Christopher, O'Brien, Orillia and Thomas for parcel post mail and passengers.

- Nos. 401 and 438 stop on flag opposite freight transfer shed, Auburn Yard, for Way Bills.
- No. 436 stop on flag at Thomas and Kent for express shipments.
- All westward N. P. trains come to full stop at O.-W. R. & N. connection located ¼ mile west of Reservation and will not proceed unless track is clear and switches in proper position.
- All westward trains will approach extreme east crossover at new location of telegraph office Reservation, where train from drawbridge line crosses over to eastward main track, under full control and not proceed until track is known to be clear and signal received from operator.
- RULES GOVERNING SINGLE TRACK BETWEEN STADIUM AND RYAN OPERATED BY AUTOMATIC STAFF SYSTEM**—No train, engine or propelled cars will be run in either direction, until engineman receives from operators and has in his possession the staff which must be retained and delivered to operator at opposite end of block. Signals interlocked with staff machine located at ends of double track at Ryan and Stadium are set normally at stop and can not be cleared until operator at opposite end of block returns staff to machine, which must not be done until train passes 300 feet beyond the home signal.
- Head and tail lights will be used by all trains while passing through tin tunnel between Stadium and Ryan.

WHEN MAKING BACK-UP MOVEMENT, RUNNING TEST OF AIR BRAKES MUST BE MADE FROM REAR OF TRAIN.

SEE SPECIAL RULES, PAGES 1, 2, 3, 4, 5 and 6.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

1. Trains entering passenger station via Head of the Bay will use extreme care and not exceed eight (8) miles per hour around curve at south end of passenger station yard, and will use extra precaution during foggy weather while running over single track leads at that point. As there are no switch tenders at switches at the north end of passenger yard, trains coming into the yard at that point must positively know that switches are lined up for clear track before passing them.
2. Speed of trains over crossover switches at Tidewater and over Fifteenth Street bridge entering passenger yard, must not exceed ten (10) miles per hour and five (5) miles per hour over switches at north end of passenger yard.
- RULES GOVERNING OPERATION BETWEEN FIFTEENTH STREET TOWER AND PASSENGER STATION, TACOMA**
3. At Tacoma a signal of the single arm semaphore pattern located near junction of line leading to passenger station and the draw bridge line at Fifteenth Street; another signal of the same pattern located at the north end of passenger yard. The two signals are controlled by operator at Fifteenth Street and will govern single track passenger line between Fifteenth Street and Tacoma passenger station. No train from the drawbridge line or eastward main line will enter passenger station when signal at Fifteenth Street is at "Stop," and no train will proceed from passenger station to drawbridge line or westward main line when signal at the north end of yard is at "Stop." Push button operating signal to towerman is located on post under concourse. Switch crew will operate for Portland bound trains and conductors attend to it for Seattle bound trains.
- RULES GOVERNING OPERATION OF DRAWBRIDGE LINE**
4. Between Reservation and Fifteenth Street Tower at Tacoma, enginemen and conductors will obtain card order at Fifteenth Street Tower or Reservation as authority to use Drawbridge line. Drawbridge Card Form "A" will govern movement from Reservation to Fifteenth Street. Drawbridge Card Form "B" will govern movement from Fifteenth Street to Reservation. This bridge card to be delivered to operator at Reservation or Fifteenth Street.
5. Trains receiving drawbridge card on which exceptions are noted of trains running ahead, will proceed under full control. This bridge card does not relieve trains from protecting rear end as per Rule 99, Book of Transportation Rules.
6. Interlocking signals at east and west approach to Drawbridge control use of bridge and trains will not proceed unless home signal shows clear indication. Distant signal located at Drawbridge line 1500 feet east of home signal just east of Tacoma draw span is semi-automatic. When home signal is clear, distant signal will be clear; when home signal shows stop position, distant signal will show stop position. Trains will observe automatic block rules.
7. Enginemen will not use sand over derail switches and rail locks at east and west end of Tacoma draw span.
8. No engine heavier than N. P. class W loaded weight of which is as follows: Weight on drivers 207,000 lbs.; weight of engine and tender 456,000 lbs., will be run over Bridge No. 254, Tacoma Draw Span. No two engines of any class will double head over this bridge where the combined weight is greater than N. P. class W.
9. Enginemen will reduce exhaust on engine to the lowest possible point while passing under concourse, Tacoma Union Station.
10. Tell Tales have been placed on train sheds at north and south end of concourse, Tacoma Union Station.
11. Test inspection and understanding, as required by Rule 703, Book of Transportation Rules, will be had at South Tacoma eastward on all freight trains. Conductors will fill out card, Form 3632, and deliver same to the operator at South Tacoma, who will complete and mail to Trainmaster, Tacoma, each day. Retainers will be turned up on all cars before descending Tacoma Hill.
12. Enginemen on road engines of eastward trains, before backing into the passenger station after stop has been made, will cut out air brake valve, and leave air applied, to be released by switch engine. Switch engine will control the air until stop is made at the passenger station, leaving brakes applied after making the stop.
13. Enginemen on road engines of westward trains, will, after terminal air test is made, apply air to the train and cut out air brake valve, leaving the air applied to be released by switch engine when ready to depart. Switch engine will control the air while backing out of the station and make the stop before starting up the hill, leaving the air applied to be released by the road engine. The leading engine will control the air under all conditions.
14. Pusher engines will come to full stop at once after parting from rear end of train.
15. Freight trains leaving Tacoma yard or switch engine taking transfer to South Tacoma, will not pass crossover track above Fifteenth Street leading from passenger yard to outgoing track without signal from switch tender, who will not allow trains or transfers to pass this crossover when any passenger train is backing out of or waiting in the passenger station.
16. Eastward trains will be under absolute control approaching Pacific Avenue at Tacoma and will not pass Pacific Avenue crossing without signal from switch tender indicating that crossovers at Pacific Avenue are clear, and no train or engine moving east will exceed speed of six miles per hour with any part of train while passing over crossing. At night switch tender will give signal with a "White" light.
17. All trains using the Drawbridge line that do not enter passenger station, will stop above Pacific Avenue and not proceed until engineman is furnished with a bridge card and an understanding established with switch tender covering movement of train over Drawbridge line. If it is found that freight train cannot use Drawbridge line and following passenger train will be delayed on this account, conductor will arrange to enter Half Moon yard and be handled via freight tracks to Reservation.

WESTWARD.

SECOND SUB-DIVISION.

EASTWARD.

THIRD CLASS.				FIRST CLASS.				THIRD CLASS.																			
			923				443 441	Water, Fuel, Scales, Turn Tables and Wyes	Station Numbers	Distance from King St. Sta., Seattle	Time Table No. 41M				Distance from Keith	Car Capacity of Sidings	FIRST CLASS.				THIRD CLASS.						
			Way Freight				Passenger Bellingham Passenger							September 26, 1915								924					
			Mon., Wed. and Fri.				Daily Daily							Succeeding No. 41L								Way Freight					
			L 8.00AM								WCOT CF 31			STATIONS								Tue., Thur. and Sat.					
											Telegraph Offices and Calls																
										MIDDLE YARD.....P 0.8								A 3.45PM								
			8.15				L 4.20PM L10.00AM			0.0	UD..... SEATTLE.....DN King Street Station 1.4				12.2		A 2.15PM A 6.00PM				3.15						
			8.22				4.25 10.05			1.4END DOUBLE TRACK..... 1.2				10.8		2.06 5.55				3.05						
										2.6G. N. CROSSING..... 1.4				9.6												
			s 8.32				f 4.32 10.12	W O	CF 35	4.0	BA.....INTERBAY.....D 1.1				8.2	No Sdg.	1.58 f 5.49				s 2.55						
										5.1	P. S. T. L. & P. CO. CROSSING 1.8				7.1												
			s 8.42				s 4.39 s10.19	W	CF 37	6.9	FR.....FREMONT.....D 1.8				5.3	45	s 1.48 s 5.42				s 2.38						
			s 8.50				s 4.44 s10.24		CF 39	8.7	BK.....UNIVERSITY.....D 3.5				3.5		f 1.39 s 5.37				s 2.20						
			A 9.00AM				A f 4.51PM A10.31AM		CF 42	12.2KEITH.....				0.0	Spur 13	L 1.32PM f 5.30PM				L s 2.10PM						
			Mon., Wed. and Fri.				Daily Daily										Daily Daily				Tue., Thur and Sat.						
			1.00				.31 .31				Time Over Subdivision						.43 .30				1.35						
			13.0				24.0 24.0				Average Speed Per Hour						16.8 24.4				8.4						

1. SPECIAL RULES GOVERNING OPERATION OF TRAINS AND YARD ENGINES BETWEEN EAST AUBURN AND AUBURN AND BETWEEN EAST AUBURN AND AUBURN TRANSFER.

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K", "L", "M" or "N" from operator at Auburn, East Auburn or Auburn Transfer properly filled out. Automatic Block rules must also be observed.

Card must be surrendered to operator at end of block immediately upon arrival.

RAILROAD CROSSINGS AT GRADE.

2. O.-W. R. & N. and C. & P. S. crossings at Argo, interlocked. C. M. & St. P. crossing just east of overhead bridge on Colorado Street Line, Seattle. C. & P. S. and O.-W. R. & N. crossings at Atlantic Street, Seattle. G. N. crossing at Washington Street, Seattle. G. N. crossing at Bell Street, Seattle. G. N. crossing at Seattle Lumber Company, Seattle. G. N. crossing at Field Tracks, just east of Interbay. P. S. T. L. & P. Co. crossing 1.1 miles west of Interbay, C. M. & St. P. and O.-W. R. & N. crossing at Black River, interlocked. O.-W. R. & N. crossing 0.5 mile west of Reservation on drawbridge line, interlocked. O.-W. R. & N. crossing 1.04 mile west of Reservation on drawbridge line, O.-W. R. & N. crossing 0.3 mile west of Tacoma on freight double tracks, C. & P. S. and C. M. & St. P. crossing at Spokane Avenue and Colorado Street, Seattle, interlocked.

3. Crossing Gate at Van Asselts where N. P. Spur Crosses P. S. E. track. Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block P. S. E. tracks and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

4. RULES GOVERNING USE OF INTERLOCKING PLANT AT SOUTH PORTAL OF TUNNEL AT SEATTLE.

Signals are of the dwarf type (low semaphores) and are located to right of track governed; where two arms are on one post, higher arm governs trains along main tracks and lower arm trains diverging from main track.

Signal arm in horizontal position indicates "Stop."

Signal arm in diagonal position 60° below horizontal indicates "Proceed."

By night, signal indications will be given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

5. RULES GOVERNING INTERLOCKING PLANT

SALMON BAY BASCULE DRAWBRIDGE, BETWEEN INTERBAY AND FREMONT.

Distant signal located near electric line crossing east of Drawbridge, in horizontal position indicates home signal in stop position. Distant signal 45 degrees upward indicates route is clear for Ballard. Distant signal 90 degrees upward indicates route clear for Fremont. Home signal locate deast of Drawbridge is equipped with two arms; upper arm controls movement to Fremont, lower arm, movements to Ballard.

Approaches to Drawbridge from west and from Ballard line are controlled by home signals only.

6. RULES GOVERNING INTERLOCKING PLANT AT NORTH PORTAL OF TUNNEL AT SEATTLE.

All signals located at right hand of tracks they govern.

Train movements to Main Line controlled by Semaphore signals, about 25 feet in height.

Train movements to sidings or to main tracks against current of traffic controlled by dwarf semaphores, about two feet in height.

The home signal is the semaphore with a square end, which in a horizontal position indicates "Stop" and 60° below horizontal indicates "Proceed."

The distant signal is the semaphore arm with a forked end, which in a horizontal position indicates "Caution, proceed with Caution," and 60° below horizontal indicates "Proceed."

By night signal indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Yellow indicates "Caution, proceed with Caution."

Westward N. P. trains from tunnel are governed by lower arm of semaphore, located about 150 feet east of tower building.

Eastward N. P. trains to the tunnel and to the water front are governed by semaphore signal, located about 350 feet west of the tower. Upper arm governs to tunnel, lower arm to water front.

Westward trains from the water front are governed by semaphore, located about 300 feet east of the tower. Upper arm governs movement, lower arm stationary in stop position. The dwarf signal, at the base of this semaphore, governs G. N. trains.

Trains will not exceed 10 miles per hour between Battery St., 400 feet east of tower and King Street Station.

At night and during foggy weather, eastward trains will give one long blast of whistle for tunnel and three shorter blasts for water front.

Westward trains from water front will give three blasts of whistle for N. P. Main Line.

Hand signals must not be taken against interlocking signals, except when given by the towerman from the center of the track, with a yellow flag by day and a yellow light by night.

7. RULES GOVERNING TUNNEL BLOCK SEMAPHORES AND MOVEMENTS OF TRAINS THROUGH TUNNEL AT SEATTLE.

Westward trains are governed by the semaphore block signal located about 50 feet south of the south portal of the tunnel.

Eastward trains are governed by the semaphore block signal located 250 feet north of the north portal of the tunnel.

A semaphore arm in the horizontal positions indicates "Stop."

A semaphore arm 60° below horizontal indicates "Proceed."

By night indications are given by colored lights, as follows:

Red indicates "Stop."

Green indicates "Proceed."

Block signal rules do not modify train rules nor relieve trainmen from protecting as per Rule 99.

AUTHORIZED SURGEONS, PUGET SOUND DIVISION.

Location of Stretchers (S).

CLINTON T. COOKE, Oculist, Seattle	S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.	
P. W. WILLIS, Seattle	B. E. HOYE, Auburn	P. B. WING, Oculist, Tacoma.
F. S. BOURNS, Seattle	WM. H. BRANDT, Auburn	W. G. CAMERON, Specialist, Tacoma
Seattle Tool Car (S)	Auburn Yard Office (S)	N. P. B. A. Hospital, Tacoma (S)
Seattle Yard Office (S)	Auburn Station (S)	Baggage Room, Tacoma (S)
King St. Station, Seattle (S)	M. W. KARSHNER, Puyallup (S)	Round House, Tacoma (S)
		Head-of-Bay Yard Office, Tacoma (S)
		Half Moon Yard Office, Tacoma (S)
		Tool Car, Tacoma (S)
		Wharf, Tacoma (S)

Note.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employees or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival

of a regularly appointed surgeon, when the case should be placed in his charge and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

AUTHORIZED SURGEONS, G. N. RY.

DR. H. M. READ, Seattle.

DR. J. A. LA GASA, Tacoma.

J. F. ALSIP,
Trainmaster, Tacoma.

O. F. OHLSON,
Trainmaster, Seattle.

P. R. LEO,
Chief Dispatcher, Seattle.

J. F. COLEMAN,
Chief Dispatcher, Tacoma

