OPTIEN PAGE BALLYAY GOMPANY.

SEATTLE DIVISION

In Effect at 12:01 A. M. Pacific or 120th Meridian Time.

SUNDAY, JUNE 4, 1916

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

E. C. BLANCHARD, General Manager.

I. B. RICHARDS,
General Superintendent.

P. H. McCAULEY, Superintendent of Transportation. J. E. CRAVER, Superintendent.

HIRD CLAS	is I	SECOND CLASS	FIF	RST CLA	SS		Vyes		Time Table No. 41J	and the same of th				FIRST	CLASS	SECOND CLASS	TH	IIRD CLAS
1	937	603	317	41	3	4	Scales, and Wy	nbers	June 4. 1916	1	urn urn eity of	2	4	42	318	602	938	940
	Way Freight	Freight			Passenger	Passenger	, Fuel Fables	n Numbe	Succeeding No. 41-I STATIONS Telegraph Offices and Calls		tance ire	Passenger	Passenger	Passenger	Passenger	Freight	Way Freight	Way Freight
Mo., We., 7			Daily	Daily	Daily	Daily	Water Turn	Station	Telegraph Offices and Calls	- 5	East Car	Daily	Daily	Daily	Daily	Daily	Mo., We., and Fri.	Tu., Thu., and Sat.
and Fri.		Daily L 6.00PM			L 5.30AM			1848					A 1.10PM	8.45M	A 5.15AM	A 9.30AM		A 4.10PM
s 8.45		6.08	3.36	2.51	5.37	3.27		1851	3.6SHOSKINP	9	98.5 80	11.46	1.01	8.33	5.02	8.45 939		s 3.50
s 9.10		6.20	f 3.44	2.58	s 5.45	f 3.35		1855	7.6 TPTHORPD	5	94.5 E 80 W 80	11.40	f12.55	s 8.27	4.55	8.30		s 3.35
s 9.22		6.28	3.49	3.03	5.51	3.41	w	1858	10.4DUDLEYP		91.7 E 80 W 80	11.36	12.49	8.20	4.50	8.15		s 3.00
s 9.40		6.38	3.57	3.11	5.59	3.49		1862	2 14.6KOUNTZEP	-	87.5 80	11.29	12.42	8 12	4.44	7.58		s 2.43
s 9.55		6.46	4.02	3.16	6.04	f 3.55	W 1 s	1865	5 17.2 BRBRISTOLDN	8	84.9 E 80 W 80	11.24	f12.37	8.07	4.38	7.45	[s 2.30
s10.15		6.56	4.08	3.22	6.10	4.02		1869	21.0TEANAWAYP	5 -	81.1 E 80	11.16	12.29	7.59	4.30	7.30		s 2.15
s 1 0.3 O AM 1 2.23 PM		7.15	s 4.20	s 3.30	s 6.20	s 4.12	WCY	1873	24.8 CLCLE ELUMDN 4.2		77.3 500	f11.10	s12.23	s 7.53	s 4.20	7.15		s 2.00
- s12.45		7.42	4.27	3.37	6.28 602	4.20	Parkin Santaga	1877	29.0BAKER	7	73.1 80	11.00	12.12	7. 42	4.09	6.28		s12.45
s 1.05		$\frac{42}{7.55}$	4.33	3.43	6.34	f 4.27		1880	31.7NELSONP	-	70.4 E 80 W 80	10.56	f12.07	7.37	4.05	6.10		s12.35
s 1.20		8.07	4.38	3.48	6.39	4.32		1883	34.4TALMAGEP		67.7 80	10.52	12.02PM	7.32	4.01	6.02		s12.20
s 2.25		8.40	s 4.46	s 3.56	s 6.47	s 4.42	WCTY	1886	83.1 ESEASTON DN 4.0	MA	64.0 180	s10.47	s 1 1.57 AM	s 7.26	3.56 41	5.50	j	12.05PM s 10.40AM
s 2.45		9.05	4.57	4.07	6.58	4.53	w				60.0 W 70	10.38	11.48	7.16	3.48	5.10		s10.25
s 3.10		9.30	5.10 602	4.20	7.12	f 5.06	w	1894	4 46.5 RTDN 3.2	N -	55.6 E 70	10.28	11.38	7.06	3.36	4.55 317		s10.10
s 3.35	AND THE REAL PROPERTY AND THE PERSON NAMED IN COLUMN TO SHAPE AND THE PERSON NAMED IN	10.00	5.22	4.32 602	7.24	f 5.18	W		7 49.7 SISTAMPEDEDN 2.3			10.16	11.26	6.54	3.24	4.32		s 9.50
s 3.50		10.12	5.26	4.38	7.30	5.24	W	1901	1 52 0 BORUPP	NA P	50.1 E 70	10.07	11.17	6.45	3.15	4.00		s 9.30
s 4.05		10.25	5.35	4.45	7.37	5.31	a verification and a second	1904	4 54.8 KDKENNEDYDN 4.9	CAL T	47.3 E 70	9.57	11.07	6.35	3.05	3.45		s 9.12
A 4.40PM	L 7.00AM	11.10	5.47	5.00	s 7.50	s 5.43	WCT	1911	1 59.7 DMLESTERDN		42.4 400	s 9.42	s10.52	s 6.20	s 2.50	3.05∞ 2.35∞	A 4.10PM	M L 8.30AM
CONTROL DESCRIPTION	s 7.10	11.18	5.51	5.05	f 7.55	5.47		1913	3 61.7HOT SPRINGSP	-	40.4 F 80 P 22	9.31	10.42	f 6.09	2.39	2.27	s 3 .55	·
	s 7.30	11.40	6.02	5.18	f 8.06	5.58 42		1917	7 66.9	I	35.2 E 80 W 80	9.20	f10.30	5.58 1	2.27	2.07	s 3.15	
	s 7.50	11.59PM	6.11	5.30	f 8.16	6.10	W		1 70.8 CUHUMPHREYN	1	31.3 E 80 W 80	9.11	10.22	5.47	2.18	1.53	s 2.50	
	s 8.05 8.40 3	12.20 ^{AM}	f 6.19	f 5.40	f 8.24	f 6.20	w		5 74.3 EGEAGLE GORGED	-	27.8 E 60 W 80	9.02	f10.14	f 5.38	f 2.09	1.40	s 2.30	-
	8.40 ³ s 8.55	12.30	6.24	5.46	8.29	6.25			8 76.5LEMOLOP	> -		8.57	10.07	5.31	2.03	1.32	s 2.10	
	s 9.10	12.45	6.34	5.57	8.40	f 6.35		1932	2 81.2 JCPALMER JCTD	MATI	20.9 80	8.46	9.57	5.21	1.53	1.15	s 1.50	
	s 9.15 10.10 4	1.05	s 6.37	s 6.02	s 8.42 8.52	s 6.40	WY	A 1	82.4 GVKANASKATDN		19.7 E 75 W 80	8.44	s 9.55	s 5.18	1.50	1.05	s 1.45	
	10.10 4 s10.25	1.20	6.43				- U	A 4		00%	16.4 80	8.37	9.40	5.08	1.40	12.40	s12.55	-
	s11.40AM					s 6.51	COMPANY	A 7	87.8 ARRAVENSDALEDN 6.8	_	14.3 E 80 W 80 W Ext	8.32	s 9.35	s 5.03	f 1.35	12.304	s12.45PW	4
	s12.05PM	2.05	7.03	f 6.32	f 9.18	7.06	W	A 14	94.6COVINGTONP	-	7.5 E 80 W 80	f 8.16	9.18	4.47	f 1.20	11.599	s11.10A	м
	s12.20	2.15	7.10	f 6.40	f 9.25	7.13	8	1	97.6WYNACOP	-	4.5 80	8.09	9.09	f 4.42	1.12	11.45	\$10.50	
		A 2.35AM	A 7.20A	A 6.55	AM A 9.37A				102.1 GREAST AUBURN DN	-	0 0	L 8.00P	M L 9.00AM	L 4.30P	L 1.00AM	L11.30PM	L10.30A	M
	Tu., Thu., and Sat.						- In w					Daily	Daily	Daily	Daily	Daily	Mo., We.	Tu., Thu.,
and Fri.	and Sat.	Daily	Daily	Daily	Daily	Daily	-		Time Over Subdivision	-		3.55	4.10	4.15	4.15	10.00	5.40	

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION SEE SPECIAL RULES, PAGES 2, 6, 7, 8 and 9.

SPECIAL RULES FOR FIRST SUBDIVISION (Main Line).

SPEED RESTRICTIONS.

- 1. Eastward passenger trains 30 miles per hour between extreme west switch Ellensburg yard and Ellensburg station.
- 2. Ten miles per hour through incorporated city limits of Cle Elum.
- 3. Maximum speed of descending passenger trains 30 miles per hour, and descending freight trains 20 miles per hour between Martin and Easton and between Stampede and Lester.
- 4. Maximum speed of ascending passenger trains 20 miles per hour and ascending freight trains 12 miles per hour between Easton and Martin and between Lester and Stampede as that is the maximum speed that curves are put up for. In case current of traffic is reversed eastward trains using westward track Martin to Easton and westward trains using eastward track Stampede to Lester must particularly observe these restrictions.

Westward freight trains must use a minimum of 35 minutes, exclusive of all delays, in running between Stampede station and the point where they stop at Lester.

- 5. Speed of Z-3 engines must not exceed 25 miles per hour at any time; this does not abrogate the 20 miles per hour descending and 12 miles per hour ascending speed restriction of freight trains on Cascade Mountain.
- Speed of all trains through Stampede tunnel No. 3 must not exceed 15 miles per hour and must be so controlled that they can be stopped on emerging.
- Twenty miles per hour over Tenth Subdivision of Tacoma Division switches at Palmer Junction.
- 7a. Speed of class W, W-1 and W-3 engines will not exceed 35 miles per hour at any point. This restriction does not abrogate other restrictions of lesser speed governing same class power.
- & Fifteen miles per hour through cross-overs and entering sidings.
- 8a. Thirty miles per hour through interlocking plants.
- 9. Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
- 10. Yard Limits.-Indicated by sign at proper location.
- 11. Registering Stations.—Ellensburg and East Auburn. At East Auburn all trains register by ticket. Freight trains also register at Auburn Transfer. At Easton and Lester trains terminating will register arrival, and at Easton and Lester departing freight trains ascending will register whether "all air" or helper on rear. Palmer Junction is registering station for trains using tenth Subdivision of Tacoma Division only, which will register by ticket.
- 12. Eastward trains leave register ticket at Lester and procure register check at Easton. Westward trains leave register ticket at Easton and procure register check at Lester.
- 13. Bulletin Stations.—Ellensburg and Auburn Transfer. (Lester and Easton are bulletin stations for enginemen on helper engines.)
- 14. Standard Clocks.-Ellensburg, Lester and Auburn Transfer.
- 15. Mountain Grade.—Easton to Lester.
- 16. Helper District.—Between Auburn and Easton.
- 17. Lap Sidings are located at Thorp, Bristol, Tenaway, Nelsons, Maywood, Eagle Gorge, Kanaskat and Covington. (Trains taking siding will head in at lap.)
- 18. At Dudley and Humphrey, track No. 1, located next to main track, will be known as eastward siding. Track No. 2 will be known as westward siding.
- At Lester.—Track No. 1 west of double track switch, located 1,400 feet west of station, will be used as storage track. Track No. 2 as eastward siding. Track No. 3 as westward siding.
- Descending freight train must not be permitted to leave Stampede until descending passenger train has arrived at Lester and descending freight train must not be permitted to leave Martin until descending passenger train has passed Easton.

- 21. When block for eastward trains is not clear operator at Martin will head such trains in on eastward siding to enable them to clear Tunnel No. 3.
- 22. Rule 316 is modified as follows: When the telephone is used, signalmen will transmit the words, represented by the figures.
- 23. All sidings between Tunnel No. 3 and westward switches of new sidings west of Tunnel No. 4 will be considered in Stampede station limits, but the old sidings between tunnels Nos. 3 and 4 must not be used for the meeting or passing of trains.
- 24. Normal position of double track switches at Easton and Stampede will be for westward trains.
- 25. Normal position of double track switches at Martin and Lester will be for eastward trains.
- 26. All trains must approach double track switches under full control.
- 27. At Palmer Junction, the upper semaphore arms are train order signals and govern movement of trains via first Subdivision; middle arms are also train order signals and govern movement to and from Tenth Subdivision of Tacoma Division; lower arm is automatic block (west home signal). Switch at Palmer Junction will be set for the First Subdivision line
- 28. Engines must not run on Page Lumber Co.'s spur.

29. Derail switches are located as follows, and must be kept set in derailing position when not in use:

Ellensburg-East end of east yard. Ellensburg—Caboose track. Kountz-East end of siding. Cle Elum—East end of east extension. Easton—East end of siding. Lester—West end of roundhouse track. Lester-West end of No. 1 track.

Covington-West end of westward siding. Soos Spur—Spur track.

Nagrom-Spur track.

Byrd-West end of siding.

Eagle Gorge—West end of westward siding. Kanaskat—West end of wye.

- Switch lamps will not be maintained on above switches.
- 30. Position of "Wye" switches at Auburn will be ascertained before using. Normal position of switch at head of the wye at Auburn will be for Seattle leg of the wye. Switch target and switch lamp will show clear indication for Seattle
- 31. Electric coal bunker, located on west extension, Cle Elum, will not clear man on side of car or engine.
- 32. Mallet power must not be double-headed over bridges except between Easton and Lester.
- Dead freight trains will fill to tonnage at Cle Elum.
- 34. No. 318 will stop on flag to unload express at Garibaldi.
- 35. Nos. 1, 3, 4 and 42 will stop on signal at Nagrom.
- 36. On Sundays, special trains are operated on Roslyn Branch for the accommodation of passengers.
- Leave Cle Elum 10:00 a. m., 1:15 p. m., 4:00 p. m. and 6:00 p. m. Leave Lakedale 10:40 a. m. and 6:40 p. m.
- Leave Beekman 10:45 a. m., 2:00 p. m., 4:45 p. m. and 6:45 p. m.
- 37. No. 4 will connect with No. 596 at Kanasket.
- 38. No. 3 will connect with No. 595 at Kanasket.
- When making back-up movement, running test of air brakes must be made from rear of train. 39.
- 40. All toilets in trains must be kept locked while in the limits between Headworks and Humphrey and all employees are cautioned against throwing any refuse or articles, which might become unsanitary, off the train while passing through that territory.

41. FREIGHT TRAIN CONDUCTORS AND ENGINEMEN WILL COMPLY WITH THE FOLLOWING, CONCERNING THE HANDLING OF TRAINS THROUGH TUNNEL No. 3:

On whistling for either Martin or Stampede the engineman must place the handle of the brake valve in full release position and obtain 90 pounds train pipe pressure as promptly as possible. (Engineman must see that low pressure governor head does not exceed 90 pounds.) Following this he must obtain "Proceed" signal before entering tunnel No. 3, to be passed from conductor to head engineman by helper engine whistle and head brakeman. Conductor will not give this signal until the train pipe pressure in the caboose has been increased to at least 80 pounds.

No retaining valves need be used with trains of all empties through tunnel No. 3, but such trains must be stopped and all retaining valves turned up before leaving either Stampede or Martin. With other freight trains, before entering tunnel No. 3 turn up all retaining valves Westward, and all but the rear one-third Eastward, turning all up before leaving

If for any reason the train breaks in two or more parts while in tunnel No. 3, train and enginemen should arrange to get engines out of tunnel promptly as possible. If necessary, take engines and cars out in either or both directions, When portion of train is left in tunnel, same should be made secure by blocking and not moved out until smoke and gas has cleared and it can be done safely. Blocking will be found on walls of tunnel on right hand side going east, about 100 feet apart and six feet above the rail.

Descending trains will carry 90 pounds train pipe pressure to Lester and to Easton. Following any stops during the descent, the engineman must fully recharge the brakes before starting and the conductor must not give the "Proceed" signal until at least 80 pounds is shown by the caboose gauge.

Eastward freight trains will stop at Lester to make terminal test, and at Easton to make examination of wheels and brakes. Westward freight trains will stop at Easton to make terminal test, and at Lester to make examination of wheels and brakes. In addition to stopping at Lester, westward freight trains will stop at Kennedy (with caboose as close to telegraph office as possible) to make inspection of wheels and brakes.

If enginemen handling eastward freight trains find that fan at mouth of tunnel No. 3, Stampede, is in operation when passing vents, train must be stopped at once and engineer in charge of plant notified to stop the fans.

Conductor in charge of freight trains will wire operators at Martin or Stampede, as the case may be, when they have stockmen or messengers or any one legitimately carried on train in excess of regular train crew so that operators can hand up sufficient number of respirators.

42. RULES COVERING THE OPERATION OF SINGLE TRACK BY STAFF SYSTEM BETWEEN STAMPEDE AND MARTIN:

No train, engine4 or propelled car will run in either direction until engineman receives from operator a staff which must be retained and delivered to the operator at the opposite end of the block.

The possession of a staff makes the train superior to all other trains between Stampede and Martin.

The eastward train order signal at Stampede, and the westward train order signal at Martin, are interlocked with staff machines located in the telegraph office at Stampede and Martin, and except when used must be set normally at stop and cannot be cleared until the operator at opposite end of block returns staff to machine, which must not be done until rear of train has passed 300 feet beyond the signal. After signal has been cleared for a train entering the tunnel it must be restored to stop immediately after the rear of the train has passed the signal.

In order to use the switches in old Stampede yard, the staff must be used to unlock switch levers with, and levers

will have to be returned to normal position before staff can be removed. These tracks cannot be used for trains or engines getting into clear as the staff which is used for unlocking the switches must be returned to machine at Stampede or Martin. (Pusher staff will not unlock switches.)

When a helper engine is used behind caboose, or on rear of passenger train, operators at Stampede will be prepared to deliver pusher staff to engineman. When engine is cut off at old Stampede, the pusher staff will be his authority to return to Stampede. (The pusher staff cannot be put into the machine at Martin, but must be returned to the machine at Stampede.

In tunnel section between double track switch at Martin and double track switch at Stampede, (A) flagging is not required. (B) Headlight and lighted markers will be used both day and night.

43. Special rules governing operation of trains and yard engines between East Auburn and Auburn and between East Auburn and Auburn Transfer.

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K," "L," "M" or "N" from operator at

Auburn, East Auburn or Auburn Transfer properly filled out. Automatic block rules must also be observed. Cards must be surrendered to operator at end of block immediately upon arrival.

THIRD	CLASS	ĺ	SECOND CLASS	S. Carriero	FIRST CLA	ss	, , yes		el;	Time Table No. 41 J			FI	RST CLASS		SECOND CLASS	1 7	HIRD CLA	ASS
T	927	923		675	443	441	Scales and W	mbers	Seatt	June 4, 1916	_	o	442	1	676		924	1	1
				0/0	770	-8-8 8	Fuel,	Num	e from Sta.,	Succeeding No. 41-1	e fron	acity							_
-[Way Freight	Way Freight		Freight	Passenger	Passenger	ater,] rn Ts	rtion	Distance King St.	STATIONS	stancemas	r Cap lings	Passenger	Passenger	Freight		Way Freight		
Ex. Sun.	Mo., We., Fri.			Ex. Sat.	Daily L 4.20PM	Daily	≱₽	Stati		Telegraph Offices and Calls	<u> </u>	Car	Daily	Daily	Ex. Sun.		Ex. Mon.	Sat.	Ex.
		L 8.25M		N KEITH AN	1.		/11 L DE	- COV		UDSEATTLEDN King Street Station		TIBET T		A 5.55PM	U ATIONS		A 3.30PM		
1			BEIWEE	N KEIIM AN	Action to the beautiful and the second section of the second	L10.15AM	1	CF 42	1	BY PUGET SOUND DIVI	 	1		A 5.11PM	ULATIONS		1		1
		Ls 9.15AM			f	f				3.6			f	f			As 2.40PM		
		s 9.30			444	f10.22				6.8	112.2	60	f 1.34	f 5.02			\$ 2.20		
		s 9.50				\$10.3 4		CF 53		BD 1.7		40	s 1.21	s 4.49			s 1.35		
L 1.45PM		A10.00AM		L 9.45PM	s 5.18	s10.39	WCT	C F 55	24.3	CJ WOODINVILLEDN 5.8	103.7	175	s 1.17	s 4.46	A 3.05AM		L 1.25PM		A11
s 2.45		See page 4		s10.25	s 5.36	f10.57		C F 60	30.1	MBD	97.9	80	s 1.05	s 4.34	2.30				s10
s 3.15 4.50	444			10.50	5.53	11.14AM		 	37.5	BROMART	90.5	Spur 5	L12.48PM	4.16 935	1.40				10
4.50 A 5.00PM				A11.30PM	As 5.57PM		 -	 	38.1	HO., G. N. StnSnohomish. DN	89.9	76		Ls 4.14PM	L 1.35AM				- L 7
			1		AND LOWEL	L TRAIN	S WIL	L BE	GOVE	NED BY GREAT NORT	HERN	RY. TI	ME TAB	LE RULES AN	į į	IONS			
L 5.20PM				L11.45PM	Ls 6.07PM			BB 6	43.9	WDN	84.1	70		As 4.04PM	A 1.15AM				A 6
A 5.30PM	ine			s12.05AM	s 6.17	0	WCOY	B B 8	45.4	EVDN	82.6	100	Line	s 4.00	s 1.00				L 6
1	I pu					Line			46.6	PG G. N. JUNCTIONDN	81.4		rd L					=	
	artfo			•		tord			46.7	C. M. & St. P. R. R. CROSSING	81.3		artfo					tfrod	-
	a Hg					Har				C. M. & St. P. R. R. CROSSING 0.5			Via Ha					Hari	
	i.			12.15 676						ROGER 0.5		87	· >		1 2.1 5 AM 675				
				A12.20AM	A 6.27PM					WY DELTA WYEDN 6.0	1			L 3.45PM	L11.50PM				
		. 1		•		TRAINS	WILL	BE G		NED BY GREAT NORTH	-53-	22 25 CT - 12 - 6 2 CT	1			ONS	Ô		ſ
				L12.40AM	L 641.PM	Via		·		KKRUSEDN	1	ì		A 3.31PM	A11.30PM			Via	
	130 400			12.55	f 6.51		w	C F 88	1	M. & A. CROSSING 2.6 COEDGECOMBN	1	}	A12.03PM		11.10			See page 5	
	L10.40AM					442	i		1	3.1		1	9 441	l i				A12.35PM	_
	s 1 0.50AN 1 2.50PN	442 441		s 1.25			Y No ME			ADN 3.7	1		021 020	l l	s10.55			s12.15PM 9.20AM	441 442
	s 1.10			1.40	s 7.11	f12.24		1	l	BTBRYANTD	.	1	f11.41	s 3.05	10.35		Ì	s 9.00	
	s 2.00			1.58	s 7.25	s12.37	w	CF 101	71.4	MUD 5.8	56.6	65	\$11.25	s 2.52	10.12			s 8.30	1
-	s 2.40 444			2.15	s 7.37	f12.48		C F 107	77.2	MONTBORNE	50.8	25	f11.13	s 2.40	9.55			s 7.45	1-
-	s 2.50			2.20	s 7.42	s12.52		C F 109	78.9	BGBIG LAKED	49.1	70	s11.09	s 2.36	9.45			s 7.30	-
-							ļ	-	1	4.1 P. S. & C. RY. CROSSING	1							-	-
-	s 3.30			2.37	s 7.53	s 1.03	<u> </u>	C F 114	84.3	CACLEAR LAKED	43.7	195	s10.56	s 2.25	9.30			s 6.45	-
	A 4.00PM			s 3.10	s 8.07	s 1.19	WCT	C F 117	87.5	WL.SEDRO-WOOLLEYDN (TWO G. N. CROSSINGS) Track Conn. 7.5	40.5	290	\$10.42	s 2.17	s 9.20			L 6.30AM	Ā
-				s 3.40	s 8.22	f 1.35		C F 122	95.0	Track Conn. 7.5THORNWOOD	33.0	45	f10.25	s 2.03	s 8.22				-
				A 4.10 L 5.30	A 8.32PM	s 1.50	Y W	C F 128	99.3	WKWICKERSHAMDN	28.7	1	\$10.10	l i	L 7.40 A 3.20			-	-
1	,			s 5.45	See page 5			1	1		1	Spur 50	f10.03	441	s 3.03			-	-
				s 6.00		s 2.01	w	1	I	MCACMED	1	18	s 9.57		s 2.50	· ·			1-
				s 6.15		2.06		i	1	STANDARD 5.8	1	20	f 9.52		s 2.43				
				s 6.40		s 2.23 676		C F 141	Į.	DMDEMINGD	i	45	s 9.36		s 2.23			_	
_				. 710		. 0.40		CETE	1	B. & N. RY. CROSSING 7.4 NCNOOKSACKD	1	10	0.17		s 1.30				
				s 7.10		s 2.42	ļ	- F 151	1	5.5 B. & N. CROSSING	1	l	s 9.17					_	_
.	,	 -		A 7.40AM		A 3.00PM	WCOT	C F 157	1	0.9 SUSUMAS	1	l	L 9.00AM		L 1.00PM			-	-
E- C	Mo., We.,	Ex. Sun.			D - 11				-								Ex. Mon.	Tu., Thu., Sat.	.,
	Fri. 5.20	0.45		Ex. Sat. 8.35	Daily 3.39	Daily 4.42		-	 	Time Over Subdivision		·	Daily 4.35	3.37	Ex. Sun. 14.05		1.15	Sat. 6.05	Ex.
3.45						24.1		-	·	Average Speed Per Hour	-	·	25.2					6.0	-

											<u> </u>														
WE	STWAR	.D	TH.	IRD	SUI	BDIVISION (ROSLYN B	RAN	ICH)	EASTW	ARD	WESTWA	RD				FO	UR'	TH SUBDIVISION	(BEL	T LII	NE)		E	EASTW	ARD
SE	COND CLA	ASS	les, Wyes	50		Time Table No. 41 J		s	ECOND C	LASS	THIRD CLASS	SEC	OND CLASS	1st Class	. %⊳			Time Table No. 41	J		1st Clas	SECONI	CLASS	THIRD	CLASS
477	475	473	el, Sca ls and	Numbers	rom	June 4, 1916 Succeeding No. 41-I		474	476	478	935	5	675	445	el, Scal	mbers	n o n	June 4, 1916 Succeeding No. 41-I	om	ty of	446	676		936	
Mixed	Mixed	Mixed	er, Fue Tabe		Distance from Cle Elum	STATIONS	dale	Mixed	Mixed	Mixed	Everett Way Fr		Freight	Passenger	r, Fue Table	nN no	Distance from Black River	STATIONS	ance from	Sapaci gs	Passenger	Freight		Everett Way Frt.	
Ex. Sun			Wate	Station		Telegraph Offices and Calls	Lag		Ex. Sun.		Ex. Sun	1.	Ex. Sat.	Daily	Wate Turn	Statio	Dista	Telegraph Offices and Calls	1 = 2	Car Sidin	Daily	Ex. Mon.		Ex. Mon.	
L 1.15	PM L 9.20AM		WCY	1873		CLDN 2.0	_		AM A11.00AM		L 8.45	. AM	I 8 1 5 PM	1 420M	v	C F 21	0.0	BIBLACK RIVERDI	N 24 5	20	See Puget Sound T.T	See Puget Sound T. T. A 4.35		See Puget Sound T.T. A 3.25PM	
s 1.20		s 7.05		<u> </u>		1.5	5.2	s 8.25		s 5.10			8.21	s 4.25				2.1				4.30		s 3.15	
s 1.30		s 7.15		CA 4		RSD 3		s 8.15		s 5.00	s 8.55 9.52 446		0.21	3 4.20		B R 22	2.1	RTP. C. R. R. CROSSING 0.2	. 22.4	30	s 9.52 935	4.30		\$ 5.10	
s 1.38		s 7.23		CA 6		0.7	1.8	s 8.05		s 4.50							2.3	S. R. & S. CROSSING Track Connection 1.7	. 22 .2						
A 1.45	PM A 9.50AM	A 7.30AM			6.1	1.1	1.1	L 8.00	AM L10.30AM	4.45PM	-							P.C. R. R. CROSSING Track Connection 2.2							
.30	.30	.30			7.2	Time Over Subdivision	0.0	.30	.30	.30	s10.30		8.34	4.34		-	.	QUENDALL 5.6	_		9.41	4.20		s 1.45	
12.2	12.2	12.2	RE SU	PERIOR	TO	Average Speed Per Hour TRAINS OF THE SAME CLASS	INT	12.2 HE OPPOSIT		12.2 DN	\$11.00		8.55	s 4.48		. 3 . 1		WBWILBURTONI			s 9.28	4.05		s 1.25	
1. BU	LLETIN AL	TD REGI	STERII	G ST	ATIOI	M—Cle Elum.			*.		s11.10		9.00	f 4.53		-	.	NORTHRUP	_		f 9.24	4.00		s 1.15	
3. DE	coal train i	s required the house	i to co: at Rosi	me to a	switch a full be le	h at the head of wye toward R stop above this switch. The eft set to act as derail to prev	stub ent c	switch on the ars running	e main line down main	nearly in track to-	s11.30	<u>'</u>	9.13	f 5.03	W 1/2 ME	BA 7		KIRKLANDI	_		s 9.13	3.40		s 1.00	
4. Ext	ward Cle E ra trains m 475 has ri	ust wait	at Rosl 176 Cle	yn unt Elum	il seco	ond class trains clear at Cle El ekman. No. 473 has right over	um.	Cle Elum to	Beekman.					· · · · · · · ·				R. R. CROSSING						, , .	
	STWAR	And was professional stability to a set of	CARL CALLERY FOR SOCI	an infraregular or composi-	and the second section of the second	he tipple tracks on the Roslyn IVISION (SNOQUALMIE	And a William Control of the	Makana and make a second and the second	EASTW									BELT LINE JUNCTION							
√	FIRST		, J. ses		T	Time Table No. 41]	1	<u> </u>	T CLASS	3d Class	A1 1.59				СТW	C F 55	24.5	CJWOODINVILLEDN	0.0	100		L 3.10AM		L12.30PM 935	
923		445	Scales and W	bers		June 4. 1916		446		924	Ex. Sun 3.14	_	Ex. Sat.	Daily 1.00				Time Over Subdivision			Daily 1.04	Ex. Mon. 1.25		Ex. Mon. 2.55	
Way			Fuel, ables	Numbers	Distance from Woodinville	Succeeding No. 41-1 STATIONS	1 1			Way	10.6	1	18.3	24.3		ļ. j., .		Average Speed Per Hour			22.5	16.8	•	8.4	<u> </u>
Freight Ex. Sun		Passenger	Water, Turn T	Station	istand 7 oodir	Telegraph Offices and Calls	allal	Passeng Daily	er	Freight Ex. Mon.	7.	EAST BEGIS	WARD TRAI	NS ARE	SUPE Woodin	RIOR	TO 1	TRAINS OF THE SAME (CLASS	S IN	THE OP	OSITE D	IRECTIO	N	
La. Gain		Daily	BH.	- ×2	HE	Telegraph offices and oans	2 3	Seethispa	ge	See page 3	8. 9. 10.	SPEEI Twenty All tra	D RESTRICTION Market M	ONS—Fift our Class ahead to	een mi "W" er	iles per ngines derails	hour betwee	ack River. through cross-overs and er en Black River and Woodin lag across P. C. R. R. cross nton.	ntering ville.	sidi: t Ren	ngs. iton.				
L10.30	VW.	L 5.25PM	стw	C F 55	0.0	CJWOODINVILLE DN 39	.1 1	00 A s 8.52	AM	A 1.00PM	11. 12. 13.	Engine Engine No. 935	s must not en s must not go has right ove	ter Glass beyond : r No. 936.	Works frog or Black	s spur an S. R.	at Ren & S.	interchange track at Rento	on acc	ount :	30% c urve.				
		f		BC 4	3.9	WILLOWS 35	.2 Sp	ur 4 f			14. 15. 16.	STATION	i ar Kirkiana i	DATEON 2	2250 14	66 † 6 9 9 1	1 04 6	nton. interchange track at Rento odinville. odinville. Crossing. iding							
s 1 1.45	M	s 5.40		BC 7	6.7	RMREDMONDD 32	.4	43 s 8.32		s 11.45 AM 923	17. 18. 19.	Siding Nos. 44	located 600 fe 45 and 446 regi	et west of ister by ti	f Wilbicket at	urton s t Black	Rive	n is time table station for t r.		oint.					
	5 :	ia , ja	A			PARADISE LOGG. RY. CRSG. 31 Track Connection 0.1		·		* 1 *** * * * * * * * * * * * * * * * *	20.	Norma	position Ren	ton leg w	ye swi	ten Bia	ick K	iver, set for Tacoma leg of			elitario gelegitimos actual que proces	Commence of the second			
		f				CAMPTON 31			4.73		WESTWA	RD			SIX	XTH	SU	BDIVISION (LOWELI	L LIN	IE)			E	ASTW	ARD
: []		f				INGLEWOOD 27	_ _							:		,	Wye	Time Table		41 J			T		1
s 1.15		s 6.03				MONOHON 24	_			s11.15					,	el, Sca	es and	June 4, 19 Succeeding No			from eity of				
s 2.30	_	s 6.13				GD 20				\$10.45 						Water, Fuel,	Tabl		NS		tance frelter Capaci				
		f				HIGH POINT 16								-		Wate	Tar	Station Sharp Character Station Character Sharp Character Station	and Ca	alls	Dista Smel Car (
s 3.30		s 6.40				RNPRESTOND 13				s 8.40			# 1 · · · ·			WY	occ	F 69 0.0 OMSNOHOMI	s H	DN	11.4 150				
s 3.55	_	s 6.50	1	1	1	FALL CITY 10 3.0SNOQUALMIE FALLS 7			-	s 8.10 								B 1 0.7VARDEN 4.9		- 1					
s 4.20		s 7.05	1	- 1		SOSNOQUALMIED		1	_	s 7.35							В	B 5 5.6EBEY JCC.M.& St.P.Ry. CI 0.7	T ROSSII	NG	5.8 50			-	1775 1374 - 13
A 4.45P	М	A 7.15PM	Y C	B C 36	35.9	BND 3	.2	18 L 7.10	AM	L 7.20AM	·							B 6 6.3 WLOWELL				-			,
				B C 39	39.1	SALLAL0	.0 Sp							·											
Ex. Sun.		Daily				Time Over Subdivision		Daily 1.42		Ex. Mon. 5.40		_	-			-		Time Over Subo Average Speed P				<u> </u>			
6.15 5.6		1.50				Average Speed Per Hour		21.1		6.3		EAST	WARD TRAI	NS ARE	SUPE	RIOR	TO 1	RAINS OF THE SAME (CLASS	S IN	THE OPE	OSITE D	IRECTIO	N.	
21. I 22. I 23. 3 24. §	REGISTERI MAXIMUM YARD LIMI SPEED RES	NG STAT GRADES- ITS-Indi STRICTIO	IONS—Issaq cated b	-Woodi uah to y sign fteen	nville Preste at pr miles	rrains of the same class and North Bend. on. oper location. per hour through cross-overs arridges and high trestles. er Bridge 39. and Snoqualmie Falls. iule time on Preston and Fall teen minutes apart. ston telegraph office is time to ssengers holding proper transpust not be carried on these traille to North Bend. lined for wye.	and e	ntering sidir	ıgs.		39.	No ste	am or electric card Order f low electric tr diately upon a out for trolley car.	ON.—Snohodicated by ONS.—Fif ohomish as trains we rom opera ains, until arrival.	omish. y sign fteen m and Lo ill occ tor at l electr etween	at proposed at proposed at proposed at proposed at a proposed at a proposed at a proposed at proposed	er housix main trainish on ha	cation. r through cross-overs and iles per hour over Snohomis ack in either direction betw or Lowell, properly filled ou ve cleared block. Cards mu at Snohomish and Ebey Slot at Lowell is unsafe for en	reen S it. Ca st be	nohor ards v surre	nish and I will not be ndered to	owell, wit issued fo perator at	hout first r steam to end of bl	procur- rains to ock im-	
32, 1 33, 7	North Bo No. 445 has West wye s	right ove witch at	nen and r No. 4 North E	childi 46 Wo Send w	en m odinvi ill be	ust not be carried on these tra lile to North Bend. lined for wye.	ins.													*****		AND THE RESERVE OF THE PERSON			·
1 00.	west wye s	witch at	vorun't	ena W	TT NG	IIIIGU IUI WYC.					FR SPECIAL RU								-	*******	-	ANCTO TO A PRODUCTION OF THE PROPERTY OF			

SD ,		2	EVI	ENTH SUBDIVISION (HARTFORD LINE)			1	EASTWA	RD	WES	STWAR	D v]	EASTW.	ARD
FIRST CLASS	s, Vyes			Time Table No. 41 I			FIRST CLASS	THIRD	CLASS	SECON	D CLASS	FIRST	CLASS	wyes			Time Table No. 41J		-;	FIRST CLASS	SECOND	CLASS
441	Sca	nbers		June 4, 1916 Succeding No. 41-I	ty of	4	442	928			419		443	Scal	mbers	H O H	June 4, 1916 Succeeding No. 41-I	rom tham	ity of	444	420	
Passenge	r, Fue Table	m N uc	nce fr	STATIONS	comb Capaci	g Pa	assenger	Way Freight			Mixed	-	Passenger	er, Fue	lon N	ance fi	STATIONS	ance f Belling	Caps	Passenger	Mixed	
Daily	Wate	Stati	Dista	Telegraph Offices and Calls	Edge Car Sidir	Se	Daily ee page 3	Tu., Thu., and Sat.		1	Ex. Sun.		Daily	Wat	Stat	Dist	Telegraph Offices and Calls	Dis So.	Car	Daily	Ex. Sun.	
			_								L 8.00AM		L 8.32M		-	0.0	WKWICKERSHAMDN	22.5	75	See page 3 As 1.45PM	A 5.25PM	
s11·19	WCOY	CF 6	9 1.2	OMSNOHOMISHDN 18.	8.8 15	0 s1	12.45	A 2.45PM			s 8.10		f 8.36		B M 1	1.3	MIRROR LAKE	21.2	15	f 1.37	s 5·15	
s11.26	w	C F 7	4 6.3	MAD 13	3.7 5	6 s1	12.36	s 2.25		<u> </u>	s 8.25		f 8.42		B M 4	1				f 1.29	s 5.05	1
s11.36							12.29	s 2.00		1	s 8.35		f 8.45	W 2 8	B M 5	4.8	BLUE CANYON	17.7	20	f 1.26	s 5.00	
f11.51A		CF 8	2 13.9	GETCHELL 6.	6.1 6	0 s1	12.19	s12.55		 	f		f	M W	B M 9	9.0	TOWANDA	13.5	No Sda	f	f	
M 442 A1 2.03P	w	CF 8	8 20.0	COEDGECOMBN 0	0.0 5	3 L1	12.03PM	L12.35PM			s 9.00		f 9.04		B M 11	11.4				f 1.11	s 4.40	
Daily					,		Daily	Tu., Thu., and Sat.	-		s 9.15		f 9.13		B M 15	15.1	SILVER BEACH	7.4	No.	s 1.02	s 4.25	
.49				Time Over Subdivision			.45	2.10		<u> </u>	s 9.20		9.17	 -	B M 16	16.1	LARSON	6.4	30	12.58	s 4.20	
24.5	<u> </u>			Average Speed Per Hour		!_	26.6	9.0							225.00		4.4	- 0 0		110.450	-	
			_		SS IN	THE	E OPPOSITE DI	RECTION			A10.00A		A 9.30Pm	WYCC	B M 20	<u> </u>	1.4			F12-40.	L 4.00PM	
ZING STATION—Sr ZITS—Indicated by N STATION—Snobo	onomis sign at mish	n and prop	er loc	ation.									-			21.9	Tk Connection 0.6	0.6				
DISTRICT —Between nd 442 will wait 15	Snoho minute	mish s at S	and nohor	Edgecomb, limit 30 cars. nish for motor connection from	Evere	ett.									B M 23	22.5	FNSO. BELLINGHAMD	0.0	50			
estrictions—Fift and V2 engines two	een mi	les per	r hou	r through crossovers and entering the tween Snohomish and Edges	ing sid comb	lings.	ling at this naint	head Iliw	in at	l	Ev Sun		Daily							Daily	Ex. Sun.	
ver just west of depo d not obtain clearan	t. Eas ce at S	tward nohor	train nish b	s taking siding will head in at e between 12:30 a. m. and 6:30 a. 1	extrem m., an	e wes	st switch. Edgecomb between	en 3:00 a. m	n. and	l	2.00		.58		-	-	Time Over Subdivision			1.00	1.25	
m. and between 7:	00 p. m	. and	9:00	p. m., unless stop signal is disp	played.	•			THE OWNER OF THE OWNER.	l	10.3		19.7				Average Speed Per Hour			20.5	14.4	
WESTWARD EIGHTH SUBDIVISION (DARRINGTON BRANCH) SECOND CLASS June 4, 1916 Succeeding No. 41-I STATIONS Ex. Sun. L12.50PM C Y C F 91 0.0									ARD	9. 10. 11. 13.	REGISTED BULLETI YARD LII MAXIMUI No. 419 ha SPEED RI	BING STA N STATIO MIT.—Indi M GRADES As right ov ESTRICTION	TIONS.—Belling the cated by some Larson ter No. 42	Wickengham. sign at to Be o, Wicken m	rsham t proper ellingha kershan niles pe	and locat m and n to l	Bellingham.	tering	sidin	gs.		
	Passenger Daily L11.14M s11.19 s11.26 s11.36 f11.51M 442 A12.03Pf f See p.3 Daily .49 24.5 RD TRAINS ARE ING STATION—Snoho ISTRICT—Between d 442 will wait 15 STRICTIONS—Fift and Y2 engines twe end at Machias is le er just west of depo in not obtain clearan m. and between 7:0	FIRST CLASS 441 Passenger Daily L11.14M \$11.19 WCOY \$11.26 W \$11.36 f11.51AM 442 A12.03PM f Seep.3 Daily .49 24.5 RD TRAINS ARE SUPER ING STATION—Snohomish ITS—Indicated by sign at 1 STATION—Snohomish. DISTRICT—Between Snoho d42 will wait 15 minutes STBICTIONS—Fifteen mil and Y2 engines twenty mil and Y2 engines twe	FIRST CLASS 441 Passenger Daily L11.14M \$11.19 WCOYCF 6 \$11.26 W CF 7 \$11.36 CF 7 f11.51M CF 8 442 A12.03PM f Seep.3 Daily .49 24.5 RD TRAINS ARE SUPERIOR ING STATION—Snohomish and ITS—Indicated by sign at prop I STATION—Snohomish. ISTRICT—Between Snohomish. ISTRICT—Between Snohomish. ISTRICT—Between Snohomish and 442 will wait 15 minutes at SISTRICTIONS—Fifteen miles peand 472 engines twenty miles peand 472 engines twenty miles peand and incot obtain clearance at Snohom m. and between 7:00 p. m. and	FIRST CLASS 441 Passenger Daily L11.14M Doily First CLASS Passenger Daily L11.14M Doily S11.26 First CLASS S11.36 CF 77 S11.39 CF 82 CF 82 CF 77 S13.9 CF 82 CF 82 CF 82 CF 77 S13.9 CF 88 CF 78 CF 88 CF 88 CF 78 CF 88 CF 78 CF 88 CF 78 CF 88 CF 88 CF 78 CF 88 CF 78 CF 88 CF 78 CF 88 CF 78 CF 88 CF 88 CF 78 CF 88 CF 78 CF 88 CF 78 CF 88 CF 78 CF 88 CF	FIRST CLASS 441 Passenger Lit. grape of the process of the state of	Columbia Columbia	Comparison Com	Comparison Com	FIRST CLASS	Charter Class	Column	Column	Column C	Comparison Com	Color Colo	FIRST CLASS	HARTFORD LINE HARTFORD LIN	### CHARTFORD LINE FIRST CLASS	### CHARTFORD LINE FIRST CLASS	FIRST CLASS	FIRST CLASS	Column C

	SECOND	CLASS	S, Wyes			Time Table No. 41 J			SECOND	CLASS		
		469	el, Scales, es and Wyes	Numbers	rom	June 4, 1916 Succeeding No. 41-I		ity of	470			
		Mixed	Water, Fuel, 8 Turn Tables	lon N	Distance from Arlington	STATIONS	Distance from Darrington	Car Capacity e	Mixed			
		Ex. Sun.	Wate	Station	Dist	Telegraph Offices and Calls	Dist	Car	Ex. Sun.			
		L12.50PM	CY	CF 91	0.0	ARLINGTONDN 1.2 P	28.9	132	A10.15AM			
:		12.55			1.2	ARLINGTON JUNCTION	27.7		10.05			
		s 1.20	w	BK 4	5.7	COOPER	23.2	Spur 6	s 9.41			
		s 1.40		BK 7	8.6	CICERO	20.3	Spur 2	s 9.29			-
		s 1.55		B K 11	12.3	oso	16.6	28	s 9.15			
		s 2.10		B K 13	14.3	HALTERMAN	14.6	33	s 9.05	4		
		s 2.22		B K 15	16.0	ROWAN	12.9		s 8.57			
		s 2.38	w	B K 17	18.1	HAZEL	10.8	80	s 8.47			
		s 3.10		B K 21	21.8	FORTSON	7.1	Spur 12	s 8.31			
		s 3.20		B K 22	22.9	SHEOMET	6.0	Spur 4	s 8.24			
		s 3.35		B K 24	25.9	GEBBOTT	3.0	Spur 10	s 8.12	- :		
		A 3.50PM	C Y	B K 28	28.9	DARRINGTOND	0.0	24	L 8.00AM		* =	
		3.00				Time Over Subdivision			2.15			
		9.6				Average Speed Per Hour			12.8			

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION

- BEGISTERING STATIONS.—Arlington and Darrington.
 BULLETIN STATION.—Arlington,
 YARD LIMIT.—Indicated by sign at proper location.
 SPEED RESTRICTIONS.—Fifteen miles per hour through cross-overs and entering sidings.
 Move under control where slides and washouts are liable to occur.
 Track beyond 400 feet from frog on U. S. spur at Darrington is unsafe for engines.

SEE SPECIAL RULES—PAGES 6, 7, 8 AND 9.

COMMERCIAL SPURS. FIRST SUBDIVISION. Distance from Ellensburg.

STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capacity
Haybow	2.5	1 W	11	Garibaldi	73.3	1 E	8
Swauk	13.5	1 E	18	Sandberg	74.9	1 W	20
Casway	19.1	1 E	88				
Younger	22.4	1 E	10	Headworks	79.2	1 W	7
Hubner	41.0	1 E			00.0	1 73	
Sauriol (on eastward main track)	56.2	1 E	4	Henrys	89.6	1 E	••••
Nagrom, F 1, 3, 4 & 42	65.2	1 W	20	Soos	95.6	1 E	7

SECOND SUBDIVISION. Distance from King Street Station.

Pontiac, F 443 & 444	12.8	1 E	4
Lavilla, F 443 & 444	14.7	1 E	
Belden	14.9	1 E	8
Briarcrest,F 443 & 444	17.7		
Lake Forest Park, F443 & 444	18.6	1 W	8
Kenmore, F 443 & 444	19.8	1 E	7
Wrenwood	20.8	1 W	••••
Wayne, F 443 & 444	21.8	••••	••••
Hannan	22.2	1 E	14
Stockton	23.8	1 E	8
Sand Spur	26.0	1 E	12
Bear Creek	26.4	1 E	6
Grace, F 443 & 444	26.6	••••	••••
Cathcart, F 442, 443 & 444	33.7	1 W	12
Cobbner	36.1	1 W	
Madrona	46.2	1 E	Spur
Ivanwood	57.2	1 E	32
M. & A. Tfr	59.7	1 W	••••
Milldale	66.4	1 E	6
Pilchuck, S 441, 442, 443 & 444	66.9	1 E	20
Days F 443 & 444	69.2	Siding	20
Holo	72.5	Siding	10

<u> </u>			
Ehrlich, F 443 & 444	74.3		
Chilco	78.4	1 W	7
Nookechamp, F 443 & 444	80.3	1 E	5
Tiloh	80.7	1 E	12
Forrest Home, F 444	81.8		••••
Heather	82.8	1 E	5
Skagit Junction	85.5	1 E	7
Delvan, F 443 & 444	89.9	1 W	2
Norlum (on old line)	90.3	- 1 E	Spur
Hoogdale, F 443 & 444	92.2	••••	
Nestos	92.8	1 W	40
Loggie, F 443 & 444	93.5	Siding	20
Prairie, S 443 & 444	95.8	Siding	10
Morgood	101.1	1 E	
Doran, F 441 & 442	101.4	1 W	4
Comar, F441	105.4	1 E	
Clipper, F 441 & 442	107.3	1 W	4
Coyne	109.2	1 E	7
Van Zandt, F 441 & 442	109.4	1 W	8
Case, F 441 & 442	110.6	1 E	5
Eliton	114.3	1 E	13
Lawrence, F 441 & 442	116.3	1 E	6

FOURTH SUBDIVISION. Distance from Black River.

STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capacity
Firloch, F 445 & 446	19.8	1 E	3	Hazelwood, F 445 & 446	7.4		
Feriton	16.6	1 E	2	Kennydale, F 445 & 446	5.4		
Kincaid	16.3	1 E	5	May Creek, F 445 & 446	6.7	1 E	4
Midlakes, F 445 & 446	12.7	1 W	5	Sanford, F 445 & 446	4.1	1 E	2
Factoria, F 445 & 446	10.0		• • • •				
Factoria	9.5	1 E	6				
			FIFTH S	UBDIVISION.	4		

FIFTH SUBDIVISION. Distance from Woodinville.

			Distance 1	I OILL TOOGHISTING			
Hargon	1.7	1 W	7	Craven	29.4	Siding	14
Hollywood, F 445 & 446	1.9	1 W	19	Hypon, F 445 & 446	30.1	1 E	15
Samamish, F 445 & 446	9.8	1 E	6	Lovo	30.8	1 E	21
Pickering, F 445 & 446	17.3	1 E	3	Niblock	32.5	1 W	100
Grand Ridge, F 446	22.0	1 W	15	Quariton	34.6	1 E	
Lovegreen	27.8	1 E	5	Tanners	38.1	1 E	15
		The property of the control of the c		Weeks	38.3	1 E	100
			CIVTU	CHADINICION			

SIXTH SUBDIVISION. Distance from Snohomish.

- VENCY.				SUBDIVISION. rom Bromart.		1	
Bartlett	7.1	1 E	4	Ryton	14.5	1 E	3
Lake Cassidy	12.6	1 E	3	Harvey	17.7	1 E	4
Kelmira	13 /	1 707	6	Signo F 443 & 444	10 2	1 F	15

EIGHTH SUBDIVISION. Distance from Arlington.

Seveno S 460 & 470	10.2	Sid'g No. 1	31	Jenfred	15.0	1 W	
wano, S 469 & 470	10.2	Sid'g No. 2 Sid'g No. 3	29 29	Lampson	21.4	1 E	
		bid g 110. 5		Giles	29.2	1 W	

1 E

NINTH SUBDIVISION. Distance from Wickersham

20 5

12

			Jistanice mon	TVIVACISIMIII.			
Gale, F 443 & 444	2.6	1 E	5	Mogul Log Co	14.6	1 E	24
Sloman	2.7	1 W	29	Matson	14.7	1 W	7

MAXIMUM CLEARANCES

Sherwood.....

		•						~					LIM	IT (OF LO	DAD — I	MEASU	URE	MENT								***************************************			
1				~							-		I	IEIG	HT A	BOVE 7	rop o	FR	AIL										T	**************************************
1			1 ft. Wide	2 ft. Wide	3 W	8 ft. Vide	4 ft. Wide		5 ft. Wide	6 ft. Wide	l ?	ft. Vide	7 ft. 6 in Wide	. 8 V	8 ft. Wide	8 ft. 6 in Wide	. 9 H	ft. ide	9 ft. 6 in. Wide	10 ft Wide	. 1	0 ft. 2 in. Wide	10 ft. 6 i Wide	n.	11 ft. Wide	11 ft. 6 Wid	6 in.	Max. Height	N	Max. Vidth
	1st Subdivision	Main Line (Ellensburg-East Auburn)	17′ 2″	17′ 1	" 16'	11"	16' 9"	" 10	6′ 8″	16′ 7″	16	6"	16′ 5	16	′ 5″	16′ 3″	16'	2"	16' 1"	16'	0"	15′ 10″	15′ 7	″ 1	5' 2"	14′ 1	11"	17′ 2″	11	′ 6″
I	2nd Subdivision	Main Line (Keith to Sumas)	20′ 6″	20′ 6	" 20'	6"	20′ 6″	" 20	0' 6"	20′ 6″	20	′ 6″	20′ 6	20	6"	20′ 6″	20'	3"	20' 0"	19'	8"	19' 7"	19′ 4	" 1)′ 0″	18'	8"	20' 6"	11	′ 6″
II	3rd Subdivision	Roslyn Branch	21′ 2″	21′ 2	" 21'	2"	21' 2"	" 2	1' 2"	21' 2"	21	′ 2″	21′ 2	21	′ 2″	21′ 2″	21'	2"	21' 2"	21'	2"	21' 2"	21′ 2	" 2	l' 2"	21'	2"	21' 2"	11	′ 6″
1200	4th Subdivision	Belt Line (Black River-Woodinville)	21′ 8″	21′ 8	" 21'	8"	21′ 8″	" 2:	1' 8"	21' 8"	21	′ 7″	21′ 4	" 21 [']	′ 2″	21′ 0′	20'	10"	20′ 9″	20'	7"	20′ 7″	20′ 5	7 2)′ 4″	20'	2"	21' 8"	11	′ 6″
II	5th Subdivision	Snoqualmie Branch	19′ 5″	19′ 5	" 19'	5"	19′ 5″	" 19	9′ 5″	19′ 5″	19	′ 5″	19′ 5	" 19	′ 5″	19′ 5′	19'	5"	19′ 5″	19'	5"	19' 5"	19′ 5	" 1)' 5"	19'	5"	19' 5"	, <u>1</u> 1	· 6"
1	6th Subdivision	Everett Branch	22′ 0″	22′ (" 22'	0"	22' 0'	" 2	1′ 10″	21' 6"	21	′ 2″	21′ 0	20	′ 10″	20′ 8′	20′	6"	20′ 4″	20'	2"	20' 2"	20′ 0	" 1	ð' 10"	19'	8"	22' 0"	11	.′ 6″
1	7th Subdivision	Hartford Line (Bromart-Edgecomb)	21' 6"	21′ 6	" 21'	6"	21' 6'	" 2	1' 6"	21' 6"	21	′ 6″	21′ 4	21	′ 2″	21′ 1′	20′	11"	20′ 9″	20'	8"	20' 8"	20′ 6	2)' 4"	20'	3"	21' 6"	, ₁₁	′ 6″
1	8th Subdivision	Darrington Branch	19′ 1″	19′ 1	" 19'	′ 1″	19′ 1′	" 19	9' 1"	19′ 1′	19	′ 1″	19′ 1	" 19	′ 1″	19' 1'	19'	1"	19′ 1″	19'	1"	19' 1"	19′ 1	" 1	θ' 1"	19'	1"	19' 1"	, 11	′ 6″
H	9th Subdivision	Bellingham Branch	18' 2"	18' 0	" 17'	10"	17′ 9′	" 1	7′ 8″	17' 7'	17	′ 6″	17′ 5	" 16	7"	16′ 1′	15'	9"	15′ 3″	14′ 1	1"	14' 10"	14' 5	5" 1	4' 0"	13'	8"	18' 2"	, 11	· 6"

TONNAGE RATINGS—FREIGHT ENGINES. FIRST SUBDIVISION.—EASTWARD.

GRADES.	Class	Z 3	Cla	ss Z	Clas	s W	Clas	s Y 5	Class	Y 2	Clas	s F 1	Clas	ss S	Clas	s E 4	Class E	3 or D 3	Class	s C 6
	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars
Auburn to Lester	2400	80	1700	60	1100	37	1100	37	900	30	900	- 30	800	27	500	17	475	16	350	12
Lester to Easton	1250	60	850	28	550	18	575	19	450	15.	450	15	400	14	250	9	235	8	175	6
Easton to Ellensburg		imum Cars		mum Cars		80		80		60	£	60		50		50	-	50		40

Between Lester and Easton maximum 70 cars.

FIRST SUBDIVISION.—WEST	W	ARD.
-------------------------	---	------

Ellensburg to Easton	3500	100	2100	, 60	1700	53	1550	52	1300	43	1250	42	1200	40	700	24	670	23	545	18
Easton to Lester	1250	60	850	28	550	18	575	19	450	15	450	15	400	14	250	• 9	235	8	175	6_
Lester to Auburn	Maxin		Maxir 99 C		Maxir 80 C		Maxii 80 C	mum lars	Maxii 60 C		Maxii 60 C		Maxi 60 C		Maxi 40 (mum Cars	Maxi 40 (mum Cars	Maxi 40 C	

Between Easton and Lester maximum 70 cars.

DISTRICTS.	Clas	s E 3	Clas	s E 7	Clas	s F 3	Class	F1	Clas	s S 4	Clas	ss W	Clas	s ¥ 5		DISTRICTS.	Clas	s E 3	Class	E 7	Class	s F 3	Class	s F 1	Class	5 5 4	Clas	s W	Class
second Subdivision—Eastward.	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	, :	Second Subdivision—Westward.	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons
Sumas to Wickersham	1200	40	1400	46	1300	45	1650	50	1650	50	2200		2250	60		Seattle to Interbay	2000	50	2500	60	2250	60	3000	60	3000	60	3500	65	3500
Vickersham to Thornwood	850	28	1100	37	1075	36	1500	47	1500	47	2000	60	2050	60) <u> </u>	Interbay to Keith	550	18	625	20	600-	19	750	25	750	25	975	32	1000
hornwood to Clear Lake	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000	80) _	Keith to Woodinville	1200	40	1500	47	1500	47	1800	50	1800	50	2200	60	2250
Clear Lake to Edgecomb	950	30	1200	39	1175	38	1700	50	1700	50	2200	60	2200	60	_	Woodinville to Maltby	320	11	425	15	400	14	600	19	600	19	850	28	875
Edgecomb to Bromart	1500	35	2250	60	2000	60	2500	: 60;	2500	60	3500	65	3500	65	s II–	Maltby to Arlington	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000
Bromart and Snohomish to Maltby	340	11	450	15	425	14	625	21	625	21 .	. 900	30	900	30) _	Arlington to McMurray	700	23	815	28	790	26	950	32	950	32	1300	42	1300
Maltby to Woodinville	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000	80) <u> </u>	McMurray to Sedro-Woolley	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000
Woodinville to Kenmore	1000	32	1150	38	1125	37	1450	44	1450	44	1700	50	1750	52	2 III—	Sedro-Woolley to Thornwood	650	20	765	22	740	21	950	32	950	32	-	40	1250
Kenmore to Keith	800	27	1000	23	975	32	1150	38	1150	38	1600	45	1650	47	7 II–	Thornwood to Sumas	1200	40	1500	50	1500	50	1800	50	1800	50	2050	60	2100
Keith to Seattle	1500	35	2250	60	2000	60	2500	60	2500	60	3500	65	3500	68		Thornwood to Summe.									,				
Fourth Subdivision—Eastward. Woodinville to Kirkland	800	27	975	32	960	32	1150	34	1150	38	1700	45	1700	47		Fourth Subdivision—Westward. Black River to Woodinville	700	37	1000	46	1000	46	1400	60	1400	60	1800	60	1800
Kirkland to Black River	2000	40	2500	50	2500	50	2750	55	3000	60	4000	80	4000	80		Fifth Subdivision—Westward.						P	-					100	
Fifth Subdivision—Eastward.											:			-		Woodinville to Issaquah	1200	40		50	1500	50	2200	60		-	-	ļ	
North Bend to Falls City	775	26	1250	41	1200	40	1650	55							—II—	Issaquah to Preston	260	9	415	14	400	13	-	18	<u> </u>	-			<u> </u>
Falls City to Preston	260	9	415	14	400	13	550	18							- -	Preston to Falls City	650	20	700	22	700	22	850			-		ļ	'
Preston to Woodinville	2000	40	2500	50	2500	50	3000	60						- 50		Falls City to North Bend	1300	40	1400	44	1400	44	1500	60				-	
Sixth Subdivision—Eastward. Lowell to Snohomish	800	27	1000	33	980	33	1400	46	1400	46	1800	60	1800	6		Sixth Subdivision—Westward. Snohomish to Lowell	800	27	1000	33	980	33	1800	45	1800	45	2000	45	2000
Seventh Subdivision—Eastward Edgecomb to Getchell	425	14	550	20	525	18	700	23	700	23	1000	32	1000	3:		Seventh Subdivision—Westward Snohomish to Machias	850	29	1000	33	975	32			1100	37		50	1600
Getchell to Snohomish	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000	. 8	0	Machias to Getchell	425	14	550	18	525	17	675	.23	675	23	1000	32	
Eighth Subdivision—Eastward and Westward.	. ,					,								~	-	Getchell to Edgecomb	2000	50		60	2500 400	13	-	60	3000	60	4000	80	4000
Arlington and Darrington	2000	40	2500	50	2500	50	3000	60	-			1		-	_ _	Wickersham to Mirror Lake	315 1300	35	390	43	1550	42	-	-	1	-	-	-	
linth Subdivision—Eastward.					-								-		11-	Mirror Lake to Agate Bay	<u> </u>		.			.	-	-		-	1 1		51 7
Bellingham to Larson	300	11	425	14	375	13	525	19		1 1 1	1					Agate Bay to Silver Beach	950	28	1300	32	1250	32	1500	30				-	

SPECIAL RULES—FIRST, SECOND, FOURTH, FIFTH, SIXTH, SEVENTH, EIGHTH AND NINTH SUBDIVISIONS.

SPECIAL RULES GOVERNING OPERATION SECOND SUBDIVISION

- 1. Registering Stations-Woodinville, Sedro-Woolley, Wickersham, Everett and Sumas. All trains register by ticket at Edgecomb, Kruse and G. N. Station, Snohomish.
- 2. Yard Limits-Indicated by sign at proper location.
- 3. Maximum Grades—Bromart to Woodinville.
- 4. Bulletin Stations-Arlington, Sedro-Woolley, Sumas and Everett.
- 5. Standard Clocks-Sedro-Woolley and Everett.
- 6. Helper District-Between Edgecomb and Arlington, limit 30 cars.
- 7. Helper District—Between Bromart and Woodinville.
- 8. No. 443 stop at Kruse for passengers destined to points north of Kruse on our own line.
- 9. Speed Restrictions—Fifteen miles per hour through cross overs and entering sidings.

Thirty miles per hour through interlocking plants.

Thirty-five miles per hour around curves on Malthy hill.

Ten miles per hour between Maple Street (located 600 feet east of depot) and Burke Avenue (located 2500 feet west of depot) at Arlington.

Twelve miles per hour between west switch Roger and Delta wye.

Thirty-five miles per hour at any point of W, W-1 and W-3 engines, this restriction does not abrogate other restrictions of lesser speed.

- 10. Trains need not obtain clearance at Wickersham from 12:30 a.m., to 6:30 a.m., nor at Edgecomb from 3:00 a.m., to 2:00 p. m. and from 7 p. m. to 9 p. m., unless stop signal is displayed.
- 11. Engines must not go in beyond 50 feet from frog on Weyerhauser spur, Everett, account 16-degree curve.
- 12. Trestle No. 3 of Everett Pulp and Paper Mill Company at Lowell is unsafe for engines.
- 13. No train or engine will occupy main track in either direction between Lowell and Everett or between Everett and G. N. Junction regardless whether such train or engine holds rights conferred either by time table or train orders without first procuring card order from Operator Lowell, Everett, G. N. Junction or Delta wye, properly filled out. Cards must be surrendered to Operator at end of block immediately upon arrival. N. P. eastward trains secure card order at Delta wye, authorizing movement G. N. Junction to Everett; N. P. westward trains will turn in card received at Everett, authorizing movement to G. N. Junction at Delta wye.
- 14. Whistle Signals for Delta Wye Interlocker-N. P. westward trains: one long, one short, one long. N. P. eastward trains: two long, one short, one long,
- 15. Normal Position of Main Track Switches-Bromart and Edgecomb will be for Second Subdivision Main track.

Normal position of west siding switch at Kruse and east siding switch at G. N. station Snohomish will be for main track, N. P. trains entering or leaving G. N. main track at these points will go through crossover instead of siding unless otherwise instructed.

Normal position of junction switch at G. N. Junction will be for N. P. main track.

Normal position of main track switch, west of Lowell, will be for G. N. main track,

RAILROAD CROSSING AT GRADE.

- 16. P. C. R. R. crossing at Renton. P. C. R. R. crossing two miles west of Renton. Campbell Lumber Co. crossing at Campton. Two C. M. & St. P. R. R. crossings between G. N. Junction and Roger. M. & A. crossing, 1.3 miles west of Kruse. Two G. N. crossings at Sedro-Woolley. G. N. crossing at E. K. Wood mill Bellingham. B. & N. crossing just east of Sumas. C. M. & St. P. crossing 300 feet west of Ebey Junction. G. N. crossing 5,000 feet west of Lowell on new Everett freight house track. P. S. & C. Ry. crossing 1.3 miles east of Clear Lake. B. & N. Ry. crossing 2.1 miles west of Deming.
- 17. Crossing Gate situated on new Everett freight house track at crossing of G. N. track located (5,000) feet west of Lowell. Normal position blocks Northern Pacific track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block G. N. track and locked in that position while crossing is in use, after which gate will be locked in normal position across N. P. tracks.
- 18. Crossing Gate situated at G. N. crossing near E. K. Wood Mill at South Bellingham. Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block G. N. main line and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

- 19. Crossing Gate situated where Puget Sound & Baker River Railway Company track crosses N. P. old line just west of Sedro-Woolley. Normal position blocks N. P. track; same procedure as at South Bellingham.
- 21. P. C. R. R. Crossing at Renton is protected by derails located 75 feet east and 75 feet west of the crossing and operated by switch stand between the P. C. R. R. tracks. NORMAL POSITION OF DERAILS IS AGAINST N. P. TRAINS. All trains will stop to clear derails, brakeman will go ahead and line up for N. P. track, cross to opposite side of track and remain there until train has cleared both derails; then line back to derail.
- 22. Derail Switches are located as follows and must be kept set in derailing position when not in use:

Edgecomb-M. &. A. connection.

Arlington-East end House Track.

Arlington-Lead track west end. Bryant-New M. & N. connection.

Bryant-West end siding.

Pilchuck-East end siding.

Holo-Spur track.

Montborne-East end siding.

Chilco-Spur track.

Clear Lake-West end siding.

Sedro-Woolley-G. N. transfer track.

Loggie-Spur track.

Thornwood-West end siding.

Prairie-Connection to old line.

Wickersham-Christie's spur. Lovo-Spur track.

- 23. No engines of any class must cross or use bridge on Comar siding.
 - No engines of any class must go beyond right-of-way line on Clipper Shingle Co.'s track connected from McDonald's spur, nor beyond right-of-way line on Milldale spur.

Class S or heavier power must not go beyond right-of-way line on Morgood spur.

Class W or heavier power must not go in on following spurs and tracks:

Monte Cristo spur-Snohomish.

East end No. 3 track-Arlington.

Brown and Kountz spur-Arlington.

Mill spur-McMurray. Nookechamp.

Tiloh.

Heather.

Cream and Cannery spur-Woolley.

Class S power is also restricted from use of above spurs and tracks, except East end No. 3 track-Arlington, and may go in as far as bridge at Tiloh.

Class "W" or "Y5" engines must not use west leg of wye, Wickersham.

Class "W" engines cannot turn on table at Woodinville.

Crescent spur not safe for engines back of frog.

East and west connections with Comar log spur are not safe for N. P. engines at points 50 feet from main track.

Do not exceed speed of 4 miles per hour on Nestos spur account 18-degree curve and rails not braced.

- 24. No power heavier than Class "C" engines coupled together may cross Bridge No. 39 on Fifth Subdivision or Truss bridges Nos. 1, 2, 4, 6, 7, 9 and 12 on Eighth Subdivision.
- 25. No engine heavier than Class F-1 can be run on Fifth, Eighth and Ninth Subdivisions. No engine heavier than Class W can be run over Second, Fourth, Sixth and Seventh Subdivisions.
- 26. All Eastward freight trains will come to full stop at Public Road crossing just east of Hartford station to clear Hartford Eastern Ry. switch and ascertain that track is clear before proceeding.

LOCATION DRAW SPANS.

27. Snohomish River bridge, just east of Snohomish. Skagit River bridge between Sedro-Woolley and Clear Lake. Ebey Slough and Snohomish River bridge on Everett Branch between Snohomish and Lowell. All trains come to full stop before crossing, giving whistle signal before proceeding.

SPECIAL RULES-FIRST, SECOND, FOURTH, FIFTH, SIXTH, SEVENTH, EIGHTH AND NINTH SUBDIVISIONS-Continued

- 28. Conductors in charge of freight trains which are using helper engines behind caboose on Cascade Mountain will personally inspect and test levers and coupling pins and ascertain that same are in working condition, so that when the engine is cut off ascending while running at Martin or Stampede, there will be no failure to uncouple and in all cases the lever must be lifted on both the caboose and the engine. This movement must be personally supervised by the conductor.
- 29. Eastward freight trains between Auburn and Stampede and westward freight trains between Easton and Martin using helper power on rear will be governed by following rule: When necessary to take slack to start the train, the engine on rear of train will in all cases take the slack.
- 30. In order to facilitate the terminal test of air brakes on freight trains at Lester and Easton, as required by Transportation Rule No. 703, engineman who is handling the air brakes will, before the engine is detached to take coal, water, or do station work, make a straight twenty pound reduction from maximum brake pipe pressure with the automatic brake valve. As soon as the brake valve has stopped exhausting, engineman will give one blast of the whistle. Trainmen will not close angle cock to detach engine until this signal is given. Immediately after the brakes have been applied the conductor (or the person whom he may delegate) will make a car to car inspection of the brakes. Defect card form 684, properly filled out, must be attached to any car on which the air brake has failed to apply. This inspection must be completed within fifteen (15) minutes after the brake application. The air must not be coupled into the train from the helper or road engine until the enginemen have been informed that the inspection has been completed. If, for any reason, the road engine is not detached, the brakes must be applied and the test made as outlined above.
- 31. When a passenger train is furnished two helper engines over Cascade Mountain and one engine is a class "S-4" and the other a class "W," the class "W" engine must be placed on the head and the class "S-4" engine on the rear of train.

32. Westward freight trains consisting of sixty cars or more, regardless whether part empties and part loads, or all empties, or all loads, will use retaining valves on head portion of train between Lester and Auburn as follows:

Trains of 60 cars will use 12 retainers.

Trains of 60 cars will use 12 retainers.

Trains of 80 cars will use 18 retainers.

Same to be turned up on cars from the head end alternating by using the retainer on every other car, or the first, third, fifth, etc. On trains containing less than sixty cars, retainers will be furnished by request of the engineman but not to exceed ten on such trains. These retaining valves must be turned down when coming into East Auburn and before engine passes over the hump at bridge between East Auburn and east leg of the wve switch.

- 23. Eastward or westward trains furnished one class "Z" and one class "W" helper engine at Easton or Lester, will place the class "Z" engine ahead of the caboose to go through the tunnel and the class "W" behind the caboose to be detached at the portal of the tunnel. Trains using a single helper, class "W" or lighter, may place such engine behind the caboose and detach at portal of tunnel. These instructions do not annul or modify Transportation Rule No. 734, reading: "Helper engines, when used on rear of freight trains, must be in advance of cars insufficient in strength to safely resist the push of such engines."
- 34. When two helper engines are coupled together descending on mountain grade, and one engine is not equipped with electric headlight, the engine equipped with the electric headlight must be the leading engine.
- 35. In the State of Washington, conductors of passenger trains consisting of four or more cars, and freight trains consisting of 25 or more cars, must know that brakemen has had one year's experience in train-service before assigning them to flagging duties.

AUTOMATIC BLOCK SIGNALS.

- 36. It is possible for light engine and train using cross-over in automatic signal territory to stand between the switches in such a manner as to release the signals when switches are closed. Light engine and train using cross-overs in automatic signal territory must have at least one switch open while engine or train is on any part of the cross-over.
- 37. Note following amendment to automatic block Rule 504:

 "504-C. When a train is stopped by block signal having two lights (called the home signal) on single track, automatic block signal territory, it may proceed when signal goes to caution or clear position, or if not immediately changed by obtaining authority from the train disaptcher, or if unable to communicate with the train dispatcher, the train may proceed under protection of flag, to the next signal that indicates clear or caution."
- 38. "504-D. When a train is stopped by a block signal on single track, it may proceed when the signal goes to caution or clear position, or if it is not immediately changed, it may proceed at once under caution, except when train is proceeding under flag from the last home signal as provided in Rule 504-C."

AUTHORIZED SURGEONS, SEATTLE DIVISION.

LOCATION OF STRETCHERS (S).

S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.

CLINTON T. COOKE, Oculist, Seattle. P. W. WILLIS, Seattle. F. S. BOURNS, Seattle. King St. Station, Seattle (S). Yard Office, Seattle (S).

E. M. ADAMS, Arlington (S). N. S. McCREADY, Snohomish (S). W. C. COX, Everett (S). C. C. HARBOUGH, Sedro-Woolley (S). W. E. GIBSON, Issaquah (S). E. S. CLARK, Sumas (S). R. T. BURKE, North Bend. A. M. SMITH, Bellingham (S). Woodinville (S).

J. C. McCAULEY, Ellensburg (S). R. R. PINKARD, Ellensburg (S). Easton (S). Lester (S). D. O. KEARBY, Cle Elum (S). B. E. HOYE, Auburn. WM. H. BRANDT, Auburn. Auburn Yard Office (S). Auburn Station (S). Puyallup (S). P. B. WING, Oculist, Tacoma.
W. G. CAMERON, Specialist, Tacoma.
N. P. B. A. Hospital, Tacoma (S).
Baggage Room, Tacoma (S).
Round House, Tacoma (S).

Head-of-Bay Yard Office, Tacoma (S).
Half Moon Yard Office, Tacoma (S).
Tool Car, Tacoma (S).
Wharf, Tacoma (S).

NOTE.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical aid should be procured until the arrival of a

regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

J. E. CAMPBELL, Trainmaster, Seattle. FRED BRASTRUP
Trainmaster, Seattle.

J. F. FITZSIMMONS, Trainmaster, Seattle. P. R. LEO, Chief Dispatcher, Seattle.

