# NORTH PAGE BALLAN GONDAN.

SEATTLE DIVISION



In Effect at 12:01 A. M. Pacific or 120th Meridian Time.

SUNDAY, JUNE 24, 1917

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

E. C. BLANCHARD, General Manager I. B. RICHARDS,
General Superintendent.

P. H. McCAULEY, Superintendent of Transportation.

J. E. CRAVER, Superintendent.

		,					Ø 1		i i	(MAIN LINE)	<del></del>									
THIRD CLA	ss	SECOND CLASS	FIF	RST CLA	SS		les, Wye	ø.		Time Table No. 41L					FIRST	CLASS	SECON	D CLASS	TH	IRD CLAS
939	937	603	317	41	3	g ·	iel, Scal	ımber	rom	June 24, 1917 Succeeding No. 41K	from	arn sity of	2	4	42	318		602	938	940
Way Freight	Way Freight	Freight	Passenger	Passenger	Passenger	Passenger	r, Fu	on Nu	ance fusburg	STATIONS	ance f	: Aubu Capae	Passenger	Passenger	Passenger	Passenger		Freight	Way Freight	Way Freight
Mo., We., and Fri.	Tu., Thu., and Sat.	Daily	Daily	Daily	Daily	Daily	Wate	Station	Distance Ellensbur	Telegraph Offices and Calls	Distance	East Car Sidin	Daily	Daily	Daily	Daily		Daily	Mo., We., and Fri.	Tu., Thu., and Sat.
L 8.00AM		L 6.00PM	L 3.30AM	L 2.45AN	L 5.30 AM	L 3.20PM	WCOT	1848	0.0	EBELLENSBURGDN	102	2.1	A11.55PM	A 1.10PM	A 8.45PM	A 5.15AM s 3		A 9.30AM	-	A 4.10PM
s <b>8.45</b>		6.08	3.36	2.51	5.37	3.27		1851	3.6	SHOSKINP	98	3.5 80	11.46	1.01	8.35	5.05		8.45 939		s 3.50
s 9.10		6.20	f 3.44	2.58	s 5.45	f 3.35		1855	7.6	TPDN 2.8	94	4.5 E 80 W 80	11.40	f12.55	s <b>8.2</b> 9	4.57		8.30		s 3 <sub>i</sub> 35
s 9.22		6.28	3.49	3.03	5.51	3.41	W	1858	10.4	DUDLEYP	91	1.7 E 80 W 80	11.36	12.49	8.21	4.49		8.15		s 3.00
s 9.40		6.38	3.57	3.11	5.59	3.49		1862	14.6	KOUNTZEP	87	7.5 80	11.29	12.42	8.13	4.44		7.58		s 2.43
s 9.55		6.46	4.02	3.16	6.04	f 3.55	W 1 8 m w	1865	17.2	BRISTOLP	84	1.9 E 80 W 80	11.24	f12.37	8.08	4.38		7.45		s 2.30
s10.15		6.56	4.08	3.22	6.10	4.02		1869	21.0	TEANAWAYP	81	E 80 W 80	11.16	12.29	7.59	4.30		7.30		s 2.15
s 1 0.30 AM 1 2.23 PM		7.15	s <b>4.20</b>	s 3.30	s 6.20	s 4.12	WCY	1873	24.8	CLDN 69	77	7.3 500	f11.10	s12.23	s 7.53	s <b>4.20</b>		7.15		s 2.00
s12.45		7. <b>42</b>	4.27	3.37	6.28 602	4.20		1877	29.0	BAKERP	73	3.1 80	11.00	12.12	<b>7.42</b>	4.09		6.28		s12.45
s 1.05		7.55	4.33	3.43	6.34	f 4.27		1880	31.7	NELSONP	70	0.4 E 80 W 80	10.56	f12.07	7.37	4.05		6.10		s12.35
s 1.20		8.07	4.38	3.48	6.39	4.32		1883	34.4	TALMAGEP	67	7.7 80	10.52	12.02PM	7.32	4.01		6.02		s12.20
s 2.25		8.40	s 4.46	s <b>3.56</b>	s 6.47	s 4.42	WCTY	1886	38.1	ESEASTON DN	64	180	s10.47	s 1 1.57 AM	s 7.26	s 3.56		5.50		12.05PM s 10.40AM
s 2.45		9.05	4.57	4.07	6.58	4.53	W	1890	42.1	OF UPHAMP	60	0.0 W 70	10.38	11.48	7.16	3.48		5.10		s10.25
s 3.10		9.30	f 5.10	4.20	7.12	f 5.06	W	1894	46.5	RTDN 3.2	55	5.6 E 70 W 90	10.28	11.38	7.06	f 3.36		<b>4.55</b>		s10.10
s 3.35		10.00	f 5.22	<b>4.32</b> 602	7.24	f 5.18	W			SISTAMPEDEDN	52	2.4 E 70 W 70	10.16 603	11.26	6.54	f 3.24		<b>4.32</b>	-	s 9.50
s 3.50		10.12	5.26	4.38	7.30	5.24	W	1901	52.0	BORUPP	50	0.1 E 70	10.07	11.17	6.45	3.15		4.00		s 9.30
s 4.05		10.25	5.35	4.45	7.37	5.31		1904	54.8	KDKENNEDYDN	47	7.3 E 70	9.57	11.07	6.35	3.05		3.45		s 9.12
A 4.40PM	L 7.00AM	11.10	5.47	5.00	s 7.50	s 5.43	WCT	1911	59.7	DM,DN	42	2.4 400	s 9.42	\$10.52	s 6.20	s 2.50		3.05%	A 4.10PM	L 8.30AM
	s 7.10	11.18	5.51	5.05	f 7.55	5.47		1913	61.7	HOT SPRINGSP	40	0.4 F 80 P 22	9.31	10.42	f 6.09	2.39			s <b>3</b> .55	
	s 7.30	11.40	6.02	5.18	f 8.06	5.58 42		1917	66.9	MAYWOODP		5.2 E 80 W 80	9.20	10.30	f 5.58	2.27		2.07	s 3.15	
	s 7.50	11.59PM	6.11	5.30	f 8.16	6.10	w	į .		HUMPHREYP	-	1.3 E 80 W 80	9.11	10.22	5.47	2.18		1.53	s 2.50	
	s 8.05 8.40 3	12.20AM	f 6.19	f 5.40	f 8.24	f 6.20	w			EGEAGLE GORGEDN		7.8 E 60 W 80	9.02	f10.14	f 5.38	f 2.09		1.40	s 2.30	
	s 8.55	12.30	6.24	5.46	8.29	6.25	BECOMMENSAN			LEMOLOP			8.57	10.07	5.31	2.03		1.32	s 2.10	
	s 9.10	12.45	6.34	5.57	8.40	f 6.35		1932	81.2	JCPALMER JCTD	20	0.9 80	8.46	9.57	5.21	1.53		1.15	s 1.50	
	s 9.15 10.10 4	1.05 602	s 6.37	s 6.02	s 8.42 8.52	s 6.40	W Y	A 1	82.4	GVBN 3.3	19	9.7 E 75 W 80	8.44	s <b>9.55</b>	s 5.18	s 1.50		1.05	s 1.45	
	\$10.25	1.20	6.43	6.12	8.58		P\$ 1	1	1 .	BYRDP		1	8.37	9.40	5.08	1.40		12.40	s12.55	
	s11.40AM	1.35	6.48	s 6.18	s 9.03	s 6.51	B			ARRAVENSDALEDN 6.8		4.3 E 80 W 80 W Ext	8.32	s 9.35	s 5.03	f 1.35		12.30AM	s12.45PM	
	s12.05PM	2.05	7.03	f 6.35	f 9.18	7.06	W	A 14	94.6	COVINGTONP	_	7.5 E 80 W 80	f 8.16	9.18	4.47	f 1.22	*	11.59PM	s11.10AM	
	s12.20	2.15	7.10	f 6.42	f 9.25	7.13	W 1½ M's W	A 17	97.6			4.5 80	8.09	9.09	f 4.42	1.15		11.45	s10.50	
	A12.35PM	A 2.30AM	A 7.20AM	A 6.50AM	A 9.324	A 7.20PM	Y W0.3	A 22	102.1	GREAST AUBURNDN	0	0 0	L 8.00P	L 9.00AM	L 4.30M	L 1.05AM		L11.30PM	<b>L</b> 10.30AM	
Mo., We.,	Tu., Thu., and Sat.	Daily	Daily	Daily	Daily	Daily	THE PERSON NAMED IN COLUMN NAM		-	······································	-		Daily	Daily	Daily	Daily		Daily	Mo., We., and Fri.	Tu., Thu., and Sat.
8.33	4.05	8.30	3.50	4.05	4.02	4.00			-	Time Over Subdivision	-		3.55	4.10	4.15	4.10		9.80	5.40	6.15

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION SEE SPECIAL RULES, PAGES 5, 6, 7, 8, 9 and 10.

WESTWA	ARD							SEC	OND	SUE	BDIVISION (MAIN LIP	VE)			-			E	ASTWA	ARD
THIR	D CLASS		SECOND CLASS	3	Parameter Services	RST CLA	SS	les, Wyes		attle	Time Table No. 41L	,		F	RST CLAS	s	SECOND CLASS	TH	IIRD CLA	ASS
935	927	923		675		443	441	el, Seal	mbers	om ta., Ser	June 24, 1917 Succeeding No. 41K	uio.	acity of	442	444	676		924	928	936
Way Freight	Way Freight	Way Freight		Freight	I	Passenger	Passenger	r, Fue Table	N no	Distance from King St. Sta., S	STATIONS	noe fr	Capaci	Passenger	Passenger	Freight		Way Freight	Way Freight	Way Freight
Ex. Sun	Mo., We., Fri.	Ex. Sun.		Ex. Sat.		Daily	Daily	Wate Turn	Static	Dista King	Telegraph Offices and Calls	Dista	Car C	Daily	Daily	Ex. Sun.		Ex. Mon.	Tu., Thu., Sat.	Ex. Mor
		L 8.25M				4.20M	L10.40AM	<u> </u>			UDSEATTLEDN King Street Station			A 2.25PM				A 3.30PM		
			BETWE	EN KEITH	AND SEA	attle t	RAINS W	VILL BE	GOVE		BY PUGET SOUND DIVI		TIME T	ABLE RUI	ES AND R	REGULATIONS				
		Ls 9.15AM		-	ond 4	4.50PM	L11.09AM	A DESCRIPTION OF THE PROPERTY	CF 42	12.2	KEITH	115.8	Spur 13	Å 1.48™	4 5.32PM	CHEANING	.	As 2.40PM		
		s 9.30			1	f 4.59	f11.16		CF 46	15.8	LAKE	112.2	60	f 1.40	f 5.24	•		s 2·20		
		s 9.50				5.10	s11.28		CF 53		BD		40	s 1.27	s 5.10	g		s 1.35		
L 1.45		A10.00AM		L 945PM		\$ 5.15	s11.32	WCT	CF 55	24.3	CJWOODINVILLEDN 5.8	103.7	175	s 1.23	s 5.04	A 3.05A	<u> </u>	L 1.2.8PM	·	A1 1.00
		See page 3		s10.25			936 f11.50AM		C F 60		5.8 MBD	1	80		s 4.45	2.30		442		810.30
s 2.45		See page 5									7.4						<u> </u>			
s 3.15 4.20	_			10.50			A12.05PM				BROMART	l	Spur 5	12.54	935	1.40				9.30 7.20
A 4.30	M			A11.30PM		ls 5.57PM				General Managers	HO., G.N. StnSnohomish. DN 5.8	Carrier Manager College		L12.51PM		L 1.35A				L 7.10
		1	BETWEEN	l l		THE RESERVE OF THE PERSON NAMED IN	L TRAIN	S WIL		Anticon States of Total	RNED BY GREAT NORT	Programmer start options:	enteres place entra	I I	LE RULES	I				
L 4.50				L11.45PM		s 6.07PM			BB 6		W <b>LOWELL</b> DN 1.5			A12.41PM	<u>e</u> _	A 1.15A	M			A 6.50
A 5.00F	Lin K	a character and the		s12.05AM	s	6.17	Line	WCOY	BB8		EVEVERETTDN 1.2		100	s12.37	_ riu	s 1.00			Jine	L 6.45
	ford						d Li				PG G. N. JUNCTIONDN 0.1 C. M. & St. P. R. R. CROSSING	1			ford	<u> </u>	-		I p.c	
	Hart			_			rtfor				0.7 C. M. & St. P. R. R. CROSSING				Hari				artfo	
	- Via			12.15 676			На				0.5 ROGER		87		Via –	1 2.15A			E	
	-		,	- 676 <b>A12.20</b> AM	A	6.27PM					WY DELTA WYEDN			L12.25PM	-  -	675 <b>L11.50</b> Pl				
			BETWEEN	DELTA W	VYE AND	KRUSE	TRAINS	WILL	BE G	OVER	NED BY GREAT NORTH	ERN I	RY. TIN	IE TABLI	E RULES	AND REGULAT	IONS		The state of the state of the state of the	
				L12.40AM	L	6.41PM				54.4	KDN	73.6	95	A12.11PM		A11.30P	1		ä	
	-			_			Via			55.7	M. & A. CROSSING 2.6	72.3							See page 4	
	L10.35AM		· ·	12.55	í	[ ]	L12.54PM	ā	1		EDGECOMB	1		f12.04PM	As 3.37PM	11.10			A12.18PM	
	s10.45AM 1.10PM	441		s 1.25	S	7.02	s 1.05	Y 8 м Е	CF 91	61.4	AARLINGTONDN 3.7	66.6	132	s11.55AM 927 928	s 3.29	s10.55			s12.01PM 9.20AM	442
	s 1.25	142		1.40	2	7.11			CF 95		BTD			f11.45	.	10.35			s 9.00	
	s 2.00			1.58	s	7.25	s 1.27	w			MUBcMURRAYD			s11.29	1_	10.12			s 8.30	
	_			2.15		7.37					5.8MONTBORNE			f11.16		9.55			s 7.45	
	s 2.40			_							1.7			ļ	:  _					
,	s 2.51			2.20	S	7.42	s 1.43		C F 109		BGD LAKED	1	70	s11.11	s 2.51	9.45			s 7.30	
	s 3.30			2.37		7.53	s 154		C F 114		P. S. & C. RY. CROSSING 1.3 CACLEAR LAKED		195	s10.54	- 0.40	9.30			s 6.45	
	A 4.00PM			s 3.10		8.05			1		3.2	1		\$10.47	I	s 9.20			L 6.30AM	
								WCT	C F 117	87.5	WLSEDRO-WOOLLEYDN TWO G. N. CROSSINGS Track Conn. 7.5				:					
				s 3.40	S	8.20 676			1 1		THORNWOOD	1	45	f10.29	s 2.21	s 8.20				
				A 4.10 L 5.30	i s	See page 4					WKWICKERSHAMDN			\$10.13 f10.05	Ls 2.05PM   	L 7.50 A 3.20 s 3.03	· · · · · · · · · · · · · · · · · · ·			
				s 5.45 s 6.00				w	CF 133	102.1		23.8		s 9.59						
	-			s 6.15			s 2.52 676 f 2.58		1 1		2.1 STANDARD	1	20	f 9.54		s <b>2.52</b> s <b>2.43</b>				
	_			s 6.40			s 3.14		1 1		5.8  DMDEMINGD  2.1	1		s 9.37		s 2.20				
				-						114.2	2.1' B. & N. RY. CROSSING	8.5								
	_			s 7.10	TIMO		s 3.39		C F 151		7.4 NCNOOKSACKD	1	18	s 9.15		s 1.30				
										127.1	5.5 B. & N. CROSSING	0.9			.4					
				A 7.40AM			A 3.55PM	WCOT	C F 157	128.0	SUSUMASD	0.0	110	L 9.00AM		L 1.00P				
Ex. Sun.	Mo., We., Fri.	Ex. Sun.		Ex. Sat.	THE RESERVE OF THE PERSON OF T	Daily	Daily							Daily	Daily	Ex. Sun.		Ex. Mon.	Tu., Thu., Sat.	
2.10	3.20	0.45		8.35		3.40	4.46				Time Over Subdivision			4.48	3.27	9.35		1.12	3.10	2.55
9.6	8.8	16.1	1	10 0	i .	23.5	24.0	8	1		Average Speed Per Hour		1	25.0	25.0	10.8	] ]	10.0	9.3	7.2

SEE SPECIAL RULES—PAGES 5, 6, 7, 8, 9 AND 10

			Market State of the State of th			3	}	and the same of th									
WESTWARD	THIRD SUBDIVISION (ROSLYN	BRANCH)	E	ASTW	ARD	WESTWAI	RD				FOI	URT	H SUBDIVISION (BE	LT L	INE)		EASTWARD
SECOND CLASS	Time Table No. 41L		SEC	COND CL	.ASS	THIRD CLASS	SECOND	CLASS	1st Class	les, Wyes			Time Table No. 41L		1st Cla	SECOND CLAS	S THIRD CLASS
477 475 473	ਕਰ ਫ਼ lune 24. 1917	from	474	476	478	935		675	445	el, Sca es and	Numbers	rom	June 24, 1917 Succeeding No. 41K	ulle ucity of	446	676	936
Mixed Mixed Mixed	Tabelon Nu STATIONS	Distance fr	Mixed	Mixed	Mixed	Everett Way Frt.		Freight	Passenger	er, Fu	ion N	Distance from Black River	STATIONS	Cap	<b>⊣</b> 8	er Freight	Everett Way Frt.
Ex. Sun. Ex. Sun. Ex. Su				Ex. Sun.		Ex. Sun.		Ex. Sat.	Ex. Sun.	Wat	Station	Dist	Telegraph Offices and Calls	N Co		Ex. Mon.	Ex. Mon.
L 1.15PM L 9.20AM L 7.00	2.0			A11.00AM		L 8.45	M L	. 8.15 <sup>PM</sup>	L 1.20PM	Y	C F 21	0.0	BIBLACK RIVER,DN 24	.5 20	Sound T. A10.17	t See Puget T. Sound T. T. AM A 4.35AM	See Puget Sound T.T. A 3.25 <sup>PM</sup>
s 1.20 s 9.25 s 7.08	1.5			\$10.55 \$10.45	s 5.10	s 8.55 10.12 446		8.21	s 1.25	w	B A 22	2.1	RTRENTOND 22P. C. R. R. CROSSING 0.2	2.4 50	s10.12	4.30	s 3.15
s 1.30 s 9.35 s 7.15	1.9			\$10.35		446	-				<u> </u>		S. R. & S. CROSSING 22	1.2			
s 1.38 s 9.43 s 7.23 A 1.45PM A 9.50 A 7.30	0.7			L10.30AM		<b> </b>	-			<b> </b>	-	4.0	Track Connection 1.7P.C. R. R. CROSSING 20 Track Connection 2.2	).5			
A 1.45 m A 9.50 m A 7.50	7.2LAKEDALE	0.0				\$10.30		8.34	1.34	<b></b>	B A 19			3.3 7	3 10.01	4.20	s 1.45
.30 .30 .30			.30	.30	12.2	s11.00		8.55	s 1.48	<b></b>	B A 12	11.8	WBWILBURTOND 12	2.7 20	s 9.48	4.05	s 1.25
DE	ARE SUPERIOR TO TRAINS OF THE SAME CLAS					s11.10	-	9.00	f 1.53				NORTHRUP 11			4.00	s 1.15
Extra trains must w No. 475 has right over	ait at Roslyn until second class trains clear a er 476 Cle Elum to Beekman. No. 473 has righ	at Cle Elum. at over 474 C	Cle Elum	to Beekn	nan.	s11.30		9.13	f 2.03	W ½ m	BA 7		KIRKLANDP 7	7.0 6	5 s 9.33	3.40	s 1.00
YYYY CONYY A D D	FIFTH SUBDIVISION (SNOQUALM	IE RRANCH	n E	EASTW	ARD								0.3	0.7			
WESTWARD	20		<u> </u>		3d Class								0.4	0.4	0 1 0 15	2.104	L12.30PM
3d Class FIRST CLASS	sp s	, to	446		924	A1 1.59				СТУ	V C F 55	24.5	CJDN C	0.0 10		BAM L 3.10AM	935 Ex. Mon.
923 44!	June 24, 1917 Succeeding No. 41K	se from pacity			Way Freight	Ex. Sun 3.14	• *************************************	1.20	Ex. Sun. 1.00				Time Over Subdivision		1.04	1.25	2.55
Freight Passen  Ex. Sun. Fy Su	ood atio	Distance Sallal Car Cap Sidings	Passenger Ex. Sun.		Ex. Mon.	10.6		18.3	24.3	  -	FRIOR	) TO	Average Speed Per Hour  TRAINS OF THE SAME CL	ASS	22.5		TION
LA. Su			Seethispage		See page 2		Mr. 097 1	aa wimbi	ATON NO	980	Black	River	to Woodinville.	.,,,,,,			
L10.30AM L 2.2	5PH CTW CF 55 0.0 CJWOODINVILLEDN		As 9.12AM		A 1.00PM		Nos. 445	and 446	will stop	on si	ignala ketat	t Hou Black	ighton Crossing.				
f	B C 4 3.9WILLOWS		s 8.52		s11.45AM	Delegation in the lateral control of the late	Siding lo	cated 60	0 feet we	st of	Wilbur	ton st	tation is time table station fo		point.		
s11.45 <sup>AM</sup> s 2.4	1.0	.	3 0.02		923	WESTWA	RD			SI	XTH	SU	BDIVISION (LOWELL L	.INE)	1		EASTWARD
f	8.0 PARADISE LOGG. RY. CRSG. Track Connection 0.1  BC 8½ 8.1		f									Wye	Time Table No		1 1		
-   f	8.1 B C 12 11.2INGLEWOOD		f									les an	June 24, 191 Succeeding No. 4		from acity of		
s 1.15PM s 3.0	3.5		s 8.30		s10.25					-	<del>1</del>	Turn Tables and Wye	tion lion		tance elter	Ings	
s 2.30 s 3.1	3 W B C 19 18.8 GISSAQUAHD	20.3 100	s 8.20	-	s 9.55	-	_			-		-					
f	B C 23 23.1HIGH POINT		f				_			_	wy		F 69 0.0 OMSNOHOMISH 0.7VARDEN				
s 3.30 % s 3.4	B C 26 26.0 RNPRESTOND	13.1 18	s 8.01		s 8.30		_				-		4.9 3.B 5 5.6		1 1		
s 4.00 s 3.5	3.0	1 1 1	s 7.50		s 8.00		_			-			0.7 B 6 6.3 WLOWELL			.6	
s 4.20 s 4.0	B C 32 32.0SNOQUALMIE FALLS  B C 33 32.9 SOSNOQUALMIED	1 1 1			s 7.50		_			_							
A 4.45PM A 4.1	3.0		L 7.30AN	4	L 7.35A								Time Over Subdivi-				
	B C 39 39.1SALLAL	. 0.0 Spur 3			Ex. Mon.		EASTWAR	RD TRA	INS ARE	SUPE	ERIOR	TO T	TRAINS OF THE SAME CLA		N THE O	PPOSITE DIRECT	rion.

Time Over Subdivision

Average Speed Per Hour 5.25 6.7 21.1 EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION

No. 445 has right over No. 446 Woodinville to North Bend. Siding located one-half mile east of Preston station is time table station for that point.

Ex. Sun.

6.15

Ex. Sun.

WESTWAR	SD .			SI		NTH SUBDIVISION HARTFORD LINE		:	EASTW.	ARD	WES	STWAR	D				TH SUBDIVISION				EASTWARD
THIRD CLASS	FIRST	CLASS	wyes Wyes		,	Fime Table No. 41L		FIRST CLASS	THIRD	CLASS	THIRD	CLASS	FIRST CLA	SS			Time Table No. 41L			FIRST CLASS	THIRD CLASS
927		441	el, Scal	umbers	from	June 24, 1917 Succeding No. 41K	10 6310	444	928			931	44	13 Scal	Numbers	rom	June 24, 1917 Succeeding No. 41K	rom zham	ity of	444	932
Way Freight		Passenger	er, Fu	Z	Distance fi Bromart	CTATIONS SE	Š.	Passenger	Way Freight			Way Freight	Passo	enger .f		Distance from Wickersham	STATIONS	stance from Bellingham	Capa	Passenger	Way Freight
Mo., We., Fri.		Daily	Wat Tur	Station			Sidings	Daily See page 2	Tu., Thu., and Sat.			Ex. Sun.	Da	ily ≱£	Station	Wie	Telegraph Offices and Calls	So.	Sidi	Daily	Ex. Sun.
		L12.05PM			0.0	BROMART 20.0 Sp	ur 5	A 4.25PM 935				L 8.00AM	L 8.	30m YV	V CF 128	0.0	WKWICKERSHAMDN	22.5	75	See page 2 As 2.05PM	A 3.25PM
L 9.00AM		s12.12	WCOY	CF 69	1.2	OMSNOHOMISHDN 18.8 1	150	s 4.22	A 2.45PM		No.	s 8.10	f 8.				MIRROR LAKE			f 1.57	s 3.15
s 9.25		s12.22	w	CF 74	6.3	MAD 13.7	56	s 4·13	s 2.25			s 8.25	f 8.	41			PARK			f 1.47	s 3.05
s 9.55		s12.30		CF 77	9.4	HDD 10.6	102	s 4.05	s 2.00			s 8.35	f 8.	44 W 2			1.0 BLUE CANYON			f 1.43	s 3.00
s10.15		f12.42		CF 82	13.9	GETCHELL 6.1	60	s 3.55	s12.557 12.42		<b> </b>	f	f	мw	1	1	4.2 TOWANDA	1		f	-
A10.35AM		A12.54PW f See p. 2	w	CF 88	20.0	COEDGECOMBN 0.0	53	L 3.37PM	L12.18PM			s 9.00	f 9.	02			2.4 AGATE BAY			f 1.28	s 2.40
Mo., We., Fri.	-1							Doile.	Tu., Thu., and Sat.		<b></b>	s 9.15	f 9.				3.7			s 1.19	s 2.25
1.35		Daily .49				Time Over Subdivision		Daily .48	2.10							.	SILVER BEACH				
12.2		24.3				Average Speed Per Hour		26.3	9.0			s 9. <b>2</b> 0		14			LARSON	6.4		1.15	s 2.20
					-	RAINS OF THE SAME CLASS I			IRECTION		<	A10.00AM	A 9.	30 M W Y (	CO B M 20		WDBELLINGHAMD		50	L 1.00PM	L 2.00PM
Nos. 441 ar	nd 444 will	l wait 15	minute	s at Sn	lohon	nish for motor connection from E	ver	ett.								21.9	Tk Connection 0.6	0.6			
WESTWAR	αs			E.	TGF	ITH SUBDIVISION			EASTW	ARD					B M 23	22.5	FNSO. BELLINGHAMD	0.0	50		
WESTWAR						RRINGTON BRANCH)		•	21101 11			Ex. Sun.	Da	ily						Daily	Ex. Sun.
	SECOND	OI ACC	, è			TO 11 DT 44T		SECOND CLASS	.1			2.00		.00			Time Over Subdivision			1.05	1.25
	SECOND		cales, nd Wy	373		Time Table No. 41L June 24, 1917	10	I				10.3	20	.5			Average Speed Per Hour			18.9	14.4
		469	les ar	Number	Distance from Arlington			470									AINS OF THE SAME CLA	SS II	l TH	E OPPOSITE DI	RECTION
		Mixed	er, Fu	N noi	ance	STATIONS	Capacity	Mixed			No. 98	1 has rigl	t over No. 932	2 Wicker	sham to	Belli	ngham.				
		Ex. Sun.	Wat Turi			Telegraph Offices and Calls	Sign	Ex. Sun.											at of the state		
		L12.50PM	CY	CF 91	0.0	ARLINGTONDN 28.9 1	132	A10.15AM													
4			3 !								1										
		12.55		-	1.2	ARLINGTON JUNCTION 27.7		10.05			1 .										
	,	12.55 s 1.20	w	BK 4		ARLINGTON JUNCTION 27.7 4.5 23.2 Sp	ur 6														
	,				5.7	4.5					-										
		s 1.20		B K 7	5.7 8.6	4.5 COOPER	ur 2	s 9.41			Control of the Contro										
		s 1.20		B K 7	5.7 8.6 12.3	4.5	ur 2	s 9.41													
		s 1.20 s 1.40 s 1.55		B K 7 B K 11 B K 13	5.7 8.6 12.3	4.5 .COOPER	ur 2	s 9.41 s 9.29 s 9.15													
		s 1.20 s 1.40 s 1.55 s 2.10		B K 11 B K 13 B K 15	5.7 8.6 12.3 14.3	4.5	48 15	s 9.41 s 9.29 s 9.15 s 9.05													
		s 1.20 s 1.40 s 1.55 s 2.10 s 2.22	w	B K 7 B K 11 B K 13 B K 15 B K 17	5.7 8.6 12.3 14.3 16.0	4.5	48 15 45	s 9.41 2s 9.29 s 9.15 s 9.05 s 8.57													

B K 24 25.9 ......GEBBOTT...... 3.0 Spur 8 s 8.12

2.15

12.8

A 3.50PM CY BK 28 28.9 ......DARRINGTON......D 0.0 24 L 8.00AM

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION

Time Over Subdivision

Average Speed Per Hour

s 3.35

**3**.00

9.6

# COMMERCIAL SPURS. FIRST SUBDIVISION. Distance from Ellensburg.

4 1							
STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capacity
Haybow	2.5	1 W	11	Garibaldi	73.3	1 E	8
Swauk	13.5	1 E	18	Sandberg	74.9	1 W	20
Casway, F 42Younger	$\frac{19.1}{22.4}$	$\frac{1 \text{ E}}{1 \text{ E}}$	88	Headworks	79.2	1 W	7
Hubner	41.0	1 E		Henrys	89.6	1 E	• • • •
Nagrom, F 1, 4, S 3 & 42	65.2	1 W	20	Cranmar	92.5	1 W	4

# SECOND SUBDIVISION. Distance from King Street Station.

Pontiac, F 443 & 444	12.8		
Lavilla, F 443 & 444	14.7	1 E	
·Belden	14.9	1 E	8
Briarcrest,F 443 & 444	17.7		
Lake Forest Park, F 443 & 444	18.6	1 W	8
Kenmore, F 443 & 444	19.8	1 E	7
Wrenwood	20.8	1 W	
Wayne, F 443 & 444	21.8	1 E	3
Hannan	22.2	1 E	14
Stockton	23.8	1 E	8
Sand Spur	26.0	1 E	12
Bear Creek	26.4	1 E	6
Grace, F 443 & 444	26.6		••••
Cathcart, F 442, 443 & 444	33.7	1 W	12
Cobbner	36.1	1 W	
Madrona	46.2	1 E	Spur
Ivanwood	57.2	1 E	
M. & A. Tfr	59.7	1 W	••••
Grantly	64.5	1 E	15
Milldale	66.4	1 E	6
Pilchuck, S 441, 442, 443 & 444	66.9	1 E	20
Days F 443 & 444	69.2	Siding	7
Holo	72.5	1 E	

Ehrlich, F 443 & 444	74.3	1 E	
Chilco	78.4	1 W	7
Nookechamp, F 443 & 444	80.3		
Tiloh	80.7	1 E	12
Forrest Home, F 443 & 444	81.8		••••
Skagit Junction	85.5	1 E	7
Wiles	89.2	1 W	4
Delvan, F 443 & 444	89.9	1 W	2
Norlum (on old line)	90.3	1 E	Spur
Hoogdale, F 443 & 444	92.2	1 W	6
Loggie, F 443 & 444	93.5	Siding	20
Prairie, S 443 & 444 & F 441.	95.8	••••	
Morgood	101.1	1 E	
Doran, F 441 & 442	101.4	1 W	4
Comar, F441	105.4	1 E 1 W	
Clipper, F 441 & 442	107.3	1 W	4
Coyne	109.2	1 E	9
Van Zandt, F 441 & 442	109.4	1 W	8
Case, F 441 & 442	110.6	1 E	29
Lawrence, F 441 & 442	116.3	1 E	6

FOURTH	SUE	BDIVIS	ION.
Distance fi	mo	Black	River.

			STATES II.				
STATIONS	Miles	How Connected	Car Capacity	STATIONS	Miles	How Connected	Car Capaci
Firloch, F 445 & 446	19.8	1 E	3	Hazelwood, F 445 & 446	7.4	••••	
Feriton	16.6	1 E	2	Kennydale, F 445 & 446	5.4	• • • •	••••
Midlakes, F 445 & 446	12.7	1 W	5	May Creek, F 445 & 446	6.7	1 E	4
Factoria, F 445 & 446	10.0			Sanford, F 445 & 446	4.1	1 W	
Factoria	9.5	1 E	6				
							1

### FIFTH SUBDIVISION.

				rom Woodinville.		***	
Hargon	1.7	1 W	7	Craven	29.4	Siding	14
Hollywood, F 445 & 446	1.9	1 W	19	Lovo	30.8	1 E	15
Samamish, F 445 & 446	9.8	1 E	6	Niblock	32.5	1 W	100
Pickering, F 445 & 446	17.3	1 E	3	Quariton	34.6	1 E	
Grand Ridge, F 446	22.0	Siding	15	Tanners	38.1	1 E	9
				Weeks	38.3	1 E	20

# SIXTH SUBDIVISION. Distance from Snohomish.

Sherwood	4.2	1 E	4				
·				SUBDIVISION. om Bromart.			
Bartlett	7.1	1 E	4	Harvey	17.7	1 E	4
Lake Cassidy	12.6	1 E	3	Sisco, F 441 & 444	18.3	1 E	15

# EIGHTH SUBDIVISION. Distance from Arlington.

Cavano, S 469 & 470;	10.2	Sid'g No. 1 Sid'g No. 3	29
Decol	10.4	1 W	9
Jenfred	15.0	1 W	12
Tulker	19.2	1W 1E	80
Lampson	21.4	1 E	4

Koolon	26.0	1 E	25
Wiese	26.5	1 E	20
Edith	27.1	1 W	10
Giles	29.4	1 W	15
Andron	29.7	Wye	••••

## NINTH SUBDIVISION. Distance from Wickersham

			JISCOULCE IN OUR	A A ROMOI SERGIFIE			
Gale, F 443 & 444	2.6	1 E	5	Mogul Log Co	14.6	1 E	24
Sloman	2.7	1 W	29	Matson	14.7	1 W	7
Jensen	10.0	1 W	4				<u> </u>

### MAXIMUM CLEARANCES

	·										LIMIT	r of L	OAD - M	IEASURE	MENT									
		,									HE	IGHT A	BOVE T	OP OF R	AIL							-   35	١,	. (
		1 ft. Wide	2 ft. Wide	3 ft. Wide	4 W	ft. ide	5 ft. Wide	6 ft. Wide	7 ft. Wide	7 ft	t.6in. Wide	8 ft. Wide	8 ft. 6 in. Wide	9 ft. Wide	9 ft. 6 in Wide	10 f Wio		oft. 2 in. Wide	10 ft. 6 in Wide	11 ft. Wide	11 ft. 6 in Wide	Max. Heigh	t W	Iax.
1st Subdivision	Main Line (Ellensburg-East Auburn)	17′ 5″	17′ 4″	17′ 8	3" 17'	1"	16′ 11″	16′ 8″	16′ 1	" 15	5' 10"	15' 6"	15′ 2″	14' 10"	14' 6"	14'	2" 1	14' 0"	13' 9"	13′ 4	12' 4"	17′ 5	5" 11'	6"
2nd Subdivision			20′ 3″											19' 9"	19' 6"		3" 1	19′ 2″	19′ 11″	18′ 8		20′ 8		6"
3rd Subdivision	20001911 2100001111111111111111111111111		1	1	1						·		-	-	-						20′ 11″			
4th Subdivision	Belt Line (Black River-Woodinville)	21′ 5″	21' 5"	21′ 5	5" 21'	5"	21' 5"	21′ 5″	21′ 3	21	1"	20' 11"	20′ 9″	20′ 7″	20′ 5′	_			20′ 2″	.	19′ 10″	21'	5" 11'	6"
5th Subdivision	Snoqualmie Branch	19' 2"	19' 2"	19′ 2	2" 19'	2"	19' 2"	19' 2"	19′ 2	19			19' 2"		_	_	_		19' 2"		" 19' 2'	19'	2" 11'	6"
6th Subdivision	Everett Branch	21' 9"	21' 9"	21′ 9	21'	9"	21' 7"	21′ 2″	20′ 10	20	)' 9"	20′ 7″	20′ 5″	20′ 3″	20′ 1′	19'	11"	19′ 11″	19′ 9″	19′ 7	19′ 5′	21′ 9	9" 11'	6"
7th Subdivision			21′ 3″						1		1		20′ 8″	1					20' 0"			21′ 3		
8th Subdivision	Darrington Branch	18' 10"	18′ 10″	18' 10	0" 18'	10"	18' 10"	18′ 10″													18′ 10′			6"
9th Subdivision	Bellingham Branch	16' 9"	16' 9"	16' 9	9" 16'	9"	16' 9"	16' 9"	16′ 9	16	3" 3"	16' 3"	16' 3"	16' 3"	16' 3'	16'	3"   ]	16′ 3″	16' 3"	16' 3	3"   16' 3'	<u>'   16'                                 </u>	<u>)"   11'</u>	6"

# TONNAGE RATINGS—FREIGHT ENGINES. FIRST SUBDIVISION.—EASTWARD.

DISTRICT	Ruling Grade	Class Z 3		Cla	ss Z	Clas	s W	Class Y 5		Class Y 2		Class F 1		Clas	is S	Clas	s <b>E 4</b>	Class E	3 or D 3	Class C		
DISTRICT	%	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	
Auburn to Lester	1.0	2400	80	1700	60	1100	37	1100	37	900	30	900	30	800	27	500	17	475	16	350	1 1	
Lester to Easton	2.2	1250	60	850	28	550	18	575	19	450	15	450	15	400	14	250	9	235	8	175		
Easton to Ellensburg	Down		imum Cars	Maxii 99 (	mum Cars		80		80		60		60		50		50		50	110	40	

Between Lester and Easton maximum 70 cars

Ellensburg to Easton..... | 0.8 | 3500 | 100 | 2100

2.2 1250

60

Maximum 99 Cars 850

Maximum 99 Cars

28

Easton to Lester.....

Lester to Auburn...... Down

	FIRST SUBDIVISION.—WESTWARD.														
1700	53	1550	52	1300	43	1250	42	1200	40	700	24	670	23	545	18
550	18	575	19	450	15	450	15	400	14	250	9	235	8	175	6

Maximum 60 Cars Maximum 40 Cars Maximum 40 Cars Maximum 40 Cars

 Maximum
 Maximum
 Maximum
 Maximum

 80 Cars
 80 Cars
 60 Cars
 60 Cars

 Between Easton and Lester maximum 70 cars.

DISTRICTS.	Ruiing Grade	Clas	SS E 3	Cla	ass E 7	CI	ass F 3	Clas	s <b>F 1</b>	Clas	s S 4	Cla	ss W	Clas	s ¥ 5	DISTRICTS.	Ruling	Class E 3		Class	E 7	Clas	s F 3	Class	s <b>F 1</b>	Class	S 4	Class	. W	Class
Second Subdivision—Eastward.	%	Tons	Cars	Ton	s Cars	Ton	s Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Second Subdivision—Westward.	Grade $\%$	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Cars	Tons	Core	Tons
Sumas to Wickersham	0.5	1200	40	1400	46	1300	0 45	1650	50	1650	50	2200	60	2250	60													TOND		- I ons
Wickersham to Thornwood	0.9	850	28	1100	37	1078	5 36	1500	47	1500	47	2200	60	2050	60	Seattle to Interbay	0.0		50	2500	60	2250	60	3000	60	3000	60	3500	65	3500
Thornwood to Clear Lake	0.3	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000	80	Interbay to Keith	1.2		18	625	20	600	19	750	25	750	25	975	32	1000
Clear Lake to Edgecomb	0.6	950	30	1250	39	1200	38	1800	50	1750	50	2300	60	2300	60	Keith to Woodinville	0.4	1200	40	1500	47	1500	47	1800	50	1800	50	2200	60	2250
Edgecomb to Bromart	0.4	1500	35	2250	60	2000	60	2500	60	2500	60	3500	65	3500	65	Woodinville to Maltby	1.9	320	11	425	15	400	14	600	19	600	19	850	28	875
Bromart and Snohomish to Maltby.	1.3	340	11	450	15	425	5 14	625	21	625	21	900	30	900	30	Maltby to Arlington	0.5	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000
Maltby to Woodinville	Down	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000	80	Arlington to McMurray	1.0	700	23	815	28	790	26	950	32	950	32	1400	42	1300
Woodinville to Kenmore	0.7	1000	32	1150	38	1125	37	1450	44	1450	44	1700	50		52	McMurray to Sedro-Woolley	0.4	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000
Kenmore to Keith	0.8	800	27	1000	23	975	32	1150	38	1150	38	1700	45	1650	47	Sedro-Woolley to Thornwood	1.0	650	20	765	22	740	21	950	32	950	32	1200	40	1250
Keith to Seattle	0.5	1500	35	2250	60	2000	60	2500	60	2500	60	3500		3500	65	Thornwood to Sumas	0.5	1200	40	1500	50	1500	50	1800	50	1800	50	2050	60	2100
Fourth Subdivision—Eastward. Voodinville to Kirkland	1.0		27		_	-		1150	34	1150	38	1800	45	1700	47	Fourth Subdivision—Westward. Black River to Woodinville	0.5	700	37	1000	46	1000	46	1400	60	1400	60	1800	60	1800
Kirkland to Black River	0.3	2000	40	2500	50	2500	50	2750	55	3000	60	4000	80	4000	80	Fifth Subdivision—Westward.														
Fifth Subdivision—Eastward.																Woodinville to Issaquah	0.6	1200	40	1500	50	1500	50	2200	60	Ç.				
North Bend to Falls City	0.7	775	26	-	_		_	1650	55 							Issaquah to Preston	2.3	260	9	415	14	400	13	550	18					
Falls City to Preston	2.0	260	9		_		_	550	18							Preston to Falls City	1.6	650	20	700	22	700	22	850	30					
Preston to Woodinville	0.5	2000	40	2500	50	2500	50	3000	60							Falls City to North Bend	0.7	1300	40	1400	44	1400	44	1500	60					
Sixth Subdivision—Eastward. Lowell to Snohomish	1.0	800	27	1000	33	980	33	1400	46	1400	46	1800	60	1800	60	Sixth Subdivision—Westward. Snohomish to Lowell	1.0	800	27	1000	33	980	33	1800	45	1800	45	2000	45	2000
Seventh Subdivision—Eastward Edgecomb to Getchell	1.8		14		-		_	700	23	700	23	1000	<b>3</b> 2	1000	32	Seventh Subdivision—Westward Snohomish to Machias	0.6	850	29	1000	33	975	32	1100	37	1100	37	1600	50	1600
Getchell to Snohomish	0.8	2000	50	2500	60	2500	60	3000	60	3000	60	4000	80	4000	80	Machias to Getchell	1.5	425	14	550	18	525	17	675	23	675	23	1000	32	1000
ighth Subdivision—Eastward																Getchell to Edgecomb	0.0	2000	50	2500		2500		3000		3000	60		-	4000
and Westward. rlington and Darrington	0.8	2000	40	2500	50	2500	50	3000	60							Ninth Subdivision—Westward. Wickersham to Mirror Lake	2.2	315	11	390	14	400	13	550	19					
inth Subdivision—Eastward.																Mirror Lake to Agate Bay	1.1	1300	35	1600	43	1550	42	1800	60					
ellingham to Larson	2.1	300	11		14	375	13	525	19							Agate Bay to Silver Beach	0.9	950	28	1300	32	1250	32	1500	35					
arson to Wickersham	0.9	1040	35	1300	43	1250	42	1800	60							Silver Beach to Bellingham	1.2	700	20	900	28	850	26	1100	30					

### SPECIAL RULES

### FIRST SUBDIVISION (Main Line)

### SPEED RESTRICTIONS.

- 1. Eastward passenger trains 30 miles per hour between exceme west switch Ellensburg yard and Ellensburg station.
- 2. Ten miles per hour through incorporated city limits of Cle Elum.
- 3. Maximum speed of descending passenger trains 30 miles per hour, and descending freight trains 20 miles per hour between Martin and Easton and between Stampede and Lester.
- 4. Maximum speed of ascending passenger trains 20 miles per hour and ascending freight trains 12 miles per hour between Easton and Martin and between Lester and Stampede as that is the maximum speed that curves are put up for. In case current of traffic is reversed eastward trains using westward track Martin to Easton and westward trains using eastward track Stampede to Lester must particularly observe these restrictions.

Westward freight trains must use a minimum of 35 minutes, exclusive of all delays, in running between Stampede station and the point where they stop at Lester.

- 5. Speed of Z-3 engines must not exceed 25 miles per hour at any time; this does not abrogate the 20 miles per hour descending and 12 miles per hour ascending speed restriction of freight trains on Cascade Mountain.
- 6. Speed of all trains through Stampede tunnel No. 3 must not exceed 15 miles per hour and must be so controlled that they can be stopped on emerging.
- 7. Twenty miles per hour over Tenth Subdivision of Tacoma Division switches at Palmer Junction.
- 7a. Speed of class W, W-1 and W-2 engines will not exceed 30 miles per hour at any point. This restriction does not abrogate other restrictions of lesser speed governing same class power.
- 8. Fifteen miles per hour through cross-overs and entering sidings.
- 8a. Thirty miles per hour through interlocking plants.
- 9. Maximum speed of passenger trains is one minute or sixty seconds per mile. This limit must never be exceeded.
- 10. Yard Limits.—Indicated by sign at proper location.
- 11. Registering Stations.—Ellensburg and East Auburn. At East Auburn all trains register by ticket. Freight trains also register at Auburn Transfer. At Easton and Lester trains terminating will register arrival, and at Easton and Lester departing freight trains ascending will register whether "all air" or helper on rear. Palmer Junction is registering station for trains using tenth Subdivision of Tacoma Division only, which will register by ticket.
- 12. Eastward trains leave register ticket at Lester and procure register check at Easton. Westward trains leave register ticket at Easton and procure register check at Lester.
- 13. Bulletin Stations.—Ellensburg and Auburn Transfer. (Lester and Easton are bulletin stations for enginemen on helper engines.)
- 14. Standard Clocks.-Ellensburg, Lester and Auburn Transfer.
- 15. Mountain Grade.—Easton to Lester.
- 16. Helper District.—Between Auburn and Easton.
- 17. Lap Sidings are located at Thorp, Bristol, Tenaway, Nelsons, Maywood, Eagle Gorge, Kanaskat and Covington. (Trains taking siding will head in at lap.)
- 18. At Dudley and Humphrey, track No. 1, located next to main track, will be known as eastward siding. Track No. 2 will be known as westward siding.
- 19. At Lester.—Track No. 1 west of double track switch, located 1,400 feet west of station, will be used as storage track. Track No. 2 as eastward siding.

  Track No. 3 as westward siding.
- 20. Descending freight train must not be permitted to leave Stampede until descending passenger train has arrived at Lester and descending freight train must not be permitted to leave Martin until descending passenger train has passed Easton.

- 21. When block for eastward trains is not clear operator at Martin will head such trains in on eastward siding to enable them to clear Tunnel No. 3.
- 22. Rule 316 is modified as follows: When the telephone is used, signalmen will transmit the words, represented by the figures.
- 23. All sidings between Tunnel No. 3 and westward switches of new sidings west of Tunnel No. 4 will be considered in Stampede station limits, but the old sidings between tunnels Nos. 3 and 4 must not be used for the meeting or passing of trains.
- 24. Normal position of double track switches at Easton and Stampede will be for westward trains.
- 25. Normal position of double track switches at Martin and Lester will be for eastward trains.
- 26. All trains must approach double track switches under full control.
- 27. At Palmer Junction, the upper semaphore arms are train order signals and govern movement of trains via first Subdivision; middle arms are also train order signals and govern movement to and from Tenth Subdivision of Tacoma Division; lower arm is automatic block (west home signal). Switch at Palmer Junction will be set for the First Subdivision line
- 28. Engines must not run on Page Lumber Co.'s spur.
- 29. Derail switches are located as follows, and must be kept set in derailing position when not in use:

Ellensburg—East end of east yard.
Ellensburg—Caboose track.

Kountz—East end of siding. Cle Elum—East end of east extension. Easton—East end of siding. Lester—West end of roundhouse track.

Lester—West end of roundhouse track.

Lester—West end of No. 1 track.

Switch lamps will not be maintained on above switches.

Nagrom—Spur track.
Eagle Gorge—West end of westward siding.
Kanaskat—West end of wye.
Byrd—West end of siding.
Covington—West end of westward siding.
Soos Spur—Spur track.

- 30. Position of "Wye" switches at Auburn will be ascertained before using. Normal position of switch at head of the wye at Auburn will be for Seattle leg of the wye. Switch target and switch lamp will show clear indication for Seattle leg.
- 31. Electric coal bunker, located on west extension, Cle Elum, will not clear man on side of car or engine.
- 32. Mallet power must not be double-headed over bridges except between Easton and Lester.
- 33. Dead freight trains will fill to tonnage at Cle Elum.
- 34. No. 318 will stop on flag to unload express at Garibaldi.
- 35. Nos. 1, 3, 4 and 42 will stop on signal at Nagrom.
- 36. On Sundays, special trains are operated on Roslyn Branch for the accommodation of passengers. Leave Cle Elum 10:00 a. m., 1:15 p. m., 5:00 p. m. Leave Beekman 10:45 a. m., 2:00 p. m., 5:45 p. m.
- 37. No. 4 will connect with No. 596 at Kanaskat.
- 38. No. 3 will connect with No. 595 at Kanaskat.
- 39. When making back-up movement, running test of air brakes must be made from rear of train.
- 40. All toilets in trains must be kept locked while in the limits between Headworks and Humphrey and all employees are cautioned against throwing any refuse or articles, which might become unsanitary, off the train while passing through that territory.

### 41. FREIGHT TRAIN CONDUCTORS AND ENGINEMEN WILL COMPLY WITH THE FOLLOWING, CONCERNING THE HANDLING OF TRAINS THROUGH TUNNEL No. 3:

On whistling for either Martin or Stampede the engineman must place the handle of the brake valve in full release position and obtain 90 pounds train pipe pressure as promptly as possible. (Engineman must see that low pressure governor head does not exceed 90 pounds.) Following this he must obtain "Proceed" signal before entering tunnel No. 3, to be passed from conductor to head engineman by helper engine whistle and head brakeman. Conductor will not give this signal until the train pipe pressure in the caboose has been increased to at least 80 pounds.

No retaining valves need be used with trains of all empties through tunnel No. 3, but such trains must be stopped and all retaining valves turned up before leaving either Stampede or Martin. With other freight trains, before entering tunnel No. 3 turn up all retaining valves Westward, and all but the rear one-third Eastward, turning all up before leaving Martin

If for any reason the train breaks in two or more parts while in tunnel No. 3, train and enginemen should arrange to get engines out of tunnel promptly as possible. If necessary, take engines and cars out in either or both directions. When portion of train is left in tunnel, same should be made secure by blocking and not moved out until smoke and gas has cleared and it can be done safely. Blocking will be found on walls of tunnel on right hand side going east, about 100 feet apart and six feet above the rail.

Descending trains will carry 90 pounds train pipe pressure to Lester and to Easton. Following any stops during the descent, the engineman must fully recharge the brakes before starting and the conductor must not give the "Proceed" signal until at least 80 pounds is shown by the caboose gauge.

Eastward freight trains will stop at Lester to make terminal test, and at Easton to make examination of wheels and brakes. Westward freight trains will stop at Easton to make terminal test, and at Lester to make examination of wheels and brakes. In addition to stopping at Lester, westward freight trains will stop at Kennedy (with caboose as close to telegraph office as possible) to make inspection of wheels and brakes.

If enginemen handling eastward freight trains find that fan at mouth of tunnel No. 3, Stampede, is in operation when passing vents, train must be stopped at once and engineer in charge of plant notified to stop the fans.

Conductor in charge of freight trains will wire operators at Martin or Stampede, as the case may be, when they have stockmen or messengers or any one legitimately carried on train in excess of regular train crew so that operators can hand up sufficient number of respirators.

### 42. RULES COVERING THE OPERATION OF SINGLE TRACK BY STAFF SYSTEM BETWEEN STAMPEDE AND MARTIN:

No train, engine, or propelled car will run in either direction until engineman receives from operator a staff which must be retained and delivered to the operator at the opposite end of the block.

The possession of a staff makes the train superior to all other trains between Stampede and Martin.

The eastward train order signal at Stampede, and the westward train order signal at Martin, are interlocked with staff machines located in the telegraph office at Stampede and Martin, and except when used must be set normally at stop and cannot be cleared until the operator at opposite end of block returns staff to machine, which must not be done until rear of train has passed 300 feet beyond the signal. After signal has been cleared for a train entering the tunnel it must be restored to stop immediately after the rear of the train has passed the signal.

In order to use the switches in old Stampede yard, the staff must be used to unlock switch levers with, and levers

will have to be returned to normal position before staff can be removed. These tracks cannot be used for trains or engines getting into clear as the staff which is used for unlocking the switches must be returned to machine at Stampede or Martin. (Pusher staff will not unlock switches.)

When a helper engine is used behind caboose, or on rear of passenger train, operators at Stampede will be prepared to deliver pusher staff to engineman. When engine is cut off at old Stampede, the pusher staff will be his authority to return to Stampede. (The pusher staff cannot be put into the machine at Martin. but must be returned to the machine at Stampede.)

In tunnel section between double track switch at Martin and double track switch at Stampede, (A) flagging is not required. (B) Headlight and lighted markers will be used both day and night.

### 43. Special rules governing operation of trains and yard engines between East Auburn and Auburn and between East Auburn and Auburn Transfer.

No train or engine in either direction will occupy main track or wye between East Auburn and Auburn, or between East Auburn and Auburn Transfer, regardless whether such train or engine holds rights conferred either by time table or train orders (except switch engines going around wye upon authority of work order) without first procuring a card form "K," "L," "M" or "N" from operator at

Auburn, East Auburn or Auburn Transfer properly filled out. Automatic block rules must also be observed. Cards must be surrendered to operator at end of block immediately upon arrival.

### SPECIAL RULES—Continued

### SECOND SUBDIVISION

- 1. Registering Stations—Woodinville, Sedro-Woolley, Wickersham, Everett and Sumas. All trains register by ticket at Kruse and G. N. Station, Snohomish.
- 2. Yard Limits-Indicated by sign at proper location.
- 2a. Switching Limits-Territory indicated by signs within which switching will be performed by Yard Crews.
- 3. Maximum Grades-Between Bromart and Woodinville.
- 4. Bulletin Stations-Arlington, Sedro-Woolley, Sumas and Everett.
- 5. Standard Clocks-Sedro-Woolley and Everett.
- 6. Helper District-Between Edgecomb and Arlington, limit 30 cars.
- 7. Helper District-Between Bromart and Woodinville.
- 8. No. 441 stop at Kruse for passengers destined to points north of Kruse on our own line.
- 9. Speed Restrictions-Fifteen miles per hour through cross overs and entering sidings.

Thirty miles per hour through interlocking plants.

Thirty-five miles per hour around curves on Maltby hill.

Ten miles per hour between Maple Street (located 600 feet east of depot) and Burke Avenue (located 2500 feet west of depot) at Arlington.

Twelve miles per hour between west switch Roger and Delta wye.

Thirty miles per hour at any point of W, W-1 and W-2 engines, this restriction does not abrogate other restrictions of lesser speed.

- 10. Clearance Exceptions—Trains need not obtain clearance at Wickersham from 12:30 a.m. to 6:30 a.m., unless stop signal is displayed.
- 11. Engines must not go in beyond 50 feet from frog on Weyerhauser spur, Everett, account 16-degree curve.
- 12. Trestle No. 3 of Everett Pulp and Paper Mill Company at Lowell is unsafe for engines.
- 13. No train or engine will occupy main track in either direction between Lowell and Everett or between Everett and G. N. Junction regardless whether such train or engine holds rights conferred either by time table or train orders without first procuring card order from Operator Lowell, Everett, G. N. Junction or Delta wye, properly filled out. Cards must be surrendered to Operator at end of block immediately upon arrival. N. P. eastward trains secure card order at Delta wye, authorizing movement G. N. Junction to Everett; N. P. westward trains will turn in card received at Everett, authorizing movement to G. N. Junction at Delta wye.
- 14. Whistle Signals for Delta Wye Interlocker—N. P. westward trains: one long, one short, one long. N. P. eastward trains: two long, one short, one long.
- 15. Normal Position of Main Track Switches—Bromart and Edgecomb will be for Second Subdivision Main track.
  - Normal position of west siding switch at Kruse and east siding switch at G. N. station Snohomish will be for main track, N. P. trains entering or leaving G. N. main track at these points will go through crossover instead of siding unless otherwise instructed.

Normal position of junction switch at G. N. Junction will be for N. P. main track.

Normal position of main track switch, west of Lowell, will be for G. N. main track.

### RAILROAD CROSSING AT GRADE.

- 16. P. C. R. R. crossing at Renton. P. C. R. R. crossing two miles west of Renton. Campbell Lumber Co. crossing at Campton. Two C. M. & St. P. R. R. crossings between G. N. Junction and Roger. M. & A. crossing, 1.3 miles west of Kruse. Two G. N. crossings at Sedro-Woolley. G. N. crossing at E. K. Wood mill Bellingham. B. & N. crossing just east of Sumas. C. M. & St. P. crossing 300 feet west of Ebey Junction. G. N. crossing 5,000 feet west of Lowell on new Everett freight house track. P. S. & C. Ry. crossing 1.3 miles east of Clear Lake. B. & N. Ry. crossing 2.1 miles west of Deming.
- 17. Crossing Gate situated on new Everett freight house track at crossing of G. N. track located (5,000) feet west of Lowell. Normal position blocks Northern Pacific track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block G. N. track and locked in that position while crossing is in use, after which gate will be locked in normal position across N. P. tracks.
- 18. Crossing Gate situated at G. N. crossing near E. K. Wood Mill at South Bellingham. Normal position blocks N. P. track. When N. P. trains or engines use this crossing, gate must be unlocked and swung to block G. N. main line and locked in that position while crossing is in use, after which gate will be locked to normal position across N. P. tracks.

- 19. Crossing Gate situated where Puget Sound & Baker River Railway Company track crosses N. P. old line just west of Sedro-Woolley. Normal position blocks N. P. track; same procedure as at South Bellingham.
- 21. P. C. R. R. Crossing at Renton is protected by derails located 75 feet east and 75 feet west of the crossing and operated by switch stand between the P. C. R. R. tracks. NORMAL POSITION OF DERAILS IS AGAINST N. P. TRAINS. All trains will stop to clear derails, brakeman will go ahead and line up for N. P. track, cross to opposite side of track and remain there until train has cleared both derails; then line back to derail.
- 22. Derail Switches are located as follows and must be kept set in derailing position when not in use:

Edgecomb-M. &. A. connection.

Arlington-East end House Track.

Arlington-Lead track west end.

Bryant-New M. & N. connection.

Bryant-West end siding.

Pilchuck-East end siding.

Holo-Spur track.

Montborne—East end siding.

Chilco-Spur track.

Clear Lake-West end siding.

Sedro-Woolley-G. N. transfer track.

Loggie-Spur track.

Thornwood-West end siding.

Prairie-Connection to old line.

Wickersham—Christie's spur.

Lovo-Spur track.

- 23. No engines of any class must cross or use bridge on Comar siding.
  - No engines of any class must go beyond right-of-way line on Clipper Shingle Co.'s track connected from McDonald's spur, nor beyond right-of-way line on Milldale spur.

Class S or heavier power must not go beyond right-of-way line on Morgood spur.

Class W or heavier power must not go in on following spurs and tracks:

Monte Cristo spur-Snohomish.

East end No. 3 track-Arlington.

Brown and Kountz spur-Arlington.

Mill spur—McMurray. Nookechamp.

Tiloh.

Heather.

Cream and Cannery spur, and Transfer track-Woolley.

Class S power is also restricted from use of above spurs and tracks, except East end No. 3 track—Arlington, and may go in as far as bridge at Tiloh.

Class "W" or "Y5" engines must not use west leg of wye, Wickersham.

Class "W" engines cannot turn on table at Woodinville.

East and west connections with Comar log spur are not safe for N. P. engines at points 50 feet from main track.

Do not exceed speed of 4 miles per hour on Nestos spur account 18-degree curve and rails not braced.

- 24. No power heavier than Class "C" engines coupled together may cross Bridge No. 39 on Fifth Subdivision or Truss bridges Nos. 1, 2, 4, 6, 7, 9 and 12 on Eighth Subdivision.
- 25. No engine heavier than Class F-1 can be run on Fifth, Eighth and Ninth Subdivisions.

  No engine heavier than Class W can be run over Second, Fourth, Sixth and Seventh Subdivisions.
- 26. All Eastward freight trains will come to full stop at Public Road crossing just east of Hartford station to clear Hartford Eastern Ry. switch and ascertain that track is clear before proceeding.

### LOCATION DRAW SPANS.

27. Snohomish River bridge, just east of Snohomish. Skagit River bridge between Sedro-Woolley and Clear Lake. Ebey Slough and Snohomish River bridge on Everett Branch between Snohomish and Lowell. All trains come to full stop before crossing, giving whistle signal before proceeding.

### SPECIAL RULES—Continued

- 28. Conductors in charge of freight trains which are using helper engines behind caboose on Cascade Mountain will personally inspect and test levers and coupling pins and ascertain that same are in working condition, so that when the engine is cut off ascending while running at Martin or Stampede, there will be no failure to uncouple and in all cases the lever must be lifted on both the caboose and the engine. This movement must be personally supervised by the conductor.
- 29. Eastward freight trains between Auburn and Stampede and westward freight trains between Easton and Martin using helper power on rear will be governed by following rule: When necessary to take slack to start the train, the engine on rear of train will in all cases take the slack.
- 30. In order to facilitate the terminal test of air brakes on freight trains at Lester and Easton, as required by Transportation Rule No. 703, engineman who is handling the air brakes will, before the engine is detached to take coal, water, or do station work, make a straight twenty pound reduction from maximum brake pipe pressure with the automatic brake valve. As soon as the brake valve has stopped exhausting, engineman will give one blast of the whistle. Trainmen will not close angle cock to detach engine until this signal is given. Immediately after the brakes have been applied the conductor (or the person whom he may delegate) will make a car to car inspection of the brakes. Defect card form 684, properly filled out, must be attached to any car on which the air brake has failed to apply. This inspection must be completed within fifteen (15) minutes after the brake application. The air must not be coupled into the train from the helper or road engine until the enginemen have been informed that the inspection has been completed. If, for any reason, the road engine is not detached, the brakes must be applied and the test made as outlined above.
- 31. When a passenger train is furnished two helper engines over Cascade Mountain and one engine is a class "S-4" and the other a class "W," the class "W" engine must be placed on the head and the class "S-4" engine on the rear

### THIRD SUBDIVISION

(ROSLYN BRANCH)

36. Bulletin and Registering Station-Cle Elum. Maximum Grades-Cle Elum to Lakedale.

Derail Switch—Cle Elum, upper switch at the head of wye toward Roslyn, will be set for west leg. Roslyn coal train is required to come to a full stop above this switch. The derail switch on the main line, nearly in front of scale house at Roslyn, will be left set to act as derail to prevent cars running down main line track toward Cle Elum. No engines of any class must pass under the tipple tracks on the Roslyn Fuel Company's tracks at Beekman,

### FOURTH SUBDIVISION

(BELT LINE)

37. Registering Stations-Woodinville and Black River.

Speed Restrictions—Fifteen miles per hour through cross-overs and entering sidings. Twenty miles per hour Class "W" engines between Black River and Woodinville.

All trains send man ahead to line derails and flag across P. C. R. R. crossing at Renton.

Engines must not enter Glass Works spur at Renton.

Engines must not go beyond frog on S. & R. V. interchange track at Renton account 30% curve.

Station at Kirkland is located 2250 feet east of siding.

Helper District-Woodinville to Kirkland, limit 30 cars.

Normal position Renton leg wye switch Black River, set for Tacoma leg of wye.

### FIFTH SUBDIVISION

(SNOQUALMIE BRANCH)

38. Registering Stations-Woodinville and North Bend.

Maximum Grades-Issaquah to Preston.

Yard Limits-Indicated by sign at proper location.

Speed Restrictions-Fifteen miles per hour through cross-overs and entering sidings.

Twenty miles per hour over truss bridges and high trestles. Ten miles per hour crossing Raging River Bridge 39.

Four miles per hour between Bridge 49 and Snoqualmie Falls.

Descending trains must not exceed schedule time on Preston and Fall City grades.

All trains leaving Preston must keep at least fifteen minutes apart.

Nos. 923 and 924 will carry adult male passengers holding proper transportation between Woodinville and North Bend. Women and children must not be carried on these trains.

West wye switch at North Bend will be lined for wye.

### SIXTH SUBDIVISION

(LOWELL LINE)

Registering Station—Snohomish. Bulletin Station—Snohomish.

Yard Limits-Indicated by sign at proper location.

Speed Restrictions-Fifteen miles per hour through cross-overs and entering sidings. Class W engines 15 miles per hour between Snohomish and Lowell. Six miles per hour over Snohomish and Ebey Slough drawbridges.

- No steam or electric trains will occupy main track in either direction between Snohomish and Lowell, without first procuring Card Order from operator at Snohomish or Lowell, properly filled out. Cards will not be issued for steam trains to follow electric trains, until electric trains have cleared block. Cards must be surrendered to operator at end of block immediately upon arrival.
- Look out for trolley wires between tell tales at Snohomish and Ebey Slough bridges. Wires will not clear man on

Trestle No. 3 of Everett Pulp & Paper Mill Co. at Lowell is unsafe for engines.

32. Westward freight trains consisting of sixty cars or more, regardless whether part empties and part loads, or all empties, or all loads, will use retaining valves on head portion of train between Lester and Auburn as follows: Trains of 60 cars will use 12 retainers.

Trains of 80 cars will use 18 retainers.

Same to be turned up on cars from the head end alternating by using the retainer on every other car, or the first, third, fifth, etc. On trains containing less than sixty cars, retainers will be furnished by request of the engineman but not to exceed ten on such trains. These retaining valves must be turned down when coming into East Auburn and before engine passes over the hump at bridge between East Auburn and east leg of the wve switch.

- 33. Eastward or westward trains furnished one class "Z" and one class "W" helper engine at Easton or Lester, will place the class "Z" engine ahead of the caboose to go through the tunnel and the class "W" behind the caboose to be detached at the portal of the tunnel. Trains using a single helper, class "W" or lighter, may place such engine behind the caboose and detach at portal of tunnel. These instructions do not annul or modify Transportation Rule No. 734, reading: "Helper engines, when used on rear of freight trains, must be in advance of cars insufficient in strength to safely resist the push of such engines."
- 34. When two helper engines are coupled together descending on mountain grade, and one engine is not equipped with electric headlight, the engine equipped with the electric headlight must be the leading engine.
- 35. In the State of Washington, conductors of passenger trains consisting of four or more cars, and freight trains consisting of 25 or more cars, must know that brakemen has had at least one year's experience in train-service before assigning them to flagging duties.

### SEVENTH SUBDIVISION

(HARTFORD LINE)

40. Registering Station—Snohomish.

Yard Limits-Indicated by sign at proper location. Bulletin Station-Snohomish.

stop signal is displayed.

Helper District-Between Snohomish and Edgecomb, limit 30 cars.

Speed Restrictions—Fifteen miles per hour through crossovers and entering sidings.

Class "W" and Y2 engines twenty miles per hour between Snohomish and Edgecomb.

Passing track at Machias is located just west of the station, westward trains taking siding at this point will head in at crossover just west of depot. Eastward trains taking siding will head in at extreme west switch. Clearance Exceptions-Trains need not obtain clearance at Snohomish between 12:30 a.m., and 6:30 a.m., unless

# **EIGHTH SUBDIVISION**

(DARRINGTON BRANCH)

41. Registering Stations-Arlington and Darrington.

Bulletin Station-Arlington.

Yard Limit—Indicated by sign at proper location.

Speed Restrictions-Fifteen miles per hour through cross-overs and entering sidings.

Move under control where slides and washouts are liable to occur.

Track beyond 400 feet from frog on U.S. spur at Darrington is unsafe for engines.

Trains handling logs will not exceed ten miles per hour over Howe Truss bridges Nos. 2, 7, 11-1, 18, 19 and 22.

### NINTH SUBDIVISION (BELLINGHAM BRANCH)

42. Registering Stations—Wickersham and Bellingham. Bulletin Station—Bellingham.

Yard Limit-Indicated by sign at proper location.

Maximum Grades-Larson to Bellingham and Mirror Lake to Wickersham.

Speed Restrictions—Fifteen miles per hour through cross-overs and entering sidings. Six miles per hour over bridge 20 (Silver Beach).

Eight miles per hour over street car crossings at Kentucky Street, Bellingham.

Eight miles per hour between Kentucky Street and Bellingham depot.

Six miles per hour over street car crossing between Silver Beach and Larson.

All trains come to full stop before crossing Holly Street, Bellingham. Flagman precede train with red flag or light.

Fifteen miles per hour at any point between M. P. 5 and M. P. 8.

Normal position wye switch at Wickersham be set and locked for east leg.

Derail Switch-Mirror Lake, Liberty Lumber Co.'s spur.

Spur at Liberty Mill at Mirror Lake not safe for engines.

### AUTOMATIC BLOCK SIGNALS.

- 43. It is possible for light engine and train using cross-over in automatic signal territory to stand between the switches in such a manner as to release the signals when switches are closed. Light engine and train using cross-overs in automatic signal territory must have at least one switch open while engine or train is on any part of the cross-over.
- 44. Note following amendment to automatic block Rule 504:

  "504-C. When a train is stopped by block signal having two lights (called the home signal) on single track, automatic block signal territory, it may proceed when signal goes to caution or clear position, or if not immediately changed by obtaining authority from the train disaptcher, or if unable to communicate with the train dispatcher, the train may proceed under protection of flag, to the next signal that indicates clear or caution."
- 45. "504D. When a train is stopped by a block signal on single track, it may proceed when the signal goes to caution or clear position, or if it is not immediately changed, it may proceed at once under caution, except when train is proceeding under flag from the last home signal as provided in Rule 504-C."

### WATCH INSPECTORS.

J. F. HUNTER, 215 Yesler Way, Seattle.

F. A. HOME, Ellensburg. W. A. SEIBEL, Cle Elum.

RICHARD VAETH, 924 Pacific Ave., Tacoma. OWEN PARKER, Arlington.

S. O. WALLGREN, Everett. HORACE CONDY, Sedro Woolley.

WILBUR GIBBS, Bellingham.

### AUTHORIZED SURGEONS, SEATTLE DIVISION.

LOCATION OF STRETCHERS (S).

S. W. MOWERS, Chief Surgeon, Western Div., Tacoma.

CLINTON T. COOKE, Oculist, Seattle.
P. W. WILLIS, Seattle.
F. S. BOURNS, Seattle.
King St. Station, Seattle (S).
Yard Office, Seattle (S).

E. M. ADAMS, Arlington (S). N. S. McCREADY, Snohomish (S). W. C. COX, Everett (S). C. C. HARBOUGH, Sedro-Woolley (S). W. E. GIBSON, Issaquah (S). E. S. CLARK, Sumas (S). R. T. BURKE, North Bend. A. M. SMITH, Bellingham (S). Woodinville (S). J. C. McCAULEY, Ellensburg (S). R. R. PINKARD, Ellensburg (S). Easton (S). Lester (S).

D. O. KEARBY, Cle Elum (S). B. E. HOYE, Auburn. WM. H. BRANDT, Auburn. Auburn Yard Office (S). Auburn Station (S). Puyallup (S). P. B. WING, Oculist, Tacoma. W. G. CAMERON, Specialist, Tacoma. N. P. B. A. Hospital, Tacoma (S). Baggage Room, Tacoma (S). Round House, Tacoma (S).

Head-of-Bay Yard Office, Tacoma (S).
Half Moon Yard Office, Tacoma (S).
Tool Car, Tacoma (S).
Wharf, Tacoma (S).

### NOTE.

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary proper surgical aid should be procured until the arrival of a

regularly appointed surgeon, when the case should be placed in his charge, and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

J. E. CAMPBELL, Trainmaster, Seattle. FRED BRASTRUP
Trainmaster, Seattle.

J. F. FITZSIMMONS, Trainmaster, Seattle.

E. H. FRIBERG, Chief Dispatcher, Seattle.

