United States Railroad Administration

WALKER D. HINES, Director General of Railroads

NORTHERN PACIFIC RAILROAD

DULUTH AND SUPERIOR TERMINALS

TIME 30 TABLE

In Effect at 12:01 A. M. Central or 90th Meridian Time.

SUNDAY, JUNE 22, 1919

For the Government of Employes only. The Railroad reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Rules and always have for reference a copy of TRANSPORTATION RULES.

C. L. NICHOLS,

Assistant General Manager.

NEWMAN KLINE,

General Superintendent.

P. H. MCCAULEY,

Superintendent of Transportation.

W. H. STRACHAN,

Superintendent.

WESTWARD

FIRST SUB-DIVISION

(DULUTH AND SUPERIOR TERMINAL)

						FIRST	CLAS	SS									TIME TABLE No. 80	Lac			-	FIRST	CLASS	,		SECO	ND CLASS	TH
403	401	181	55	201	53	185	61	305	189	63	51	203	71	les,	, .	-	Sunday, June 22, 1919. Succeeding No. 79	nplpuo	Siding 19	1 303	205	57	65	405	407		627	7
D.& I. R.	D.& I. R.	N. P. 181	N. P. 55	D. M. & N.	N. P. 54	N. P. 185	N. P. 61	D. W. & P. 5	N. P. 189	N. P. 63	N. P. 52	D. M. & N. 3	N. P. 71	Fuel, Scales,	Numbers	Distance from D. & I. R. Jct.		rom F	N. F	D. W. & P. 3	D. M. & N. 5	N. P. 57	N. P. 65	D.&1.R. 52	D.& I. R.		N. P. 627	ı
Pass'gr	Pass'gr	l 1	- 1					Pass'gr				Pass'gr	Pass'gr	T. Tage	. u	I. R	STATIONS	nce	₫ <u> </u>					Pass'gr			Freight	
Ev Sun	Daily	Ex. Sun.	Daily	Daily	Daily	Sun.	Ex. Sun	Ex. Sun.	Ex. Sun.	Daily	Daily	Daily	Daily	Wate	Static	Dista	Telegraph Offices and Calls	Dista	Dail	Daily	Daily	Daily	Daily	Ex. Sun.	Daily		Daily	┰
L11.41	ΔM	AM	AM	AM	AM	AM	AM	AM.	PN	PN	PNL	PN	PN	wco		Ī .	D. & I. R. JCT	15.1	P	i	PM	PM	PM	PM 2.35	PM L 5.41		PM	Ī
i		L 6.45	L 7.00	L 7.40	L 7.55	L 8.40	L 9.00		L12.15	L 1.55	L 3.45	L 3.50	L 5.15	ΤY	WB 7	0.9	DUDULUTHDN	14.2	ard L 5.2	5	L 7.58	L 8.00		A 2.40			L 8.05	5
		6.49	A 7.04	7.44	A 7.59	844	9.03	L10.08	12.19	1.59	A 3.49	3.53	5.19			1.9	GARFIELD AVE	13.2	5.2	9 L 7.13	8.02	A 8.04	11.14				8.10	-1-
		s 6.52		7.45		s 8.46	s 9.04	10.09	s12.21	2.00		3.54	s 5.21		L 2	2.2		12.9	s 5.	7.14	8.03		s11.18				8.13	3 L
		6.54		A 7.46		8.47	9.06	10.11	12.22	2.01		A 3.55	5.22		L 02	2.8	D. M. & N. JCT	12.3	5.3	2 7.10	A 8.04		11.20				8.16	5
				arte filippy					in the	12	1.3					3.6	0.8 SOO LINE CROSSING Interlocked.	11.5		1		-						
		6:59				8.52	9.10	A10.16	12.27	2.05			5.27			4.4		10.7	5.:	37 A 7.2	L		11.24	:			8.22	2
		s 7.03				s 8.55	s 9.14	1	s12 ⋅30	s 2.08		-	s 5.30		L 04	5.1	WUWEST DULUTHDN.	10.0	s 5.4	.0			s11.27				8.27	7
		s 7.07				s 8.58	A 9.17	7	s12.33	A 2.10			A 5.33	w	L 5	5.9	WEST DULUTH JCT	9.2	s 5.4	3			A11.30	1			A 8.35	5
													·			7.0	D. T. CROSSING	8.1										
		s 7.15				s 9.03			s12.38							8.1	1.1 RIVERSIDE	7.0	s 5.	8								
·		s 7.17				s 9.05			s12.40			ļ	-		LB 2	8.5	SPIRIT LAKE	6.6	s 5.	50				-				
		s 7.21			,	s 9.08			s12.43		- 1				<u> </u>	-	MORGAN PARK	· -	s 5.	52	ļ		-					
		s 7.26				s 9.12			s12.47							-	BOAT CLUB	· -	s 5.	6			-					
		s 7.30				s 9.15			s12.49			ļ			-	-	WDNEW DULUTHD		s 5.	59				-				
AM	MA	A 7.44 AM 180	AM	AM	AM	A 9.29	AN	All	A 1.03 PN 188	PM ·	PN	PM	PM		LB 8	15.1	FNFOND DU LACD	0.0	Ā 6.	90 PM	PM ·	PM	PM	PM	PM		PM	
Ex. Sun	Daily	Ex. Sun.	Daily	Daily	Daily	Su. only	Ex. Sun	Ex. Sun.	Ex. Sun.	Daily	Daily	Daily	Daily						Dail	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	i L	Daily	E
.03	.05	.59	.04	.06	.04	.49	. 17	.08	.48	.15	.04	.05	.18				Time Over Sub-Division			.08	.06	.04	.26	.05	.03		.35	<u>-</u>
18.0	10.8	14.4	15.0	19.0	15.0	17.4	17.6	18.7	17.4	20.0	15.0	22.8	16.6	l	1		Average Speed Per Hour		19.	18.7	19.0	15.0	15.0	10.8	18.0		8.4	_

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN DULUTH AND WEST DULUTH JUNCTION.

REGISTER STATIONS: First class trains and passenger extras will register at Duluth Union Depot, West Duluth, and Fond du Lac. Second and third class trains and extras will register at Rices Point yard office, West Duluth, and Fond du Lac.

BULLETIN STATIONS: Duluth Union Depot and Rices Point yard office.

STANDARD CLOCKS: Dispatcher's office Duluth Union Depot, and Rices Point yard office.

YARD LIMITS:

Duluth yard extends from connection with D. & I. R. Ry., at Fifth Ave. East, to the easterly end of the St. Louis River bridge, and from Garfield Avenue to the yard limit sign on the Third Sub-Division main line, west of West Duluth Junction, and to Grassy Point bridge.

Junction switches at Garfield Avenue will be kept set for First Sub-Division.

Track between Fond du Lac and Power Plant will not be used except by authority of train orders.

Switch engines will use west leg of wye at West Duluth Junction and the Fond du Lac main line between West Duluth Junction and yard limit board for switching purposes, but will not leave cars on these tracks. All trains will look out for switch engines working in these limits.

FIRST SUB-DIVISION. (DULUTH AND SUPERIOR TERMINAL)

EASTWARD

						FIR	ST CL	ASS									Jot.	TIME TABLE No. 80	Lac	0		FIRST	CLASS			SECC		TH	IRD CL	ASS
402	400	66	180	58	304	184	202	72	52	62	188	204	306	56	les, Wyes		& I. R	Sunday, June 22, 1919.	nd du	20 (190	64	54	404	406	628		728		
. & I.R.	D. & I.R.	N. P.	N. P. 180	N. P. 58	D. W. & P. 4	N. P. 184	D. M. & N.	N. P. 72	N. P. 51	N. P.	N. P. 188	D. M. & N.	D. W. & P.	N. P. 56	uel, Sca	umbers	rom D.	Succeeding No. 79.	rom Fo	D. M.	N. P. 190	N. P.	N. P. 53	D. & I.R.	D. & I.R. 53	N. P. 628		N. P. 728		
Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Tab	Z Z	nce f	STATIONS	nce f	Pass'g	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Freight		Way Frt.		
v Sun	Daily	Daily	Ex. Sun.	Daily	Daily	Sun. Only	Daily	Daily	Daily	Ex. Sun.	Ex. Sun.	Daily	Ex. Sun.	Daily	Wate	Static	Dista	Telegraph Offices and Calls	Dista	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	(Jach	Ex. Sun.		
411	A 7.32	AM	AM	AM	AM	AM	AM	AM	PM	PM	PM	PM	PM	PN		, <u>0,2</u>	0.0	D & I. R. JCT		PM PM	PM	PM	PM	T	A 5.55	i I		PM		
			A 8.25	A 9.00		A10.10	A10.41	A10.55	A12.15	A 2.20	A 2.00	A 3.21	, .	A 6.40	W C O	WB 71	0.9	DUDULUTHDN	14.2 Y	ard A 6.4	8 A 6.55	A 7.25	A 7.50	L 3.15	L 5.50	A 5.30				
		6.24	8.21	L 8.56	A 9.27	10.06	10.38	10.50	L12.09	2.13	1.56	3.18	A: 5.05	L 6.36			1.9	GARFIELD AVE	13.2	6.4	5 6.51	7.17	L 7.47			5.26				
		s 6.22	s 8.19		9.26	s10.04	10.37	s10.48		s 2.11	s 1.54	3.17	5.03			L 2	2.2	20TH AVE	12.9	6.4	4 s 6.50	7.16				5.25		A 3.50		i
		6.19	8.17		9.24	10.02	L10.35	10.46		2.08	1.52	L 3.15	5.02			L 02	2.8	D. M. & N. JCT	12.3	L 6.4	2 6.48	7.14				5.20		3.40		
			- 1														3.6	SOO LINE CROSSING	11.5										:	
		6.14	8.13		L 9.20	9.58		10.41	·	2.03	1.48		L 4.58				4.4	c. 0.8	10.7		6.44	7.10				5.12		3.30		
		s 6.12	s 8.11			s 9.56		s10.38	1	s 2.01	s 1.46					L 04	5.1	WUWEST DULUTHDN.	10.0		s 6.42	s 7.08	7 .			5.05		f 3.25	j	
		L 6.08	s 8.09			s 9.54		L10.35		L 1.58	s 1.44				w	L 5	5 9	WEST DULUTH JCT	9.2		s 6.39	L 7.05				L 5.00		L 3.20		
																	7.0	D. T. CROSSING	8.1											
			s 8.03			s 9.48					s 1.38	. :					8.1	RIVERSIDE	7.0		s 6.32									
			s 8.02			s 9.47					s 1.37					LB 2	8.5	SPIRIT LAKE	6.6		s 6.31									
			s 7.59			s 9.44					s 1.34			-			9.7	MORGAN PARK	5.4		5 627	+ %						1 y .		
			s 7.56			s 9.41					1.31			-			10.7	BOAT CLUB	4.4		s 6.24									
			s 7.52		1	s 9.37			÷		1.27					LB 5	12.4	WDNEW DULUTHD	2.7		s 6.19		e San kee	rusti, .	l integra	e gwelet	and the			
AM	AM	AM	L 7.45	Alt	AM	L 9.30	AM	AM	PM	PM	L 1.20	PM	PM	PN		LB 8	15.1	FNFOND DU LACD	0.0	PN	L 6.10	PN	PM	PM	PM	AM	trans No. 1	PM		
. Sun.	Daily	Daily	Ex. Sun.	Daily	Daily	Sun. Only	Daily	Daily	Daily	Ex. Sun.	Ex. Sun.	Daily	Ex. Sun.	Daily						Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily		Ex. Sun.		
.03	.03	.22	.40	. 04	.07	.40	.06	.20	.06	.22	.40	.06	.07	.04				Time Over Sub-Division		.06	.45	.20	.03	.03	.03	.30		.30		_
18.0	18.0	18.3	21.3	15.0	21.4	21.3	19.0	15.0	9.9	13.6	21.3	19.0	21.4	15.0		-		Average Speed Per Hour		19.0	18.9	15.0	20.0	18.0	18.0	9.6		7.4		_

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN DULUTH AND WEST DULUTH JUNCTION.

Switches at end of double track West Duluth Junction will be kept set and locked for eastward trains from Third Sub-Division main line. Main line switch near Fifth Avenue West leading into Union Depot for use of D. & I. R. Ry. passenger trains, will be kept set and locked for main track.

No. 64 and No. 627 will register at West Duluth by ticket.

Eastward second class and inferior trains from Third Sub-Division main line will register at West Duluth by ticket.

Westward trains and engines via Second Sub-Division will come to a full stop not less than two hundred (200) feet from junction switch at Garfield Avenue, and not proceed until way is known to be clear.

No. 181 has right over No. 180, West Duluth Jct. to Fond du Lac.

No. 185 has right over No. 184, West Duluth Jct. to Fond du Lac.

No. 189 has right over No. 188, West Duluth Jct. to Fond du Lac.

No 191 has right over No. 190, West Duluth Jet. to Fond du Lac.

WESTWARD

SECOND SUB-DIVISION. (DULUTH AND SUPERIOR TERMINAL)

					FIRST	CLASS											TIME TADIEN, OA				FIRST	CLASS	SEC	OND CLASS	TH	IRD CL	ASS
55	53	23	33	161	37	63	95	19	51	163	93	57	35	les, l Wyes			TIME TABLE No. 80 Sunday, June 22, 1919.		Siding	17	65		623		729	733	723
N. P.	N. P.	G. N.	G. N.	Omaha 61	Q. N.	N. P.	Omaha 95	G. N.	N. P.	Omaha 63	Omaha 03	N. P.	G. N.	el, Sca les and	umber	from Ave.	Succeeding No. 79.	rom	oity of	G. N.	N. P. 65		N. P. 623		N. P. 730	N. P. 734	N. P. 723
Pass'er					Pass'gr					Pass'gr	Pass'gr	Pass'gr	Pass'gr	ter, Fu n Tab	tion N	25 P	STATIONS	tance from	Capa		Pass'gr		Freight		Way Freight	Way Freight	Way Freight
 Daily	Daily	Daily		Ex. Sun.		Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Wa	Sta	Dista	Telegraph Offices and Calls.	ig o	Car	Daily	Daily		Daily		Mon., Wd., Fri.	Tues., Th., Sat.	Ex. Sun
AM 7.04	M 7.59	AM	AM	AM	PM	PM	PM	PM	M L 3.49	PM	PM	M L 8.04	PM.			0.0	GARFIELD AVE	7.3	-	PM	PM		PM		L AM	АМ	AM
	8.01								3.51			8.06		W C O	L1	0.8	RICES POINT	6.5	Yard				L 9.00		L 6.00	L 6.05	L 7.00
7.08	8.03	L 8.32	L 8.52	L 8.57	L 2.17		L 3.00	L 3.37	3.53	L 4.10	L 6.13	8.08	L 8.07	-		1.3	BRIDGE SWITCH	6.0		L11.17			9.10		6 0 5	6.10	7.05
7.13	8.08	8.37	8.57	9.02	2.22		3.04	3.42	3.58	4.12	6.17	8.13	8.12			2.2	ELEVATOR STATION	5.1		11.22			9.15		6.12	6.17	7.10
7.15	8.10	8.39	8.59	A 9.04			A 3.07	3.44	4.00	A 4.14	A 6.20	8.15	8.14			2.9	OMAHA CONN	4.4		11.24			9.20		6.15	6.20	7.12
s 7·18	8 .16	s 8.40	s 9.00		s 2.29	L 2.24		s 3.45	4.03			s 8·18	s 8.15		WB 67	3.2	BYSUPERIOR U. DD	4.1		s11.25	L11.44						
7.20	8.20	8.41	9.01		2.30	2.25		3.46	4.05			8.20	8.16			3.6	BELKNAP STREET	3.7		11.26	11.45		9.35		6.40	6.40	7.40
A 7.30	A 8.30	A1 8.50	A 9.10	AM	A 2:39	A 2.35	PM	A 3.55	A 4.15	PN	PM.	A 8.30	A 8:25	wy	67	7.3	3.7 AJCENTRAL AVENUEN	0.0	Yard	A11.35	A11.55		A 9.50		A 6.50	A 6.50	A 7.50
Daily	Daily	Daily	Daily	Ex. Sun.	Ex. Sun.	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily							Daily	Daily		Daily		Mon., We., Fri	Tues., Th., Sat	Ex. Sun
 . 26	.31	.18	.18	.07	.22	.11	.07	.18	.26	.07	.07	.26	.18				Time Over Sub-Division			.18	.11		.50		.50	.45	.50
 16.6	14.1	19.6	19.6	13.7	18.4	21.8	13.7	19.6	16.6	18.7	13.7	16.6	19.6				Average Speed Per Hour			19.6	21.8		7.6		7.6	8.5	7.6

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION, AND BETWEEN BELKNAP STREET AND CENTRAL AVENUE, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS RIVER BRIDGE WHICH IS GOVERNED BY INTERLOCKING SIGNAL.

AUTOMATIC BLOCK SIGNALS BETWEEN CENTRAL AVENUE AND 21ST STREET, SUPERIOR.

REGISTER STATIONS: First class trains and passenger extras will register at Superior Union Depot and Central Avenue.

Second class and inferior trains and extras will register at Rices Point, Central Avenue, and at Superior Freight station, when running via Third Sub-Division.

BULLETIN STATIONS. Rices Point yard office.

YARD LIMITS: Superior, Central Avenue, Duluth.

All trains and engines will run under control between west yard limit board, Superior, and Omaha Connection, including Lake Superior terminal tracks between Belknap Street and Omaha Connection expecting to find track occupied, and will not exceed ten (10) miles per hour over switches at Belknap Street.

All trains using tracks of Lake Superior Terminal & Transfer Railway, between Omaha Connection and Belknap Street, will be governed by L. S. T. & T. Time Table Rules & Regulations.

Westward trains and engines have the right to use eastward main track at Central Avenue between west lead from yard and the junction switch leading to terminal Fourth Sub-Division main line without protection, and all eastward trains will approach and pass through this territory under control expecting to find track occupied.

Nos. 63, 64, and G. N. trains 19, 20 and 24, will register at Central Avenue by ticket.

Eastward trains and engines will come to a full stop not less than two hundred (200) feet from junction switch at Garfield Avenue, and not proceed until way is known to be clear.

Westward trains and engines will stop not less than two hundred (200) feet from D. W. and P. crossover at Garfield Ave. and will not proceed until way is known to be clear.

DERAIL SWITCHES:

When not in use must be kept set in derailing position. East end N. P. Freight House track, Superior. Main line just east of N. P. Freight House, Superior.

SECOND SUB-DIVISION (DULUTH AND SUPERIOR TERMINAL)

EA	ST	W	AR	I
----	----	---	----	---

	FIRST CLASS 66 18 94 36 58 52 38 96 20 162 34 56																	TIME TABLE No. 80				FIR	ST CLASS			THIRD	CLASS	
	66	18	94	36	58	52	38	96	20	162	34	56	64	54	ales,			Sunday, June 22, 1919.		Siding	24	164		734	730	724		
	N. P.	G. N.	Omaha	G. N.	N. P.	N. P. 51	G. N.	Omaha 06	G. N.	Omaha 62	G. N.	N. P.	N. P.	N. P.	uel, Scales and	umber	from Ave.	Succeeding No. 79	from	eity of	G. N. 24	Omaha 64		N. P. 733	N. P. 729	N. P. 724		
F	Pass'gr	Pass'er	Pass'gr	Pass'gr	Pass'gr			Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	Pass'gr	- E-B	N uoi	Distance Garfield A	STATIONS	tance	Сара	Pass'gr	Pass'gr		Way Freight	Way Freight	Way Freight		
	Daily	Daily	Daily	Daily	Daily	<u> </u>	Ex. Sun.	·		Ex. Sun.		Daily		·	- 63	Sta	Gar	Telegraph Offices and Calls	Cer	C S	Daily	Daily		Tues., Th., Sat.	Mon., We., Fri.	Ex. Sun.		
	AM	М	AM	AM	AN A 8.56	M A12.09	PM	PN	PNI	PM	PN	PN A 6.36	PM	PN A 7.47	,		0.0	GARFIELD AVE	7.3		PM	PM		Pi	PM	PM		
					8.53	12.07						6.33	-	7.41	WCO TY	L 1	0.8	RICES POINT	6.5	Yard				A 2.00	A 2.35	A 3.10		
		A 6.18	A 8.15	A 8.33	8.51	PM 12.02	A 1.33	A 1.43	A 2.18	A 3.43	A 6.08	6.31		7.38			1.3	BRIDGE SWITCH	6.0		A 8.48	A10.13		1.55	2.30	3.05		 .
		6.13	8.10	8.28	8.46	11.58	1.28	1.38	2.14	3.38	6.03	6.26		7.35			2.2	ELEVATOR STATION	5.1		8.44	10.08		1.50	2.25	3.00		 .
		6.11	L 8.07	8.26	8.44	11.55	1.26	L 1.36	2.11	L 3.36	6.01	6.24		7.32			2.9	OMAHA CONN	4.4		8.41	L 10.06		1.45	2.20	2.55		
A	s 5.50	s 6·10		s 8.25	s 8.43	\$11.54	s 1.25		s 2·10		6 .00	s 6.23	As 6.53	s 7.30		WB 67	3.2	BYSUPERIOR U. DD	4.1		s 8.40	. 7. ,						
	5.49	6.09		8.24	8.40	11.48	1.24		2.09		5.59	6.20	6.52	7.29			3.6	BELKNAP STREET	3.7		8.39			 1.40	2.15	2.50		
L	5.40	L 6.00	AM	L 8.15	L 8:30	L11.38	L 1.15	PM	L 2.00	PM	L 5,50	L 6.10	L 6:43	L 7.21	wy	67	7.3	AJCENTRAL AVENUEN	0.0	Yard	L 8.30	PM		L 1.30	L 2.05	L 2.40		
	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Ex. Sun.	Daily	Daily	Daily	Daily							Daily	Daily		Tues., Th., Sat.	Mon., We., Fri.	Ex. Sun.		
	.10	.18	.08	.18	.26	.31	.18	.07	.18	.07	.18	.26	.10	.26		-		Time Over Sub-Division			.18	.07		 .30	.30	.30		
	24.0	19.6	12.0	19.6	16.6	13.8	19.6	13.7	19.6	13.7	19.6	16.6	24.0	16.8				Average Speed Per Heur			19.6	13.7		14.4	14.4	14.4	1	

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION AND BETWEEN BELKNAP STREET AND CENTRAL AVENUE, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS RIVER BRIDGE WHICH IS

GOVERNED BY INTERLOCKING SIGNAL.

AUTOMATIC BLOCK SIGNALS BETWEEN CENTRAL AVENUE AND 21ST STREET, SUPERIOR.

RULES GOVERNING MOVEMENT OF TRAINS OVER ST. LOUIS RIVER BRIDGE.

LOCATION OF SIGNALS.

Interlocking semaphore signals govern use of tracks between Bridge Switch and Elevator Station.

All semaphore signals are upper quadrant type with following indications:

Top arm, horizontal, red light, stop.

Diagonally upward or yellow light, caution.

Vertical, green light, proceed, clear.

With the exception of the three-arm semaphore located west of Minnesota draw on eastward track, and the two-arm semaphore located just east of Elevator Station on the westward track, a lower arm, half length, is provided, and following indications of this arm will govern:

Diagonally upward or yellow light, proceed under full control expecting a train immediately ahead or routes lined up for movement against current of traffic.

The three-arm semaphere on eastward track west of Minnesota draw indicates position of double track switch, position of draw, and route.

Top arm, Northern Pacific.

Middle arm, Great Northern.

Bottom arm, C. St. P. M. & O.

The two-arm semaphore on westward track east of Elevator Station is route indication.

Top arm, straight main line.

Bottom arm, Great Northern freight track.

Derails are located as follows:

At approach to Elevator Station from east and west.

At approach to Minnesota draw from Duluth.

All trains in both directions will come to a full stop before entering onto Wisconsin draw.

All eastward trains will come to a full stop before entering onto Minnesota draw.

If proceed signal is received at the approach to Minnesota draw from the east, it will not be necessary to stop for such draw, it being protected by derail.

Dwarf signals are of modern, upward quadrant type, and govern movements against current of traffic.

Horisontal, red light, stop.

Vertical, green light, caution.

WESTV	WARD						1			-							IVISION.											EAS	STWARD
					FII	RST CL	.ASS					-			<u> </u>					· ·				FII	RST CLA	ASS			
								65	309	313	63	311	307	les, Wyes			TIME TABLE No. 80 Sunday, June 22, 1919.		Siding	66	312	310	308	314	64	,			
				-				N. P.	D. S. S. & A.	Soo Line	N. P.	Soo Lin	D. S. S. & A. 6	el, Scal	ımbers	Distance from West Duluth Jet	Succeeding No. 79.	from U. D.	ity of	N. P.	Soo Line	D. S. S. & A. 7	D. S. S. & A.	Soo Line	N. P.				
		-		-		-						-	Pass'gr	H. E.	ion Nu	ance fr t Duly	STATIONS	ance fi erior U	Сарас			·	-	r Pass'gr	-		-		
 		-	-	-	-	-	-	Daily	·				Ex. Sun	- 6 =	Stat	Dist	Telegraph Offices and Calls	Dist	Car					1. Daily					
								PM L11.30	PM	PM	PM L 2.10	PM	AM	wy	L 5	Ī	WEST DULUTH JCT			A 6.08	AM	AM	PM	PM	A 7.05				
								11.31			2.11						0.6ZENITH FURNACE	2.9		6.05					7.03				
		-						11.32	L 6.47	L 5.45	2.12	L 1.45	L 8.19			1.3	Soo Line 0.7 Connection DWBERWIND JCT	2.2		6.04	A 8.12	A 9.29	A 5.39	9 A 6.37	7.02				
																1.6	O.3 GRASSY POINT DRAWBRIDGE	1.9											
								11.35	A 6.50	A 5.48	2.15	A 1.48	8 A 8.23			1.9	Soo Line 0.3 Connection Soo Line 0.3 Interlocked	1.6		6.00	L 8.09	L 9.24	L 5.36	6 6 34	6.59				
								11.39			2.18	3				3.2	2 GRASSY POINT SIDING	0.3	6	5.55					6.55	,			
					-			A11.44	PM	PM	A 2.22	PM	AM		WB 67	3.5	0.3 SUPERIOR U. D	0.0		L 5.52	AM	АМ	PM	P₩	L 6.53				
								Daily	Daily	Daily	Daily	Daily	Ex. Sun							Daily	Daily	Daily	Ex. Sun	n. Daily	Daily				
						-	-	.14	. 03	. 03	. 12	. 03	.04				Time Over Sub-Division			.16	.03	. 05	.03	. 03	.12				
 				1	-	-	-	15.0	12.0	12.0	17.5	12.0	9.0				Average Speed Per Hour			13.0	12.0	7.2	12.0	12.0	17.5	-			

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN BERWIND JCT. AND WISCONSIN JCT.

YARD LIMITS, see pages 1 and 2.

SPECIAL RULES, see page 7.

REGISTER STATIONS: Superior Union Depot for first class trains and passenger extras.

Superior Freight Station for second and third class and extra trains.

East leg of wye at West Duluth Junction is terminal Third Sub-Division main line, and the switch at junction at east and west legs of wye will be kept set and locked for main line.

All trains will you glow around east leg of ways at West Duluth Junction and passing Zenith Eurosce plant looking out for switch engines.

All trains will run slow around east leg of wye at West Duluth Junction and passing Zenith Furnace plant looking out for switch engines working on main line.

Junction switch at West Duluth Junction will be kept set and locked for terminal First Sub-Division main line.

RULES GOVERNING THE MOVEMENT OF TRAINS OVER GRASSY POINT DRAW BRIDGE.

A torpedo machine is located just inside of the Home Signal on Grassy Point Draw Bridge, and is operated in connection with derail. The explosion of one torpedo indicates that derail is set in derailing position and train must be brought to a stop immediately to prevent derailment.

WESTWARD

FOURTH SUB-DIVISION. (DULUTH AND SUPERIOR TERMINAL)

EASTWARD

THIR	D CLASS				FIRST	CLASS.	ı						TIME TARE DE LA CO				FIR	ST CLASS	i		T	HIRD C	LASS	
	733	729	 					53	51	Scales, and Wyes	bers	a East End	Sunday, June 22, 1919. Succeeding No. 79.	đ	of Sidings	52	54			730	734			
	Way Freight F	Way reight	 				+ W	Pass'gr	Pass'g	r, Fuel, Tables	on Num	noe fron	STATIONS	Distance fron Central Ave.	Capacity	Pass'gr	Pass'gr			Way Freight	Way Freight			
	Tues., Th., Sat. W	Mon., e., Fri.	1 24	.14 63	1 0 - 11			Daily	Daily	Wate	Stati	Diste	Telegraph Offices and Calls	Dists	Gar (Daily	Daily			Mon., We., Fri	Tues., Th., Sat.			
	L 1.00 L				1.	5 4 5		L 7.10	L11.2	5 W O Y	63	0.0	Pass. Station	3.9	Yard	A 4.25	A 8.40			A 7.10				3- 2-
	1.10	1.40						7.15	11.30)		1.8	1.8 HILL AVB	2.1	Yard	4.21	8.36			7.05	7.15			
												2.9	SOO LINE CROSSING Track Conn. Interlocked	1.1		-	e _p ."						. , '	
	A 1.20 A	1.50				1:		A 7.21	A11.38	8 W Y	67	3.9	CENTRAL AVE	0.0	Yard	L 4.15	L 8.30			L 6.55	L 7.05			
	Tues., Th., Sat. W	Mon., e., Fri.						Daily	Daily		27.					Daily	Daily			Mon., We., Fri	Tues., Th., Sat.			
	.20	.20	 					.11	.13				Time Over Sub-Division			.10	.10			.15	.15			
	11.7	11.7	 -					21.0	18.4				Average Speed Per Hour			23.4	23.4			15.6	15.6			

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN EAST END PASSENGER STATION AND EAST LEG OF WYE AT CENTRAL AVE. INTERLOCKING PLANT: Central Avenue and East End.

REGISTER STATIONS: Central Avenue.
YARD LIMITS: East End and Central Avenue

Switches at east end of double track, east of East End passenger station, will be kept set and locked for westward trains from First Sub-

The distant semaphore of interlocking signals at East End governing movement of westward trains from First Sub-Division main line, is an automatic signal of upper quadrant type. When horizontal or red light, it indicates track or cross-overs between signal and passenger station in use. When diagonally upward or yellow light, caution. When vertical or green light, proceed. Switches at west end of double track Central Avenue will be kept set and locked for eastward trains.

Switches at connection of Fourth and Second Terminal Sub-Divisions near Central Avenue depot, will be kept set and locked for Second

Care will be taken by train and enginemen when using east leg of wye at Central Avenue, as it is single track and on sharp curve; Trains will not exceed four (4) miles per hour and in foggy or stormy weather they will protect themselves by flag. First class westward trains will leave a register ticket with operator at East End passenger station.

The two tracks between East End passenger station and Great Northern connection at the north end of Cadotte Avenue yard will be operated as double track, and will be considered as yard tracks within yard limits.

SPECIAL RULES.

(Note Changes.)

Second class and inferior trains may run ahead of delayed first class trains between West Duluth Junction and Duluth, Superior and Rice's Point, West Duluth Junction and Wisconsin Junction, Central Avenue and East End without orders.

All inferior to first class trains may run ahead of each other without orders.

Clearance Form A will not be required at Rices Point yard, Superior Freight Station or Superior Union Depot.

Extra trains, work extras and switch engines do not require telegraphic orders for movement between West Duluth Junction and Duluth, between Central Avenue and Rices Point, between Central Avenue and East End, nor between West Duluth Jct. and Wisconsin Jct.

A brakeman or flagman must be stationed on the rear car of all trains, at all times, and be provided with proper danger signals. In case of stoppage on main track flagman must go back immediately with stop signals a sufficient distance to insure full protection to his train. Conductors and switch foremen will be held responsible for the strict observance of this rule.

To insure personal safety, operators having train orders or messages to deliver to passing trains will stand to the right hand side of the train and avoid standing between tracks when possible to do so.

ALL trains must move within yard limits prepared to stop unless the main track is seen or known to be clear.

All train crews, switch crews and light engines using D.T. main line from connection of Missabe coal dock with this track to east end of Zenith Furnace Company's lead, on Grassy Point line, will move in both directions under full control expecting to find the D.T. main line occupied.

D.T. connection, located at east end of Zenith Furnace Company's lead, Grassy Point line, will be considered a railroad crossing. Traffic using this connection will make usual stop and make sure that track is clear before proceeding.

The D.T. main line is the northmost track between the Boston Coal Dock crossing and connection with Grassy Point main line.

All switches leading from this track, when not in use, will be left lined for same.

AUTHORIZED SURGEONS.—

Dr. C. S. KNOX, 219 Albany Block, East End. Dr. J. C. ADAMS, 620 Tower Avenue, Superior.

Dr. A. J. BRADEN, 303 Alworth Bldg., Duluth.

Dr. C. L. HANEY, 1930 W. Superior st., Duluth.

LOCATION STRETCHERS.—

East End Freight Station.
Central Avenue Freight Station.
Superior Freight Station.
Rices Point Yard Office, Duluth.
Dock 2, Duluth.
Dock 6, Duluth.
Duluth Union Depot.

Tool Car, Duluth. West Duluth.

MAXIMUM CLEARANCES.

	-							LIM	IIT OF L	OAD MEA	SUREM	ENT.					*	٠,	
	-								Height	Above Top	of Rail.				-		M		
	1 ft. Wide	2 ft. Wide	3 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	7 ft. 6 in. Wide	8 ft. Wide	8 ft. 6 in. Wide	9 ft. Wide	9 ft. 6 in. Wide	10 ft. Wide	10 ft. 2 in. Wide	. 10 ft. 6 in. Wide	11 ft. Wide	11 ft. 6 in. Wide	Max. Height	Max. Width
First Sub-division, Duluth to Fond du Lac	21′-0′′	21'-0"	21′-0″	21'-0"	21′-0″	21′-0″	21'-0"	21'-0"	21'-0"	21'-0"	21′-0″	21′-0″	21'-0"	21'-0"	21′-0″	21′-0′′	21′-0″	21′-0″	11'-6'
Second Sub-division, Garfield Ave. to Central Ave	21'-0"	21'-0"	21'-0"	21'-0"	21'-0''	21'-0"	21'-0"	21'-0"	21′-0′′	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0''	21'-0"	21'-0"	11'-6'
Third Sub-division, West Duluth Jct. to Superior U. D	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0''	21'-0''	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0''	21'-0"	21'-0"	21'-0"	11'-6'
Fourth Sub-division, East End to Central Ave	21'-0''	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0''	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	21'-0"	11'-6'

G. W. ATMORE,

D. M. DRISCOLL,

D. E. NICHOLS,

,20,

T. B. QUINN,

H. J. COUNCILMAN,

Trainmaster.

F. E. POTTER,

Chief Dispatcher.

Ass't Superintendent.

Ass't Superintendent.

Trainmaster.

Trainmaster.

Traimmaster

Chici Disputonoi.

