NORTHERN PACIFIC RAILWAY COMPANY.

SEATTLE AND TACOMA TERMINALS

TIME 52B TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time

SUNDAY, SEPTEMBER 27, 1925.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Instructions and always have for reference a copy of TRANSPORTATION RULES.

A. V. BROWN, General Manager.

J. E. CRAVER, General Superintendent. I. B. RICHARDS,
Assistant General

F. R. BARTLES, superintendent Superintendent of Transportation.

W. C. ALBEE,
Superintendent
Tacoma Division.

P. H. McCAULEY,

General Superintendent of Transportation.

SEATTLE AND TACOMA TERMINALS

'	W E	STWARD																							
Ī		Time Table 52B	- 1	*		k	- 1					FIRS	T CLASS			-			3				SECONI	D CLASS	
its.	nbers	SEPTEMBER 27, 1925 Succeeding No. 52-A.	u.o																		563	671	673	677	679
5.B	Nar.	STATIONS	co fr	Passenger Daily	Passenger Daily	Passenger	Passenger	Passenger	Passenger Daily				Passenger Daily									Freight	Freight	Freight Daily	Freight
rd Li	Station		istan		Consolidated	No. 2	Nos. 1 and 333 Con.	No. 41's	No. 42 Miss'p.Val.	Daily Grays	Daily	No. 338	No. 337's	Daily	Daily No. 2's	No. 4	Daily	Daily	Ex. Sun. Kanaskat	Daily Consolidated	Daily		Ex. Sun.	Nor. Pac.	Daily
T.S.	83	Telegraph Offices and Calls	Š.	Passenger	Pissenger	No. Coast Limited	No. Coast Limited	Conn.	Miss'p.Val. Limited	Grays Harber Limited		Grandview	Connection	No. 334	No. 3's Connection	Atlantic Express	G. N. No. 1	Consolidated Passenger	Accommo- dation	Passenger	Consolidated Passenger	Gt. Nor. Portland	Nor. Pac. Sumas	Time Freight	Nor. Pac. Portland
w X		UD SEATTLE DN King Street Station 0.8 Cross Over	0.0	L11.45M	L 9.00M	L 9.30M	i		L 5.00PM	L 9.35A	L 4.15P	L 7.40M		L11.50™		L 7.30M	L 7.40M	L 4.30PM	٠			L 5.25™	L 1.30A		: t.
ÇO X	C F 31		0.8																					L 9.45™	L 6.25PM
х	C F 27	O. W. R. & N. and P. C. R. R. Crossings Interlocked 6.8 Track Conn.	3.2	11.56₽	9.09	9.39	i.		5.09	9.43	4.24	7.48		11.59M	:	7.40	7.48	4.38				5.40	1.45	10.00	6.40
7		C. M. & St. P. CROSSING Interlocked 0.8 Cross Ov. Track Conn.	10.0																						
7	C F 21	BI BLACK RIVER DN 1.4 Cross Over	10.8	12.07₩	9.19	9.48			5.18	9.52	4.34	f 8.00		12.09		7.49	7.58	4.47				6.00	2.05	10.20	6.55
7	C F	ORILLIA	12.2																						
7	C F	O'BRIEN 2.1	14.2						7																
X	C F 15		16.3	12.18	s 9.30	9.57			5.27	\$10.01	s 4.45	s 8·10		s12·20		7.57	8.07	4.55				6.10	2.15	10.30	7.10
٦	C F		18.2						,		ī														
	C F		19.6	in Sales i e	.**		£ 5	0 0	1													,	o*	5	
ĸ	CF 9	AU AUBURN DN 0.9 Cross Over	21.5	12.28	s 9.40	\$10.07			5 5.37	\$10.10	s 4.55	s 8.20		s12.30		\$ 8.08	8.17	5.03				6.30	A 2.35M	A10.50PM	A 7.25PM
٢.	A 22	GR EAST AUBURN DN 0.9	22.4			A10.13A	L 6.12M	L 8.134	A 5.43M			A 8.25W	L 2.02P	A12.35	1. 7.56P	As 8.13PM									
ζ.	C F	AU AUBURN DN 4.9 Cross Over	21.5	12.28	s 9.40		s 6.18	s 8·19	1	10.10	4. 55		s 2.08		s 8.03		8.17	5.03	2		- 1	6.30	, .	L11-30PM	L 9.05™
	CF	DIERINGER 2.6	26.4				f 6.27	f 8.28		f10.17	f 5.01		1 2.17						See						
1	C ₂ F	SN SUMNER D 1.6 Cross Over	29.0	112.44	s 9.54		• 6.32	• 8.33		10 ⋅23	\$ 5.09		s 2.22		s 8.17		8.30	5.16	Tacoma Division			6.45		11.50PM	9.25
Y	1966	MEEKER P	30.6						7										L 5.40P						
	1967	PY PUYALLUP DN 6.4 Cross Over	31.9	s12.52	\$10.00		• 6.38	s 8.39		\$10.29	s 5.15	- 1	s 2.28		s 8.23		8.35	5.20	s 5.50			6.55		12.05AM	9.35
3	1972	RN RESERVATION DN O.W.R.&N. 1.8 Track Conn. Cross Over	38.3	1.07	10.14		6.53	8.52		10.42	5.29		2.42		8.38		8.47	5.32	6.02	L 2.13PM	L12.28M	7.15		12.35	10.10
V K	1976			A 1.15M	A10.20		A 7.00AM	Via Draw Bridge Line		Via Draw Bridge Line	A 5.35M		Via Draw Bridge Line		A 8.45PM		Via Draw Bridge Line	Via Draw Bridge	Via Draw Bridge Line	A 2.20M	A12.35W	4 7.25™		A12.40AM	A10.15PM
x	1972	RN RESERVATION DN 0.2 Cross Over	38.3					8.52		10.42			2.42				8.47	5.32	6.02						
x			38.5	Bay	l Bay		f Bay		si.		Bay				Bay	7				Bay	Вау				
ζ .		O. W. R. & N. CROSSING Interlocked 1.4 Track. Conn	38.8	io pec	Head of		jo pue				ad of				yo pu					bed of	lo pe				
		AX FIFTEENTH ST. TOWER DN 0.2 Cross Over	40.2	i H	Via He		Via_He				Via. He				Via He					is He	Via He				
	1976	Q TACOMA DN Cross Over	40.4	, P	Ρ			A 9.00M		A10.50M			A 2.50PM		•		A 8.55M	A 5.40M	A 6.10PM	>	*				
1				Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Ex. Sat.	Ex. Sun.	Daily	Daily
1		Time Over Sub. Div.		1.30	1.20	.43	.48	.47	.43	1.15	1.20	.45	.48	.45	.49	.43	1.15	1.10	.30	.06	.07	2.00	1.05	2.15	2.10
- 1		Average Speed Per Hour		26.7	30.1	31.2	22.1	25.3	31.2	32.3	30.1	29.8	24.7	29.8	21.7	31.2	32.3	34.6	18.6	18.0	15.4	20.1	19.7	17.9	18.1

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN SEATTLE AND TACOMA VIA HEAD OF BAY, AUTOMATIC BLOCK BETWEEN HOLGATE STREET, SEATTLE AND RESERVATION.

SPECIAL INSTRUCTIONS, PAGES 3 AND 4.

TRAIN ORDERS GOVERNING THE MOVEMENT OF TRAINS AND INSTRUCTIONS PERTAINING THERETO, WILL BE ISSUED BY AND OVER THE SIGNATURE OF THE SUPERINTENDENT OF THE SEATTLE DIVISION.

SEATTLE AND TACOMA TERMINALS

	1		1				able 52-B.																1	
	Time Table 52-B.)			1			FIRS	T CLAS	5									SECON	ND CL	ASS
	September 27, 1925.	ţ	402	408	412	414	416	418	422	424	428	436	438	440	450	454	458	596	562	564	67	2 €	674	680
	Succeeding No. 52A.	city	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Frei	tht Fr	reight	Freight
.	STATIONS	Свра	Daily	Daily	Daily	Daily	Daily	Daily No. 42's	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Ex. 5	un. Ex	x. Sat.	Daily
Тасоп	Telegraph Offices and Calls	Car Sidi	Consolidated Passenger	Consolidated Passenger	No. 2's Connection	No. 1 North Coast Limited	No. 41 Puget Sound Limited	Connection Mississippi Valley Limited	Puget Sound Express	Puget Sound Limited	No. 337 Grandview	No. 333 Spokane	No. 334's Connection Spokane	No. 3 Northern Pacific Express	No. 4's Connection	G. N. No. 2	Consolidated Passenger	No. 338 Connection	Consolidated Passenger	Consolidated Passenger	G. Port	N. No	or. Pac. Sumas	Nor. Pac. Portland
.1	UD SEATTLE DN King Street Station 0.8 Cross Over		A 6.45AM	A 3.25PM		A 7.00AM	A 9.00M		A 2.50M	A 8.35M	A 2.45M	A 6.50M		A 8.45PM		A 7.35M	A 9.45M				A 2.	35M		
.3	MIDDLE YARD P																							6.45M
.9	O. W. R. & N. and P. C. R. R. Crossings Interlocked 6.8 Track Conn.		6.34	3.16		6.48	8.48		2.41	8.25	2.35	6.39		8.34		7.24	9.35			7	2.		See	6.25
.1	C. M. & St. P. CROSSING Interlocked · 0.8 Track Con. Cross Over	20																	, ,				Div.	
.3	BI BLACK RIVER DN 1.4 Cross Over		6.23	3.05		6.36	8.36		2.31	8.13	f 2.23	6.27		8.22		7.13	9.25				2.	05 A 7	7.30AM	6.10
.9	ORILLIA 2.0	5 Spur							f															
.9	O'BRIEN 2.1	3 Spur							f															
.8	KN KENT D 1.9 Cross Over	90	s 6.13	2.55		6.26	8.26		s 2.20	1 8.03	s 2.13	s 6.17		8.12		7.04	9.16		7.7		1.	55	7.15	.5.55
.9	THOMAS	8 Spur							f 2.14							,								
.5	CHRISTOPHER 1.9	4 Spur							f															
.6	AU AUBURN DN 0.9 Cross Over	70	s 6.02	2.43		\$ 6.16	s 8.16		s 2.08	s 7.54	s 2.03	s 6.05		s 8.01		6.55	9.09				L 1.	15AM L '	7.00A	L 5.45M
.5	GR EAST AUBURN DN 0.9	35			A10.05M	6.10AM	8.10M	A 5.35PM			L 1.58%	6.58A	A12.26M	7.55PM	A 8.10PM									
.6	AU AUBURN DN 4.9 Cross Over	70	s 6.02	2.43	s 9.59			s 5.29	5 2.08	s 7.54			12.20		s 8.04	6.55	9.09				As 1.	LOAM	A	As 5.35M
.7	DIERINGER 2.6				1 9.48				f 1.58				112.10		1 7.52			See						
.1	SN SUMNER D 1.6 Cross Over		s 5.47	2.27	s 9.43			s 5.13	s 1.54	s 7.41			\$12.06₩		5 7.48	6.41	8.57	Tacoma Div.			1.5	15		5.20
.5	MEEKER P	70																A 7.30M						
3.2	PY PUYALLUP DN 6.4 Cross Over	70	s 5.41	s 2.22	s 9.36			s 5.06	s 1.48	5 7.36			\$11.58™		• 7.42	6.37	8.53	• 7.26			1.	15		5.10
1.8	RN RESERVATION DN OW.R.&N. 1.8 Track Conn. Cross Over		5.31	2.11	9.26			4.56	1.37	7.26			11.46		7.31	6.26	8.43		A 5.56M		12.	55		4.50
0.0	Q TACOMA DN Cross Over		L 5.25M	L 2.05™	L 9.20M			L 4.50M	Via Draw Bridge Line	7.20P			L11.40PM		L 7.25™	L 6.20M	Vis Draw Bridge Line	L 7.10M	L 5.50PM	L 5.00M	L12.	5OAM	1	L 4.45M
2.1	RN RESERVATION DN 0.2 Cross Over								1.37			7					8.43							
1.9	O. W. R. & N. Co. CROSSING		Bay	Bay	Bay			Bay		Вау			Bay		Bay	Bay		Bay	Bay	Bay				
.6	O. W. R. & N. Co. CROSSING Interlocked 1.4 Track Conn.		Head of	jo pe	Head of			ad of		ad of			Head of		jo pe	D D		be of	o p	pq of				
0.2	AX FIFTEENTH ST. TOWER DN 0.2 Cross Over		Via He	'ia He	Via He			Via Her		Via He			Via He		Via He	Via He		Vie He	Via He	Via He				
0.0				>					L 1.30M	>			P		•	•	L 8.35PM		P	•				
			Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Ex. S	un. Ex	x. Sat.	Daily
	Time Over Subdivision		1.20	1.20	.45	.50	.50	.45	1.20	1.15	.47	.52	.46	.50	.45	1.15	1.10	. 20	.06	.06	1	.40	.30	2.00
	Average Speed Per Hour		30.1	30.1	26.0	26.9	26.9	26.0	30.3	32.1	28.6	26.3	25.4	26.9	26.0	32.1	34.6	28.5	18.0	18.0	24	.0	21.4	21.4

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN SEATTLE AND TACOMA VIA HEAD OF BAY.

AUTOMATIC BLOCK BETWEEN HOLGATE STREET, SEATTLE AND RESERVATION.

SPECIAL INSTRUCTIONS, PAGES 3 AND 4.

TRAIN ORDERS GOVERNING THE MOVEMENT OF TRAINS AND INSTRUCTIONS PERTAINING THERETO, WILL BE ISSUED BY AND OVER THE SIGNATURE OF THE SUPERINTENDENT OF THE SEATTLE DIVISION.

1. AT SEATTLE—Trains and light engines entering King Street Station from the west, must not pass the stand pipe at west end of yard without proceed signal from the switch tender given with green flag by day or green light by night. Interlocking plant at South portal of King Street tunnel—Signals are of the dwarf type (low semaphores) and are located to the right of track governed; where two arms are on one post, higher arm governs trains along main tracks and lower arm trains diverging from main track. lower arm trains diverging from main track.

Trains or engines must not pass over Atlantic Street crossings, Colorado Street line, unless they receive signal from crossing flagman with green flag by day and green light by night. One motion of regular proceed signal is for the Northern Pacific, two motions of regular proceed signal is for the P. C. R. R. and four Paul, three motions of the regular proceed signal is for the P. C. R. R. and four motions of the regular proceed signal is for the O.-W. R & N. When no crossing flagman is on duty trains must flag themselves across.

Trains approaching Spokane St. Tower on Colorado Ave. line will call for route as follows: INBOUND.

C. M. & St. P. Ry	
Nor. Pac. Ry	
P. C. Ry	
OUTBOUND.	
C. M. & St. P. Ry	 _
P. C. Ry	
Nor. Pac. Ry	
WEST SEATTLE LINE.	
From West to East	
From East to West	

2. Speed Restrictions- All trains must run under control at Seattle between the switches of the crossover west of the west wye switch Spokane Street and King Street Station expecting to find main track occupied. Second class and inferior trains, switch engines and light engines may use main tracks running with current of traffic between west wye switch Spokane Street and King Street Station on time of first class trains without orders. In foggy or obscure weather all trains must stop and know before proceeding that there are no trains approaching on intersecting tracks.

All trains eight (8) miles per hour over switches King Street Station.

Passenger trains must not exceed a speed of one minute or sixty seconds per mile. Passenger trains with helper engines on rear thirty (30) miles per hour. When Mallet engine is used, fifteen (15) miles per hour.

Class Q-5 and Q6 engines fifty-five (55) miles per hour.

Class W engines thirty (30) miles per hour and Class W-3 engines twenty-five (25) miles per hour.

Ten miles per hour within the corporate limits of Puyallup, Sumner, Auburn and

Trains and light engines entering or leaving Tacoma Union Station to or from the drawbridge line limit speed to ten (10) miles per hour while any portion of train is passing over switches at Fifteenth Street Tower.

All trains thirty (30) miles per hour over interlocked crossings and fifteen (15) miles per hour through crossovers, turnouts and gauntlets.

Fifteen (15) miles per hour passing telegraph offices where orders are received. Light engines backing up twenty (20) miles per hour.

Passenger trains via Head of Bay twenty (20) miles per hour between Tacoma Union Station and Reservation.

Trains in both directions on Drawbridge Line will run under control between Reservation and Freight Yard connection one quarter mile west thereof.

Trains entering or leaving Tacoma Union Station will move under control between 15th Street Tower and 21st Street.

At O. W. R. & N. Crossing 0.2 miles west of Reservation, all trains and engines via Drawbridge Line in both directions will stop at Stop Boards and will proceed when signal is received from switch tender using yellow flag by day and yellow light by night.

All O.-W. R. & N. Co. trains in both directions will stop before entering connection and will proceed when signal is received from switch tender, using yellow flag by day and yellow light by night.

All westward trains via Head of Bay from Reservation will approach this connection prepared to stop unless proceed signal is given by switch tender, using yellow flag by day and yellow light by night.

- Bridge Restrictions-Speed will be restricted over Bascule Bridges 36.8 Duwamish River and No. 4 Salmon Bay Waterway to twenty (20) miles per hour. Speed will be restricted over Bridge 39, Tacoma Waterway as follows: Engines Classes W, W-1, W-2 and W-4, ten (10) miles per hour. Engines Classes G-1, G-2, Q-5, Q-6, W-3 and W-5, and heavier, not permitted. Double-headers not permitted. Bridge 12.3 on what is known as the Dempsey or Tide Flat Branch (Tacoma Terminal). Heavier than Class Q engines not permitted. Speed of other engines over this bridge eight (8) miles per hour.
- Between Reservation and Tacoma-Trains will approach crossovers witches located at East "D" Street (near roundhouse) at South 21st Street (entering passenger station) under control, and will not proceed until tracks are known to be clear and signal is received from switch tender with green flag by day and green light by night.
- At Argo-Trains must stop before crossing street car tracks at Eighth Avenue

Following whistle signals to be used for interlocking plant routes as follows: Colorado Street Line: One Long, One Short, One Long. Shore Line: Two Short, One Long.

Westward to Eastward Main Line through crossover: Four short.

Westward Main Line to Coal Spur: Four Short.

SPECIAL INSTRUCTIONS.

- 7. At Black River—Telephone is located near westward crossover switch in box on telephone pole. Communication with Seattle Dispatcher's office can be had by calling Seattle two short rings and asking for Chief Dispatcher.
- 8. At Auburn—All eastward and westward trains will approach crossover at west end of Auburn depot platform leading to and from the First Subdivision main line, expecting to find crossover occupied, and will not proceed until track is known to be clear. Passenger trains in either direction making crossover movement to or from First Subdivision, Seattle Division will not be required to flag after having used signal indicator and found track to be clear. Normal position of switch at head of the wye will be for Seattle leg of wye.
- At East Auburn-Enginemen on passenger trains will keep air applied during period of switching or transferring at East Auburn. Enginemen on Main Line passenger trains when stopping at East Auburn for transfer will pull head working car to extreme end of Umbrella Shed. When ready to depart from transfer platform, Conductors on through passen-

er trains will obtain signal from Flagman before passing "Proceed" signal to Engineman.

- At Reservation—No towermen are used to manipulate interlocking plant, O.-W. R. & N. crossing near Reservation. When train or yard crews have occasion to use crossing the conductor or foreman will operate the levers, bearing in mind that after used, signals and derails must be set clear for Northern Pacific route. When signals are against Northern Pacific route, conductor investigate cause and if necessary flag through interlocking district.
- 11. At Fifteenth Street Tower-A signal arm semaphore pattern, located near junction of line leading to Tacoma Union Station and Drawbridge Line at 15th Street, is controlled by operator at 15th Street and will govern single track passenger line between 15th Street and Union Station. No train from the Drawbridge Line or east of main line will enter Union Station when signal is at stop. No train will proceed from Union Station to Drawbridge Line or eastward main line when signal on incline which is equipped with two red blades by day and in addition two red lights by night is at stop. Lower arm governs train movements from Union Station to Drawbridge Line; upper arm governs movement to eastward main track.

Push button operating signal to tower man is located on post under Union Station concourse; switch crews will operate for Portland bound trains and conductors will operate for Seattle bound trains.

Card train order form AB.—Will govern the movement of trains between Reservation and the Fifteenth Street Tower via Drawbridge Line; between Argo and Spokane Street Tower on Colorado Avenue line; between East Auburn and Auburn and between East Auburn and Auburn Yard.

Trains must not move in this territory unless conductor and engineman each holds a copy properly filled out.

Special stops, connections, etc.—No. 401 stop at Kent for passengers for Tacoma and points South and at Auburn for pay passengers only. No. 421 stop on flag at Kent for Grays Harbor business west of Lakeview.

No. 423 stop on flag at Orillia and Thomas for receipt and delivery of Parcel Post mail.

No. 450 connects with No. 424 at Tacoma and No. 597 at Puyallup.

Nos. 411 and 449 stop on flag at Kent for passengers holding tickets for Spokane

Nos. 414 and 440 stop at Kent to let off passengers from points east of Auburn. No. 416 stops at Kent to let off passengers from points east of Billings.

Nos. 417 and 437 stop on flag at Kent to pick up passengers for points east of

No. 436 stop on flag at Thomas and Kent for express shipments.

passengers from Spokane and points east.

No. 408 will stop at Puyallup, Sumner, Auburn and Kent to discharge business from points south of St. Clair.

No. 407 will stop at Kent, Auburn, Sumner and Puyallup to pick up business for points south of St. Clair, where this train is scheduled to stop. Train 454 will stop on flag at Puyallup, Sumner, Auburn and Kent to pick up

passengers for Spokane and points east.

Train 455 will stop on flag at Kent, Auburn, Sumner and Puyallup to discharge

- 14. Register Stations—Seattle (King Street Station), Middle Yard, East Auburn. Auburn Yard Office, for trains originating or terminating. Puyallup for Tacoma Division Fifth (5th) Subdivision trains only. Tacoma Union Station for passenger trains; yard office for freight trains.
- Register Exceptions—At East Auburn and Puyallup, second class and inferior trains register by ticket form 608.
- Bulletin Stations-Seattle (King Street Station) Middle Yard and Roundhouse. Auburn, roundhouse and yard office. Tacoma, Union Station and
- 17. Standard Time Clocks-Seattle (King Street Station), Roundhouse, Middle Yard Office, Auburn Yard Office; and Tacoma (Union Station).
- 18. Derail Switches—Are located as follows, and must be kept in derailing position when not in use. Sumner, West end of passing siding. East Auburn, East end of gravel pit siding.

GENERAL INSTRUCTIONS.

- 1. Lap Sidings-Unless otherwise instructed, trains taking siding must head in at the lap.
- Siding blocked by occupied outfit cars must not be used to meet or pass trains. Conductors of work trains will issue instructions to their flaymen in writing,
- except when flagman goes back immediately to stop an approaching train. When necessary to take slack of freight trains with helper engine on the rear
- it should be done by the helper engine. Before moving a work or wrecking train, the whistle signal (14-b) or (14-h)
- must be sounded for the protection of men working about such trains. Except as otherwise provided, or when running light without conductor, engine-
- men will only be required to consult register at initial or starting points. Brakemen will ride on top of freight trains descending mountain grades, except in case of inclement weather.
- 8. In the State of Washington, conductors of passenger trains consisting of four or more cars, and freight trains consisting of 25 or more cars, must know that brakeman has had at least one year's experience in train-service before assigning him to flagging duties.
- To insure personal safety operators in double track territory, having train orders or messages for passing trains must stand on the right side of the train and never between the tracks.
- 10. Trains pulling into side tracks or leaving the main line at junction points must pull entirely into clear main line before stopping to pick up the man attending
- 11. Great Northern engines, mountain type, Class P-2, may be permitted to operate over the same territory as Northern Pacific Class W-3; and G. N. engines, Pacific type, Class H-4, may be permitted to operate over the same territory as Northern Pacific Class T engines.
- Logs-Trains handling logs on double track will not be permitted to meet passenger trains between stations. Conductors will notify Dispatcher when there are logs in their trains and secure train order that passenger trains will be held at next station until they have arrived. Conductors of trains coming from Buckley Line must arrange with operator at Puyallup to hold opposing passenger Cars with logs must be inspected to be sure they are safely loaded and
- Consolidated passenger trains 401, 402, 407, 408, operated by Nor. Pac. Crews. Consolidated passenger trains 458, 459, operated by Great Nor. Crews. Consolidated passenger trains 561, 562, 563, 564, operated by O.-W. R. & N. Crews.
- The following signs when placed in columns provided indicate: W—Water.
 - C—Fuel. O—Track Scales.
 - T-Turntable.
 - −Wye.
- D-Day office only

DN—Day and night office.
P-Telephone.
X-Yard limits.

Time I	Per Mile Secs.	Miles Per Hour
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 22 38 44 56 67 8 9 10 112 115 20 25 30 40 45 50 9 21 31 45 30	60 59 58 57.1 56.2 55.3 54.5 53.7 52.9 52.1 51 50 48 45 42.3 40 34.3 32.7 30 26.6 25.7 24.2 22.5 21.8 21.2 20 19 18 17 16 16 15 16 16 16 16 16 16 16 16 16 16

SPEED TABLE

MAXIMUM CLEARANCES

																						_				1 . 3 . 1 . 1 . 1 . 1	- Pr process at	
**,											LI	MIT (OF L	OAD-	- ME	ASUR	EMENT											
	HEIGHT ABOVE TOP OF RAIL																											
	1 W	ft.	2 ft. Wide	,	3 ft. Wide	4 ft Wid		5 ft. Wide	6 ft. Wid	e le	7 ft. Wide	7 ft. Wi	6 in.	8 ft. Wide	8	t. 6 in. Wide	9 ft. Wide	9 ft. (in. le	10 ft. Wide	10ft. 2 Wid	in.	10ft.6in. Wide	11 ft. Wide		ft.6 in. Wide	Max. Height	Max. Width
 Main Line (Seattle-Reservation)	20'	3"	20′ 3	3" 2	0′ 3″	20'	3"	20′ 3″	20'	3"	20′ 3″	20′	3"	20′ 3	2	o' 3"	20′ 3	" 20′	3" 2	0′ 3″	20′	3"	20′ 3″	20′ 3	" 20)′ 3″	20′ 3″	11' 6"
 West Seattle Line	21'	3"	21' 3	3" 2	3"	21'	3"	21′ 3″	21'	3"	21′ 3″	21'	3"	21′ 3	" 2	l' 1"	20′ 9	" 20'	7" 2	0′ 3″	20′	2"	20′ 0″	19′ 9	" 19	7"	21' 3"	11' 6"
 Lake Union Line	20'	7"	20'	7" 2	0' 7"	18'	3"	18′ 3″	17'	4"	16′ 4″	15'	10"	15' 4	" 1	10"	14' 5	" 14"	0" 1	3′ 5″	13'	3"	12' 11"	12' 5	" 11	11"	20′ 7″	11' 6"

WATCH INSPECTORS

F. H. WALDRON, Auburn. HOUGHTON & SON, 215 Yesler Way, Seattle RICHARD VAETH, 924 Pacific Ave., Tacoma Dr. P. A. REMINGTON, Chief Surgeon, Western Division, Tacoma. Telephones, Office, Main 787, Residence, Main 4349.
Dr. A. H. BUIS, Assistant Surgeon. Telephones, Office, Main 787, Residence, Madison, 1942.
Dr. R. D. WRIGHT, Assistant Surgeon. Tele. Main 787, Res. Main 8482-Y.
Dr. B. R. GAYMAN, Interne, Tele. Office, Main 787, Res. Main 787, Res. Main 787

Dr. B. R. GAYMAN, Interne, 1ete. Office, Main 787, Res. Main 787. Dr. FREDERICK ADAMS, Oculist, Seattle. Tele. Office, East 0022, Residence, Ken. 0176.

Office, Main 2418, Res. East 3275. Dr. I. J. D. SHULER, Seattle. Tele.

Office, Sunset 0440, Res. Ken. 2638. Seattle Yard Office (S)

King Street Station (S) Dr. G. M. McGREGOR, Kent. Tele. Office, 6-J, Residence, 6-M. Location of Stretchers (S).

AUTHORIZED SURGEONS.

Dr. ROBERT WIGHTMAN, Oculist,
Seattle. Tele. Office, East 0022,
Residence, Beacon, 1164.
Dr. P. W. WILLIS, Seattle. Telephones
Office, Main 1103, Res. East 1172.
Dr. E. C. GROSS, Seattle. Telephones,
Auburn Yard Office (S)

Auburn Yard Office (S) Auburn Station (S)

Dr. W. M. HARSHMER, Puyallup (S) Tele. Office, None. Res. Main 94.
Dr. F. J. CULLEN, Puyallup. Tele.
Office, None. Residence, Red. 419.
Dr. W. B. MITCHELL, Sumner.

Tele. Office, 72, Residence, 110-J.

Dr. C. E. JUDD, Sumner. Telephones, Office, 54-J. Residence, 54-M. Dr. Wm. H. LUDWIG, South Tacoma.

Tele. Office, Madison, 260, Residence, Madison 271. Dr. E. L. CARLSON, South Tacoma.

Tele. Office, None. Res. None.
Dr. W. G. CAMERON, Specialist,
Tacoma. Tele. Office, Main 9205.

Residence, Main 9202.

Dr. A. E. HILLIS, Oculist, Tacoma.
Telephones, Office, Main 9205.
Residence, Proctor 3211.
N. P. B. A. Hospital, Tacoma, (S)

Baggage Room, Tacoma (S) Round House, Tacoma (S) Head-of-Bay Yard Office, Tacoma (S) Half Moon Yard Office, Tacoma (S) Tool Car, Tacoma (S) Wharf, Tacoma (8)

Surgeons will attend, when called upon officially, to all cases of ACCIDENT occurring to employes or passengers. In cases of SICKNESS it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists for which distinct official authority must be had in accordance with established regulations.


Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge and in no case should the services of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume

Boarding and Nursing are furnished ONLY AT OUR OWN HOSPITALS. We are not responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge

AUTHORIZED SURGEONS, G. N. RY.

DR. J. C. MOORE, Seattle.

DR. J. A. LA GASA, Tacoma.



SEATTLE DIVISION.

J. J. McCULLOUGH.

Assistant Superintendent.

J. J. SEXTON,

J. E. CAMPBELL,

J. H. ROBINSON,

FRANK KERGAN,

Trainmaster.

Trainmaster.

Trainmaster.

Chief Dispatcher.

TACOMA DIVISION.

J. S. DEAN,

Assistant Superintendent.

J. F. ALSIP.

Trainmaster.

C. W. FEE.

Trainmaster.

J. F. COLEMAN, Chief Dispatcher.

