AUTHORIZED SURGEONS

Dr. A. W. Ide, Chief Surgeon...... St. Paul.

Dr. M. A. Shillington,
Dr. H. G. Collie,
Dr. B. I. Derauf,
Dr. J. W. Jesion.
Dr. L. Rosenbladt,
Dr. W. E. Harris.

St. Paul.

Assistant Surgeons,
N. P. B. A. Hospital,
St. Paul (S)

SPECIALISTS

Dr. M. F. Fellows, Oculist and Aurist, 1209 Medical Arts Bldg.,

Duluth. Dr. N. P. Nelson, Brainerd.

SURGEONS

Dr. A. L. Kyllo, 5719 Tower Ave., Superior Dr. W. H. Schnell, 28 Columbia Bldg., Superior Dr. F. C. Sarazin, 28 Columbia Bldg., Superior Dr. C. H. Christiansen, Superior Dr. G. C. MacRae, 925 Med. Arts Bldg., Duluth Dr. C. M. Smith, 1115 Med. Arts Bldg., Duluth Dr. O. E. Heimark, 2004 W. Superior St., Duluth Dr. C. L. Haney, 2004 W. Superior St., Duluth

C. M. ST. P. & P. RY. SURGEONS

Dr. L. A. Sukeforth, 318 Providence Bldg., Duluth Dr. Cyril M. Smith, 1115 Medical Arts Bldg., Duluth Dr. M. F. Fellows, 1209 Med. Arts Bldg., Duluth

LOCATION STRETCHERS

East End Passenger Station.
Central Avenue Freight Station.
Superior Freight Station.
Fifth Avenue Switch Shanty, Duluth.
Dock 6, Duluth.
Duluth Union Depot.
Tool Car, Duluth.
West Duluth Passenger Station.
Store Room, Duluth.

INDEX

	Pages
First Sub-Division—Westward	2 and 3
First Sub-Division—Eastward	4 and 5
Second Sub-Division	6
Third Sub-Division	7
Fourth Sub-Division	7
Special Instructions	8 and 9
Maximum Clearances	10

NORTHERN PACIFIC RAILWAY COMPANY

Duluth and Superior Terminals

TABLE 196

In Effect at 12:01 A. M. Central or 90th Meridian Time.

Sunday, May 29, 1938

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Instructions and always carry for reference a copy of TRANSPORTATION RULES.

W. C. SLOAN, General Manager.

G. H. JACOBUS, Superintendent. F. R. BARTLES, Assistant General Manager.

P. H. McCAULEY, General Superintendent of Transportation.

														1
8 8				,	· · · · · · · · · · · · · · · · · · ·		FIRST	CLASS	-				*	Time Table No. 196
mite.	ty	Numbers,	65	57	303	405	51	201	61	401	407	55	on & N.J	May 29, 1938 Succeeding No. 195.
Turn Tables, Wyes	Car Capacity of Sidings.		N. P. 65	N. P. 57	D. W. & P. 19	D.M.&I.R. 6	N. P. 52	D.M.&I.R. 1	N. P. 61	D.M.&I.R. 12	D.M.&I.R. 10	N. P. 55	Distance from East D. M. & N. Jot.	STATIONS
	Ser Ser	Station	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Sast	
		- 4	Daily	Daily	Ex. Sun.	Daily	Ex. Sun.	Daily	Ex. Sun.	Daily	Daily	Daily	нн	Telegraph Offices and Calls
WCO TYX	Yard	WB 71	L 11.30 PM	L 7.30 PM		L 5.46 pm A 5.50 pm	L 2.20 PM	L 8.35 AM	L 8.30 AM	L 8.25 AM A 8.30 AM		L 7.50 AM	0.0	EAST D. M. & I. R. JCT DUDULUTHDN)
	27 100		11.33	A 7.33 PM	L 7.19 PM	A 3.3012	A 2.24 PM	The contract of the second	8.33	A 0.50A	X 0.05 M	A 7.53 AM	1.9	CAPELE D AVE
	7	L 2	f 11.35		7.21			8 39	s 8.35				2.2	0.8
	- 85	L 02	11.37	œ.	7.22			a 8.41 an	8.36				2.8	20TH AVE. W
10	0 _	in i	S CONTROPOSTONIA SS										8.6	SOO LINE CROSSING
	Şu e	La vario	11.40		A 7.29 PM				8.40				4.4	0.8 D. W. & P. JCT
			11.44						s 8.43				5.1	19 MO" MEST DOPOLH" DV
VYX		L 5	A 11.50 PM						A 8.45 AM				5.8	WEST DULTH JCTP
		1 of						n n					7.0	1.1
		- 1			7.5		A DAL OF SAME						8.1	RIVERSIDE
	= ,	LB 2	-										8.5	SPIRIT LAKE
	7 8	LB 3											9.7	MORGAN PARK
	185					al val i shipa							10.7	BOAT CLUB
. 100	2 2	LB 5											12.4	NEW DULUTH
		LB 8							20 FOLD 800	a interest			15.1	FOND DU LAC
- 170	ll.	11 38	Daily	Daily	Ex. Sun.	Daily	Ex. Sun.	Daily	Ex. Sun.	Daily	Daily	Daily	80: B	
			.20	.08	.10	.04	.04	.06	.15	.05	.05	.08		Time Over Sub-Division
	£1		14.7	20.0	15.0	18.5	15.0	19.0	19.6	10.8	10.8	20.0		Average Speed Per Hour

	90 10 4 5	= 0 =	NOI	-DIVIS	T SUB	FIRS	5 × 4		2		D	TWAR	WES
Time Table No. 196	v	CLASS	SECONI	7 B			9 8 ⁸	Ny 1776 773	Y .	4			
May 29, 1938	N. Jot.	623	627	- T	2		dia.	- E					
Succeeding No. 195	from A. & N	N. P. 623	N. P. 627	. 38		1. W		#. 		0.00 g En gro			
STATIONS	Distance from East D. M. &	Freight	Freight			4.8cm	i ^P erri	7 - W - 3		3 253		E E	FI
Telegraph Offices and Calls	豆醇	Daily	Daily	R **	1/		KIN ^T	120 - 20 (8	∌= °.	700 4 0		X/20 0	g a
EAST D. M. & I. R. JCT	0.0												
DUDULUTH,DN 1.0 GARFIELD AVE		L 6.00 PM A 6.03 PM	I. 7.35 PM 7.39										5
20TH AVE. W	2.2		7.40 7.42						:	V 700	·	i i	
SOO LINE CROSSING	8.6		1.72										
WUWEST DULUTHDN	4,4 8.1		7.48 7.51							v.			
(WEST DULUTH JCTP)	5.8	ng ng	A 7.55PM										
D. T. CROSSING	7.0									š			
RIVERSIDE 0.4 SPIRIT LAKE	8.1 8.5								W I				
MORGAN PARK 1.0 BOAT CLUB	9.7		ļ									3)	
NEW DULUTHF	10.7												N.
3.7FOND DU LAC	15.1												
		Daily	Daily										7/
Time Over Sub-Division		.08	. 20							v=			
Average Speed Per Hour		20.0	14.7				iii a	500 H	,	4	2	N I	

4		A para	10 m		F	FIRST S	SUB-D	IVISIO	N	.6	v = 3	ing.	EA	STWAR	D_
				Time Table No. 196	29.3.3.2.e	9 (8.8.1	0.00		FI	RST CLA	ASS				
Water, Fuel, Scales, Turn Tables, Wyes and Yard Limits.		2	i '	. May 29, 1938	66	58	304	400	52	62	204	404	402	56	
olen, te	5	Numbers	from Lac.	Succeeding No. 195	N. P. 68	N. P. 58	D. W. & P. 20	D.M.&I.R.	N. P. 51	N. P. 62	D.M.&I.R. 2	D.M.&I.R.	D,M.&I.R. 11	N. P.	
P T Y	Car Capacity of Sidings.	Station N	Distance Fond du	STATIONS	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	
¥ 1 9 9	200	98	Pol	Telegraph Offices and Calls	Daily	Daily	Ex. Mon.	Daily	Ex. Sun.	Ex. Sun.	Daily	Daily	Dally	Daily	
WCO	. 1		10 acress 10	1 EAST D. M. & I. R. JCT				А 9.04 м			STREET, STREET	а 4.30 ры	an every		
WCO	Yard	WB		DU DULUTHDN	A 6.30 AM					A 12.25 PM		L 4.25 PV	и г. 5.55 ры	_ 1	1
X	1		18.2	OADELEID AVE	6.25	L 8.37 M	There were and		L 11.42M		4.12			L 11.07рш	
x	k = =!	L 3	12.9	0.8 0.8 0.8 0.8 0.6 0.8 1. R. JCT.	6.22		8.35			- 12.21	4.11				-
x	[_!	L02	12.8	3 WEST D. M. & I. R. JCT. 0.8 5 E SOO LINE CROSSING. 78	6.19		8.34			12.19	L 4.08 PM				
x	100		11.5	.SOO LINE CROSSING.	<i>j</i>					1	-	-	-		
x	1 /	1 1	10 7	7 D. W. S.P. ICT.	6.14	ļ'	L 8.28 AM	 	, p	- 12.15		-	-	- 	
x	/	1.04	10.0	WU WEST DULUTH DN 0.7, WEST DULUTH JCT.P	6.12	ļ				s 12.13			-	- 	
YX	1	L 8	9.8	WEST DULUTH JCTP	L 6.03 AM					L 12.10pm	4			-	
, 1	1 1		8.1	1 D. T. CROSSING			-			1				-	
			7.0		, ———					-	· '				
!	1 '	LB2	6.6		.[<u> </u>									
, 1	1	LBs	5.1	4MORGAN PARK		-		ļ		-	-			<u> </u>	
!		1	4.1	ABOAT CLUB		-	-	<u> </u>	ļ		- '				
1		LBs	3.7	7NEW DULUTHP	<u> </u>		 				-	-	-	<u> </u>	
 		LB8	0.0	0FOND DU LAC											
			_		Daily	Daily	Ex. Mon.	Daily	Kr. Sun.	Er. Sun.	Dally	Daily	Daily	Daily	
لينيا	<u></u> '		_	Time Over Sub-Division	.27	.08	.10	.04	.08	.15	.07	.05	.05	.08	
/	1 '	1 '	1	Average Speed Per Hour	10.9	20.0	15.0	13.5	20.0	19.6	16.8	10.8	10.8	20.0	1

1 × 1,		W =	e ::	FIRS	T SUB	-DIVISI	ON	ga i iche			EAS	TWARI	5
7, 8	Time Table No. 196	7			8 8		SECOND	CLASS	3	n a = 18		A BE MAKE OF	
	May 29, 1938	624	626	628	8 2-	4277	- 9	2.9		a aga		- 7, 7	N 2 4
Distance from Fond du Lac.	Succeeding No. 195	N. P. 624	C. M. St. P. & P. 626	N. P. 628	* x \$5	= 2	- B	82H M =		E	n rowl i	3 124	i de place
stanoe nd du	STATIONS	Freight	Freight	Freight	• p=	g Her word House	8180 <	* n % ?			X WITE	1025 E %	
	Telegraph Offices and Calls	Daily	Daily	Daily									
15.1 14.2	DUDULUTHDN			A 4.30 M									
13.2	GARFIELD AVE			A 4.30 AM 4.20									
12.9 12.3	26TH AVE. W Dog 0.8	A 3.10 AN 3.03	A 4.05 Ms	4.09 4.06									
11.8	A .SOO LINE CROSSING.												
10.7 10.0	SOO LINE CROSSING.	2.57 2.55	3.46 3.43	4.00 3.58									
9.8	.WEST DULUTH JCT.P	L 2.50 AN	1										
8.1	D. T. CROSSING												
7.0 6.6	RIVERSIDE 0.4 SPIRIT LAKE							10					
5.4	MORGAN PARK												
4.4 2.7	NEW DULUTHP						130			sansa w			
0.0	FOND DU LAC												
		Daily	Daily	Daily		3n V							
	Time Over Sub-Division Average Speed Per Hour	10.8	8.6	.85 8.4									

6 W	VESTW	ARD	×	į.		SECO	OND S	UB-DI	VISIO	V	1		y y II _ 2 A	
SEC	OND CL	ASS	91	n 7 25 hc	s was q	we get to g	FIR	ST CLAS	is	8		81	Time Table No. 196	
629	625	623		35	89	57	93	19	51	23	55	65	May 29, 1938 Succeeding No. 195.	
N. P. 630	C. M. St. P. & P. 625	N. P. 628	a 172	G. N. 85	Omaha 510	N. P. 57	Omaha 512	G. N. 19	N. P. 52	G. N. 23	N. P. 55	N. P. 65		Distance from Central Ave.
Freight	Freight	Freight	**	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	- STATIONS	tral
Ex. Sat.	Daily	Dally	X II y	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Dally	Daily	Daily	Telegraph Offices and Calls	C C C
L 10.00P	L 7.40m	L 6.03 PM				ı 7.33 № 7.35			L 2.24 PM 2.26	7 0	L 7.53 AM		GARFIELD AVE	7.3 6.5
10.05	7.45 7.49	6.06 6.09		L 9.07₽■ 9.10	L 8.22PM 8.25		L 5.05 PM 5.08	L 4.37 PM 4.40	2.28 2.31	L 8.07AM			BRIDGE SWITCH 0.9 ELEVATOR STATION	843886
10.11	7.51	6.11		9.12	A 8.28 PM	7.41	A 5.10 ₽±	4.42	2.33	8.12	8.02	3	OMAHA CONN	4.4
10.20 A 10.45 PM	8.00 A 8.30 PM	6.22 A 7.00 PM		9.15 9.16 A 9.25 PM		s 7.42 7.44 As 7.55m		4.45 4.46 A 4.53 PM	2.34 2.35 As 2.45 PM	8.15 8.16 A 8.24 AM	8.05 8.06 As 8.14 Au	12.08	BYD. SUPERIOR U. DD O.4 SUBSE ABELKNAP STREET 3.7 AJ. CENTRAL AVEDN	8.7
Ex. Sat.	Daily	Dally	195 m	Daily	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Daily		
.45	.50	.57		.18	-06	.22	.05	.16	.21	.17	.21	.14	Time Over Sub-Division	
8.7	7.8	7.7		20 0	18.7	19.9	19 1	22.5	20.8	21.1	20.8	17.1	Average Speed Per Hour	1

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS
BAY BRIDGE. DOUBLE TRACK BETWEEN BELKNAP STREET AND CENTRAL AVENUE.

FIRST CLASS TRAINS USE L. S. T. & T. RAILWAY BETWEEN OMAHA CONNECTION AND BELKNAP STREET.

SECOND		

EASTWARD

, 8			- S- 3	Time Table No. 196	8 2	Th <u>anna Thi</u> a		9 ¹⁰	FIRS	T CLAS	S .		i a i ¹⁸ iice Maria i i i	5 m	SECOND CLASS
7 y 86.		é	i grij or g	May 29, 1938 Succeeding No. 195.	66	94	36	58	52	96	24	20	56	E 1783.	630
Fuel, Boslos, sblos, Wyes rd Limits.	dit.	Numbers	from Ave.	STATIONS	N. P. 66	Omaha 511	G. N. 86	N. P. 58	N. P. 51	Omaha 513	G. N.	G. N. 20	N. P. 56		N. P. 629
Water, Fuel, B Turn Tables, and Yard Lim	Cap	Station N	Distance Garfield	STATIONS	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	***	Freight
Twa	22	Bta	De	Telegraph Offices and Calis	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Daily	Daily		Ex. Sun.
X WCO TYX			0.0	GARFIELD AVE				A 8.37 M	A 11.42M				A 11.07PM		
TYX	Yard	L1	0.8	RICES POINT				8.34	11.38				11.05		A 8.30 A
x			1.8	BRIDGE SWITCH		A 7.18 AM	A 7.28 M	8.32	11.36	A 11.46AM	A 1.43 PM	A 7.53 PM	11.04		8.27
x			2.2	ELEVATOR STATION		7.14	7.24	8.29	11.33	11.43	1.39	7.49	11.01		8.23
x			2.9	OMAHA CONN		L 7.12A	7.22	8.26	11.30	L 11.40 AM	1.37	7.46	10.59		8.20
x	32	WB	8.2	BYD	As 5.40 M		7.20	s 8.24	s 11.29		a 1.35	s 7.45	■ 10.58		
x		67	8.6	요문성 (BELKNAP STREET	5.38		7.16	8.21	11.27		1.31	7.41	10.52		8.10
WYX	Yard	67	7.8	表 AJCENTRAL AVEDN	L 5.29 M		L 7.08 AM	L 8.13 A	L 11.19A		L 1.23 m	ь 7.36№	L 10.45 PM		L 8.00A
B	- 1 - 5	n 8		uk i genekk ^u g e Yan a ste usa	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Dally	Daily		Ex. Sun
				Time Over Sub-Division	.11	.06	.20	.24	.28	-06	.20	.17	.22		.30
			(A.4)	Average Speed Per Hour	22.8	18.7	18.0	18.2	19.0	18.7	18.0	21.1	19.9		13.0

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS
BAY BRIDGE. DOUBLE TRACK BETWEEN BELKNAP STREET AND CENTRAL AVENUE.

FIRST CLASS TRAINS USE L. S. T. & T. RAILWAY BETWEEN OMAHA CONNECTION AND BELKNAP STREET.

SPECIAL INSTRUCTIONS PAGES 8 AND 9.

W	EST	WA	.RD	9 = 5	jj .	· 25 · 40	THI	RD	SUB-DIVISION	= 1		11 g	EAS	TWAR	D 7
	8 13#		- 110 Po- :	FII	RST CLA	ss	ev ^d ev		Time Table No. 196	< <u>1</u> ,	n 11 # - 5	FII	RST CLA	ss	0 mg
Water, Fuel, Soales, Turn Tables, Wyes			65	53	317	313	311	Jot.	May 29, 1938		54	66	318	312	314
Fuel, E ablee, d Lin	Car Capacity of Sidings.	Number	N. P.	D. S. S. & A.	Soo Line	Soo Line	Soo Line	nce from Duluth Jot.	Succeeding No. 195	from U. D.	D. S. S. & A.	N. P.	Soo Line	Soo Line	Soo Line
Yar	200	g	65	8	18	68	65	t De	STATIONS	Distance Superior		66	17	64	62
A Lat	Sign Sign	Station	Passenger	Passenger	Passenger	Passenger	Passenger	Dista West	T-1	Sup	Passenger	Passenger	Passenger	Passenger	Passenger
Pra	00	- AL	Dally	Ex. Sun.	Daily	Daily	Ex. Sun.	H.	Telegraph Offices and Calls	H	Ex. Mon.	Daily	Dally	Ex. Sun.	Daily
YX		LS	L 11.50 PM					0.0	WEST DULUTH JCTP	8.6		A 6.03 AM			
x			11.53					0.6	ZENITH FURNACE	8.0		6.01			
x	'		11.55 PM	L 9,02PM	L 5.38 PM	L 1.14PM	L 7.19 AM	1.8	DW&P. BERWIND JCT)	2.8	A 5.16A	5.58	A 7.51 AM	A 4,45 PM	A 5.51 PM
		100		HOR IS NO				1.8		1.8					
х			12.05 M	A 9,12PM	A 5.47 PM	а 1.20рм	A 7.27 M	8.8	1.5 1.5 1.8 1.8 1.8 1.8 1.8 1.8 1.8	0.8	L 5.08 AM	5.49	L 7.44 M	L 4.32 PM	L 5.44 PM
х		WB 67	A = 12.06 AM					8.6	SUPERIOR U. DD	0.0	2	L 5.40 M			
		1	Dally	Ex. Sun.	Daily	Daily	Ex. Sun.		***************************************		Ex. Mon.	Daily	Daily	Ex. Sun.	Daily
			.16	.10	.09	.06	-08		Time Over Subdivision		.08	.23	.07	.13	.07

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

Average Speed Per Hour

TIT	DO	rw	A	D.	7
w	H	ıw	A	к	,,

FOURTH SUB-DIVISION

EASTWARD

	8	_a ra	SEC	COND C	LASS	FIRST	CLASS		Time Table No. 196	115	FIRST	CLASS	SEC	OND CL	ASS
waver, Fuel, Soules, Turn Tables, Wyes	,	abers.		629	631	51	53	E	May 29, 1938	from	52	54	632	630	11,415
appe L	gs.	Nump		1 73 (321)	D. 8. 8. & A.	370 =	D.8.8.&A.		Succeeding No. 195	Ave		D. 8. 8. & A.	D. 8. 8. & A.	Freight	
E T	Car Capad of Eddings.	Station	C 161	Freight	Freight	Passenger	Passenger	st End.	STATIONS	Distan	Passenger	Passenger	Freight		·
E A	ಕ್ಷಣ	9	2 N	Ex. Sun.	Daily	Ex. Sun.	Ex. Mon.	Dis	Telegraph Offices and Calls	විරී	Ex. Sun.	Ex. Sun.	Daily	Ex. Sat.	
YOY	Yard	68		l 7.45 M	L 5.20 AM	L 11.10M	L 4.51 AN	0.0	EAST END	4.0	As 2.55 PM	A 9.35 PM	A 12.15 M	A 0.55 PM	
â	Yard	65		7.46	A 5.21 M	11-11	A 4.52 M		C. St. P. M. & O. Crossing	#× 8	2.54	L 9.34ри	L 12.14M	10.54	
				7.49		11.14		1.8	1.1	9.2	2.51			10.51	-
XX	Yard	67		A 7.55 AM		As11.194		37737507	AJCENTRAL AVEDN	0.0	L 2.45m			L 10.45₽w	
	-	123.35.		Ex. Sun.	Daily	Rr. Sun.	Ex. Mon.	1.01	e W s reserve		Ex. Sun.	Ex. Sun.	Daily	Ex. Sat.	
				.10	.01	.09	.01		Time Over Subdivision		,10	.01	.01	. 10	
				24.0	12.0	26.7	12.0	957	Average Speed Per Hour		84.0	13.0	12.0	24.0	

SPECIAL INSTRUCTIONS

FIRST SUBDIVISION

- 1. At Fifth Avenue West-Main track switch will be kept set for Union Depot.
- At Garfield Avenue—Junction switches will be kept set for First Sub-Division.
 Trains stop not less than two hundred (200) feet from Junction Switch and crossover used by D. W. & P. and not proceed until track is known to be clear.
- 3. At Nineteenth Avenue West—Trains using the Dick tracks must not block crossing.
- 4. At Twenty-first Avenue West-Telephone at crossover-Eastward trains call yard (3 rings) for route when necessary.
- 5. At West D. M. & I. R. Junction Interlocking—Trains will call for route as follows:
 Martins track to D. M. & I. R. yard—THREE SHORT.
 D. M. & I. R. yard to Martins track—THREE SHORT.
 Martins track to Westward main—THREE SHORT—ONE LONG.
 Martins track to D. T. Main—FOUR SHORT.
 D. T. main to Martins track—FOUR SHORT.
 Westward main to D. M. & I. R. yard—ONE LONG AND ONE SHORT.
 D. M. & I. R. yard to Eastward main—ONE LONG AND ONE SHORT.
 Through Main Line Movements—ONE LONG.
- 6. At West Duluth Junction—Switch at West end wye will be kept set and locked for first sub-division.

 Switch engines will use West leg of wye and Fond du Lac main line but will not leave cars on these tracks.

 Switch at end of double track is automatic. Normal position is for the Westward track. If signals fail to clear switch must be examined, and if not in proper position first throw power lever, then operate switch with hand-throw lever. Power lever must not be returned to normal position until after final move over switch is made. Both levers must be left in normal position and locked. Trains setting out on Fond du Lac and other tracks must be sure switches are lined for such movement.
- At Fond du Lac—Trains will call upper Power Plant (Douglas 50), from New Duluth and secure permission to use track between Fond du Lac and Power Plant.
- 8. Yard Limits—Between D. M. & I. R. connection at Fifth Avenue East and St. Louis River bridge and from Garfield Avenue to Grassy Point bridge and to the main line (Third Sub-division) yard board West of West Duluth Junction.
- Bridge and Engine Restrictions—West Duluth Junction to Fond du Lac—engines heavier than class L-7 not permitted.
 Bridge 4, five (5) miles per hour.
 Fond du Lac to Power Plant, eight (8) miles per hour.
- 10. Derail Switches-Fond du Lac.
- 11. Register Stations—Duluth Union Depot for first class, passenger extras, and trains arriving at or departing from Fifth Avenue Yard. Rices Point Yard office for second class and inferior trains, except passenger extras and trains arriving at or departing from Fifth Avenue Yard.

 West Duluth.
- 12. Register Exceptions—At West Duluth trains register by ticket, form 608, and Eastward trains will not require clearance if train order signal is in clear position.

SECOND SUBDIVISION

 At Garfield Avenue—Junction switches will be kept set for First Sub-Division.
 Trains will stop not less than two hundred (200) feet from Junction switch and crossover used by D. W. & P. and not proceed until track is known to be clear. 2. Indication of Spring Switches, Round House lead, 900 feet South of coal dock:

Yellow—Straight Track Green—Round House Lead.

3. Rules Governing Movement of Trains over St. Louis River Bridge—Interlocking signals govern use of tracks between Bridge Switch and Elevator Station.

Single track over Minnesota Draw.

The three-arm semaphore on Eastward track West of Minnesota Draw indicates position of double track switch, position of draw and route:

Top Arm—Northern Pacific Middle Arm—Great Northern Bottom Arm—C. St. P. M. & O.

The two-arm semaphore on Westward track East of Elevator Station indicates route:

Top Arm—Straight main line
Bottom Arm—Great Northern Freight Track
All trains will stop before entering onto Wisconsin draw.
All Eastward trains will stop before entering onto Minnesota draw.
Westward trains entering onto Minnesota draw will be governed by signal at the approach and, if proceed signal is received, will not be required to stop.

- 4. At Superlor—Trains using tracks of L. S. T. & T. Railway between Omaha connection and Belknap Street will be governed by L. S. T. & T. time table rules and regulations.
- 5. At Central Avenue—Westward trains and engines have right to use Eastward main track between West lead from yard and Junction with Fourth (Terminal) Sub-Division without protection. All Eastward trains will approach and pass through this territory at restricted speed, expecting to find track occupied.
- 6. Speed Restrictions:

At Minnesota and Wisconsin Drawbridges—twenty (20) miles per hour.

At Superior—all trains and engines will run at restricted speed between West yard limit board and Omaha connection, including L. S. T. & T. tracks between Belknap Street and Omaha connection, expecting to find track occupied, and will not exceed fifteen (15) miles per hour over switches at Belknap Street.

7. Derall Switches:

At approach to Minnesota Draw from Duluth.

At Elevator Station.

At Superior-just East of N. P. freight house.

8. Register Stations:

Rices Point for second class and inferior trains, except passenger

Superior Union Depot for first class trains and passenger extras. Central Avenue.

 Register Exceptions—At Central Avenue trains register by ticket, form 608, and Eastward trains will not require clearance if train order signal is in clear position.

THIRD SUBDIVISION

- At West Duluth Junction—Trains will run at restricted speed around East leg of wye and passing Zenith Furnace Plant, looking out for switch engines working on main track.
 Switches on East leg of wye will be kept set for Third (terminal) Subdivision main track.
- 2. Speed Restrictions—Grassy Point Bridge twenty (20) miles per hour.
- Register Station—Superior Union Depot for first class trains and passenger extras.

FOURTH SUBDIVISION

1. At East End-Switch at end of double track will be kept set for Westward trains.

The distant semaphore of interlocking is an automatic signal governing single track to end of double track and Westward track to Newton Avenue interlocking. Eastward D. S. S. & A. and C. St. P. M. & O. trains and engines will use Westward Main Track between Newton Avenue interlocking and end of double track, as single track, under single track and vard limit rules.

2. At Central Avenue-End of double track at East leg of wveswitch will be kept set for Eastward trains. Switch at Junction of Fourth and Second (Terminal) Sub-divisions

will be kept set for Second Sub-division.

East leg of wye is on sharp curve and single track—trains will use this track, expecting to find it occupied and at not to exceed twenty (20) miles per hour, and in foggy or stormy weather will protect by

3. Speed Restrictions—Over trestle approach to ore dock—engines classes W or W-3 fifteen (15) miles per hour.

4. Register Stations-Central Avenue.

Soo Line, 21st St. Yard Office, Superior, for D. S. S. & A. Rv. Superior.

 Register Exceptions—At Central Avenue trains register by ticket, form 608, and Eastward trains will not require clearance if train order signal is in clear position.

AT ALLOUEZ:

Track No. 2 must not be used for ore trains.

ALL SUBDIVISIONS

1. Conductors of work trains will issue instructions to their flagmen in writing, except when flagmen go back immediately to stop an approaching train.

2. Speed Restrictions-

Passenger trains, one mile per minute.

All trains thirty (30) miles per hour over interlocked crossings. Fifteen (15) miles per hour through crossovers, turnouts and gauntlets and passing telegraph offices where orders are received.

3. When a siding is to be used temporarily as a main track, the switches are to be set and locked for the siding and must be protected by flagman until train order covering the movement is issued to all trains and to the Section Foreman of that Section; the flagman to remain until released by the Train Dispatcher.

4. Before occupied outfit cars are switched or handled, air brakes must be cut in.

5. Spring Switches-

Maximum speed for all facing point and trailing point movements through switch, fifteen (15) miles per hour.

Trailing movements on the track for which the switch is normally lined

may be made at normal speed. Trains trailing through or stopping on a spring switch must not back up or take slack until points have been thrown by hand.

Flying switches over or through spring switches are prohibited.

When operated by hand, lever must be moved slowly, keeping a steady pressure on the handle until the switch is thrown and the handle is in the notch on the switch stand provided for it.

When signal governing block in which spring switch is located is at stop, or where automatic block signals do not govern account trains running against current of traffic, facing point movements must not be made over switch until points have been examined. Sand must not be used over points of spring switches.

6. Derail switches will be set in derail position when not in use.

7. Trains pulling into side tracks or leaving the main line at Junction points must pull entirely into clear of the insulated joints before stopping to pick up the man attending switch.

8. Always observe position of switch points after throwing switch, and see that the switch lever is pushed firmly into the notch before leaving switch.

- 9. Second class and inferior trains may run ahead of delayed first class trains between West Duluth Junction and Duluth, Superior and Rice's Point, West Duluth Junction and Superior, Superior and East End, without orders.
- 10. All inferior to first class trains may run ahead of each other without
- 11. Clearance Form A will not be required at Rice's Point Yard, Superior Freight Station or Superior Union Depot.

12. Precautions must be taken on double track to prevent accidents from swinging doors, or other loose construction, attached to cars or locomotives. Trains handling logs must stop when being met or passed by passenger trains.

13. Helper engines waiting to help trains will keep clear of main track

until train to be helped has arrived and stopped.

14 Extra trains, work extras and switch engines do not require train orders for movement between West Duluth Junction and Duluth, between Central Avenue and Rice's Point, between Central Avenue and East End, nor between West Duluth Jct. and Superior.

15. A Brakeman or Flagman must be stationed on the rear car of all trains, at all times, and be provided with proper flagging equipment. In case train is stopped on main track, Flagman must go back immediately with stop signals a sufficient distance to insure full protection to his train. Conductors and switch foremen will be held responsible for the strict observance of this rule.

16. To insure personal safety, Telegraphers having train orders or messages to deliver to passing trains, will stand to the right hand side of the train and avoid standing between tracks when possible to do so.

- 17. At points where there are close clearances, trainmen will work on the opposite side of train from them; and, if necessary, the fireman will receive the signals and communicate them to the enginman.
- 18 All trains must move within yard limits prepared to stop unless the main track is seen or known to be clear.
- 19. The D. T. main track is the northmost track between the Boston Coal Dock crossing and connection with Grassy Point main track. All switches leading from this track, when not in use, will be left lined for same.
- 20. All train crews, switch crews and light engines using D. T. main track from connection of Missabe coal dock with this track to east end of Zenith Furnace Company's lead, on Grassy Point line, will move in both directions at restricted speed, expecting to find the D. T. main track occupied.
- 21. D. T. connection, located at east end of Zenith Furance Company's lead, Grassy Point line, will be considered a railroad crossing. Trains using this connection will come to full stop and make sure that track is clear before proceeding.

22. Bulletin Stations-

Rice's Point Yard Office. Rice's Point Roundhouse. Duluth Union Depot.

23. Standard Time Clocks-

Rice's Point Yard Office. Duluth Union Depot.

24. Watch Inspectors-

Duluth, Garon Bros. Duluth, L. Pederson. West Duluth, W. F. Hurst. Superior, L. J. Howatt.

RAILROAD CROSSINGS AND INTERLOCKINGS.

First Sub-division

West D. M. & I. R. Junction, Interlocked. Soo Line Crossing, Interlocked. D. W. & P. Junction, Interlocked. West Duluth Junction, Automatic Interlocking. Morgan Park. Minnesota Steel Co. Crossing.

Second Sub-division

Between Bridge Switch and Elevator Station. Minnesota Draw, Interlocked. Wisconsin Draw. Interlocked.

Third Sub-division

Berwind Junction. Soo Line and D. W. & P. Junctions, Interlocked. Grassy Point Draw, Interlocked. D. T. Connection.

Fourth Sub-division

East End. C. St. P. M. & O. Crossing, Interlocked. Soo Line Crossing, Interlocked.

	MEASUREMENT

HEIGHT ABOVE TOP OF RAIL

	HEIGHT ABOVE TOT OF MAIL										
	1 ft. Wide	2 ft. Wide	8 ft. Wide	4 ft. Wide	5 ft. Wide	6 ft. Wide	7 ft. Wide	7 ft, 6 in. Wide	8 ft. Wide	Max. Height	Max. Width
1st Sub-division, Duluth to Fond du Lac	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 8″	20′ 3″	11' 6"
2nd Sub-division, Garfield Ave. to Central Ave.	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 8″	11' 6"
3rd Sub-division, W. Duluth Jct. to Superior U. D.	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	11' 6"
4th Sub-division, East End to Central Ave	21' 0"	21′ 0″	21′ 0″	21' 0"	21′ 0″	21′ 0″	21′ 0″	21′ 0″	21' 0"	21′ 0″	11' 6"

LIMIT OF LOAD MEASUREMENT

HEIGHT ABOVE TOP OF RAIL

		8 ft. 6 in. Wide	9 ft. Wide	9 ft. 6 in. Wide	10 ft. Wide	10 ft. 2 in. Wide	10ft.6in. Wide	11 ft. Wide	11ft.6in. Wide	Max. Height	Max. Width
1st Sub-division, Duluth to Fond du Lac		20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	11′ 6″
2nd Sub-division, Garfield Ave. to Central Ave.		20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20' 3"	20′ 3″	11' 6"
3rd Sub-division, W. Duluth Jct. to Superior U. D.		20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	20′ 3″	11' 6"
4th Sub-division, East End to Central Ave		21' 0"	21' 0"	21' 0"	21′ 0″	21′ 0″	21' 0"	21′ 0″	21' 0"	21' 0"	11' 6"

SPEED TABLE.

Time per Mile Min. Sec.		Miles per Hour		Time per Mile Min. Sec.			Time per Mile Min. Se		Miles per ec. Hour	
1	• • • • • • • • • • • • • • • • • • • •	60	1	20	45		2	50	21.2	8
1	1	59	1	25	42.3	1	3		20	3
1	2	58	1 1	30	40	- 11 -	3	9	19	
ī	3	57.1	1	40	36	- 11	3	20	18	
ī	4	56.2	11 ī	45	34.8	- 11	3	31	17	
ī	5	55.3	1 7	50	32.7	- M 56	. 3	45	16	
7 7	6	54.5	2		30	. 1	4		15	
ī	7	53.7	2	10	27.6	- 11	Ē		12	
î	8	52.9	1 2	15	26.6	- 11	6	200,200,000	10	
ī	ğ	52.1	2	20	25.7		7	30	8	
a i	10	51.4	2	30	24		10	• • •		
î	12	50	2	40	22.5	i ii a				
î	15	48	2	45	21.8					

C. T. SPONSEL, Asst. Supt. H. J. McCALL, Asst. Supt. H. J. COUNCILMAN, Trainmaster. E. J. WIGG, Chief Dispatcher.