#### **AUTHORIZED SURGEONS**

Dr. A. W. Ide, Chief Surgeon..... St. Paul. Dr. B. I. Derauf, Dr. J. W. Jesion, Dr. H. G. Collie, Assistant Surgeons, N. P. B. A. Hospital, St. Paul. Dr. L. Rosenbladt, Dr. A. McEwan..... Dr. E. E. Baker,

#### **SPECIALISTS**

Minneapolis. Dr. A. G. Athens, Oculist and Aurist, 1214 Medical Art Bldg., Duluth.

Dr. M. F. Fellows, Oculist and Aurist, 1209 Medical Arts Bldg.,

#### SURGEONS

Dr. A. L. Kyllo, 5719 Tower Ave., Superior Dr. W. H. Schnell, 28 Columbia Bldg., Superior Dr. F. C. Sarazin, 28 Columbia Bldg., Superior Dr. C. H. Christiansen, Superior
Dr. G. C. MacRae, 925 Med. Arts Bldg., Duluth
Dr. C. M. Smith, 1115 Med. Arts Bldg., Duluth
Dr. C. L. Haney, 2004 W. Superior St., Duluth

#### C. M. ST. P. & P. RY. SURGEONS

Dr. Cyril M. Smith, 1115 Medical Arts Bldg., Duluth Dr. M. F. Fellows, 1209 Med. Arts Bldg., Duluth

#### LOCATION OF STRETCHERS

East End Passenger Station.
Central Avenue Freight Station.
Superior Freight Station.
Duluth—Fifth Avenue Switch Shanty, Dock 6, Union Depot,
Store Room, Tool Car.
West Duluth Passenger Station.

#### NOTE.

N. P. B. A. physicians and surgeons, when called upon, will attend to all cases of sickness and accident to employes, passengers, and others. In a case of illness or in any case of injury unrelated to Railway operation, surgeon should endeavor to collect a reasonable fee for service from person attended, other than members of the N. P. B. A. If unable to collect, Chief Surgeon

Where injuries are directly related to Railway operation, charge for service should be sent to the General Claim Agent of the Railway Company.

In case of emergency, proper aid should be procured until arrival of local surgeon, when case must be placed in his hands.

#### INDEX

| First Sub-Division—Westward                          | Pages<br>2 and 3 |
|--|------------------|
| First Sub-Division—Eastward.<br>Second Sub-Division. | a                |
| Inird Sub-Division                                   |                  |
| Fourth Sub-Division. Special Instructions.           | 0 0 1 10         |
| Maximum Clearances                                   | 0, 9 and 10      |

## NORTHERN PACIFIC RAILWAY COMPANY

**Duluth and Superior Terminals** 

# TIME TABLE 198

In Effect at 12:01 A. M. Central or 90th Meridian Time.

**Sunday, May 19, 1940** 

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table and destroy all previous numbers. Read carefully the Special Instructions and always carry for reference a copy of TRANSPORTATION RULES.

W. W. JUDSON. General Manager.

P. H. McCAULEY. General Superintendent of Transportation.

G. H. JACOBUS. Superintendent.

| 2  | WES          | STW             | ARD         |             |                  |                | FIRS        | ST SUI    | B-DIVIS     | SION            |                 |             |                                    | (S) |
|--|--------------|-----------------|-------------|-------------|------------------|----------------|-------------|-----------|-------------|-----------------|-----------------|-------------|------------------------------------|---|
|  |              |                 |             |             |                  |                | FIRST       | CLASS     |             |                 |                 |             | Jot.                               | Time Table No. 198                      |
| Boales, Wyes                                   |              | abers.          | 65          | 57          | 303              | 405            | 51          | 201       | 61          | 401             | 407             | 55          | Distance from<br>East D. M. & I.R. | May 19, 1940<br>Superseding No. 197.    |
| Water, Fuel, f<br>Turn Tables,<br>and Yard Lin | Car Capacity | Station Numbers | N. P.<br>65 | N. P.<br>57 | D. W. & P.<br>19 | D.M.&I.R.<br>6 | N. P.<br>52 | D.M.&I.R. | N. P.<br>61 | D.M.&I.R.<br>12 | D.M.&I.R.<br>10 | N. P.<br>55 | ance fr<br>D. M.                   | STATIONS                                |
| ater<br>urn<br>id Y                            | ar C<br>Sid  | atio            | Passenger   | Passenger   | Passenger        | Passenger      | Passenger   | Passenger | Passenger   | Passenger       | Passenger       | Passenger   | Dist                               |   |
| BE3  | 50           | St              | Daily       | Daily       | Ex. Sun.         | Daily          | Ex. Sun.    | Daily     | Ex. Sun.    | Daily           | Daily           | Daily       |                                    | Telegraph Offices and Calls             |
| x  |              |                 |             |             |                  | L 5.46 PM      |             |           |             | L 8.25 AM       | L 8.00 AM       |             | 0.0                                | EAST D. M. & I. R. JCT                  |
| WC<br>TYXZ                                     | Yard         | WB 71           | L 11.30 PM  | L 8.30 PM   |                  | A 5.50 PM      | L 2.20 PM   | L 8.35 AM | L 8.30 AM   | A 8.30 AM       | A 8.05 AM       | L 7.50 AM   | 0.9                                | DUDULUTHDN)                             |
| X  |              |                 | 11.33       | A 8.33 PM   | L 7.19 PM        |                | A 2.24 PM   | 10.00     | 8.33        |                 |                 | A 7.53 AM   | 1.9                                | GARFIELD AVE                            |
| x  |              | L2              | 1 11.35     |             | 7.21             |                |             | 8.39      | s 8.35      |                 |                 |             | 2.2                                | 20TH AVE. WPD                           |
| x  |              | L 02            | 11.37       |             | 7.22             |                |             | A 8.41 AM | 8.36        |                 |                 |             | 2.8                                | WEST D. M. & I. R. JCT                  |
| X  |              |                 |             |             |                  |                |             |           |             |                 |                 |             | 3.6                                | SOO LINE CROSSING                       |
| x  |              |                 | 11.40       |             | A 7.29 PM        |                |             |           | 8.40        |                 |                 |             | 4.4                                | OLL W. & P. JCT                         |
| x  |              | L 04            | s 11.44     |             |                  |                |             |           | s 8.43      |                 |                 |             | 5.1                                | WUWEST DULUTHDN                         |
| YX   |              | L5              | A 11.50 PM  |             |                  |                |             |           | A 8.45 AM   |                 |                 | -           | 5.8                                | WEST DULUTH JCTP                        |
|  |              |                 |             |             |                  |                |             |           |             |                 |                 |             | 7.0                                | D. T. CROSSING                          |
|  |              |                 |             |             |                  |                | -           |           |             |                 |                 |             | 8.1                                | RIVERSIDE                               |
|  |              | LB 2            |             |             |                  |                |             |           |             |                 |                 |             | 8.5                                | SPIRIT LAKE                             |
|  |              | LB 3            |             |             |                  |                |             |           |             |                 |                 |             | 9.7                                | MORGAN PARK                             |
|  |              |                 |             |             |                  |                |             |           |             |                 |                 |             | 10.7                               | BOAT CLUB                               |
|  |              | LB 5            |             |             |                  |                |             |           |             | -               | -               |             | 12.4                               |   |
|  |              | LB 8            |             |             |                  |                |             |           |             |                 |                 |             | 15.1                               | FOND DU LAC                             |
|  |              |                 | Daily       | Daily       | Ex. Sun.         | Daily          | Ex. Sun.    | Daily     | Ex. Sun.    | Daily           | Daily           | Daily       |                                    |   |
|  | · ·          |                 | .20         | .03         | .10              | .04            | .04         | .06       | .15         | .05             | .05             | .08         |                                    | Time Over Sub-Division                  |
|  |              |                 | 14.7        | 20.0        | 15.0             | 13.5           | 15.0        | 19.0      | 19.6        | 10.8            | 10.8            | 20.0        |                                    | Average Speed Per Hour                  |

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

SPECIAL INSTRUCTIONS PAGES 8, 9 AND 10.

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

SPECIAL INSTRUCTIONS PAGES 8. 9 AND 10.

Daily

20.0

Time Over Sub-Division

Average Speed Per Hour

Daily

14.7

.20

| 4                  | E                        | CAST     | <b>TWARI</b> | )           |                 |                | FIRS           | T SUB       | -DIVIS      | ION            |                  |             |             |                     |  |
|--------------------|--------------------------|----------|--------------|-------------|-----------------|----------------|----------------|-------------|-------------|----------------|------------------|-------------|-------------|---------------------|--|
|                    |                          |          |              |             |                 |                | FII            | RST CLA     | SS          |                |                  | PEAR        |             |                     | Time Table No. 19  |
| Wyes               |                          |          |              | 56          | 402             | 404            | 204            | 62          | 52          | 400            | 304              | 58          | 66          |                     | May 19, 1940<br>Superseding No. 197  |
| Tables, Ward Limit | ofty                     | Number   |              | N. P.<br>56 | D.M.&I.R.<br>11 | D,M.&I.R.<br>9 | D.M.&I.R.<br>2 | N. P.<br>62 | N. P.<br>51 | D.M.&I.R.<br>5 | D. W. & P.<br>20 | N. P.<br>58 | N. P.<br>66 | from<br>Lac.        | THE RESERVE AND ASSESSMENT OF THE PARTY OF T |
| Tab<br>Yard        | Car Capacity of Sidings. |          |              | Passenger   | Passenger       | Passenger      | Passenger      | Passenger   | Passenger   | Passenger      | Passenger        | Passenger   | Passenger   | Distance<br>Fond du | STATIONS   |
| Turn 1             | Od Si                    | Station  |              | Daily       | Daily           | Daily          | Daily          | Ex. Sun.    | Ex. Sun.    | Daily          | Ex. Mon.         | Daily       | Daily       | Pol                 | Telegraph Offices and Calls  |
|                    |                          |          |              |             | A 6.00 PM       | A 4.30 PM      |                |             |             | A 9.04 AM      |                  |             |             | 15.1                | EAST D. M. & I. R. JCT   |
| CT                 | Yard                     | WB<br>71 |              | A 11.00 PM  | L 5.55 PM       | L 4.25 PM      | A 4.15 PM      | A 12.15 PM  | A 11.45 M   | L 9.00 AM      |                  | A 8.30 AM   |             |                     | DUDULUTHDN   |
| x                  |                          |          |              | L 10.55 PM  |                 |                | 4.12           | 12.12       | L 11.42 M   |                | A 8.38 AM        | L 8.27 AM   | 6.25        | 30.5                | GARFIELD AVE   |
| X                  |                          | L 2      |              |             |                 |                | 4.11           | 12.11       |             |                | 8.35             |             | 1 6.22      | 12.9                | 0.8  |
| X                  |                          | L02      |              |             |                 |                | L 4.08 PM      | 12.09       |             |                | 8.34             |             | 6.19        | 12.3                | WEST D. M. & I. R. JCT.  |
| x                  |                          |          |              |             |                 |                |                |             |             |                |                  |             |             |                     |  |
| x                  |                          |          |              |             |                 |                |                | 12.05       |             |                | L 8.28 AM        |             | 6.14        | 10.7                | E D. W. & P. JCT   |
| x                  |                          | L04      |              |             |                 |                |                | s 12.03     |             |                |                  |             | s 6.12      | 10.0                | 0.7  |
| YX                 |                          | LS       |              |             |                 |                |                | L 12.01 PM  | 1           |                |                  | 7.25 (6)    | L 6.03 AM   | 100000              | .WEST DULUTH JCTP.   |
|                    |                          |          |              |             |                 |                |                |             |             |                |                  |             |             |                     | 1.1  |
|                    |                          | LB2      |              |             |                 |                |                |             |             |                |                  |             |             | 7.0                 | 0.4  |
|                    |                          | LB2      |              |             |                 |                |                |             |             |                |                  |             |             | 5.4                 | MORGAN PARK  |
|                    |                          | про      |              |             |                 |                |                |             |             |                |                  |             |             | 4.4                 | BOAT CLUB  |
|                    |                          | LB5      |              |             |                 |                |                |             |             |                |                  |             |             | 2.7                 | NEW DULUTH   |
|                    |                          | LB8      |              |             |                 |                |                |             |             |                |                  |             |             | 0.0                 | FOND DU LAC  |
|                    |                          |          |              | Daily       | Daily           | Daily          | Daily          | Ex. Sun.    | Ex. Sun.    | Daily          | Ex. Mon.         | Daily       | Daily       |                     |  |
|                    |                          |          |              | .05         | .05             | .05            | .07            | .14         | .08         | .04            | .10              | .08         | .27         |                     | Time Over Sub-Division   |
|                    |                          |          |              | 12.0        | 10.8            | 10.8           | 16.8           | 21.0        | 20.0        | 18.5           | 15.0             | 20.0        | 10.9        |                     | Average Speed Per Hour   |

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

SPECIAL INSTRUCTIONS PAGES 8, 9 AND 10.

| Time Table No. 198          |                |                             |               | SECOND  | CLASS                                    | SECOND CHOSE |
|-----------------------------|----------------|-----------------------------|---------------|---------|--|--------------|
| May 19, 1940                | 624            | 626                         | 628           | 01 -194 | 10 1 10 10 10 10 10 10 10 10 10 10 10 10 | 1208 228 625 |
| Superseding No. 197.        | N. P.<br>624   | C. M. St.<br>P. & P.<br>626 | N. P.<br>628  |         |  |              |
| STATIONS                    |                |                             |               |         |  |              |
| Telegraph Offices and Calls | Freight        | Preight Daily               | Preight Daily |         |  |              |
| EAST D. M. & I. R. JCT      |                |                             |               |         |  |              |
| DUDULUTHDN                  |                | -                           | A 4.30 AM     |         |  |              |
| QARFIELD AVE                |                |                             | 4.20          |         |  |              |
| WEST D. M. & I. R. JCT.     | A 3.10 AM 3.03 | A 4.00 AM 3.53              | 4.09          |         |  |              |
| 0.8                         | 3.03           | 3.55                        | 4.00          |         |  |              |
| .soo Line crossing.         | 2.57           | 3.46                        | 4.00          |         |  |              |
| WU WEST DULUTH DN           | 2.55           | 3.43                        | 3.58          |         |  |              |
|                             | L 2.50 AM      | L 3.40 AM                   | L 3.55 AM     |         |  |              |
| D. T. CROSSING              |                |                             |               |         |  |              |
| RIVERSIDE                   |                |                             |               |         |  |              |
| SPIRIT LAKE                 |                | -                           |               |         |  |              |
| BOAT CLUB                   |                |                             |               |         |  |              |
| NEW DULUTHPD                |                |                             |               |         |  |              |
| FOND DU LAC                 |                |                             |               |         |  |              |
|                             |                |                             |               |         |  |              |
| Time Over Sub-Division      | Daily .20      | Daily .20                   | Daily .35     |         |  |              |
| Average Speed Per Hour      | 10.8           | 10.8                        | 8.4           |         |  |              |

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. SPECIAL INSTRUCTIONS PAGES 8, 9 AND 10.

| 6 W                     | VESTW                    | ARD          |             |             | SECO         | OND S        | UB-DI       | VISIO       | 1           |             |             |                                      |
|-------------------------|--------------------------|--------------|-------------|-------------|--------------|--------------|-------------|-------------|-------------|-------------|-------------|--------------------------------------|
| SEC                     | OND CL                   | ASS          |             |             | CAS STREET   | FIRS         | ST CLAS     | S           |             |             |             | Time Table No. 198                   |
| 629                     | 625                      | 623          | 35          | 57          | 89           | 93           | 19          | 51          | 23          | 55          | 65          | May 19, 1940<br>Superseding No. 197. |
| N. P.<br>630            | C. M. St.<br>P. & P. 625 | N. P.<br>623 | G. N.<br>35 | N. P.<br>57 | Omaha<br>510 | Omaha<br>512 | G. N.<br>19 | N. P.<br>52 | G. N.<br>28 | N. P.<br>55 | N. P.<br>65 | STATIONS                             |
| Freight                 | Freight                  | Freight      | Passenger   | Passenger   | Passenger    | Passenger    | Passenger   | Passenger   | Passenger   | Passenger   | Passenger   |                                      |
| Ex. Mon.,<br>Wed., Sat. | Daily                    | Daily        | Ex. Sun.    | Daily       | Daily        | Daily        | Daily       | Ex. Sun.    | Daily       | Daily       | Daily       | Tolograph Offices and Calls          |
|                         |                          | L 6.03 PW    |             | L 8.33 PM   |              |              |             | L 2.24 PM   |             | L 7.53 M    |             | GARFIELD AVE 7.8                     |
| L 10.00 PM              | L 7.40 PM                | 6.04         |             | 8.35        |              |              |             | 2.26        |             | 7.55        |             | RICES POINTP 6.1                     |
| 10.05                   | 7.45                     | 6.06         | L 9.07 PM   | 8.36        | L 8.22PM     | L 5.05 PM    | L 4.37 PM   | 2.28        | L 8.07 AM   | 7.57        |             | BRIDGE SWITCH 6.(                    |
| 10.09                   | 7.49                     | 6.09         | 9.10        | 8.39        | 8.25         | 5.08         | 4.40        | 2.31        | 8-10        | 8.00        |             | ELEVATOR STATION 5.1                 |
| 10.11                   | 7.51                     | 6.11         | 9.12        | 8.41        | A 8.28 PM    | A 5.10 PM    | 4.42        | 2.33        | 8.12        | 8.02        | -           | OMAHA CONN 4.4                       |
|                         |                          |              | s 9.15      | <b>8.42</b> |              |              | • 4.45      | • 2.34      | 8.15        | s 8.05      | L 12.06M    | BY SUPERIOR U. DPDN 4.1              |
| 10.20                   | 8.00                     | 6.22         | 9.16        | 8.44        |              |              | 4.46        | 2.35        | 8.16        | 8.06        | 12.08       | 6.2 년 ( BELKNAP ST P 3.1             |
| A 10.45 PM              | A 8.25 PM                | A 6.50 PM    | A 9.25 PM   | As 8.55 PM  |              |              | A 4.53 PM   | As 2.45 PM  | A 8.24 M    | As 8.14M    | As12.20 M   | AJ CENTRAL AVEDN 0.0                 |
| Ex. Mon.,<br>Wed., Sat. | Daily                    | Daily        | Ex. Sun.    | Daily       | Daily        | Daily        | Daily       | Ex. Sun.    | Daily       | Daily       | Daily       | Lasterior Total                      |
| .45                     | .45                      | -47          | .18         | .32         | .06          | .05          | .16         | .21         | .17         | .21         | .14         | Time Over Sub-Division               |
| 8.7                     | 8.4                      | 9.3          | 20.0        | 19.9        | 13.7         | 19.1         | 22.5        | 20.8        | 21.1        | 20.8        | 17.1        | Average Speed Per Hour               |

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS
BAY BRIDGE. DOUBLE TRACK BETWEEN BELKNAP STREET AND CENTRAL AVENUE.

FIRST CLASS TRAINS USE L. S. T. & T. RAILWAY BETWEEN OMAHA CONNECTION AND BELKNAP STREET.

| CECONID | CITTO | 20.7 | TITOTORT |  |
|---------|-------|------|----------|--|
| SECOND  | 20B   | LU.  | MOTSTA   |  |

EASTWARD

|   |          |          |                      | Time Table No. 198                   |  |              |                   |                   | FIRS                | T CLAS       | S                 |                   |                         | SECOND                   |
|---|----------|----------|----------------------|--------------------------------------|--|--------------|-------------------|-------------------|---------------------|--------------|-------------------|-------------------|-------------------------|--------------------------|
| alce,<br>Vyes   |          | 4        |                      | May 19, 1940<br>Superseding No. 197. | 66   | 94           | 36                | 58                | 52                  | 96           | 24                | 20                | 56                      | 630                      |
| Water, Fuel, Scales,<br>Turn Tables, Wyes<br>and Yard Limits. | acity 8. | Numbe    | from Ave.            | STATIONS                             | N. P.<br>66  | Omaha<br>511 | G. N.<br>36       | N. P.<br>58       | N. P.<br>51         | Omaha<br>518 | G. N.             | G. N.<br>20       | N. P.<br>56             | N. P.<br>629             |
| ter, F  | Cap      | tion !   | Distance<br>Garfield | 31411043                             | Passenger  | Passenger    | Passenger         | Passenger         | Passenger           | Passenger    | Passenger         | Passenger         | Passenger               | Freight                  |
| Tun   | Car      | Bte      | Gar                  | Telegraph Offices and Calls          | Daily  | Daily        | Ex. Mon.          | Daily             | Ex. Sun.            | Daily        | Dally             | Dally             | Daily                   | Ex. Sun.,<br>Tue., Thur. |
| X<br>WCT  |          |          | 0.0                  | GARFIELD AVE                         |  |              |                   |                   | A 11.42 M           |              |                   |                   | A 10.55 PM -            |                          |
| YXZ   | Yard     | LI       | 0.8                  | RICES POINTP                         |  | A 7.18 M     | A 7.28 AM         | 8.24<br>8.22      | 11.38               | A 11.46 AM   | A 1.43 PM         | A 7.53 PM         | 10.53 -                 | A 8.30 M<br>8.27         |
| x   |          |          | 2.2                  | ELEVATOR STATION                     |  | 7.14         | 7.24              | 8.19              | 11.33               | 11.43        | 1.39              | 7.49              | 10.52                   | 8.23                     |
| x   |          |          | 2.9                  | OMAHA CONN                           |  | L 7.12 M     | 7.22              | 8.16              | 11.30               | L 11.40 AM   | 1.37              | 7.46              | 10.45                   | 8.20                     |
| X   |          | WB<br>67 |                      | BYPDN 0.4                            | Name and Address of the Owner, where the Owner, which is the O |              | s 7.20            | s 8.14            | s 11.29             |              | s 1.35            | • 7.45            | s 10.44 -               |                          |
| WYX   | Yard     | 67       | 7.3                  | SELKNAP ST                           | The second second second   |              | 7.16<br>L 7.08 AM | 8.11<br>L 8.03 AM | 11.27<br>L 11.19 AM |              | 1.31<br>L 1.23 PM | 7.41<br>L 7.36 PM | 10.40 -<br>L 10.35 PM - | 8.10<br>L 8.00 M         |
|   |          |          |                      |                                      | Daily  | Daily        | Ex. Mon.          | Daily             | Ez. Sun.            | Daily        | Daily             | Daily             | Daily                   | Ex. Sun.,<br>Tue., Thur  |
|   |          |          |                      | Time Over Sub-Division               | .11  | .06          | .20               | .24               | .23                 | -06          | .20               | .17               | .20                     | <br>.30                  |
|   |          |          |                      | Average Speed Per Hour               | 22.8   | 18.7         | 18.0              | 18.2              | 19.0                | 18.7         | 18.0              | 21.1              | 21.9                    | 13.0                     |

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GARFIELD AVENUE AND OMAHA CONNECTION, EXCEPT OVER MINNESOTA DRAW ON ST. LOUIS
BAY BRIDGE. DOUBLE TRACK BETWEEN BELKNAP STREET AND CENTRAL AVENUE.

FIRST CLASS TRAINS USE L. S. T. & T. RAILWAY BETWEEN OMAHA CONNECTION AND BELKNAP STREET.

SPECIAL INSTRUCTIONS PAGES 8, 9 AND 10.

| WESTW | AFTE |
|-------|------|
| WHSTW | APIL |
|       |      |

#### THIRD SUB-DIVISION

| STWART |  |
|--------|--|
|        |  |
|        |  |

|                 |        |          |             |           |           |           | ****      | - ACD  | DOB DIVIDION                |               |            |           | DIE       | X 11 212C |           |
|-----------------|--------|----------|-------------|-----------|-----------|-----------|-----------|--------|-----------------------------|---------------|------------|-----------|-----------|-----------|-----------|
|                 |        |          |             | FII       | RST CLA   | SS        | OFFI      | 115    | Time Table No. 198          |               |            | FI        | RST CLA   | SS        |           |
| Scales,<br>Wyse |        | Jers.    | 65          | 53        | 317       | 313       | 311       | Jot.   | May 19, 1940                |               | 54         | 66        | 318       | 312       | 314       |
| Die.            | lofty. | la m     | N. P.       | D. 8. 8.  | Soe Line  | Soo Line  | Soo Line  | from   | Superseding No. 197.        | from<br>U. D. | D. S. S.   | N. P.     | Soo Line  | Soo Line  | Soo Line  |
| Tan L           | Cap    | an P     | 65          | 8 A.      | 18        | 68        | 65        | De     | STATIONS                    | Distance      | 7          | 66        | 17        | 64        | 62        |
| 250             | 2 80   | 1        | Passenger   | Passenger | Passenger | Passenger | Passenger | 1 2 8  |                             | ista          | Passenger  | Passenger | Passenger | Passenger | Passenger |
| PHE             | 20     | 00       | Daily       | Ex. Sun.  | Daily     | Daily     | Ex. Sun.  | ADI    | Telegraph Offices and Calls | Aé            | Ex. Mon.   | Dally     | Dally     | Ez. Sun.  | Daily     |
| YX              |        | LS       | L 11.50m    |           |           |           |           | 0.0    | 0.6                         | 8.6           |            | A 6.03 AM |           |           |           |
| x               |        |          | 11.55m      | L 8.58 PM | L 5.43 PM | L 1.13 PM | L 7.33 AM |        | DWAP. BERWIND JCTP)         |               | A 5.16M    |           | A 7.43 AM | A 4.02 PM | A 5.51 PM |
| x               |        |          | 12.05 A     | ▲ 9.03 PM | ▲ 5.48 PM | A 1.18 PM | A 7.38 AM | 100    | 1.6                         |               | 1. 5.11 AM | 5.49      | L 7.38 AM | L 3.57 PM | L 5.46 PM |
| x               |        | WB<br>67 | A = 12.06 M |           |           |           |           | 8.6    | SUPERIOR U. DPDN            | 0.0           | redat no   | L 5.40 AM | 3.8.32    |           | A 3 9     |
|                 |        |          | Daily       | Ex. Sun.  | Daily     | Daily     | Ex. Sun.  | N. SEL |                             |               | Ex. Mon.   | Daily     | Daily     | Ex. Sun.  | Daily     |
|                 |        |          | .16         | .05       | .05       | .05       | .05       |        | Time Over Subdivision       |               | .05        | .23       | .05       | .05       | .05       |
|                 |        |          | 13.5        | 24.0      | 24.0      | 24.0      | 24.0      |        | Average Speed Per Hour      | 1922          | 24.0       | 9.4       | 24.0      | 24.0      | 24.0      |

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION.

## FOURTH SUB-DIVISION

## EASTWARD

| 42            |               |        | SE | COND CI                  | LASS      | FIRST     | CLASS         |                | Time Table No. 198          |         | FIRST  | CLASS              | SEC       | COND CLAS               |
|---------------|---------------|--------|----|--------------------------|-----------|-----------|---------------|----------------|-----------------------------|---------|--|--------------------|-----------|-------------------------|
| Bonlos.       |               | B.Der. |    | 629                      | 631       | 51        | 53            | 8              | May 19, 1940                | 8,      | 52   | 54                 | 632       | 630                     |
| Tables Lin    | passi<br>ngs. | Mai    |    |                          | D.S.S.&A. |           | D. S. S. & A. | 8 6            | Superseding No. 197.        | oe from | STATE OF THE PARTY | D. S. S. & A.      | 22        | Freight                 |
|               | OH            | to     |    | Freight                  | Freight   | Passenger | Passenger     | tan st         | STATIONS                    | 1 2 2   | Passenger  | Passenger          | Freight   | CATHOLICE SE            |
| Tarn<br>and J | 08            | 9      |    | Ex. Sun.,<br>Tue., Thur. | Daily     | Ex. Sun.  | Ex. Mon.      | Dista<br>Rast  | Telegraph Offices and Calls | Distar  | Ex. Sun.   | Ex. Sun.           | Daily     | Ex. Mon.,<br>Wed., Sat. |
| WY            | Yard          | 63     |    | L 7.45 M                 | L 5.20 AM | L 11.10M  | L 4.51 M      | 0.0            | 0.0                         | 4.0     | As 2.55PM  | A 9.35 PM          | A 12.15AN | A 10.55 PM -            |
| Î             | Yard          | 65     |    | 7.46                     | A 5.21 AM | 11.11     | A 4.52 M      | PIETE<br>ESSES | C. St. P. M. & O. Crossing  |         | 2.54   | L 9.34 PM          | L 12.14M  | 10.54 —                 |
|               |               |        |    | 7.49                     |           | 11.14     |               | 1.8            | HILL AVEP                   | 8.2     | 2.51   |                    |           | 10.51 —                 |
| x             |               |        |    |                          |           |           |               | 2.0            | SOO LINE CROSSING.          | 1.1     |  |                    |           |                         |
| WYX           | Yard          | 67     |    | A 7.55 M                 |           | 4s11.19m  |               | 4.0            | AJCENTRAL AVEDN             | 0.0     | L 2.45 PM  | THE REAL PROPERTY. |           | L 10.45 PM              |
|               |               |        |    | Ex. Sun.,<br>Tue., Thur. | Daily     | Ex. Sun.  | Ez. Mon.      |                | 2 Assault at a citrar L day |         | Ez, Sun.   | Ex. Sun.           | Daily     | Ex. Mon.,<br>Wed., Sat. |
|               |               |        |    | .10                      | .01       | .09       | .01           |                | Time Over Subdivision       |         | .10  | .01                | .01       | .10                     |
|               |               |        |    | 24.0                     | 12.0      | 26.7      | 12.0          |                | Average Speed Per Hour      |         | 24.0   | 12.0               | 12.0      | 24.0                    |

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN THE OPPOSITE DIRECTION. SPECIAL INSTRUCTIONS PAGES \$, 9 AND 10.

## **SPECIAL INSTRUCTIONS**

### FIRST SUBDIVISION

- At Fifth Avenue West—Main track switch will be kept set for Union Depot.
- At Garfield Avenue—Junction switches will be kept set for First Sub-Division.

Trains stop not less than two hundred (200) feet from Junction Switch and crossover used by D. W. & P. and not proceed until track is known to be clear.

- At Nineteenth Avenue West—Trains using the Dick tracks must not block crossing.
- At Twenty-first Avenue West—Telephone at crossover—Eastward trains call yard (3 rings) for route when necessary.
- At West D. M. & I. R. Junction Interlocking—Trains will call for route as follows:

Martins track to D. M. & I. R. vard.

| 000  | D. M. & I. R. yard to Martins track. |
|------|--------------------------------------|
| 000- | Martins track to Westward main.      |
| 0000 | Martins track to D. T. Main.         |
| 0000 | D. T. main to Martins track.         |
| - 0  | Westward main to D. M. & I. R. yard. |
| - 0  | D. M. & I. R. vard to Eastward main  |

Through Main Line Movements.

 At West Duluth Junction—Switch at west end wye will be kept set and locked for first sub-division.

Switch engines will use west leg of wye and Fond du Lac line but will not leave cars on these tracks.

Switch at end of double track is dual control. Normal position is for the westward track. If signals fail to clear switch must be examined, and if not in proper position first throw power lever, then operate switch with hand-throw lever. Power lever must not be returned to normal position until after final move over switch is made. Both levers must be left in normal position and locked. Trains setting out on Fond du Lac and other tracks must be sure switches are lined for such movement.

- At Fond du Lac—Trains will call upper Power Plant (Douglas 50), from New Duluth and secure permission to use track between Fond du Lac and Power Plant.
- 8. Yard Limits—Between D. M. & I. R. connection at Fifth Avenue East and yard board West of West Duluth Junction.
- Bridge and Engine Restrictions—West Duluth Junction to Upper Power Plant west of Fond du Lac—engines heavier than Class L-7 not permitted.

Bridge 4, five (5) miles per hour. Fond du Lac to Upper Power Plant, eight (8) miles per hour.

10. Derail Switches-Fond du Lac.

000

- Register Stations—Duluth Union Depot for trains arriving at or departing from Fifth Avenue Yard or Union Depot, Rices Point Yard office for other trains.
   West Duluth.
- Register Exceptions—At West Duluth trains register by form 608, and eastward trains will not require clearance if train order signal is in proceed position.

#### 13. Clearance Exceptions:

Trains originating at East D. M. & I. R. Jct., Garfield Ave., 20th Ave. West, West D. M. & I. R. Jct., D. W. & P. Jct., West Duluth Jct. and Fond du Lac will not require clearance.

#### SECOND SUBDIVISION

 At Garfield Avenue—Junction switches will be kept set for First Sub-Division.

Trains will stop not less than two hundred (200) feet from Junction switch and crossover used by D. W. & P. and not proceed until track is known to be clear.

2. Indication of Spring Switches, Round House lead, 900 feet South of coal dock:

Yellow—Straight Track. Green—Round House Lead.

 Rules Governing Movement of Trains over St. Louis River Bridge—Interlocking signals govern use of tracks between Bridge Switch and Elevator Station.

Single track over Minnesota Draw.

The three-arm semaphore on eastward track west of Minnesota Draw indicates position of double track switch, position of draw and route:

Top Arm—Northern Pacific Middle Arm—Great Northern Bottom Arm—C. St. P. M. & O.

The two-arm semaphore on westward track east of Elevator Station indicates route:

Top Arm—Straight main track Bottom Arm—Great Northern Freight Track

All trains will stop before entering onto Wisconsin draw.

All eastward trains will stop before entering onto Minnesota draw. Westward trains entering onto Minnesota draw will be governed by signal at the approach and, if proceed signal is received, will not be required to stop.

- At Superior—Trains using tracks of L. S. T. & T. Railway between Omaha connection and Belknap Street will be governed by L. S. T. & T. time table rules and regulations.
- 5. At Central Avenue—Westward trains and engines may use eastward main track between west lead from yard and Junction with Fourth (Terminal) Sub-Division without protection. All trains will pass through this territory at restricted speed, on both tracks.
- Yard Limits—Between Garfield Ave. and yard limit board west of 28th St., Superior, and at Central Ave.

#### 7. Speed Restrictions:

At Bridge 2.1, St. Louis Bay—Twenty (20) M. P. H. over draw spans. At Superior—all trains and engines, run at restricted speed between west yard limit board and Omaha connection, including L. S. T. & T. tracks between Belknap Street and Omaha connection, and not exceed fifteen (15) M. P. H. over switches at Belknap Street. At Central Avenue—Twenty (20) M. P. H. over highway crossings.

#### 8. Derail Switches:

At approach to Minnesota Draw from Duluth. At Elevator Station.

At Superior-Just East of N. P. freight house.

#### 9. Register Stations:

Rices Point for second class and inferior trains, except passenger extras.

Superior Union Depot for trains routed via L. S. T. & T. Ry.

Central Avenue.

- 10. Register Exceptions—At Central Avenue trains register by form 608.
- 11. Clearance Exceptions:

Trains originating at Garfield Ave., Rices Point (Yard), Bridge Switch, Elevator Station, Omaha Conn. and Belknap St. will not require clearance.

At Central Ave. eastward trains will not require clearance if train order signal is in the proceed position.

### THIRD SUBDIVISION

#### 1. At West Duluth Jct.:

Switches on east leg of wye will be kept set for Third (Terminal) Sub-Division main track.

 Speed Restrictions—Bridge 94.6, Grassy Point, twenty (20) M. P. H. over draw span.

At West Duluth Jct., trains and engines run at restricted speed around east leg of wye and passing Zenith Furnace Plant, looking out for yard engines working on main track.

3. Register Station—Superior Union Depot for trains routed via L. S. T. & T. Rv.

#### 4. Clearance Exceptions:

Trains originating at West Duluth Jct., Berwind Jct. and L. S. T. & T. Ry. Jct. will not require clearance.

5. Trains using tracks of L. S. T. & T. Ry. from L. S. T. & T. Ry. Jct. be governed by L. S. T. & T. Time Table Rules and Regulations.

#### FOURTH SUBDIVISION

 At East End—Normal position of switch at end of double track is for westward trains.

The approach signal of interlocking is an automatic block signal governing single track to end of double track and westward track to Newton Ave. interlocking. Eastward D. S. S. & A. and C. St. P. M. & O. trains and engines will use westward main track between Newton Ave. interlocking and end of double track as single track, under single track and yard limit rules.

2. At Central Ave.—Normal position of switch at end of double track on east leg of wye is for eastward trains.

Normal position of switch at Junction of Fourth and Second (Terminal) Sub-Divisions is for Second Sub-Division.

East leg of wye is single track and sharp curvature, all trains will run at restricted speed.

3. Speed Restrictions—Engines Classes W or heavier, fifteen (15) M. P. H. over trestle approach to Ore Dock.

#### 4. Register Stations:

Central Ave. Soo Line 21st St. Yard Office, Superior, for D. S. S. & A. Ry.

- 5. Register Exceptions—At Central Ave. trains register by form 608.
- Clearance Exceptions—Trains originating at East End and Hill Ave. will not require clearance.
- Yard limits extend from East End to Allouez on First Sub-Division, Lake Superior Division.
   At Allouez track No. 2 must not be used by Ore trains.

#### ALL SUBDIVISIONS

- Transportation Rule 11 is modified as follows: A train finding a fusee burning on or near its track may proceed at restricted speed without stopping.
- Lights will be displayed at night on all main line train order signals.
   On Branch line sub-divisions where lights are not displayed on day-office train order signals, all trains will positively ascertain position of signal and be governed by the day indication.
- 3. Transportation Rule D-97 applies to all divisions.

- 4. Transportation Rule 105 is modified as follows: When a siding of an assigned direction is blocked with cars, or taken out of service for any reason, the siding of the opposite direction will be used as single siding. At lap sidings, unless otherwise provided, trains taking siding must head in at the lap.
- 5. IN AUTOMATIC BLOCK SIGNAL TERRITORY—When moving with the current of traffic, or on single track, where the automatic block signals governing the track in use are of the semaphore type and can be plainly seen from the rear of a standing train to be at stop, such signal being not less than one-half mile from the rear of such train, it will not be necessary to protect the train by a flagman. Under all other circumstances Rule 99 must be observed.

Transportation Rule 501B, is modified as follows: INDICATION—Approach next signal prepared to stop. Block is clear; second block

in advance is not clear.

Transportation Rule 509B, is modified as follows: It must be understood that such signal indication may be due to an opposing train proceeding into the same block at the opposite end under an approach signal indication Rule 501B and before proceeding into the block every precaution consistent with running orders and the nature of the track ahead should be taken to insure safe movement through the block.

When a train dispatcher desires to advance a train from a station where by the rule it should enter the siding before passing a train order office, he may instruct the operator to use white signal as prescribed by Transportation Rule 12-c. The engineman may then continue to move his train on the main track to the signal at restricted speed and there be governed by train orders that are addressed to his train.

- Transportation Rule 606:—Emergency Signals are not used at interlockings or drawbridges operated by the Northern Pacific Railway.
- 7. Transportation Rule 728 is modified as follows: The red flag by day, and in addition the red light at night, will be placed twenty (20) rail lengths distant from the point of obstruction instead of fifty (50) rail lengths. The flagman will be located with the yellow signals, one mile distant beyond the red signals. On the approach of a train the flagman will display the yellow signals, which must be acknowledged by the enginemen in accordance with Rule 14 (g). In territory authorized by the Superintendent, the yellow signals will be placed as prescribed and the flagman will not be required except during fog, storms or otherwise bad weather.
- 8. When a siding is to be used temporarily as a main track, the switches will be set and locked for the siding and must be protected by flagman until train order covering the movement is issued to all trains and the section foreman of that section notified; the flagman to remain until released by the train dispatcher.
- 9. Helper engines waiting to help trains will keep clear of main track until train to be helped has arrived and stopped.
- 10. In case of failure of communicating signal system on passenger trains, and on freight trains when conditions permit, enginemen will receive "proceed" signal before passing any station.
- 11. Engines coupling to passenger trains, and in making coupling between passenger cars, engine or cars must be brought to a full stop not more than thirty or less than ten feet from the train, before making coupling.
- SPEED RESTRICTIONS—Except as otherwise provided:
   Passenger trains, sixty (60) M. P. H. Freight trains, fifty (50) M. P. H., except when restricted to lower rate of speed by engine speed restrictions.

ENGINES—All A, Q and P Classes, and Classes S-4 and T, sixty (60) M. P. H., except when used on passenger trains where higher speed is authorized; Z-6, sixty (60) M. P. H., other Z Classes, thirty-five (35) M. P. H. All other Classes, fifty (50) M. P. H. Switch engines under steam, moving between stations, fifteen (15) M. P. H.

ALL TRAINS AND ENGINES—Fifteen (15) M. P. H. through crossovers, turnouts and gauntlets; twenty-five (25) M. P. H. passing telegraph offices where orders are delivered; thirty (30) M. P. H. over interlocked crossings, and when handling steam wrecking derrick, pile driver or locomotive crane.

To avoid damage to rail and bridges by moving locomotives having main or side rods down, over the road at too high a speed, the following speeds will be maximum permitted:

ON MAIN LINE-

With main and side rods removed: All A and Q Classes 30 M. P. H. All other Classes 25 M. P. H. With main rods removed and side rods in place: All A and Q Classes All other Classes 35 M. P. H.

ON BRANCH LINES— With either or both main and side rods removed: All A and Q Classes

25 M. P. H. All other Classes 20 M. P. H. OVER BRIDGES-Main or Branch Line 20 M. P. H.

In moving over bridges with speed restrictions against the class of engine being so moved, a further restriction of one-half the restricted speed for that class of engine shall be observed.

30 M. P. H.

13. Bridge Restrictions for Single and Double Header Engines—Where no mention is made of single or double heading, the instructions apply alike to single and double header engines of each class.

An engine of any class double-headed with an engine of lighter class will carry the same restrictions as if the heavier engine were double-headed with its own class, unless instructions to the contrary have been issued.

14. Spring Switches:

Maximum speed for all facing point and trailing point movements through switch fifteen (15) M. P. H. Trailing movements on the track for which the switch is normally lined may be made at normal

Trains trailing through or stopping on a spring switch must not back up or take slack until points have been thrown by hand. Flying switches over or through spring switches are prohibited. When operated by hand, lever must be moved slowly, keeping a steady pressure on the handle until the switch is thrown and the handle is in the notch on the switch stand provided for it. When signal governing block in which spring switch is located is at stop, or where automatic block signals do not govern account trains running against current of traffic, facing point movements must not be made over switch until points have been examined. Sand must not be used over points of spring switches.

- 15. At points where there are close clearances, trainmen will work on the opposite side of train from them; and, if necessary, the fireman will receive the signals and communicate them to the engineman.
- 16. Before moving a work or wrecking train, the whistle signal (14-b) or (14-h) must be sounded for the protection of men working about such trains.
- 17. Gas-Electric motor cars handled in freight trains, must be behind

Test of hand brakes of Gas-Electric motor cars must be made once each trip. If crew has charge of moving car prior to leaving initial station, test will be made during such movement; otherwise, as soon as possible after leaving initial station. On cars equipped with "Deadman's Control", conductor and engineman will cooperate in making test.

- 18. Precautions must be taken on double track to prevent accidents from swinging doors or other loose construction attached to cars or locomotives. Trains handling logs must stop when being met or passed by passenger trains.
- 19. First class trains must move within yard limits at restricted speed.
- 20. Second class and inferior trains and engines may run ahead of delayed first class trains.
- 21. Extra trains, work extras and switch engines do not require train orders for movement between West Duluth Jct. and Duluth, between Central Ave. and Rice's Point, between Central Ave. and East End, and between West Duluth Jct. and Superior.

- 22. Flagman must be stationed on the rear car, at all times, and be provided with proper flagging equipment. In case train is stopped on main track, flagman must go back immediately with stop signals a sufficient distance to insure full protection to his train. Conductors and switch foremen will be held responsible for the strict observance
- 23. Telegraphers having train orders or messages to deliver to passing trains, will stand to the right hand side of the train and avoid standing between tracks when possible to do so.
- 24. The D. T. main track is the northmost track between the Hanna Coal Dock crossing and connection with Grassy Point main track. All switches leading from this track, when not in use, will be left lined for D. T. Rv.
- 25. All trains and engines using D. T. main track from connection of Missabe coal dock to east end of Zenith Furnace Company's lead, on Grassy Point line, will move in both directions at restricted speed, expecting to find the D. T. main track occupied.
- D. T. connection, located at east end of Zenith Furnace Company's lead, Grassy Point line, will be considered a railroad crossing. Trains and engines using this connection will come to full stop and make sure that track is clear before proceeding.
- 27. BULLETIN STATIONS—

Duluth—Rice's Point yard office. Rice's Point roundhouse. Union Depot.

28. STANDARD TIME CLOCKS-

Duluth, Union Depot. Rice's Point Roundhouse.

29. WATCH INSPECTORS-

Duluth, O. M. Hopper—Med. Arts Bldg. Duluth, Harlan Wells, 8 No. 5th Ave. West. Duluth, Louis Pederson, 18 No. 21st Ave. West. West Duluth, W. F. Hurst. Superior, L. J. Howatt.

Schedule meetings or passing stations are indicated in full-faced type; numbers of the trains meeting, passing or being passed will not be shown.

#### RAILROAD CROSSINGS AND INTERLOCKINGS.

#### First Sub-division

West D. M. & I. R. Junction, Interlocking. Soo Line Crossing, Interlocking. D. W. & P. Jct., Interlocking. West Duluth Jct., Automatic Interlocking. West Duluth Jct., D. T. Ry. Crossing. Minnesota Steel Co. Crossing, Morgan Park.

#### Second Sub-division

Bridge Switch and Elevator Station, Interlocking. Minnesota Draw, Interlocking.
Wisconsin Draw, Interlocking.
L. S. T. & T. Ry., Winter St. Crossing, Superior.

#### Third Sub-division

Berwind Interlocking is a Junction with Soo Line and D. W. & P. Grassy Point Draw, Interlocking.
D. T. Connection. L. S. T. & T. Ry. Crossing. G. N. Ry. Crossing.

#### Fourth Sub-division

C. St. P. M. & O. Crossing, Interlocking. Soo Line Crossing, Interlocking.

|  | LIMIT OF LOAD MEASUREMENT |               |               |               |               |               |               |                     |               |                |               |
|--|---------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------------|---------------|----------------|---------------|
|  | HEIGHT ABOVE TOP OF RAIL  |               |               |               |               |               |               |                     |               |                |               |
|  | 1 ft.<br>Wide             | 2 ft.<br>Wide | 8 ft.<br>Wide | 4 ft.<br>Wide | 5 ft.<br>Wide | 6 ft.<br>Wide | 7 ft.<br>Wide | 7 ft. 6 in.<br>Wide | 8 ft.<br>Wide | Max.<br>Height | Max.<br>Width |
| 1st Sub-division, Duluth to Fond du Lac            | 19' 0"                    | 19' 0"        | 19' 0"        | 19' 0"        | 19' 0"        | 19' 0"        | 19' 0"        | 19' 0"              | 19' 0"        | 19' 0"         | 11' 6"        |
| 2nd Sub-division, Garfield Ave. to Central Ave.    | 20′ 3″                    | 20′ 3″        | 20' 3"        | 20′ 3″        | 20′ 3″        | 20′ 3″        | 20′ 3″        | 20′ 3″              | 20′ 3″        | 20′ 3″         | 11' 6"        |
| 3rd Sub-division, W. Duluth Jet. to Superior U. D. | 20′ 3″                    | 20' 3"        | 20′ 3″        | 20′ 3″        | 20′ 3″        | 20′ 3″        | 20′ 3″        | 20′ 3″              | 20′ 3″        | 20′ 3″         | 11' 6"        |
| 4th Sub-division, East End to Central Ave          | 21' 0"                    | 21' 0"        | 21' 0"        | 21' 0"        | 21' 0"        | 21' 0"        | 21' 0"        | 21' 0"              | 21' 0"        | 21' 0"         | 11' 6"        |

|  | LIMIT OF LOAD MEASUREMENT |               |                     |                |                    |                   |                |                      |                |               |
|--|---------------------------|---------------|---------------------|----------------|--------------------|-------------------|----------------|----------------------|----------------|---------------|
|  | HEIGHT ABOVE TOP OF RAIL  |               |                     |                |                    |                   |                |                      |                |               |
|  | 8 ft. 6 in.<br>Wide       | 9 ft.<br>Wide | 9 ft. 6 in.<br>Wide | 10 ft.<br>Wide | 10ft. 2in.<br>Wide | 10ft.6in.<br>Wide | 11 ft.<br>Wide | 11 ft. 6 in.<br>Wide | Max.<br>Height | Max.<br>Width |
| 1st Sub-division, Duluth to Fond du Lac            | 19' 0"                    | 19' 0"        | 19' 0"              | 19' 0"         | 19' 0"             | 19' 0"            | 19' 0"         | 19' 0"               | 19' 0"         | 11' 6"        |
| 2nd Sub-division, Garfield Ave. to Central Ave     | 20′ 3″                    | 20′ 3″        | 20' 3"              | 20' 3"         | 20′ 3″             | 20′ 3″            | 20′ 3″         | 20' 3"               | 20′ 3″         | 11' 6"        |
| 3rd Sub-division, W. Duluth Jct. to Superior U. D. | 20′ 3″                    | 20' 3"        | 20′ 3″              | 20′ 3″         | 20′ 3″             | 20′ 3″            | 20′ 3″         | 20′ 3″               | 20′ 8″         | 11' 6"        |
| 4th Sub-division, East End to Central Ave          | 21' 0"                    | 21' 0"        | 21' 0"              | 21′ 0″         | 21' 0"             | 21' 0"            | 21' 0"         | 21' 0"               | 21' 0"         | 11' 6"        |

## SPEED TABLE.

| Time<br>per Mile<br>Min. Sec | Miles<br>per<br>s. Hour              | Tin<br>per I<br>Min. |                | Miles<br>per<br>Hour     |       | me<br>Mile<br>Sec. | Miles<br>per<br>Hour |
|------------------------------|--------------------------------------|----------------------|----------------|--------------------------|-------|--------------------|----------------------|
|                              | . 60<br>1 59<br>2 58                 | 1 1 1                | 20<br>25<br>80 | 45<br>42.3<br>40         | 3 3   | 9                  | 21.2<br>20<br>19     |
| 1                            | 3 57.1<br>4 56.2<br>5 55.3<br>6 54.5 | 1 1 1 2              | 40<br>45<br>50 | 36<br>34.3<br>32.7<br>30 | 3 3 3 | 20<br>31<br>45     | 18<br>17<br>16       |
| 1                            | 7 58.7<br>8 52.9<br>9 52.1           | 2 2 2                | 10<br>15<br>20 | 27.6<br>26.6<br>25.7     | 5 6 7 | 30                 | 15<br>12<br>10<br>8  |
| 1 1                          | 0 51.4<br>2 50<br>5 48               | 2 2 2                | 80<br>40<br>45 | 24<br>22.5<br>21.8       | 10    |                    |                      |

C. T. SPONSEL, Asst. Supt. H. J. McCALL, Asst. Supt. H. J. COUNCILMAN, Trainmaster. E. J. WIGG, Chief Dispatcher.

