### NORTHERN PACIFIC RAILWAY COMPANY.

MINNEAPOLIS & ST. LOUIS RAILROAD

## JOINT

# TERMINAL TABLE

In Effect at 12:01 A. M. Central or 90th Meridian Time.

SUNDAY, JUNE 5, 1927.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table, and destroy all previous numbers. Read carefully the Special Instructions, and always have for reference a copy of the TRANSPORTATION RULES.

T. H. LANTRY, General Manager.

W. H. STRACHAN, General Superintendent. P. H. McCAULEY,
General Superintendent of Transportation.

G. H. JACOBUS,
Superintendent.

E. E. NASH, Chief Operating Officer, M. & St. L. R. R. R. E. RYAN.

Superintendent, M. & St. L. R. R.

T O

JOINT N. P. & M. & ST. L. DIVISION FIRST SUB-DIVISION WESTWARD (JOINT TERMINAL) SECOND CLASS FERST CLASS TIME TABLE No. 179. 151 153 157 159 627 625 63 115 59 79 65 101 67 61 113 June 5, 1927. Distance from Stillwater. Nun Mixed Mixed Mixed Mixed Freigh Passenger Passenge Passenger Passenge Succeeding No. 178. Can Fig. Station Except Sunday Except Sunday Except Sunday Sunday Only Except Sunday Except Sat. & Sun. Daily SS C Except Sunday Except Sunday Except Sunday Daily STATIONS 6.25 AL 12.05 NL 3.40 NL 7.15 NE .....STILLWATER...... Yard LG 12 0.0 f 7.28 6.38 112.19 f 3.52 25 LG 9 4.0 ..........SUMMIT...... 1 7.35 6.45 112,26 1 3 58 Soo Line Crossing 8 Car Spur LG 7 s 7.45 12.36 s 4.07 6.01P 9.1 ......P 4.09 7.47 7.02 12.38 6.03 LG 31/2 .....есно..... f 7.48 7.03 112.39 f 4.10 6.04 .....PENINSULA...... LG 3 10.0 1 7.49 7.04 112.40 4.116.05 LG 21/2 .....CLUB HOUSE..... f12.42 4.13 1 7.51 7.05 6.07 LG 2 10.7 ......DELLWOOD...... 4 Car Spur 1 4.15 1 7.54 7.07 112.45 6.09 LG 1 11.4 .... WHITE BEAR BEACH ... 7.09 112.48 f 4.17 f 7.57 6.12 LG 1/4 .....TENTH STREET...... 12.1 7.11 AM A12.50 PM A 4.20 PM A 8.00 PM L 4.17 AM L 4.30 AM L 5.47# L 7.17# L 7.35# L 1.15# L 4.25 M L 5.42 M L 6.01 M A 6.15 M L 8.30M 628-626 12.7 WB.....WHITE BEAR ..... DN Yard L 141 W T 4.19 f 1.17 | s 4.27 s 7.19 L1411/2 7 5.49 \$ 7.37 5 5.44 .....LAKE SHORE...... 4.22 14.3 .... M. A D. JUNCTION
(Ash Street Passenger Station)
4.7 Ь 142 7.21 7.40 ΥХ Soo Line Cross'g—Track Conn. GN.....GLOSTER.....DN To Mississippi Street Yard 8.6 A 4.37₩ L 147 s 7.30 7.49 s 1.30 s 4.40 \$ 5.55 6.12 8.41 Yard s 6.04 BETWEEN MISSISSIPPI STREET AND GLOSTER TRAINS USING SOO LINE TRACK WILL BE GOVERNED BY SOO LINE TIME TABLE AND RULES. Soo Line Connection.

MY.MISSISSIPPI ST. Y'D DN
Interlocked. east end.

Yard 8 142 A 4.554 19.0 Soo Line Cross'g—Track Conn.
19.0 QN ......GLOSTER .......DN Yard L 147 8.41 5.55 6.12 6.04 7.30 7.49 **1.30** s 4.40 .....P Yard L 149 Yard L 150 8.46 Forest Street—Interlocked 6.11 \$ 7.36 4.46 6.01 6.16 5 7.56 1.36 21.5 8.52 C. B. & Q. R. R. Crossing 6.22 L 151 7.42 8.02 1.42 4.52 6.07 23.5

W T Y	24.0	USAINT PAULDN		1.	5			s	A 4.55P		5		A 8.55M		-							Soo Line		<del></del>	Soo Line	
		<u> </u>	BE	TWEEN	ST. PAL	IL AND	MINNEA	POLIS TR	RAINS US	ING GRE	AT NO	RTHERN	TRACKS	WILL B	E GOVER	NED BY	GREAT	NORTH	ERN TIN	NE TABL	AND R	ULES.	I		<u> </u>	
		S MINNEAPOLIS DN (Great Northern Passenger Station)			A 7.00#			4 2.25 PM			A 7.009	и .	A 9.30P	.,			. ÷.									
-					Daily	Except Sunday	Except Sunday	Except Sunday	Except Sat. & Sun.	Sunday Only	Daily	Except Sat. & Sun	Daily	7.7				Except Sunday	Except Sunday	Except Sunday	Ercept Sunday	Daily	Daily		Except Sunday	
		Time over Sub-Division		-	.83	.28	.30	.30	.30	.28	.24	.14	.25					.41	.45	.40	.45	. 20	.45		.25	
		Average Speed Per Hour		-	20.5	24.2	22.6	22.6	22.6	24.2	28.2	15.4	27.1					18.5	16.9	19.0	16.9	18.9	14.4		15,1	
				<del>:                                    </del>	<u>'</u>		<u>'</u>	<del>!</del>			<u>'</u>	· · ·			: -	1774 C		500	1.							

### EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION.

### DOUBLE TRACK AND AUTOMATIC BLOCK BETWEEN THIRD STREET JCT. AND WHITE BEAR.

Between Claymont and Third Street Junction Mountain Grade Rules will govern Operation of Westward Freight Trains. See Special Instructions page 8.

- Enginemen will not be required to consult register, except at initial or starting point.

  At White Bear all trains must approach and pull over FOURTH STREET Crossing under control.

  At White Bear flying switches over highway crossings are prohibited.

  At White Bear, Main Line movements in either direction between White Bear and the new yard must be made with the current
- At Gloster cars may be placed on tracks Nos. 1, 2, 3, 4, Scale track and Passing track. At Gloster, Class "W" power must not be handled on tracks 1, 2, 3 and 4.

  Switch targets are numbered and lettered as shown above.
- At Third Street Junction, St. Paul, Northern Pacific Engines Class "W" or larger and C. M. and St. P. Engines Class "C" and "L" or larger, are not permitted to use cross overs to and from tracks three (3) and four (4) leading to the White Bear Line.
- Between Third Street Junction and Union Depot, double track; trains and engines will be governed by Saint Paul Union Depot Rules and Regulations.

THIRD CLASS

721

. 2.30₩

2.33

2.37

A 2.55%

3.10₩

Daily

4.32

4.35

4:50

4.50

A 5.30M

- Rules and Regulations.

  At Third Street Junction, St. Paul, crossing with C. B. & Q. Railway is single track.

  St. Paul Yard overhead bridge at Omaha crossing, and tunnel at Seventh Street will not clear a man on side of car.

  St. Paul Yard, Minnehaha Street Bridge, opposite Hamm's Brewery, will not clear a man on top of a box car.

  East of Seventh Street tunnel, all westward trains must approach cross-over switch under control, expecting to find cross-over in use.

### EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION.

Yard Limit Boards-White Bear and Stillwater.

JOINT N. P. & M. & ST. L.

iS

### DOUBLE TRACK AND AUTOMATIC BLOCK BETWEEN THIRD STREET JCT. AND WHITE BEAR.

Passengers from Minneapolis desiring to make connection at St. Paul with train No. 68 will be handled on train No. 60. Conductors of all trains using Soo Line tracks between Gloster and Trout Brook Junction will register in train register book at telegraph office Gloster before departure.

Passenger extras and light road engines may run ahead of delayed first-class trains without orders.

Conductors of trains and Enginemen of light engines in and out of Stillwater will make out register ticket Form 608, covering their arrival and departure at Stillwater and will give them to the operator at White Bear.

At Stillwater Passenger Station, close clearance exists at roof of train shed.

Between Sum nit and Stillwater and other gra les where in the judgment of Enginemen retainers are necessary in accordance with rules, they must be used.

At White Bear, normal position of double track switch is for westward trains.

JOINT N. P. & M. & ST. L. EASTWAR TIME TA Form 571 7-14-26 10M RP June Northern Pacific Railway Company 24.0 .....รบ Bulletin No. 108 17.8 ..... DULL ĵ **9**7 Division..... July 9. 14.9 ..... MAHT 14.4 .....E 14.0 .....PEN 13.7 ...... CLUE Effective Sunday, July 10th, train No. 79 13.3 ......DEL between White Bear and St. Paul is annulled during 12.6 .... WHITE B the continuance of joint time table No. 179 in effect .....TENTH W T 11.8 WB.....WM17 June 5, 1927. Effective Sunday, July 10th, passenger 9.7 .... NS. & D. (Ash Street F extra will be run Sundays only, leaving Taylors 5.0 Soo. Line Cros GN .....GL To Mississing Falls 6:30 P.M. arriving St. Paul 8:30 P.M. Soo Line MY,MISSISS Interlec Soo Line Cros G. H. JACOBUS, 2.9 .....CLA Superintendent. EHB-2 WCS-2 JBM JR-2 Agent-Gloster Η'n PHM-18 LJB9.0 U.....SAIN RPB CCA CVE FDM Time Over

Conductors of all trains using soo Line tracks between Gloster and Trout Brook Junction will register in train register book at telegraph office Gloster before departure.

Passenger extras and light road engines may run ahead of delayed first-class trains without orders.

 			SEC	COND CL	ASS			THIRD	CLAS
	152	154	158	160	628	626		722	:
	Mixed	Mixed	Mired	Mixed	Freight	C. M. & St. P. Freight		Way Freight	
	Except Sunday	Except Sunday	Except Sunday	Except Sunday	Daily	Daily	:	Except Sunday	:
	A 6.05M	A10.05₩	A 3.10 PM	A 6.57 PM					
	f 5.51	f 9.51	1 2.56	1 6.43			:		
	5.44	1 9.44	1 2 50	1 6.37					15.4
	s 5.34	9.34	s 2.42	s~6.29			:	*	· ·
	5.32	1 9.32	2.40	1 6.27					
	5.31	1 9.31	1 2.39	1 6.26			:		
	5.30	1 9.30	1 2.38	1 6.25					
	5.28	1 9.28	f 2.36	1 6.23			-		
	5.25	1 9.25	1 2.34	1 6.21					
	5.22	f 9.22	1 2.32	1 6.19		-			
	L 5.20AM	L 9.20A	L 2.30™	8.17% 115	A 8.40™	A 8.50%		A 7.50M	
					8.37	8.46		7.48	٠.
					8.33	8.42	:	7.45	
<del> </del>					L 8.15™	8.22		L 7.30A	
500 LI	NE TIME	TABLE	AND RU	LES.				-	
						and the second second			
					L 8.00P			L 7.15AM	
			-			8.22			
<del></del>									
						L 8.0.0P			
·····					Via Soo Line			Via Soo Line	
BEAT	ORTHER	Marine 186	724 D 1 F 1	AND DIT					
MEAI N		ris tillige	IADLE,	ngu Rul	.E.J.				
									<u> </u>
	Except Sunday	Except Sunday	Except Sunday	Except Sunday	Daily	Daily		Except Sunday	٠.
	,45	.45	40	.40	.25	.50		.20	·
	16.9	16.9	19.0	19.0	18.1	12.9		18.9	

### D WHITE BEAR.

Passengers from Minnesperature and out of Stillwater will make out register ticket Form 608, covering Conductors of all trains using soo Line tracks between Gloster and Trout Brook Junction will register in train register book at their arrival and departure at Stillwater and will give them to the operator at White Bear. At Stillwater Passenger Station, close clearance exists at roof of train shed.

Between Sum nit and Stillwater and other gra les where in the judgment of Enginemen retainers are necessary in accordance with

At White Bear, normal position of double track switch is for westward trains.

### SECOND SUB-DIVISION (JOINT TERMINAL)

WESTWARD

_	1						CLASS							1	1 1	i	اما		1 1113 1	CLASS.		OND CLA
			201	203	303	305	307	309	315	207	325	317	321	319		TIME TABLE No. 179.	Soales Wyes nits.	211	209		165	167
- 1			M. & St. L.	M. & St. L.	800	Soo	800	Soo	Soo	M. & St. L.	Soo	Boo	Soo	800	noe from Paul.	June 5, 1927.	ter, Fuel, in Tables, Yard Lin	M. & St. L.	1. & St. L.		M. & St. L.	M. & St. L.
	1 1	ł į	2	13	Chgo, Div. 2	84	107	62	109	6	14	8	Chgo. Div.	105	Pau	Succeeding No. 178.	Yarc	15	4		98	92
			Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	##	STATIONS	Wate Turn	Passenger	Passenger		Freight	Freight
			Ex. Sunday	Ez. Sunday	Daily	Ex. Sunday	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ä			Daily	Daily		Daily	Daily
		-	L 7.30 <sup>M</sup>	L 8.15AM	L 8.25₩	L10.45		L 1.50№		L 6.05™	L 6.15™	L 6.50M	1, 7.45 <sup>pg</sup>		0.0	USAINT PAULDN 0.6 C. B. & Q. R. R. CROSSING	W,T.	L 8.40™ I	. 9.00™		<u> </u>	
1			7.32	8.17	8.27	10.47		1.52		6.07	6.18	6.52	7.48		0.6	To Miss. St. 1.2		8.42	9.02			
						/4::::::::::::::::::::::::::::::::::::										SEVENTH STREET 0.9						L 9.30M
			7.35	8.20	A 8.32M	10-51		1.56		6.10	A 6.24PM	6.56	A 7.5494		1.8	MX. MISSISSIPPI ST. Y'D. DN Interlocked, east end. See Line Connection. 1. I	W,C,T.	8.45	9.05		7.33	9.33
			7.38	8.23		A10.55#		A 2.00PM		6.13		A 7-00P			2.9	See Line Connection.		8.48	9.08	-	7.37	9.37
-			7.44	8.29						6.19	·				5.9	COMO SHOPSP	W.	8.54	9.14		7.47	9.47
															6.7	Q. N. CROSSINQ 0.6 Electric Automatic Interlocking.						
			7.47	8.32				-		6.22					7.8	P. Q. N. Connection 0.5		8.57	9.17		7.52	9.52
			7.48	8.33						6.23					7.8	ST. ANTHONY PARK JCT.P 0.6 Interlocked.	Y.	8.58	9.18		7.54	9.54
_			7.50	8.35						6.25					8.4	EUSTIS STREETP		9.00	9.20		7.56	9.56 10.16
			7.54	8.39						6.29					9.9	C. & G. W Connections O. 9 Interlocked.		9.04	9.24		8.01	10.21
			7.56	8.41						6.31					10.8	NINETEENTH AVE. SOUTH. Railway Transfer Connection 0.7		9.06	9.26		8.04	10.24
			7.58	8.43			<b>1</b> 12.30™		L 5.50%	6.33				L 8:23 <sup>8</sup>	11.5	C. M. & St. P. Connection.		9.08	9.28		8.07	10.27
			A 8.004	A 8.45			A12.34™		A 5.5594	A 6.35P				A 8.26M	12.3	FIRST STREET NORTHP MINNEAPOLIS M. & ST. L. Connection		A 9-10PE	A 9.30PM		A 8-10PM	A10-30PM
			Except Sunday	Except Sunday	Daily	Except Sunday	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily				Daily	Daily		Daily	Daily
			.80	.30	.07	.10	.04	.10	.05	.80	.09	.10	.09	.03		Time over Sub-Division		.80	24.6		17.1	17.1

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION.
DOUBLE TRACK BETWEEN THIRD STREET, ST. PAUL, AND FIRST STREET NORTH, MINNEAPOLIS.

### AUTOMATIC BLOCK FROM SEVENTH ST., ST. PAUL, TO TWELFTH AVE. SE., MINNEAPOLIS.

Enginemen will not be required to consult register except at initial or starting point.

Yard Limits.—First Street North to Twentieth Avenue South.

Between Third Street and Union Depot, trains and engines on double track will be governed by St. Paul Union Depot Rules and Regulations.

At Third Street, St. Paul, crossing with C. B. & Q. Railway is single track.

At Third Street, St. Paul, westward second class and inferior trains may run ahead of delayed first class trains, when given the route by switchtenders.

At Third Street double track switch on East Side line is protected by a derail and Semaphore on Eastward Main track. All trains in either direction will stop at end of double track and proceed only on Switchtender's signal.

At Fourth Street Yard, St. Paul, the supports under Seventh Street Bridge will not clear a man on the side of a car on tracks 6, 8, 9, 10 and 11.

Passenger extras and light road engines may run ahead of delayed first-class trains without orders.

At Mississippi Street tower the Train Order Signal is to govern Soo Line Chicago Division outgoing trains exclusively.

Approaching St. Anthony Park Junction Enginemen will, when necessary, call for route as follows:

Straight Main Line East or West (Line A) —
Line A to Line B Westward track — —
Line A to Eastward track Line B — — —

Line B to Line A via West Wye — — — Line A to Line B via West Wye — — — Line B to Line A Eastward —

In order to prevent cars running out over the derails at the West end of Eustis Street Yard, the hand brakes must in all cases be set with a club on the first six (6) cars from the West end of each track. Yard Foremen will be held responsible for knowing this is done.

At Eustis Street Yard, all trains must call St. Anthony Park Tower on Phone located in old Tower and obtain permission to Cross-over before fouling either the Eastward or Westward Main Line.

At Union all Eastward and Westward trains going to or coming from Great Northern Yard, must call Towerman St. Anthony Park on Phone and obtain permission to Cross-over.

### SECOND SUB-DIVISION (JOINT TERMINAL)

### **EASTWARD**

			FIRST	CLASS						<u> </u>				-			FIRST (	CLASS		·	SECONE	/ CLAS
	302	304	202	306	200	206	310	324	308	٠,	TIME TABLE No. 179. June 5, 1927	Scales, Wyes nits.	312	316	320	208	210				164	.
	Soo	Soo	M. & St. L.	Soo Chgo, Div.	M. & St. L.	1 .		Soo	Soo	from	Succeeding No. 178.	Fuel, Sables, Trd Lim	Soo Chgo, Div.	800	!	M. & St. L.	1.				M. & St. L. 97	. м. & St. 95
	106	110	3	3	-	5	7	13	85	nnoe innoe	\	ter F rard Yard	1	108	63	14	1			, <del> </del>	Freight	Freigh
			_		-    .	Passenger	-	Passenger	.	122	STATIONS	교육명		Passenger	<u>-</u>	Passenger	<del></del>			,	Daily	Daily
 	Daily	Daily	Daily	Daily	Daily	Daily	Daily		Ex. Sunday	-}		<b>PE</b> 8	Daily	Daily	Daily	Ex. Sunday	Ex. Sunday	<del>-</del> -	<del>-                                    </del>	,		1
		l	A 7.50AM	A 8.05AM	A 8.10	A 9.00	A 9.30M	A11.00	4 2.10 M	12.3	C. B. & Q. R. R. CROSSING	W,T,Y		-		A 5.55™						
			7.48	8.03.	8.08	8.58	9.27	10.55	2.07	11.7	THIRD STREET From Miss. St. 1.2		3.57	***************************************	5.27	5.53	7.43				4 204	
			'			[ '					SEVENTH STREET											A 7:00
			7.45	L 7.59A	8.04	8.55	9.23	L10.47	2.03	10.5	MXMISSISSIPPI ST. Y'DDN Interlocked east end Soo Line Connection 1.1	W,C,T	L 3.52№		5.22	5.50	7.40				4.24	6.54
			7.42		8.01	8.52	L 920M		L 2.00PM	9.4	Soo Line JCT				L 5.19N	5.47	7.37				4.18	6.48
			7.36		7.54	8.46	<del></del>			8.4						5.41	7.31				4.03	6.33
										5.6										·		
			7.33		7.50	8.43				5.0	d. N. Connection					5.38	7.28				3.56	6.26
			7.32		7.48	8.42	-			4.5		Y				5.37	7.27				3.53	6.23
			7.30		7.46	8.40		-		3.9	BUSTIS STREETP					5.35	7.25			1	3.50	6.20
			7.26		7.42	8.36				2.4						5.31	7.21				342	6.12
			7.24		7.39	8.34				1.5						5.29	7.19				3.38	6.08
	A 6.30A	A 6.58A	7.22		7.37	8.32				0.8	SIXTH AVE. SOUTH 0.8 C. M. & St. P. Connection	-		A 4.50P#		5.27	7.17				3.34	6.0
	L 6.26AM	L 6.55A	L 7.20M	1	L 7.35M	1 8.30M	1			0.0	.FIRST STREET NORTH P MINNEAPOLIS M. & St. L. Connection			L 4.46F#		L 5.25%	L 7.15				L 3.30#	L 6.0
	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Except Sunday	1			Daily	Daily	Daily	Except Sunday	Except Sunday				Daily	Dail
	.04	.03	.30	.06	,35	.30	.10	13.0	.10	- <del></del>	Time over Sub-Division	ĺ	.08	.04	.11	.30	.80				1.00	1.
 	12.0	16.0	24.6	18.0	21.0	24.6	17.4.	8.3	17.4	-	Average Speed Per Hour	1	13.5	12.0	15.8	24.6	24.6	<u>!</u>			11.4	11.4

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN THIRD STREET, ST. PAUL, AND FIRST STREET NORTH, MINNEAPOLIS.

### AUTOMATIC BLOCK FROM TWELFTH AVENUE SE. MINNEAPOLIS TO WEST END OF ST. PAUL TUNNEL.

YARD LIMITS:

First Street North to Twentieth Avenue South.

Enginemen approaching Mississippi Street on Main line will call for route, or if Dwarf Signal route is desired will call for either as indicated below. The Two arm Semaphore located one hundred feet west of the Interlocking Tower, governs routes as follows: Top arm governs movements on Eastward Main Line to Third Street. The bottom arm governs movements over turn-out to Fourth Street yard, via West Side Line, and movements over Cross-over between the Eastward and Westward tracks of East State Line.

Whistle Call

— — Freight Tracks to Seventh Street.

— — Passenger Tracks to Union Depot.

— — Round House.

-- -- Coal Dock.

At Mississippi Street and St. Anthony Park Junction diverging inferior class trains will not be required to procure orders on the time of delayed first-class trains moving in the same direction on double track, but when given the route by towerman will be governed accordingly and may proceed, but if detained and are overtaken by such delayed first-class trains, must let them by

At Park Junction, all Eastward trains filling out or picking up trains at that point, must call Towerman St. Anthony Park on phone and secure line-up of trains on Line A.

### THIRD SUB-DIVISION.

(JOINT TERMINAL)

						 e e .	:		٠.
 	3 <u>-1-7-1-</u>	FIBCT	CI	Δ < <		 	-	;	•

WESTWARD

		FIRS	T CLASS									15. 00		TIME TABLE No. 179.			F	IRST CL	ASS		
	65	13	9	3	307	61	315	4 0	63	319	59	Soale Wye Imits.	E:S	June 5, 1927.	7	1					
	N.P. 65	N. P. 13	N. P.	N. P. 3	800 107	N. P. 61	800 109	N. P. 11	N. P. 63	800 105	N. P. 59	rables ard L	neapo	Succeeding No. 178.	N. P.	N. P.					
P	assenger l	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Water Turn and Y	Mir	STATIONS	Passenger	Passenger					
	Daily	Daily	Ex. Sunday	Daily	Daily	Ex. Sunday	Daily	Daily	Daily	Daily	Daily	BE 5	Ω		Daily	Daily					
L	7.00# L	. 9.05₩	L 9.25M	.10.30AN		L 2.25M		L 6.50≊	L 7.05₽		L 9.30™		0.0	S MINNEAPOLISDN (Great Harthers Passenger Staffox) 0.5	L11.15M	L11.30P					
BETWEEN GREAT NORT	HERN P	ASSENG	ER STAT	TION AN	D FIRST	STREET	NORTH	, MINNE	APOLIS,	TRAINS	WILL BE	E GOV	ern	ED BY GREAT NORTHE	RN TIM	E TABLE	AND R	ULES.			
					L12.35		L 5.56™			L 8.28			0.5	GREAT NORTHERN CROS'G		-					
A	7.05AM	9.09	9.29	10.34	12.37	\$ 2.30%	5.58	6.54	A 7-10PM	8-30	A 9.35P	W,O,T.	0.8	N. P. FREIGHT YARDP	11.19	11.34				<del></del>	
		9.10	9.30	10.35	A12.39M	4	A 6.00PM	6.55		A 8-32F			1.1	FIFTEENTH AVE. NORTH. Soo Line Connection 1.2 Interlocked	11.20	11.35		:			
		9.14	9.34	10.39				6.59				Y	2.3	MULBERRY LINE JCTP	11.24	11.39					
		A 9.20	A 9.40M	A10.45A				A 7.05P				W,C,O,	3.8	NJ NORTHTOWNDN Great Northern Crossing	A11.30P#	A11.45P					
	Daily	Daily	Except Sunday	Daily	Daily	Except Sunday	Daily	Daily	Daily	Daily	Daily				Daily	Daily					
	0.5	.15	.15	. 15	.04	0.5	-04	.15	.05	.04	.05			Time ever Sub-Division	.15	.15					
	9.6	15.2	15 2	15.2	9.0	9.6	9.0	15.2	9.6	9.0	9.6		1.	Average Speed Per Hour	15.2	15.2					

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION.

DOUBLE TRACK BETWEEN GREAT NORTHERN CROSSING AND NORTHTOWN.

WESTWARD	FOURTH SUB-DIVISION. (JOINT TERMINAL)	EASTWARD
	Time Table No. 179.    Author	
	Y, X. 0.0	
	7.9	
	W. Y. 12.2 EAST RINNEAPOLIS P Yard L 154	
	Time over Sub-Division  Average Speed Per Hour	

### EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION.

### SPECIAL INSTRUCTIONS

At Minneapolis, between Plymouth Avenue and Twentieth Avenue North, the clearance along the Omaha delivery track adjoining the Main Line and between the Omaha delivery and receiving tracks is not sufficient to permit men riding on side of cars at all points.

of cars at all points.

At Minneapolis, the overhead clearance of bridge over tracks at the east end of the "D" yard at 29th and University Avenues, northeast, does not afford sufficient clearance to men riding on top of automobile cars in a standing position.

Line "B" extends between Northtown and Switch Connecting with Line "A", at St. Anthony Park Junction, and includes the west wye at St. Anthony Park Junction. Train movements over this line are subject to all rules governing yard operation. The proper display of markers is required of crews furnished with cabooses while operating over the running tracks on Line "B". When movements are made without cabooses, a member of the crew will be required to ride the rear car. However, it should be understood that responsibility for collision will ordinarily rest with engineman of the approaching train.

					1.5	· ·						RD SUI								·			EA	STWARD
							FIRST C	LASS		1						1	1	TIME TABLE No. 179.			FIF	RST CLAS	S	
		-			-	302	304	8	4	62	12	64.	60	316	10	Scales, Wyes nits.		June 5, 1927.	2	14	66			
						800 106	800 110	N. P.	N. P. 4	N. P. 62	N. P. 12	N.P. 64	NP 60	900 108	N.P. 10	4 4 4	fron wh.	Succeeding No. 178.	N. P.	N. P. 14	N. P. 66			
						Passeng	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Water, Fur Tab	rthto		Passenger	Passenger	Passenger			
	·					Daily	Daily	Daily	Daily	Except Sunday	Daily	Daily	Daily	Daily	Except Sunday	P T &	ŽŽ	STATIONS	Daily	Daily	Daily			
			.,					A 7.05M	A 7.10₩	A 7.35AM	A 7.50M	A 1.00PM	A 4.45P#		A 5.23PM		3.8	S, MINNEAPOLIS DN (Great Morthern Passanger Station)	A 8.2374	A 9.30P#	A11.00%		· · · · · · · · · · · · · · · · · · ·	
	the section		BETV	EEN GRE	AT NORTHE	ERN PASSE?	GER STA	TION AN	D FIRST	STREET	NORTH	, MINNE	APOLIS,	TRAINS	WILL E	E GO	VER	NED BY GREAT NORTHE	RN TIM	E TABLI	E AND R	ULES.		<u> </u>
		1																						
						A 6.25	A 6.55							A 4.45PM	4		3.3	GREAT NORTHERN CROS'G						-
· · · · ·						A 6.25		7.00	7.05	L 7.30M	7.45				5.18	WOT		GREAT NORTHERN CROS'G 0.3N. P. FREIGHT YARDP	8 18	9.25	L10.55P		-	
	-					6.23		7.00	7.05	L 7.30M	7.45	L12.55№			5.18	WOT	3.0	0,3		9.25	L10.55%			
						6.23	6.53	7.00		L 7.30M		L12.55™		4.43	5.18		3.0	N. P. FREIGHT YARDP	8 18		L10.55P			
						6.23	6.53	7.00 6.59 6.55	7.04		7.44			4.43	5·18 5·17 5·13		3.0	0.3N. P. FREIGHT YARDP 0.3IFITEENTH AVE. NORTH. Soo Line Connection 1.2 Interlocked	8-18	9.24				
						6.23	6.53	7.00 6.59 6.55	7.04		7.44			4.43	5·18 5·17 5·13		3.0	0.3N. P. FREIGHT YARDP 0.3FIFTEENTH AVE. NORTH. Soo Line Connection 1.2 InterlockedMULBERRY LINE JCTP 1.5	8-18	9.24				
						6.23 L 6.22	6.53 M L 6.52AM Daily	7.00 6.59 6.55 <b>L</b> 6.50	7.04 7.00 1 6.55	Ē :	7.44 7.40 L 7.35		L 4.40PM	4.43 L 4.41W	5.18 5.17 5.13 L 5.08 <sup>24</sup>		3.0	0.3N. P. FREIGHT YARDP 0.3FIFTEENTH AVE. NORTH. Soo Line Connection 1.2 InterlockedMULBERRY LINE JCTP 1.5	8-18 8-17 8-13 L 8-08PM	9.24 9.20 L 9.15				

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN NORTHTOWN AND GREAT NORTHERN CROSSING.

Northern Pacific Conductors taking their trains at St. Paul Union Depot will register at Assistant Superintendent's office.

Passenger train flagmen must ride outside on rear platform between St. Paul and Northtown, to be in position to drop off immediately their train stops and protect it. Conductors will see that flagmen comply with this rule.

At Minneapolis Great Northern Passenger Station, when passenger trains are pushed, helper engine will be cut off at the stop

Passenger extras and light road engines may run ahead of delayed first-class trains without orders.

Between Northtown and Great Northern Crossing, regular trains will not exceed schedule speed and irregular trains must use not less than twelve (12) minutes.

Between Northtown and Great Northern Crossing Switch, Transfer and light engine movement may be made ahead of de-layed first class trains without train orders, but conductors, foremen and enginemen will inform themselves through the yard-master or train dispatcher as to how late first class trains will be and avoid delaying them.

All trains will run at restricted speed between Northtown and Great Northern Crossing, expecting to find yard engines using

At Northtown, University Ave. Bridge at east end of yard will not clear a man on side of car.

At The Minneapolis General Electric Co.'s Plant, Marshall Street and 28th Avenue North East, Minneapolis, Northern Pacific power will be permitted on tracks Nos. 1, 2, 3, 4 and 5 only. Under no circumstances will Northern Pacific power be allowed on Trestle Bridges west of Track No. 3.

Engines coupling to passenger trains, and in making coupling between passenger Cars, Engine or Cars must be brought to a full stop not more than thirty (30) or less than ten (10) feet from the train before making coupling.

### ENGINE RESTRICTIONS OVER BRIDGES, JOINT TERMINAL, SAINT PAUL DIVISION.

STILLWATER TO ST. PAUL-Speed will be restricted over Bridge 11, Broadway Street, Stillwater, as follows: Single or double header engine classes Q, S, S1, S2, S3, S4 and S10 will not exceed eight (8) miles per hour.

Engines classes T, Q1 and heavier not permitted.

Speed will be restricted over Bridge O-1, Fourth Street, as follows:

Single or double header engine classes A, Q5, Q6, W3, W5, Z, Z1, Z2, Z3 and Z4 will not exceed eight (8) miles per hour.

C. M. & St. P. Mallet type Engines Class "N" will not exceed fifteen (15) miles per hour.

SAINT PAUL AND MINNEAPOLIS TERMINALS WEST SIDE LINE-Speed will be restricted over Bridges O-3 and 1, Trout Brook, as follows:

Single or double header engine classes G1, G2, T, Q1, Q2, Q3 and Q4 will not exceed eight (8) miles per hour. Engine classes A, W, W1, W2, W3, W4, W5, Z, Z1, Z2, Z3 and Z4 will not be permitted.

LINE "A"—Speed will be restricted over Bridge 3, Maryland Street, as follows:
Single header engine classes G1, G2, W, W1, W2 and W4 will not exceed eight (8) miles per hour.
Engine classes A, Q5, Q6, W3, W5, Z, Z1, Z2, Z3 and Z4 may be hauled as dead engines without coal or water, at five (5) miles

Engine classes G1, G2, T and heavier power will not be permitted over the following tracks in the Minneapolis Terminals:

Gould Elevator Tracks, Carpenter & Lamb Tracks, Minneapolis General Electric Co. Tracks, Bousfield Wooden Ware Co. Tracks, Glueck Brewing Co. Tracks, Ramsey Street Tracks.

EAST MINNEAPOLIS TO WHITE BEAR—Speed will be restricted over Bridge 8, as follows: Single and double header engine classes G1, G2, W, W1, W2 and W4 will not exceed ten (10) miles per hour. Engine classes T and lighter will not exceed fifteen (15) miles per hour. Single or double header engine classes A, Q5, Q6, W3, W5, Z, Z1, Z2, Z3 and Z4 will not be permitted.

									Likely	OF LOAD	D—MEAS	UREMEN	T							
			,						HEIG	HT ABO	TOP	OF RAIL								
	•	1' 0" Wide	2' 0" Wide	5' 0" Wide	4' 0'' Wide	5' 0" Wide	6′ 0″ Wide	7′ 0″ Wide	7' 6" Wide	8' 0" Wide	8' 6" Wide	9′ 0″ Wide	9' 6" Wide	10' 0" Wide	10′ 2″ Wide	10′ 6″ Wide	11' 0" Wide	11' 6" Wide	Max. Height	Max. Width
1st Subdivision	Stillwater to 3rd St. Jet.	17' 0"	17' 0"	17' 0"	17' 6"	17' 0"	17' 0"	17' 0"	17' 0"	16' 6"	16' 0"	15′ 3″	14' 6"	13' 9"	13' 4"	12' 4"			17' 0"	10' 9
2nd Subdivision	3rd St. St. Paul to 3rd Ave. North, Minneapolis	16' 3"	16' 1"	15' 11"	15′ 8″	15′ 5″	15' 2"	14' 11"	14' 9"	14' 6"	14' 4"	14' 2"	14' 0"	13' 9"	13' 8"	13' 6"	13' 1"		16' 3"	11' 4
3rd Subdivision	Great Northern Passenger Station to Northtown	18′ 7″	18′ 7″	18' 7"	18' 7"	18′ 7″	18' 7"	18′ 7″	18′ 7″	18′ 7″	18′ 7″	18' 7"	18′ 7″	18' 7''	18' 7"	18′ 7″	18' 7"	18' 7"	18′ 7″	11' 6'
4th Subdivision	M. & D. Jct. to East Mpls. Jct.	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19′ 3″	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	11' 6

### SPECIAL INSTRUCTIONS.

### SPEED RESTRICTIONS.

Speed of any passenger train handling gas-electric unit being towed in a train must be restricted to forty-five (45) miles per hour.

Class W, W-1, W-2 and W-4 Engines will not exceed forty (40) miles per hour and Class W-3 and W-5 Engines will not exceed thirty-five (35) miles per hour at any time.

Through Cross-overs, turn-outs and gauntlets, fifteen (15) miles per hour. Road Engines backing up will not exceed twenty (20) miles per hour; and Switch Engines moving over main track, running ahead, or backing up will not exceed fifteen (15) miles per hour.

At Stillwater, Eastward trains will reduce speed to fifteen (15) miles per hour between Yard Limit board and Stillwater Station.

Between White Bear and Mahtomedi regular trains backing up will use full schedule time. Irregular trains will use not less than fifteen (15) minutes. Between White Bear and Peninsula Class T Engines must not exceed ten

(10) miles per hour.

At White Bear speed of trains between White Bear and Lake Shore stations, must not exceed twelve (12) miles per hour.

Between Gloster and Trout Brook Jct., over Soo Line tracks, Class W-3 Engines must not exceed twenty-five (25) miles per hour.

From Claymont Yard to Third Street Junction, westward freight trains must

use fifteen (15) minutes.

At St. Paul speed of passenger trains from East Seventh Street to Third Street Junction must not exceed that shown on time table. At St. Paul through Seventh Street tunnel and between tunnel and Third

At St. Paul through Seventh Street tunnel and between tunnel and Third Street Junction, freight trains must not exceed eight (8) miles per hour. Through interlocking plants speed will be limited to thirty (30) miles per hour. This however does not effect any previous ruling at plants where speed is limited to less than thirty (30) miles.

At Mississippi Street Interlocking Plant, St. Paul. All trains will approach "Home Signal" under control, prepared to Stop and must not exceed Twelve (12) miles per hour through the Plant.

Passing La Fayette Avenue on west side line leading to and from Seventh Street, speed must not exceed eight (8) miles per hour.

Between Twenty-third (23d) Ave. S. E. and Twentieth (20th) Ave. South Minneapolis, speed of trains must not exceed Twenty-five (25) miles per hour. On Minneapolis Branch Class T Engines must not exceed twenty (20) miles and Class W fifteen (15) miles per hour at any point.

### TRAIN RULES.

TRAIN RULES.

When conditions will permit, Enginemen on freight trains will receive proceed signal from rear of train before passing any station.

In case of accident or defective track on the Main Line between switches, when necessary to utilize the side track for main line, the following instructions will govern: In addition to setting and locking switches for the side track and covering the same by train order, to fully protect approaching trains as prescribed by Transportation Rules 99 and 1728, until movement over main line is resumed, conductors finding it necessary to leave switches set for siding, must fully protect approaching trains until relieved by track men, or other employes competent and equipped to do so.

### STANDARD TIME CLOCKS

St. Paul, Assistant Superintendent's Office. Mississippi Street, Foreman's Office, Round House, and Yard Office. Northtown, Telegraph Office. White Bear, Telegraph Office. Minneapolis, Dispatcher's Office.

### WATCH INSPECTORS

St. Paul—Haman & Company.

" "—A. Lindahl, 910 Payne Ave.

Minneapolis—Barker Jewelry Co., 1311 Washington Ave., North.

" —Samuel H. Lindquist, 4171 Washington Ave., North.

" —W. B. Dahl, Central and Lowry Avenues N. E.

—Munns & Pomerleau, 221 East Hennepin Ave.

Stillweter—August Gforce.

### PUSHER DISTRICTS.

East Minneapolis and a point  $2\frac{1}{2}$  miles toward White Bear. Stillwater and 2 miles west.

Stillwater-August Gfrerer.

### CLEARANCE EXCEPTIONS

Eastward trains will not require Clearance Card at Northtown if train order Eastward trains will not require Clearance Card at Northtown if train order signal is in proceed position.

At Gloster, trains running through between Third Street Junction and White Bear in either direction will not require Clearance if train order signal is in proceed position, except that trains which leave St. Paul without Clearance Card must obtain Clearance Card at Gloster.

Trains may leave Stillwater, Mahtomedi, Seventh Street, Mississippi Street Yard, Soo Line Junction, Sixth Avenue South, First Street North, N. P. Freight Yard and Fifteenth Avenue North without Clearance Cards. Trains whose runs terminate at N. P. Freight Yard, Minneapolis, may leave Minneapolis G. N. Passenger Station without Clearance Card.

Extra trains and Yard Engines moving with the current of traffic may run via Line "A" or Line "B" between Northtown and Third Street or Seventh Street, St. Paul, or between points intermediate and may leave Claymont and East Seventh Street without orders or Clearance Card.

### DERAILING SWITCHES.

Stillwater, West End of Old Prison Track, inside of Gate.
Summit, East End of Siding.
Duluth Junction, North End of Spur.
White Bear, West End of White Bear Lumber Co.'s Spur.
Claymont, West End of Sidings 1, 2, 3 and 4.
East Seventh Street, West End of Team Track and West End of Omaha Transfer Track. St. Paul. East Side line, Eastward track near Fourth Street Bridge. Paper-Calmenson Spur, Sixth Street, East End.
Mississippi Street, St. Paul, Foot of out bound emergency track connecting with the Coal Storage Spur. West End of Oil Transfer Track. West End of Coal Dock Hopper Track. West End of Bunker Hill Track. West End of Bunker Hill Track.
Rice Street Spur, East End.
Lexington Ave. Spur, East End.
Como, West End of Siding.
Snelling Avenue, Minnesota Bi-Product Co.'s Yard, West End.
Snelling Avenue Track, West End.
Bayless Avenue Spur, West End.
Eustis Street Yard, Tracks 1, 2 and lead at West End, Track 1 and lead at Eustis Street Yard, Tracks 1, 2 and lead at West End, Track 1 and lead at East End.

Brown Sheet Mctal track, north end.

Prospect Park, East End Peteler's Siding.

South East Minneapolis, West End of Gas Traction Foundry Co.'s Track.

Fifteenth Avenue, S. E., College of Mines Spur, East End.

Minneapolis Lower Yard, East End of Transfer Track.

North Minneapolis. West End of Omaha Transfer track.

North Minneapolis. West End of Omaha Transfer track.

Diamond Boiler works track, near 23d Avenue.

Minneapolis, East End of North East Yard.

Northtown, East End Ice House track.

Little Canada, West End of Siding.

Rose, East and West End of Siding.

East Minneapolis, North End of W. S. Nott Track.

Derailers must be kept in derailing position when not in use. BULLETIN STATIONS.

St. Paul, Assistant Superintendent's Office. Fourth Street, Yard Office.

Mississippi Street, Foreman's Office, Round House and Yard Office. White Bear, Telegraph Office.
Northtown, Telegraph and Foreman's Office, Round House.
Minneapolis, Lower Yard Office.
East Minneapolis, Yard Office.

### REGISTERING STATIONS.

St. Paul, Telegraph Office, Union Depot. St. Paul, Fourth Street Yard Office, for M. & St. L. Freight trains. Mississippi Street Yard Office, for trains originating or terminating there. Gloster. White Bear. Mahtomedi, Register Box, attached to north side of station. Stillwater. Northtown. Minneapolis, Great Northern Passenger Station Minneapolis, Freight Yard, for First Class trains and Passenger extras originating or terminating there.

East Minneapolis, for Fourth Sub-division trains.

### REGISTER EXCEPTIONS.

At Northtown, First Class trains and Passenger extras will register by Card Form (608).

At White Bear, trains Nos. 59 and 60 will register by Card Form (608) and will be handed a Clearance by Operator. No. 60 will also be given a Check of the Register on Form (602) by Operator.

At White Bear, Westward Second Class trains and extras from the Lake At White Bear, Westward Second Class trains and extras from the Lake Superior Division will register by Card Form (608) and will be given Check of Register on Form (602) and Clearance by Operator. At Gloster, trains running through between Third Street Junction and White Bear in either direction will Register by Card Form (608).

### COMMERCIAL SPURS.

### First Sub-Division.

### Distance from White Bear:

Peoples Coal and Ice Company Spur

0.8 Miles

Ma Bet trai All "Un Unl use of a

may Seco whe All

be p tion trai Mo

### AUTHORIZED SURGEONS.

Location of Stretchers (S)	Telepho Office	ne Number Residence
Dr. A. W. Ide, Chief Surgeon St. Paul Dr. M. A. Shillington,	Nestor 2866	Dale 9018 Midway 2446
Dr. H. G. Collie, Dr. B. I. Derauf, Dr. H. Edstrom, Associate Surgeons, N. P. B. A. Hospital, St. Paul (S)	Nestor 2866	Nestor 2866 Nestor 3837
Dr. F. R. Gratzek, Dr. J. W. Jesion N. P. General Office Bldg., St. Paul	Cedet:2340	Dala 7010
Dr. R. R. Cranmer Minneapolis	Geneva 5441 Geneva 5066	Cherry 3637 Dykewater 1262
Dr. W. R. Humphrey Stillwater (S) Dr. J. H. McClanahan White Bear (S) Dr. T. S. McClanahan White Bear	33 217J1	167. 217J 217J3
SPECIALISTS.		
Dr. L. A. Nelson, Oculist 734 Lowry Bldg., St. Paul	Cedar 2846	
Dr. A. C. Heath, Nose & Throat	Cedar 4871 Geneva 6203	. •
St. Paul. Fourth Street, Yard Office (S)		• .
St. Paul, Mississippi Street, Round House (S) St. Paul, Mississippi Street, Car Foreman's Office (S) St. Paul, Mississippi Street, Yard Office (S)	,	•
St. Paul. Como Shops (S)		
Northtown, Round House (S) Northtown, Transfer Office (S)		
Northtown, Tool Car No. 4 Steam Derrick (S)	•	
East Minnéapolis, Yard Office (S) Minneapolis, Lower Yard, Car Foreman's Office (S)		

### NOTE.

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Associacable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the service of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at Northern Pacific hospitals. The Northern Pacific Beneficial Association will not be responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

### MOUNTAIN OPERATION BETWEEN CLAYMONT AND THIRD STREET JUNCTION, ST. PAUL

PER TRANSPORTATION RULE No. 1003 AND AIR BRAKE INSTRUCTION BOOK.

- 1. At Claymont, Westward Freight Trains will stop engine just East of Crossover so opposing trains may use the crossover.
- 2. Rear Brakeman will protect rear of train.
- Engineman will apply brakes making a continuous service reduction of 20 pounds from brake pipe pressure. If application for stop is made from 70 pounds brake pipe pressure he will add sufficient as stop is being completed to make a total reduction of 20 pounds; on completion he will give one blast of the whistle as advice to trainmen that brakes are fully applied.
- Conductor will then start from caboose and head brakeman from engine, inspect all brakes from the ground, noting number of brakes applied and holding, as indicated by cylinder piston rods. Correct piston travel should not be less than six inches and not over nine inches. On meeting the brakeman will advise conductor of number of good brakes in portion of train brakeman inspected, conductor will then determine tons per good brake by dividing total tonnage by number of good brakes in train. It must be understood that no train will be handled down this grade having less than eighty-five (85) per cent operative brakes
- On conductor and brakeman meeting, signal will be given to engineman to release, he will answer by two blasts of the whistle, place and leave handle of brake valve in release position and as quickly as possible, charge up train line to eighty-five (85) or ninety (90) pounds pressure before starting.

- 6. When brakes are released, conductor will go forward and brakeman continue to rear, each turning up all retaining valves on his portion of train. All must be used.
- 7. Brakeman will return to his regular position and conductor will notify engineman as to the total number of cars and the number of tons per good brake in train, and they will confer and agree as to precautions necessary to control train safely.
- If tonnage per good brake is found by the test to exceed 50, it should be taken as an indication of possible need of hand brake assistance and trainmen must be on the alert to render such aid if its necessity becomes apparent. The engineer will call for hand brake aid whenever there are indications of his losing control of the train. Except in cases of liability of losing control, no hand brakes will be used while descending the grade. Brakemen will ride on top of train from Claymont to Third Street.
- Engineman will pull out slow enough so conductor can catch caboose after seeing that brakes are released.
- Conductor must observe caboose gauge constantly during the descent of hill and promptly render any assistance which pressure shown thereby may indicate as needed.
- In case of accident, train breaking in two, or pulling out draw bar, hand brakes must be applied on train immediately to prevent train or cars getting away.

Freight trains and transfers will not handle to exceed sixty (60) cars down the grade from Claymont to Third Street Junction.

J. B. McLANE, Assistant Superintendent.

L. J. BENNER, Trainmaster.

A STATE OF THE PARTY OF THE PAR

HENRY FLANAGAN. Trainmaster. E. H. BRILEY, Chief Dispatcher.

### SPECIAL RULES.

### GOVERNING M. & ST. L. TRAINS BETWEEN 1st STREET NORTH AND 20th AVENUE SOUTH, MINNEAPOLIS.

All trains, transfers and light engines will register by ticket at 1st Street North. Maximum speed limit for passenger trains, 20 miles per hour; for all other trains and light engines, 15 miles per hour.

Between 1st Street North and 6th Avenue South, and between 18th and 20th Avenue South, maximum speed limit for passenger trains, 15 miles per hour; for all other trains and light engines, 10 miles per hour.

All trains and engines must move under control between 1st Street North and 20th Avenue South.

"Under Control" as used herein means being able to stop within the distance track is seen to be clear. Unless otherwise ordered train orders are not required between 1st Street North and 20th Avenue South. Engines and trains must use right-hand track and move with the current of traffic. Switch engines may use the double track between these points on the time of all except first class trains, under protection, but be prepared to clear main track without delay to regular trains and transfers; and may use the track UNDER PROTECTION, on the time of first class trains after such trains are five minutes late.

Second and inferior class and extra trains and switch engines may run ahead of first class trains which are five minutes or more late, when this can be done without delay to first class trains, and may be run ahead of each other, without orders. All trains, switch engines and light engines occupying main tracks at any point between 1st Street North and 20th Avenue South must be protected, but this rule will in no manner relieve enginemen of responsibility in case of collision, for failure to observe speed restrictions or for failure to move under control at any point, and in case of collision, responsibility will ordinarily rest with the approaching

Movements over crossovers must be protected in both directions.

Movements over crossovers must be proceeded in both directions.

Movements between 1st Street North and First St. South will be governed by automatic block signals; the end of track section protected by automatic block signals is indicated by a sign post reading, "End Block." Lights will govern train movements by day as well as by night; one light only should appear at any one time. A green light indicates track clear, Proceed. A yellow light indicates Caution, that block in advance is occupied, approach next signal at end of block under control. A red light indicates Stop, block not clear,

broken rail, open switch or other obstruction, and train must be brought to a full stop at least 20 feet back of signal and may then proceed under control expecting to find the block obstructed and enginemen will be held responsible in case of accident caused by overtaking a preceding train. When signals are out of order, that is when two lights or more show at the same time, or when a white light is shown, or when no lights show, it will be considered a Stop Signal and trains will proceed accordingly; enginemen will report the signal that is out of order to Superintendent at first available telephone or telegraph office. It must be understood that automatic block signals in no way relieve men in charge of trains, switching transfers and light engines, of protecting whenever and wherever required by these

Switches at 1st Street North and at 6th Avenue South will be handled by switch tenders. All trains and engines must approach these switches under control, prepared to stop, and must not proceed until it is known that the track is clear, switches are right, and a proceed signal has been received from the switch tender.

Switch connecting lead of wheat yard with the eastward main track between 16th and 18th Avenues South, is connected with a sema-phore indicating the position of the switch, and all eastward trains must approach this semaphore prepared to stop. Engine bell must be kept ringing when engine is moving at all points between 1st Street North and 20th Avenue South

"Proceed" hand signals given by watchman stationed at either side of Minneapolis Eastern crossovers only govern that particular location and connecting tracks, and must not be construed as indicating that main track beyond is clear. Cars must not be left on main track without an engine attached unless unavoidable in case of accident, in which event they must be protected by flagmen.

Between sunset and sunrise and at other times when day signals cannot be clearly seen, a red light must be displayed on the rear of all transfer trains; when such trains are provided with caboose, proper display of markers is required.

These special rules govern main tracks of the Minneapolis & St. Louis Railroad Company between 1st Street North and 20th Avenue South, Minneapolis, and they supersede all other rules and instructions inconsistent therewith.

R. E. RYAN, Superintendent, M. & St. L. R. R.

curring to service to for which

=====

0.8 Miles

ımber esidence

'ay 2446

9018

7019

y 3637 water 1262 167 217J 217J3

zer practie Associaphysician. irgical aid company tion after

Northern ere unless d cases of

