NORTHERN PAGIFIC RAILWAY GUNPANY.

MINNEAPOLIS & ST. LOUIS RAILROAD

JOINT TOO TERMINAL TABLE

In Effect at 12:01 A. M. Central or 90th Meridian Time.

SUNDAY, JUNE 9, 1929.

For the Government of Employes only. The Company reserves the right to vary therefrom at pleasure. Be positive that you have the Current Time Table, and destroy all previous numbers. Read carefully the Special Instructions, and always have for reference a copy of the TRANSPORTATION RULES.

T. H. LANTRY, General Manager.

W. H. STRACHAN,
General Superintendent.

P. H. McCAULEY,

General Superintendent of Transportation.

T. M. FLYNN, Superintendent.

E. E. NASH, Chief Operating Officer, M. & St. L. R. R.

R. E. RYAN, Superintendent, M. & St. L. R. R.

W	ES.	IWARD					-				HIR.	ST SUI	ERMINA	L)			·			· .						
	-									F	IRST CL	ASS			· · · · · ·			1	SE	COND C	LASS			THIRD	CLASS	
Turn Tables, Wyes and Yard Limits. Distance from		TIME TABLE No. 188.	*5	9618.	65	67	61	63						-	:			627	625	-			715	721		
Turn Tables, Wand Yard Limite		June 9, 1929. Succeeding No. 187.	aoity	Numbe	Passenger	Passenge	Passenge	г Раззепдег		-	-	-					_	Freight	C. M. St. P. & P.				Way Freight	Way Freight		
Tab Kard	wate		Can Egg.				_			-	_			·	-	_		-	Freight			_	 	-		-
Turn Diet	3.5	STATIONS	SS	Station	Daily	Except Sunday	Except Sunday	Daily	:									Daily	Daily				Except Sunday	Except Sunday	÷	ŀ
v x	0.0	STILLWATER	Yard	LG 12					-														L 3.15 ^{PM}			
	{	summit	18	LG 9							-							*					1 3.29			
	6.2	Soo Line Crossing		LG 7		1					-	<u>.</u>								. : :			1 3.36			
	9.1	2.9	15	LG 4		-		-		-	-	. :			· · · · · · · · · · · · · · · · · · ·	-	-						1 3.46			-
		0.8 есно		LG 314						· · · ·	-						-			· · ·		-	3.49			┢
		PENINSULA		LG 8				-	·	-	-		ļ		<u> </u>	- 	_	ļ	-				f 3.50			
		0.8	ļ	LG 234	ļ	-	-	-				-										-	1 3.51	-		-
	I	0.4	4 Car	LG 2	ļ		_			ļ		-					-						1 3.53	 -		
!			Spur	LG 1		·			ļ	-	ļ	<u> </u>		-	·	 		 					f 3.56			-
		WHITE BEAR BEACH		LG 1/4			<u> </u>		ļ		-			-		ļ 							1 3.59	-	-	-
———	- 1	TENTH STREET 0.6 WBWHITE BEARDN			1 5 9 7 18	1 7 174	WI 1150	# L 6.31%		<u> </u>	-				-		<u>.</u>	4174	L 4.30 M		· ·	ļ		L 2.30%		-
	I	0.8	l <u></u> -		f 5.29	<u> </u>	_1`	- 0.31	ļ	ļ								4.19	4.32	· · · · · · · · · · · · · · · · · · ·		ļ		2.33		-
		LAKE SHORE		1		1 7.21			ļ 	-	ļ				-		-	4.22	4.35					2.37	i	-
		(Ash Street Passenger Station) 4.7				1 1.21		-				<u></u>]· -								***		-	
ζ 1	9.0	Soo Line Cross'g—Track Conn. ON. GLOSTER. DN To Mississippi Street Yard 3.6	Yard	L 147	s 5.40	s 7.30	s 1.30	6.42			1 -			 !				A 4.3744	4.47	** .		i .		A 2.55P#		
		TO Miladistry Dates Laid 6.0		BETW	EEN MIS	SISSIPP	STREET	CAND GL	OSTER '	TRAINS	USING S	CO LINE	TRACK	WILL BI	GOVER	NED BY	SOO LI	NE TIME	TABLE	AND RU	LES.				## WAR	
F C 22	2.6	Soo Line Connection. MY MISSISSIPPI ST. Y'D DN Interlooked. east end.	Yard	8 142									·					A 4.55™						Å 3.10P#		
19	9.0	Soo Line Cross'g—Track Conn. GNGLOSTERDN 2.1	Yard	L 147	s 5.40	• 7.30	s 1.30	6.42											4.47							
21	1.1	CLAY MONT P	Yard	L 149			· 												4.53 5.05							
21	1.5	0.4EAST SEVENTH ST Forest Street—Interlocked	Yard	L 150	s 5.46	• 7.36	s 1.36	6.46			-								-5.00							
23	3.5	THIRD STREET JCTP C. B. & Q. R. R. Crossing	Yard	L 181	5.52	742	1.42	6.52	• :		İ							<u>.</u> 17	1 5.20A							
T 24	I-	USAINT PAULDN		S 142	A 5.554k	₿ 7.45₩	1.45P#	A 6.55%		<u> </u>					1141			Via		•		\vdash		Via Soo Line		
		10.4		{	8		8	s		,								See Line						Soo Line		
1	1,	T PRIMARE NA	_	TWEEN				POLIS TR	AINS US	ING GR	EAT NOR	THERN T	RACKS	WILL BE	GOVER	NED BY	GREAT	NORTHE	KN LIM	E IABL	: AND K	DIES.		Į		
_	_ .	6 MINNEAPOLISDN (Great Northern Passenger Station)		-	A 6.40#		A 2.25 Pa	A 1.30 ₽						·			. ji 1									_
					Daily	Except Sunday	Except Sunday	Daily									_	Daily	Daily				Except Sunday	Except Sunday		
		Time over Sub-Division			.28	.28	.30	.24					:					. 20	.38				.45	.25		
1	-	Average Speed Per Hour		1 1	24.2	24.2	22.6	28.2	"			, , , , , , , , , , , , , , , , , , ,						18.9	17.8		1	<u>. </u>	16.9	15.1		<u> </u>

EASTWARD TRAIRS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION.

DOUBLE TRACK AND AUTOMATIC BLOCK BETWEEN THIRD STREET JCT. AND WHITE BEAR.

Between Claymont and Third Street Junction Mountain Grade Rules will govern Operation of Westward Freight Trains. See Special Instructions page 8.

Enginemen will not be required to consult register, except at initial or starting point.

At White Bear all trains must approach and pull over FOURTH STREET Crossing under control.

At White Bear flying switches over highway crossings are prohibited.

At White Bear, Main Line movements in either direction between White Bear and the new yard must be made with the current of the start of the st

At Gloster cars may be placed on tracks Nos. 1, 2, 3, 4, Scale track and Passing track. At Gloster, Class "W" power must not be handled on tracks 1, 2, 3 and 4. Switch targets are numbered and lettered as shown above.

Between Third Street Junction and Union Depot, double track; trains and engines will be governed by Saint Paul Union Depot Rules and Regulations.

At Third Street Junction, St. Paul, crossing with C. B. & Q. Railway is single track.

St. Paul Yard overhead bridge at Omaha crossing, and tunnel at Seventh Street will not clear a man on side of car.

St. Paul Yard, Minnehaha Street Bridge, opposite Hamm's Brewery, will not clear a man on top of a box car.

East of Seventh Street tunnel, all westward trains must approach cross-over switch under control, expecting to find cross-over in use.

SPECIAL INSTRICTIONS DACES 6 7 8 AND 0

SPECIAL INSTRUCTIONS, PAGES 6, 7, 8 AND 9.

	STW	
et. Δ	- W	AL PC 8 3

FIRST SUB-DIVISION (JOINT TERMINAL)

		TIME TABLE No. 188		[-	1		<u> </u>	· · · · · · · · · · · · · · · · · · ·	F	IRST CL	.ASS							SECOND CLASS	1	THIR	D CLASS	
Wyes	. 8	June 9, 1929	ا ا	Numbers.	62	64	68	66										628	626	716	722		·
ra Tables, Vard Lin	aul.	Succeeding No. 187.	Car Capacity Sidings.	on Nun	Passenger	Passonge	Passenge	Passenge	er .	-								Freight	C.M.St.P. & P. Freight	Way Freight	Way Freight		
and Y	Distance St. Paul.	STATIONS	·l———	Station	Except Sunday	Daily	Except Sunday	Daily							-			Daily	Daily	Except Sunday	Except Sunday		_
o Z	24.0	STILLWATER	Yard	LG 12	-															A 8.40#			
		SUMMIT		LG 9											_					f 8.27			
		Soo Line Crossing 2.9	!	LG 7																1 8.21			
_[14.9	MAHTOMEDIP	18	LG 4								_			-					f 8.11		·	
_ .		ECHO		LG 31/2														-		8.09			
_ _		PENINSULA		LG 3								-								8.08		<u> </u>	-
_ _		CLUB HOUSB	ļ	LG. 214					ē			-								8.07	<u> </u>		-
			4 Car Spur	LG 2																8.06			
_ _		WHITE BEAR BEACH		LG 1	<u>:</u>															8.04			-
		TENTH STREET		LQ 1/2									1							8.02			- -
<u> </u>		WBWHITE BEARDN 0.6		ll	<u>s</u>	A 2.23N	A 6.10 P	#12.30A					-					8.40M A	8.50%	L 8.00M	7.504		-
_ _		LAKE \$HORE			f 9.18		s 6.08					1-						8.37	8.46		7.48		-
_ _	9.7	(Ash Street Passenger Station) 4.7	Yard			- 6	6.05											8.33	842		7.45		-
	5.0	Soo. Line Cross'g—Track Conn. GN GLOSTER DN To Mississippi Street Yard 3.6	Yard	L 147	9.04	s 2.13	• 5.54	s12.14	·								[-	8.15™	8.22		7.30A		- -
ł	7			BETW	EEN MIS	SISSIPPI	STREE	T AND G	LOSTER	TRAINS	USING :	500 LIN	E TRAC	(WILL)	SE GOVER	NED BY	SOO LIN	E TIME	TABLE AND RUL	LES.		······································	
P .		Soo Line Connection. MY.MISSISSIPPI ST. Y'D., DN Interlocked, east end.	Yard	S 142	ļ. [ļ						8-00P#		L	7.15AM		
	— I	Soo Line Cross'g-Track Conn. GNQLOSTERDN 2.1			9.04	2.13	s 5.54	⁵12.14	·								 [-		8-22				_ -
-!	-											<u> </u>				-							_
İ	- 1	0.4	rard	- 1									<u> </u>		-							. <u> </u>	_ _
-	2.5	CLAYMONTP 0.4EAST SEVENTH ST Forest Street—Interlocked	Yard	!_	8.58	2.08	5.48	12.07						l]]	1	Į.	. 1	1 '	<u> </u>		1	
- -	2.5	BAST SEVENTH ST Forest Street—Interlocked	Yard	L 150	8.52			12.07 12.01#										L	8.000				- -
	0.5	EAST SEVENTH ST Forest Street—Interlocked	Yard Yard	L 150		2.02	5.42	12.01#									8		8.00%		Via		
	0.5	BAST SEVENTH ST Forest Street—Interlocked 2.0THIRD STREET JCTP C. B. & Q. R. R. Crossing 0.8	Yard Yard	L 150 L 151 3 142	8.52 8.50All	2.02 2.00M	5.42 • 5.40%	12:01 ^M L11:59 ^M	INS USI	NG GRE	AT NORT	HERN 1	RACKS	WILL BE	GOVERN	ED BY C		Via Soo Line			Via Joo Line	,	
	0.5	BAST SEVENTH ST Forest Street—Interlocked 2.0THIRD STREET JCTP C. B. & Q. R. R. Crossing 0.8	Yard Yard	L 150 L 151 S 142 L S 142 S 142	8.52 8.50All	2.02 2.00M	5.40 ²	12:01 ^M L11:59 ^M		NG GREA	AT NORT	HERN 1	RACKS	WILL BE	GOVERN	ED BY G		Via Soo Line	8.00M		Via loo Line	,	
	0.5	BAST SEVENTH ST Forest Street—Interlocked 2.0	Yard Yard	L 150 L 151 S 142 L S 142 L S 142 L S 142 L S 142 L S 142 L S 142 L	8.52 8.5044 S	2.02 2.00M	5.40 ²	12:01# L11:59M S		NG GREA	AT NORT	HERN 1	RACKS	WILL BE	GOVERN	ED BY G	REAT NO	Via Soo Line		ND RULES.	Via loo Line		

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION.

DOUBLE TRACK AND AUTOMATIC BLOCK BETWEEN THIRD STREET JCT. AND WHITE BEAR.

Conductors of all trains using Soo Line tracks between Gloster and Trout Brook Junction will register in train register book at telegraph office Gloster before departure.

Passenger extras and light road engines may run ahead of delayed first-class trains without orders.

Conductors of trains and Enginemen of light engines in and out of Stillwater will make out register ticket Form 608, covering their arrival and departure at Stillwater and will give them to the operator at White Bear.

At Stillwater Passenger Station, close clearance exists at roof of train shed.

Between Summit and Stillwater and other grades where in the judgment of Enginemen retainers are necessary in accordance with rules, they must be used.

At White Bear, normal position of double track switch is for westward trains.

SECOND	SUB-DIVISION	
(TOIN	(T TERMINAL)	

WESTWARD

		-		FIRST	T CLASS								_ (]	_ [FIR	T CLASS	<u> </u>	SEC	OND CLA	155
	201	203	325	303	305	-	309	315	207	317	321	319	_	TIME TABLE No. 188.	Scales Wyes mits.	211	209	327		165	167	l
	M. & St. L.		·	500	800	Boo	800		M. & St. L.	800	800	800		June 9, 1929.	-10.0	M. & St. L.	M. & St. L.	Soo		M. & St. L.	M. & St. L.	[
	2	13	14	Chgo. Div.	84	107	62	109	6	8	Cheo. Div.	105	Paul.	Succeeding No. 187.	Tan Far	15	4	13		98	92	
	<u> </u>		·	Passenger			Passenger			Passenger	Passenger	Passenger	1	CRARIONS	Water Turn and Y	Passonger	Passenger	Passenger		Freight	Freight	
	Ex. Sunday		-	ļ <u> </u>	Ex. Sunday		Daily	Daily	Daily	Daily	Daily	Daily	Δ.	STATIONS	PH 6	Daily	Daily	Daily		Daily	Daily	
			L 8.20	ļ	L10.45#		L 1.50%		L 6.30P	6.45PL	L 7.45P		0.0	USAINT PAULDN 0,6 C, B, & Q, R. R. CROSSING	W,T. Y.	L 8.40M	1 9.00 ^p					
	7.32	8-17	8.23	8.53	10.47		1.52		6.32	6.48	7.48		0.6	To Miss. St. 1.2		8.42	9.02					
			-						-				—	SEVENTH STREET						L 7.00PM	1 9.30PM	
	7.35	8-20	A 8-294	A 8.59A	10-51		1.56		6.35	6.52	A 7.54PM		1.8	MX. MISSISSIPPI ST. Y'D. DN Interlocked, east end. Soo Line Connection. 1.1	W,C,T	8.45	9.05			7.03	9.33	
	7.38	8.23			A10.55W		A 2.00%		6.38	A 6.55P			2.9	Soo Line JCT Soo Line Connection. 3.0		8.48	9.08			7.07	9.37	
	7.44	8.29							6.44				5.9	COMO 5HOP8P	w.	8.54	9.14			7.17	9.47	
													6.7	Q. N. CROSSINQ 0.6 Electric Automatic Interlocking.								
	7.47	8.32	-			-			6.47				7.8	Q. N. Connection 0.5		8.57	9.17			7.22	9.52	
	748	8.33	-			·			6.48				7.8	ST. ANTHONY PARK JCT.P 0.6 Interlocked.	₹,	8.58	9.18			7.24	9.54	
	7.50	8.35		 					6.50				8.4	EUSTIS STREETP		9.00	9.20			7.26	9.56	<u> </u>
	7.54	8-39							6.54				9.9	C. M. St.P. &P. Track C. & G. W. Connections G. N. Interlooked.		9.04	9.24			7.31	10.01	
	7.56	8.41	1						6.56				10.8	NINETEENTH AVE, SOUTH. Railway Transfer Connection 0.7		9.06	9.26			7.34	10.04	
	7.58	8.43	1			L12-28M		L 5.48%	6.58	·		L 8-23F	11.5	C. M. & St. P. Connection.		9.08	9.28	L11.52		7.37	10.07	
	A 8.00A	A 8.45	4			A12.31M		A 5.51M	A 7.00%			A 8-26M	12.8	FIRST STREET NORTHP MINNEAPOLIS M. & ST. I Connection		A 9.10M	A 9.30	■ A11.55%		A 7.40P	M A10-10PM	4
	Except Sunday	Except Sunday	Daily	Daily	Except Sunday	Daily	Daily	Daily	Daily	Daily	Daily	Daily				Daily	Daily	Daily		Daily	Daily	
	.30	.30		.09	.10	.03	.10	.03	.80	.10	.09	.03		Time over Sub-Division		.30	.30	.03		.40	.40	
	24.6	24.6	12.0	12.0	17.4	_	17.4	16.0	24.6	17.4	12.0	16.0	-	Average Speed Per Hour	1	24.6	24.6	16.0	l	17.1	17.1	[

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN THIRD STREET, ST. PAUL, AND FIRST STREET NORTH, MINNEAPOLIS..

AUTOMATIC BLOCK FROM SEVENTH ST., ST. PAUL, TO TWELFTH AVE. SE., MINNEAPOLIS.

Enginemen will not be required to consult register except at initial or starting point.

Yard Limits.—First Street North to Twentieth Avenue South.

Between Third Street and Union Depot, trains and engines on double track will be governed by St. Paul Union Depot Rules and Regulations.

At Third Street, St. Paul, crossing with C. B. & Q. Railway is single track.

At Third Street, St. Paul, westward second class and inferior trains may run ahead of delayed first class trains, when given the route by switchtenders.

At Third Street double track switch on East Side line is protected by a derail and Semaphore on Eastward Main track. All trains in either direction will stop at end of double track and proceed only on Switchtender's signal.

At Fourth Street Yard, St. Paul, the supports under Seventh Street Bridge will not clear a man on the side of a car on tracks 6, 8, 9, 10 and 11.

Passenger extras and light road engines may run ahead of delayed first-class trains without orders.

At Mississippi Street tower the Train Order Signal is to govern Soo Line Chicago Division outgoing trains exclusively.

Approaching St. Anthony Park Junction Enginemen will, when necessary, call for route as follows:

Straight Main Line East or West (Line A) — Line A to Line B Westward track — — Line A to Eastward track Line B — — — Line B to Line A via West Wye — — — Line A to Line B via West Wye — — — Line B to Line A Eastward —

In order to prevent cars running out over the derails at the West end of Eustis Street Yard, the hand brakes must in all cases be set with a club on the first six (6) cars from the West end of each track. Yard Foremen will be held responsible for knowing this is done.

At Eustis Street Yard, all trains must call St. Anthony Park Tower on Phone located in yard office and obtain permission to Cross-over before fouling either the Eastward or Westward Main Line.

At Union all Eastward and Westward trains going to or coming from Great Northern Yard, must call Towerman St. Anthony Park on Phone and obtain permission to Cross-over.

SECOND SUB-DIVISION (JOINT TERMINAL)

EASTWARD

	1	T	T	T	Ī	T :	CLASS	1	ī	1	1	1 · ·	· †		-		· · · · ·			FIRST	CLASS			ISECON	D CLAS
	_		_	302	324	304	310	202	306	200	206	308		TIME TABLE No. 188	Scales, Wyes	312	320	208	316	210	326		1	164	1
-				Boo	Soo	Boo	800	M. & St. L	Soc Dia	M. & St. L.	M. & St. I	. Boo	걸	June 9, 1929.	in Section	800	Soo	M. & St. L.		M. & St. L					
		-		106	14	110	7	3	Chgo. Div		5	85	808	Succeeding No. 187.	Puel,	Chgo. Div.	63	14	108	1 . or pr. L	1	1		i i	L. M. & St.
	- <u> </u>	-		Passenger	-	 -	Passenger	Passenger	Passenger	Passenger	Passenger	Passonge	器		, ig a	Passenger				Personana	13		 	97	95
	-		_	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Sunds		STATIONS	PT Par	Daily	Daily	Ev Speden	Deil-	Er. Sunday			-	Freight	
						. *	A 7.454	A 7.504	A 8.05M	A 8-10M	A 9.004	4 2.10P	12.3	USAINT PAULDE	W,T,Y	A 4.00PM	4 5.30Pa	A 5.55M		ــــــــــــــــــــــــــــــــــــــ	A10.45		 	Daily	Daily
	-		<u> </u>	<u> </u>	<u> </u>	ļ		·				<u> </u>		C. B. & Q. R. R. CROSSING				, U-00-1		H 1.49W	HIO:40	1		į	
	-		ــــــــــــــــــــــــــــــــــــــ				7.42	748	8.03	808	8.58	2.07	11.7			3.57	5.27	5.53		7.43	10.41		-		-
												-		SEVENTH STREET					<u> </u>					4.308	A 7.00
							7.38	7.45	L 7.59#	8.04	8.55	2.03	10.5		W.C.T	1 3.50%	5.22	5.50		77.00					
	-		-		ļ									MXMISSISSIPPI ST. Y'DDN Interlocked east end Soo Line Connection 1.1		3.02	0-22	3.30		7.39	L10.35™			4.24	6.54
•		İ		· .			L 7.35#	742		8.01	8.52	L 2.00 P	9.4	SOO LINE JCT		·	. 5.19PB	5.47		7.36				4.18	6.48
	 	-	-	-	 			7.36						Soo Line Connection		,			<u> </u>					3.10	0.48
	-	-	·	-				1.30		7.54	8.46		6.4	COMO SHOPSP			`	5.41	·	7.30				4.03	6.33
	ł									·			5.6	Q. N. CROSSING	-										
				 	ļ		 	7.33	- -	7.50	8.43	ļ	·	Electric Automatic Interlocking		<u> </u>								i	
										1.50	0.43	į	5.8	G. N. Connection				5.38		7.27				3.56	6.26
			ļ		. '			7.32	-	7.48	8.42		4.5	ST. ANTHONY PARK JCT. P	Y			5.37	·	7.26				3.53	6.23
							_	7.30		746	8.40	ļ	3.9	0.6 Interlocked EUSTIS STREETP		 		5.35		7.24			<u> </u>		.
			[·	·			7.26	<u> </u>	742	8.36	ļ	.]	j 1.5						1.27				3.50	6.20
		-				!		1.23		1784	ō-36	· ·	2.4	C. M. St. P. & P. Track C. & G. W. Connection O.9 Interlooked				5.31		7.21				3.42	6.12
	,							7.24		7.39	8.34	ļ						5.29	<u> </u>		·				
		ļ												.NINETEENTH AVE. SOUTH. Railway Transfer Connection 0.7			1	0.29		7.19				3.38	6.08
	ļ 			A 6.30M	A 7.00M	A 7.18#		7.22		7.37	8-32		0.8	SIXTH AVE. SOUTH 0.8 C. M. & St. P. Connection				5.27	5.43 ™	7.17		- : :	-	3.34	6.04
				L 6.26M	L 6.56M	L 7.15座 202		L 7.20M		L 7.354	L 8.30#	ļ	0.0	FIRST STREET NORTH P				5 O S 18	E 30%						
		<u> </u>						304						MINNEAPOLIS M. & St. L. Connection			ľ	L O.ZUI	L 0.39M	L 7.15%				L 3.30W	L 6.00A
		 		Daily .04	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Except Sunday		:		Daily	Dally	Except Sunday	Daily	Except Sunday	Daily			Daily	Daily
		 	<u> </u>	12.0	.04	.03	.10	.30	.06	.25	.80	.10		Time over Sub-Division		.08	.11	.30	.04	.30	.10			1.00	1.00
·····	<u> </u>	 		1 14.0	12.0	16.0	17.4	24.6	18.0	21.0	24.6	17,4		Average Speed Per Hour		13.5	15.8	24.6	12.0	24.6	10.8		·	11.4	11.4

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN THIRD STREET, ST. PAUL, AND FIRST STREET NORTH, MINNEAPOLIS.

AUTOMATIC BLOCK FROM TWELFTH AVENUE SE. MINNEAPOLIS TO WEST END OF ST. PAUL TUNNEL.

YARD LIMITS:

First Street North to Twentieth Avenue South.

Enginemen approaching Mississippi Street on Main line will call for route, or if Dwarf Signal route is desired will call for either as indicated below. The Two arm Semaphore located one hundred feet west of the Interlocking Tower, governs routes as follows: Top arm governs movements on Eastward Main Line to Third Street. The bottom arm governs movements over turn-out to Fourth Street yard, via West Side Line, and movements over Cross-over between the Eastward and Westward tracks of East

Whistle Call

- - Freight Tracks to Seventh Street.

— — Passenger Tracks to Union Depot.

— — Round House.

— — Coal Dock.

At Mississippi Street and St. Anthony Park Junction diverging inferior class trains will not be required to procure orders on the time of delayed first-class trains moving in the same direction on double track, but when given the route by towerman will be governed accordingly and may proceed, but if detained and are overtaken by such delayed first-class trains, must let them by

At Park Junction, all Eastward trains filling out or picking up trains at that point, must call Towerman St. Anthony Park on phone and secure line-up of trains on Line A.

THIRD SUB-DIVISION.

Daily

Ex. Sunday

307

107

Daily

(JOINT TERMINAL)

FIRST CLASS TIME TABLE No. 188. 319 327 61 315 11 63 3 7 June 9, 1929 N. P. 61 Succeeding No. 187 Passenger Passenger Passenger Passenger Passenger Passenger Passenger Passenger Passenger Passenger Passenger STATIONS

WESTWARD

Daily

Daily

Daily

	~~					 	L 6.45₩	L 8.50ML	9.05#	L11.05#		L 2.25™	1	6.50%	L 7.35M			0.0	S MINNEAPOLIS DN (Great Northern Passenger Station) 0.5	L10.55%	L11.108	4		
, ».	to resident to the trans-		BETW	EEN GR	EAT NOR	THERN	PASSENG	ER STAT	ION AN	D FIRST	STREET	NORTH,	, MINNE	POLIS,	TRAINS	WILL BI	E GOV	ERN	ED BY GREAT NORTHE	RN TIM	E TABL	E AND RU	JLES.	
											L12.32™		L 5.52™			L 8.28%		0.5	GREAT NORTHERN CROS'G		··-	L11.56™		
							A 6.50M	8.54	9.09	11.09	12.34	A 2.30%	5.54	6.54	A 7.40PM	8.30	W,0,T.	0.8	N. P. FREIGHT YARDP	10.59	11.14	11.58		
		-						8.55	9.10	11.10	A12-35M		A 5.55™	6.55		A 8.32P		1.1	FIFTEENTH AVE. NORTH. Soo Line Connection 1.2 Interlocked	11.00	11.15	A11.59PM		
								8.59	9.14	11.14				6.59			Y	2.3	MULBERRY LINE JCTP	11.04	11.19			
								A 9.05M	A 9.20A	A11.20	,			A 7.05P			W,C,O,	3.8	NJ NORTHTOWNDN Great Northern Crossing	Ā11·10PW	411.25™			
							Daily	Daily	Daily	Daily	Daily	Except Sunday	Daily	Daily	Daily	Daily				Daily	Daily	Daily		
							0.5	.15	.15	.15	.03	0.5	.03	,15	.05	.04			Time over Sub-Division	.15	.15	.03		
							9.6	15.2	15.2	15.2	12.0	9.6	12.0	15.2	9.6	9.0	1		Average Speed Per Hour	15.2	15.2	12.0		

Daily

Daily

Daily

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THE SAME CLASS IN OPPOSITE DIRECTION. DOUBLE TRACK BETWEEN GREAT NORTHERN CROSSING AND NORTHTOWN.

WESTWARD	·	-		I SUB-DI		N.					EA	STWARD
					Water, Fuel, Soales, Turn Tables, Wyes and Yard Limits.	Distance from M. & D. Jot.	TIME TABLE No. 188. June 9, 1929. Succeeding No. 187 STATIONS	Car Capacity of Sidings.	Station Numbers.			
					Y, X.	0.0	M. & D. JCTP 3.4 LITTLE CANADA		L 142 L 14434			
			 		_ !	§1	LITTLE CANADA4.5 ROSE1.8		L 14914		 	
							BELT LINE CROSSING 2.5 Electric Automatic Interlocking		L 15214			
					W, Y, 0, X.	12,2	EAST MINNEAPOLISP	Yard	L 154		 	
							Time over Sub-Division Average Speed Per Hour					

SPECIAL INSTRUCTIONS

EASTWARD TRAINS ARE SUPERIOR TO TRAINS OF THESAME CLASS IN OPPOSITE DIRECTION.

At Lewis Bolt and Nut Co. track, Southeast Minneapolis, Box and Stock cars, high loads or engines, are not permitted to be moved under or beyond overhead trolley beams near end of track by yard crows. When set in, high cars or high loads will be left not less than ten feet from easterly trolley beam, and will be placed at same distance by plant employes, when such cars are to be taken out, before coupled onto by engine. Employes must not ride on top of cars approaching or moving under the overhead trolley beams.

FIRST CLASS

Daily

Daily

Daily

65

Daily

At Minneapolis, between Plymouth Avenue and Twentieth Avenue North, the clearance along the Omaha delivery track adjoining the Main Line and between the Omaha delivery and receiving tracks is not sufficient to permit men riding on side of cars at all points.

At Minneapolis, the normal position of the double track switch at West End of the Mulberry Line, at Mulberry Line Junction will be for Eastward train movements.

Line "B" extends between Northtown and Switch Connecting with Line "A", at St. Anthony Park Junction, and includes the west wye at St. Anthony Park Junction. Train movements over this line are subject to all rules governing yard operation. The proper display of markers is required of crews furnished with cabooses while operating over the running tracks on Line "B". When movements are made without cabooses, a member of the crew will be required to ride the rear car. However, it should be understood that responsibility for collision will ordinarily rest with engineman of the approaching train.

SPECIAL INSTRUCTIONS, PAGES 6, 7, 8 AND 9.

			***************************************	,																			JOINT N.	Р. & М. &	ST. L. DIVIS
			·				· .							B-DIV] Termina										EAST	WARD
		 		·				FIRST C	LASS								T	7			·····				
ĺ							302	324	8	204	-	4.6	4	1	T	Ţ	- ₈ g		TIME TABLE No. 188.		,	F/R	ST CLASS	~~~	
			-		- <u>-</u> -	-		<u> </u>		304	}	12	4	64	10	316	Soales Wyes nits.		June 9, 1929.	6	2	66			
						_	106	800 14	N. P.	110	N. P. 62	N.P. 12	N. P.	N.P. 64	N.P. 10	500 108	Fuel, ables, rd Lin	/ P	Succeeding No. 187.	N. P.	N. P.	·	 -		
				_			Passenger	Passenger	Раззепдег	Passenger		-			Passenger		Yard Yard	100		6	2	N. P. 66			
	- Í					"	Daily	Daily	Daily	Daily	Except Sunday	Daily	Daily	Daily			Water, Turn T	orts	STATIONS	Passen ger	Passenger	Passenger			
					-			<u></u>		ļ <u></u> _	Sunday		Dany	Dany	Daily	Daily	FH 8	PZ		Daily	Daily	Daily	ĺ	-	
			:						A 7.004		ł	A 7.50		1	i	ł		3.8	S MINNEAPOLIS DN (Great Morthern Passenger Station)	A 9.25PH	A10.10**	A11.00Pa			
			BETV	VEEN GR	EAT NO	RTHERN	PASSENG	ER STA	TION AN	D FIRST	STREET	NORTH	, MINNE	APOLIS,	TRAINS	WILL	SE GO	VER	0.5 NED BY GREAT NORTHE	ON TIM	F TARIE	AND D	u re		
							A 6.25M	A 6.55AN		A 7.15M				· ·		A 5.39N	1		GREAT NORTHERN CROS'G		17,000	AND IN	JLE3.		
	-	-	ļ	-	·	<u> </u>	6.23	6.53	6.56	7.13	1. 7.30#	7.45	8-10	L12-55P	5.25	5.37	WOT	3.0	N. P. FREIGHT YARDP	9.20	10.05	L10.55№		 	
	ļ	<u> </u>			<u> </u>		L 6.22M	L 6.52M	6.55 324	L 7.12M		7.44	8.09		5.24	L 5.36™		2.7	FIFTEENTH AVE, NORTH Soo Line Connection 1.2 Interlocked	9.19	10.04				
:	ļ			ļ				·	6.50			7.40	8.05		5.20		Y	1.5	MULBERRY LINE JCTP	9.15	10.00				
	ļ 	-		ļ		<u> </u>		·	L 6.45M		·	L 7.35M	L 8.00AM		L 5.15%		WCO	0.0	NJ NORTHTOWN DN Great Northern Crossing	L 9.10 ^[3]	L 9.55%				
							Daily	Daily	Darly	Daily	Except Sunday	Daily	Daily	Daily	Daily	Daily	,	· 		Daily	Daily	Daily			
 	·	<u></u>		ļ <u>.</u>			.03	.03	.15	.03	.05	.15	.15	.05	.15	.03			Time over Sub-Division						
		1			<u> </u>		12.0	12.0	15.2	12.0	9.6	15.2	15.2	9.6	15.2	12.0		<u>'</u> '	Average Speed Per Hour	15,2	15.2	.05			
							·	EASTW	ARD TR	AINS AR	E SUPE	RIOR TO	TRAINS	OF THE	SAME 4	CLASS IN	1 GPP4	TI2O	E DIRECTION	10.2	10.2	9.6			

DOUBLE TRACK BETWEEN NORTHTOWN AND GREAT NORTHERN CROSSING.

Northern Pacific Conductors taking their trains at St. Paul Union Depot will register at Assistant Superintendent's office. Passenger train flagmen must ride outside on rear platform between St. Paul and Northtown, to be in position to drop off immediately their train stops and protect it. Conductors will see that flagmen comply with this rule. At Minneapolis Great Northern Passenger Station, when passenger trains are pushed, helper engine will be cut off at the stop

Passenger extras and light road engines may run ahead of delayed first-class trains without orders.

Between Northtown and Great Northern Crossing, regular trains will not exceed schedule speed and irregular trains must use

Between Northtown and Great Northern Crossing Switch, Transfer and light engine movement may be made ahead of delayed first class trains without train orders, but conductors, foremen and enginemen will inform themselves through the yard-master or train dispatcher as to how late first class trains will be and avoid delaying them.

All trains will run at restricted speed between Northtown and Great Northern Crossing, expecting to find yard engines using

At Northtown, all train movements must receive proceed signal from switchtender before passing over the crossing of Northern Pacific and Great Northern tracks. The proceed signal does not relieve enginemen from making crossing stop. At Northtown, University Ave. Bridge at east end of yard will not clear a man on side of car and overhead clearance is not sufficient to clear a man riding on top of a high car in a standing position.

At The Minneapolis General Electric Co.'s Plant, Marshall Street and 28th Avenue North East, Minneapolis, Northern Pacific power will be permitted on tracks Nos. 1, 2, 3, 4 and 5 only. Under no circumstances will Northern Pacific power be allowed on Trestle Bridges west of Track No. 3.

Engines coupling to passenger trains, and in making coupling between passenger Cars, Engine or Cars must be brought to a full stop not more than thirty (30) or less than ten (10) feet from the train before making coupling. In automatic block territory, gas-electric motor cars must not be stopped on sand.

Gas-electric motor cars when handled dead in freight trains must be handled behind caboose.

ENGINE RESTRICTIONS OVER BRIDGES, JOINT TERMINAL, SAINT PAUL DIVISION.

STILLWATER TO ST. PAUL—Speed will be restricted over Bridge 11, Broadway Street, Stillwater, as follows: Single or double header engine classes classes F-1, Q, S2, S3, S4 and S10 eight (8) miles per hour. Single or double header engine classes E-1, Q, S2, S3, S4 and S10 eight (8) miles per hour. Engines classes T, Q1 and heavier not permitted.

Speed will be restricted over Bridge O-1, Fourth Street, as follows:
Single or double header engine classes A, Q5, Q6, W3, W5, Z, Z1, Z2, Z3 and Z4 eight (8) miles per hour.

C. M. St. P. & P. Mallet type Engines Class "N" fifteen (15) miles per hour.

LINE "A"—Speed will be restricted over Bridge 3, Maryland Street, as follows:
Single header engine classes W, W1, W2 and W4 eight (8) miles per hour.
Double header engines classes G-1 and G-2, eight (8) miles per hour.
Engine classes A, Q5, Q6, W3, W5, Z, Z1, Z2, Z3 and Z4 may be hauled as dead engines without coal or water, at five (5) miles

ST. PAUL-Class W and W-3 engines must not move beyond the west end of the Yard Office on West Side Line at Fourth Street, account sharp curve.

Engine classes G1, G2, T and heavier power will not be permitted over the following tracks in the Minneapolis Terminals:

Carpenter & Lamb Tracks, Minneapolis General Electric Co. Tracks, Bousfield Wooden Ware Co. Tracks, Glueck Brewing Co. Tracks, Ramsey Street Tracks.

EAST MINNEAPOLIS TO WHITE BEAR-Speed will be restricted over Bridge 8, as iollows: Single and double header engine classes G1, G2, W, W1, W2 and W4 ten (10) miles per hour. Engine classes T and lighter fifteen (15) miles per hour.
Single or double header engine classes A, Q5, Q6, W3, W5, Z, Z1, Z2, Z3 and Z4 not permitted.

	·	. .							LIMIT	OF LOAD)—MEAS	UREMEN	T							
			•				-		HEIG	HT ABOV	E TOP	OF RAIL			******					
1.8	,	1' 0" Wide	2' 0" Wide	3′ 0″ Wide	4' 0" Wide	5′ 0″ Wide	8' 0" Wide	7' 0" Wide	7' 6" Wide	8' 0" Wide	8′ 6″ Wide	9' 0" Wide	9′ 6″ Wide	10' 0" Wide	10' 2" Wide	10' 6" Wide	11' 0" Wide	11' 6" Wide	Max. Height	Max. Widtl
1st Subdivision		17' 0"	17' 0"	17' 0"	17' 0"	17' 0"	17' 0"	17' 0"	17' 0"	16' 6"	16' 0"	15' 3"	14' "	13' 0"	12' 4"					
·		10 9	10. 2.	10, 1,,	1 75' 10"	15' 7"	1 157 27	115/ 0//	147 107	1 1 47 077	441 015	ايميدا	4 45 4 44			(" : · · · · · · · · · · · · · · · · · ·		 }		
		TO D.	10 9.	TO. 2	16′ 3′′	16′ 3′′	1 16' 3''	16' 3''	16′ 2″	167 977	10 1011	101 011	107 077	107 021	401 011			1		
		11 9	11. 8. 1	17. 9.	1 17' 9"	117' 9''	17' 9"	17' Q"	17' 0"	177 077	17/ 07/	177 077	177 077	177 011		17' 9"	17' 0"	17' 0"	17/ 0//	11' 0'
4th Subdivision	M, & D. Jct. to East Mpls. Jct.	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"	19' 3"				

SPECIAL INSTRUCTIONS, PAGES 6, 7, 8 AND 9.

SPECIAL INSTRUCTIONS.

SPEED RESTRICTIONS.

Passenger trains will not exceed a speed of one mile per minute or sixty (60)

Speed of any passenger train handling gas-electric unit being towed in a train forty-five (45) miles per hour. Class W, W-1, W-2 and W-4 Engines forty (40) miles per hour and Class W-3

Class W, W-1, W-2 and W-4 Engines forty (40) miles per hour and Class W-3 and W-5 Engines thirty-five (35) miles per hour at any time.

Class A Engines fifty-five (55) miles per hour.

Class Q-5 and Q-6 Engines sixty (60) miles per hour.

Through Cross-overs, turn-outs and gauntlets, fifteen (15) miles per hour.

Light Engines backing up twenty (20) miles per hour.

At Stillwater, Eastward trans fifteen (15) miles per hour between Yard

Limit board and Stillwater Station.

At Stillwater, Class L-9 Engines over Bridge 11, Broadway Street Eight (8) miles per hour. At White Bear, five (5) miles per hour over State Highway No. One where it crosses Stillwater Branch.

At White Bear speed of trains between White Bear and Lake Shore stations,

twelve (12) miles per hour.

Between Gloster and Trout Brook Jct., over Soc Line tracks, Class W-3 Engines twenty-five (25) miles per hour.

From Claymont Yard to Third Street Junction, westward freight trains must

use fifteen (15) minutes. At St. Paul speed of passenger trains from East Seventh Street to Third Street Junction must not exceed that shown on time table.

At St. Paul through Seventh Street tunnel and between tunnel and Third

Street Junction, freight trains eight (8) miles per hour.
Through interlocking plants thirty (30) miles per hour. This however does

not affect any previous ruling at plants where speed is limited to less than

thirty (30) miles.

At Mississippi Street Interlocking Plant, St. Paul. All trains will approach "Home Signal" under control, prepared to Stop and must not exceed Twelve (12) miles per hour through the Plant.

Passing La Fayette Avenue on west side line leading to and from Seventh Street, eight (8) miles per hour.

Passing Snelling Avenue, between Como Shops and G. N. Crossing fifteen (15) miles per hour.

Between Twenty-third (23d) Ave. S. E. and Twentieth (20th) Ave. South

Minneapolis, twenty-five (25) miles per hour. On Minneapolis Branch Class T Engines twenty-five (25) miles and Class

On Minneapolis Branch Class T Engines twenty-five (25) miles and Class W twenty (20) miles per hour at any point. On Minneapolis Branch, Fourth Subdivision trains eight (8) miles per hour approaching and passing through Home signal limits of Automatic Interlocking Plant at Belt Line Rail Road Crossing.

TRAIN RULES.

When conditions will permit, Enginemen on freight trains will receive proceed signal from rear of train before passing any station.

In case of accident or defective track on the Main Line between switches, when necessary to utilize the side track for main line, the following instructions will govern: In addition to setting and locking switches for the side track and covering the same by train order, to fully protect approaching trains as prescribed by Transportation Rules 99 and 1728, until movement over main line is resumed, conductors finding it necessary to leave switches set for siding, must fully protect approaching trains until relieved by track men, or other employes competent and equipped to do so. When conditions will permit, Enginemen on freight trains will receive proceed

STANDARD TIME CLOCKS

St. Paul, Assistant Superintendent's Office. Mississippi Street, Foreman's Office, Round House, and Yard Office. Mississiph Office. Northtown, Telegraph Office. White Bear, Telegraph Office. Minneapolis, Dispatcher's Office.

WATCH INSPECTORS

St. Paul—Haman & Company.

" —A. Lindahl, 910 Payne Ave.

Minneapolis—Samuel H. Lindquist, 4171 Washington Ave., North.

" —W. B. Dahl, Central and Lowry Avenues N. E.

" —Munns & Pomerleau, 221 East Hennepin Ave.

" —Geo. H. Johantgen, 628 West Broadway Street.

Stillwater-Peder Gaalaas.

PUSHER DISTRICTS. East Minneapolis and a point 21/2 miles toward White Bear. Stillwater and 2 miles west.

CLEARANCE EXCEPTIONS

Eastward trains will not require Clearance Card at Northtown if train order Eastward trains will not require Clearance Card at Northtown it train order signal is in proceed position.

At Gloster, trains running through between Third Street Junction and White Bear in either direction will not require Clearance if train order signal is in proceed position, except that trains which leave St. Paul without Clearance Card must obtain Clearance Card at Gloster.

Trains may leave Stillwater, Mahtomedi, Seventh Street, Mississippi Street Yard, Soo Line Junction, Sixth Avenue South, First Street North, N. P. Freight Yard and Fifteenth Avenue North without Clearance Cards.

Trains whose runs terminate at N. P. Freight Yard, Minneapolis, may leave Minneapolis G. N. Passenger Station without Clearance Card.

Extra trains and Yard Engines moving with the current of traffic may run via Line "A" or Line "B" between Northtown and Third Street or Seventh Street, St. Paul, or between points intermediate and may leave Claymont and East Seventh Street without orders or Clearance Card.

DERAILING SWITCHES.

Summit, East End of Siding. White Bear, West End of White Bear Lumber Co.'s Spur. Claymont, West End of White Bear Indinder Co. 8 Sput.

Claymont, West End of Sidings 1 and 4.

East Seventh Street, West End of Team Track.

St. Paul, East Side line, Eastward track near Fourth Street Bridge.

Paper-Calmenson Spur, Sixth Street, East End.

Mississippi Street, St. Paul, Foot of out bound emergency track connecting with the Coal Storage Spur.
West End of Oil Transfer Track.
West End of Coal Dock Hopper Track.
West End of Bunker Hill Track.
Rice Street Spur, East End. Como, East and West End. of Siding. Snelling Avenue, Minnesota Bi-Product Co.'s Yard, West End. Snelling Avenue Team Track, West End. Snelling Avenue, Shieley's Gravel Spur, South End.
Bayless Avenue Spur, West End.
Eustis Street Yard, Tracks 1, 2 and lead at West End, Track 1 and lead at Brown Sheet Metal track, north end.
Prospect Park, East End Gray Tractor Co.'s Siding.
South East Minneapolis, West End of Gas Traction Foundry Co.'s Track.
Fifteenth Avenue, S. E., College of Mines Spur, East End.
Minneapolis Lower Yard, East End of Transfer Track. North Minneapolis. West End of Omaha Transfer track. Brown Sheet Iron, Plant No. 2, near 23d Avenue, West End of Track. Minneapolis, East End of North East Yard. Northtown, East End Ice House track. Little Canada, West End of Siding. Rose, East and West End of Siding. Derailers must be kept in derailing position when not in use.

BULLETIN STATIONS.

St. Paul, Assistant Superintendent's Office.
Fourth Street, Yard Office.
Mississippi Street, Foreman's Office, Round House and Yard Office.
White Bear, Telegraph Office. Northtown, Telegraph and Foreman's Office, Round House. Minneapolis, Lower Yard Office. East Minneapolis, Yard Office.

REGISTERING STATIONS.

St. Paul, Telegraph Office, Union Depot. St. Paul, Fourth Street Yard Office, for M. & St. L. Freight trains. Mississippi Street Yard Office, for trains originating or terminating there. Gloster. White Bear. Mahtomedi, Register Box, attached to north side of station. Stillwater. Minneapolis, Great Northern Passenger Station.
Minneapolis, Freight Yard, for First Class trains and Passenger extras originating or terminating there.
East Minneapolis, for Fourth Sub-division trains. Northtown.

REGISTER EXCEPTIONS.

At Northtown, First Class trains and Passenger extras will register by Card Form (608).
At White Bear, Westward Second Class trains and extras from the Lake At White Bear, Westward Second Class trains and extras from the Lake Superior Division will register by Card Form (608) and will be given Check of Register on Form (602) and Clearance by Operator.

At Gloster, trains running through between Third Street Junction and White Bear in either direction will Register by Card Form (608).

COMMERCIAL SPURS.

First Sub-Division.

Distance from White Bear:

Peoples Coal and Ice Company Spur

0.8 Miles

AUTHORIZED SURGEONS.

	Location of Stretchers (S)		ne Number Residence
	Dr. A. W. Ide, Chief Surgeon St. Paul	Nestor 2866	Dale 9018
	Dr. M. A. Shillington, Dr. H. G. Collie, Dr. B. I. Derauf, Dr. W. J. Lund, Dr. J. W. Jesion	Nestor 2866	Midway 2446 Nestor 2866
	Dr. B. I. Deraul, Dr. W. I. Lund St. Paul (S)	Nestor 2866	Nestor 3837
	Dr R R Cranmer Minneanolis	Cedar 2340 Geneva 5441	Cherry 4181
	Dr. I. C. McDonald Minneapolis Dr. F. R. Gratzek Minneapolis	Dinsmore 7171	Dykewater 1262 Dinsmore 0320
	Dr. W. R. Humphrey Stillwater (S)	33 217J1	217J
	SPECIALISTS.		
	Dr. L. A. Nelson, Oculist830 Lowry Bldg., St. Paul Dr. A. C. Heath,	Cedar 2846	
-	Nose and Throat 339 Lowry Bldg., St. Paul Dr. C. G. Nordin.	Cedar 4871	
	Eye, Ear, Nose and Throat. 942 Lowry Bldg., St. Paul. Dr. H. S. Clark, Oculist 607 La Salle Bldg., Minneapolis St. Paul. Fourth Street, Yard Office (S)	Garfield 2536 Geneva 6203	
	St. Paul, Mississippi Street, Round House (S) St. Paul, Mississippi Street, Yard Office (S) St. Paul, Third Street, Car Foreman's Office (S)		
	St. Paul, Time Shops (S) Northtown, Round House (S)		÷
	Northtown, Tool Car No. 4 Steam Derrick (S) East Minneapolis, Yard Office (S)		1
	Minneapolis, Lower Yard, Car Foreman's Office (S)		•

NOTE.

Surgeons will attend, when called upon officially, to all cases of accident occurring to employes or passengers. In cases of sickness it is the intention to limit medical service to the locality or town where a surgeon resides, unless some urgent necessity exists, for which distinct official authority must be had in accordance with established regulations.

Railway Officials are required to call on the nearest authorized surgeons whenever practicable, when surgical or medical services are needed. When such are accessible, the Association will not be responsible for bills for medical services rendered by any other physician. In the event of a sudden emergency, arising from accident, if necessary, proper surgical aid should be procured until the arrival of a regularly appointed surgeon, when the case should be placed in his charge, and in no case should the service of any but an authorized company surgeon be continued at the expense of the Railway Company or of the Association after such surgeon is able to assume charge of the case. such surgeon is able to assume charge of the case.

Boarding and Nursing are furnished only at Northern Pacific hospitals. The Northern Pacific Beneficial Association will not be responsible for bills incurred elsewhere unless specially authorized or approved by the Chief Surgeon, and then only in critical cases of injury or illness occurring in the discharge of duty.

MOUNTAIN OPERATION BETWEEN CLAYMONT AND THIRD STREET JUNCTION, ST. PAUL

PER TRANSPORTATION RULE No. 1003 AND AIR BRAKE INSTRUCTION BOOK.

- 1. At Claymont, Westward Freight Trains will stop engine just East of Crossover so opposing trains may use the crossover. 2. Rear Brakeman will protect rear of train.
- Engineman will apply brakes making a continuous service reduction of 20 pounds from brake pipe pressure. If application for stop is made from 70 pounds brake pipe pressure he will add sufficient as stop is being completed to make a total reduction of 20 pounds; on completion he will give one blast of the whistle as advice to trainmen that brakes are fully applied.
- Conductor will then start from caboose and head brakeman from engine, inspect all brakes from the ground, noting number of brakes applied and holding, as indicated by cylinder piston rods. Correct piston travel should not be less than six inches and not over nine inches. On meeting the brakeman will advise conductor of number of good brakes in portion of train brakeman inspected, conductor will then determine tons per good brake by dividing total tonnage by number of good brakes in train. It must be understood that no train will be handled down this grade having less than eighty-five (85) per cent operative brakes.
- On conductor and brakeman meeting, signal will be given to engineman to release, he will answer by two blasts of the whistle, place and leave handle of brake valve in release position and as quickly as possible, charge up train line to eighty-five (85) or ninety (90) pounds pressure before starting.
- 6. When brakes are released, conductor will go forward and brakeman continue to rear, each turning up all retaining valves on his portion of train. All must be used.
- 7. Brakeman will return to his regular position and conductor will notify engineman as to the total number of cars and the number of tons per good brake in train, and they will confer and agree as to precautions necessary to control train safely.
- If tonnage per good brake is found by the test to exceed 50, it should be taken as an indication of possible need of hand brake assistance and trainmen must be on the alert to render such aid if its necessity becomes apparent. The engineer will call for hand brake aid whenever there are indications of his losing control of the train. Except in cases of liability of losing control, no hand brakes will be used while descending the grade. Brakemen will ride on top of train from Claymont to
- Engineman will pull out slow enough so conductor can catch caboose after seeing that brakes are released.
- Conductor must observe caboose gauge constantly during the descent of hill and promptly render any assistance which pressure shown thereby may indicate as needed.
- In case of accident, train breaking in two, or pulling out draw bar, hand brakes must be applied on train immediately to pre-

J. B. McLANE, Assistant Superintendent.

L. J. BENNER, Trainmaster.

G. N. SLADE. Trainmaster.

F. C. DEFIELD, Chief Dispatcher.

M. & St. L.—SPECIAL RULES.

GOVERNING TRAINS AND ENGINES BETWEEN 1st STREET NORTH AND 20th AVENUE SOUTH, MINNEAPOLIS.

All trains, transfers and light engines will register by ticket at 1st Street North.

Maximum speed limit for passenger trains, 20 miles per hour; for all other trains and light engines, 15 miles per hour.

Between 1st Street North and 6th Avenue South, and between 18th and 20th Avenues South, maximum speed limit for passenger trains, 15 miles per hour; for all other trains and light engines, 10 miles per hour.

All trains and engines must move under control between 1st Street North and 20th Avenue South.

"Under Control" as used have in means being able to stop within the distance track is seen to be clear.

Unless otherwise ordered train orders are not required between 1st Street North and 20th Avenue South. Engines and trains must near right-hand track and move with the current of traffic. Switch engines may use the double track between these points on the time Unless otherwise ordered train orders are not required between 1st Street North and 20th Avenue South. Engines and trains must use right-hand track and move with the current of traffic. Switch engines may use the double track between these points on the time of all except first class trains, under protection, but be prepared to clear main track without delay to regular trains and transfers; and may use the track UNDER PROTECTION, on the time of first class trains after such trains are five minutes late. Second and inferior class and extra trains and switch engines may run ahead of first class trains which are five minutes or more late, when this can be done without delay to first class trains, and may be run ahead of each other, without orders. All trains, switch engines and light engines occupying main tracks at any point between 1st Street North and 20th Avenue South must be protected, but this rule will in no manner relieve enginemen of responsibility in case of collision, for failure to observe speed restrictions or for failure to move under control at any point, and in case of collision, responsibility will ordinarily rest with the approaching train.

Movements over crossovers must be protected in both directions.

Movements over crossovers must be protected in both directions.

Movements between 1st Street North and First St. South will be governed by automatic block signals; the end of track section protected by automatic block signals is indicated by a sign post reading, "End Block." Lights will govern train movements by day as well as by night; one light only should appear at any one time. A green light indicates track clear, Proceed. A yellow light indicates Caution, that block in advance is occupied, approach next signal at end of block under control. A red light indicates Stop, block not clear, broken rail, open switch or other obstruction, and train must be brought to a full stop at least 20 feet back of signal and may then proceed under control expecting to find the block obstructed and enginemen will be held responsible in case of accident caused by over-

taking a preceding train. When signals are out of order, that is when two lights or more show at the same time, or when a white light is shown, or when no lights show, it will be considered a Stop Signal and trains will proceed accordingly; enginemen will report the signal that is out of order to Superintendent at first available telephone or telegraph office. It must be understood that automatic block signals in no way relieve men in charge of trains, switching transfers and light engines, of protecting whenever and wherever required by these

Switches at 1st Street North and at 6th Avenue South will be handled by switch tenders. All trains and engines must approach these switches under control, prepared to stop, and must not proceed until it is known that the track is clear, switches are right, and a proceed signal has been received from the switch tender.

Semaphore signal located at Eighteenth Ayenue South is connected with main track switch to wheat yard, railway transfer. All eastward trains or engines will approach signal prepared to stop and will not pass the signal unless at proceed position. When signal is at stop position and when not on the time of first class trains and when weather conditions are favorable for vision, trains (except first class) and engines with or without cars may occupy the eastward main track between the signal and twentieth Avenue South without flag protection.

Engine bell must be kept ringing when engine is moving at all points between 1st Street North and 20th Avenue South-

"Proceed" hand signals given by watchman stationed at either side of Minneapolis Eastern crossovers only govern that particular location and connecting tracks, and must not be construed as indicating that main track beyond is clear. Cars must not be left on main track without an engine attached unless unavoidable in case of accident, in which event they must be protected by flagmen.

Between sunset and sunrise and at other times when day signals cannot be clearly seen, a red light must be displayed on the rear of all transfer trains; when such trains are provided with caboose, proper display of markers is required.

These special rules govern main tracks of the Minneapolis & St. Louis Railroad Company between 1st Street North and 20th Avenue South, Minneapolis, and they supersede all other rules and instructions inconsistent therewith.

R. E. RYAN, Superintendent, M. & St. L. R. R.

erring to savice to or which

.8 Miles

idence

y 2446 3837

4181

67 7J 7J3

ater 1262

)18

r practi-Associaaysician. gical aid e should ompany on after

Jorthern e unless

