SAINT PAUL & DULUTH RAILROAD.

No. 13

TIME TABLE

No. 13

Cancelling No. 12, Dated Sept. 18th, 1892.

Taking Effect Sunday, Nov. 6th, 1892,

At 12:10 O'Clock P. M.

The hour and minute a new time table is "in effect,"

all previous time tables, with their rights, are void, and all trains upon the road by virtue of such previous time table, can be moved only under protection of flag, or by special order.

This Time Table is in no case intended for the information of the public, nor as an advertisement of the time or hours of any train. The Company reserves the right to vary from it at pleasure. It is for the information of Employes only.

E. L. BROWN.

Master of Transportation.

J. R. MICHAELS,

Train Dispatcher.

A. B. PLOUGH.

2						· .			M	LAIN	LINE	TIN	IE T	ABLE	TR.	AINS	GOI	NG N	ORT	н.							
o. 65	N o. 6	3 No.	61 No.	- 1	No. 53	No. 51	No. 49	No. 47		1	1 '	No. 27	No. 25				No. 17	No. 13	,	No. 9	Louin Paul. Paul.	DA ling acity	Cars	No. 7	No. 5	No. 3	1
Daily			Da	ily		-	Sundays Ex	Sundays Ex	Daily	Daily			Sundays Ex				Daily	Sundays Ex	l .	1	STATIO	S S	·#	Sundays Ex		Daily	Sunday
			L _▼ 6.0							12.10 PM								Lv		Lv	0ST. PAUL U			4.30PM	Lv 11.15 P M	Lv 2.15 PM	Ly 8.20
	•••••	•••••	6.0				-		ļ	12.14							7.40 PM 7.50	6.30 A M 6.40		9.30 A M	0.8 Seventh Street 2.5 East Seventh S	,		4.34	11.20	2.19	8.24
				1						†12.20							7.51	6.42		9.41	3.0Claymont			l	11.26 †11.28	† 2.24 † 2.25	8.30 8.31
			6.20	o			1	I.w		12.25							8.00	6.50		9.51	5.0Gladstone			4.45	11.32	2.29	8.35
35 РМ	• • • • • • • • • • • • • • • • • • • •		6.2	1			i	4.50 PM		1			8.40 A M				8.20	7.22		10.14	10.2 M. & D. J c			4.55	11.45	2.37	8.4
37	•••••		6.3				1	* 4.52		12.35		10.25	* 8.42 8.45 A M				8.23 8.25	7.25		10.17	10.8Lake Shore			4.57 5.00	*11.47	† 2.38	* 8.4
.40 PM		****	Ar	J F M			Ar 7.20 F M	4.55 PM Ar	Ar Ar	Ar		Ar	Ar				0.20	1		10.20			,		11.50	2.40	8.5
																	8.50	8.15 M 8		10.45	11.4 WHITE BE.	1		5.02	11.55	2.45	. 8.5
	••••••••••			•••••													9.09	8.20 8.42		10.50	12.4Bald Eagle 16.6 Centerville			5.05		2.47	8.5
																	9.38	9.27 1P			25.0Forest Lak			5.88	12.11 AM	† 2.55 † 3.11	9.0
													<u>\</u>				9.53	9.47		12.35 4.30	29.2 Wyoming			5.52 PM	12.42	3.18 M10	
																	10.06	10.08		4.50	33.4Stacy	15		A.F	12.53	† 3.26	9.4
			•••••										[10.07	10.09	••••••	4.52	33.8 Stacy Passing T	- 1		-	12.54	† 3.27	† 9.4
				•••••		***************************************											10.35 M 14	10.47		6.20	41.3North Brance 5.1 46.4	35			1.12	† 3.40	10.0
	••••••																11.16	11.47		6.57	53.3Rush City	70			1.24	† 3.47 4.00	10.1
																	11.33	12.13 PM	•••••	7.25	58.4Rock Creel	,			1.54	† 4.10	10.4
	•••••					······						•••••					11.50	12.37 M2		7.50 M14	63.2Pine City				2.10	† 4.18	. 10.
						••••••											12.10 A M	1.00		8.23	69.2Brown's Hi			·····	2.24	4.29	*11.
	•••••					*********		••••••	•••••								12.22	1.16	••••••		73.0 Mission Cree 76.2 Hinckley				2.35	† 4.37 M4	
															ļ		12.00	1.50	Lv	·		 ;]		2.45 M18	4.45	111.8
					••••••						No. 147					No. 137		2.20	M A 00.8		76.2Hinckley		Mo. 19		3.05 M 6	4.50	11.5
	•••••	••••									PASSENGER				D. & W. PASSENGER	PASSENGER	1.20 1.32 M 18	2.57 3.10 M ₁₂	8.34 8.45		83.5 Sandstone J 85.7 Miller		PASSENGER		3.23	† 5.03	. 12.0
											Sundays Ex	Sundays Ex	Sundays Ex	Sundays Ex	Sundays Ex	Sundays Ex	1.53	3.27	10.30		89.3Finlayson		SundaysEx		3.27	† 5.07 M 14 † 5.14	12.2
														•••••			2.25 M 6	3.53 M4	11.14 M 2		94.3Kettle Rive				3.47	† 5.22	12.8
												······································		•••••			2.40	4.16	11.59 P M		98.3 Willow Riv				8.56	† 5. 29	12.4
	••• ••••	••••						 									2.54	4.45	12.50 1 P M12		102.7Sturgeon La				4.07	† 5.37	12.5
	•••••••				*******		·		•					••••••			3.14	5.23 5.54 3 P	1.30 2.00 M14		108.6 Moose Lake 113.2 Barnum	91 59	***************************************		4.21	5.47	1.0
						***************************************											3.49	6.23	3.08 M 4		119.2 Mahtowa				4.46	† 5.54 P13 † 6.04	1.1
													· • • • • • • • • • • • • • • • • • • •				4.09	6.50	8.47		125.2Otter Creel	c 66			5.00	† 6.14	* 1.5
												••••••					4.30	7.20 19 P	{ 4.80 5.00	ļ	131.4 Carlton	286	7.20 PM		5.15	6,25	1.5
			TRA	IN	5 GO	ING	NORI	TEE .	•								4.33	7.27	5.06		132.5Thomson Jo	- 1	. † 7.23		5.20	6.27	† 1.8
							No. 121					••••••		••••••			4.34 4.47	7.28	5.07 5.25		132.7 Thomson 3.1 135.8 Howell	62	7.24		5.21	6.28	1.6
	ASSENG! Daily		GER PASSES y Sunda			PASSENGER Sundays Ex	PASSENGER Daily		PASSENGER Daily	PASSENGER Daily					Lv 10.25 A M	7.35 P.M		8.07	5.53		140.7 Short Line P	ark 58	7.47		5.50	f 6.33 f 6.43	2.0
narior 0	7 11 15 P	Lv 8 15	PM 5.30	O PM		Lv 2 10 P M	12 1.40 PM		9.05 A M	Lv 7.55 A M	<u>.</u>	······	 		†10.34	† 7.44	5.25	8.23	6.10		144.1Smithville	I	7.57		6.00	6.51	2.2 2.8
2.9	11.25	8.25	5.40	o		3.10 M 12			9.05 <u>n</u> 116 9.15	8.05	6.37 PM	3.55 PM	11.52 A M	7.37 A M	10.40 M14	7.50	5.35	8.34M18	6.25		146.2 West End Jo	ì	80,8		6.05	6.55	2.8
8					1			i		<u> </u>	† 6.38		†11.53	† 7.38	†10.41	† 7.51	√5.87	8.36	6.27		146.5 West Superior	- 1	† 8.04		6.06	6.56	† 2.4
End 3.7 {			ı	- 1		3.22	1.52		9.17	8.07	1	4.00	11.55	7.40	†10.42	† 7.52	5.40	8.40	{6.30 ¹⁴⁷ P 7.00 ⁸ P		147.1 West End	- 1	8.07		6.08	6.58 P 11	1
luth 4.4 5 4.9*		1				3.27 * 3.29	1.57 * 1.59		9,22 * 9,24	8.12 8.14	6.42 * 6.44	4.06 • 4.12	11.57 *11.59	7.42 * 7.44	†10.44 †10.45	† 7.54 † 7.55	5.45 5.49	8.50 9.00	7.05 7.10		147.8 West Dulut 148.3 Oneota		8.09 8.10		6.11 6.13	7.02	2.4
4 7.3		1				3.35	2.05		9.30	8.20	1 1	4.30	12.05 PM		†10.51	† 8.01	6.07	9.06	7.23		150.720th Ayenu	- 1	8.16		6.24	† 7.03 † 7.10	2.4
Point 7.7		1		'		3.37	2.07		9.32	8.22	6.52	4.32	12.07	7.52	10.52	8.02	6.09	9.07	7.25		151.1 Rice's Poin		8.17		6.25	7.11	2.5
h 8.6 A	11.50 P	M 8.45	PM 8.00	орм[3.40 PM	2.10 PM		9.35 A M	8.25 A M	6.55 PM	4.40 PM	12.10 PM	7.55 A M	10.55 A M	8.05 PM	6.20 A M	9.15 PM	7.30 PM		152.0 DULUTH .		8.20 PM		Ar 6.30 A M	7.15 PM	1
· · ·					<u>-</u> !			·		·	ا ــــــــــــــــــــــــــــــــــــ		Frains do not		-	top on signal.				·	······································		•		<u>_</u>		AI

TRAINS NOS. 3 AND 4 WILL HAVE ABSOLUTE RIGHTS OVER ALL OTHER TRAINS.

The Speed of Freight Trains will not exceed 18 miles per hour.
Freight trains going north will cross over to Passing Track at Lake Shore and use this track to White Bear.

Employes will use Duluth and Superior Short Line Time Card between Rice's Point and Duluth, but for Train Orders and Registering, use numbers on this Time Table.

The Switches at Rice's Point must be kept locked on St. Paul & Duluth Main Line.

The switch at Carlton must be kept locked on Saint Paul & Duluth track, except when trains are to pass to or from Northern Pacific Railroad.

Passenger trains going in the same direction will keep ten minutes apart, excepting between White Bear and M. & D. Junction.

Every engine, with or without a train, must come to a full stop before crossing draw bridge between Stowell and West Superior, and will not proceed until signaled to do so by bridge

tender. No train or engine will run faster than twelve (12) miles per hour while crossing this bridge.

Nos. 9, 10, 11, 12, will carry passengers when provided with transportation.

No other freight trains will carry passengers.

Nos. 17 and 18 will not carry passengers.

All trains will register at Short Line Park (trains 3 and 4 by card).

All trains will register at West End (trains 3 and 4 by card).

All trains will register at Wyoming. All trains will register at Rush City.

MAIN LINE TIME TABLE-TRAINS GOING SOUTH

1	No. 6	No. 8		egraph Calls	STATIONS	Q	- 1	No. 12	No. 14 FREIGHT	No.18				No. 24 Passenger	No. 26	No. 28 Passenger	PASSENGER		PASSENGER	FREIGHT	No. 52	PASSENGER	PASSENGER	PASSENGER	N o. 64	HO.
ays Ex Daily		Sundays Ex		Teleg	SIATIONS	m.≒ =		Sundays Ex	Sundays Ex	Daily			Daily	Daily		Sundays Ex			Sundays Ex	Sundays Ex			Sundays Ex	Sundays Uniy	-	
Ār	Ar	\r		- <u>-</u> - -													Ar 11.15 A M				***************************************	Ar 5.25 P M				
50 P M 6.50 P M	I			U .	ST. PAUL U. D	152.0	Ir e oo pw	••••••	Ar 2.15 A M	Ar 7.35 A M						 	11.10					5.20				·
45 6.45	7.10	8.45		DI .	Seventh Street Jct	101.2	5.50		2.05	7.27							11.05					5.15				
10 † 6.41	7.04	8.40		PO	East Seventh Street				2.02	7.25							†11.04				 	† 5.14				
39† 6.40†	† 7.03	8.39	••••••		2.0	149.0	5.48 5.87		1.50	7.15							11.00					5.10	Ar 6.32 PM	Ar		
35	6.58	8.35	·······	SJ .	5.2	147.0		•••••	1.22	ძ.55			Ar 7.18 A M	6.50 A M		8.20 A M	10.50		2.30 PM	Ar 3.08 PM		5.00				·
24 6.28,	6.45	8.24	••••••			141.8	5.08	•••••	1.18	6.53			7.15			* 8.18	*10.47		* 2.28	3.05		4.57	* 6.29	* 6.29		· ··········
22 † 6.27 *	* 6.43	8.22	••••••		Lake Shore	141.2	5.05		1.15	. 6.50 6 P				6.45 A M		8.15 AM	10.45 A M		2.25 PM	3.00 PM		Lv 4.55 PM	6.27 4 P	6.27 PM		.
20 P46 6.25 P58	6.40 P18	8.20 28 P	•••••••	X	WHITE BEAR	140.6	5.00 56 P		1.10	. 0.00 **			L▼	Lv .		Lv -	LV		LV	LV	<u>'</u>					
20 6.20	6.35	8.15 M13		ĪI.	WHITE BEAR	140.6	4.30		12.45	6.25					••••••											
17 6.17	6.31	8.12		JN .	1.0	139.6	4.25		12.37	6.20					·····		•••••									
	6.19	8.03		c .	Centerville	185.4	4.08		12.11 M5	6.05					•••••											
1	* 5.56	7.48		ST .	Forest Lake	127.0	3.36		11.40	5.37						ļ	•									
1. 1	. 1	7.40 A M		wi .	4.2	122.8	3.18 M3		11.23	5.24					•••••											
5.52 M 7	* 5.33	TA TO VIET		"^	4.2	118.6	2.55		11.07	5.10					:					,						1
5.44			······································		Stacy Passing Track	i 1	2.53		11.06	5.09							••••					·		••••••	***************************************	
5.43	† 5.32			1 1	7.0	110.7	2.12		10.35 M 17	4.43												·				
O † 5.31 M9				CH .	5.1	105.6		•••••	9.45	4.25		<u></u>				[
0 † 5.22	* 4.55	•		HA .		1 1	1.44 1.05PM-2P		8.40	4.02						[]						.				
7 P 10 5.10	4.34		•••••	RC	Rush City	98.7	1.05 PM-2P 9.00			3.45									 -	 		.				
7 † 5.01	* 4.19			RK .	Rock Creek	93.6	8.33		8.14																	
7 M18 † 4.58	4.05			J .	Pine City	88.8	8.10	••••••	7.50 M9	8.29																
5† 4.43	* 3.47				B. own's Hill	82.8	7.40	••••••	7.22	3.08																
7 † 4.37 M 8	* 3.35		••••••	CK .	Mission Creek	79.0			7.05	2.52																
OPM 4.30	\$ 3.25			HN .	Hinckley	75.8	7.00 A M	· *****	6.50	2.45 M 5									<u> </u>	<u> </u>		<u> </u>	1	1	<u> </u>	+
	1			 		75.8		Ar 4.00 PM	5.50	2.20	No 136	No 138	No. 140	No. 142	Ño. 144	No. 146										-
0 M 1 4.25	3.05 M 5		No. 20		Hinckley	68.5	***************************************	3.22	5.17	1.42	D. & W.	D. & W.	PASSENGER	PASSENGER	PASSENGER	MIXED										
7 † 4.11	* 2.49		PASSENGER		Sandstone Jct	66.3	······································	3.10 ^M 18	1 1		PASSENGER	PASSENGER	Onndows Pr	Sundays Ex	Sundaye Ex	Sundays Ex										
4.06	* 2.45		Sundays Ex		Miller	l i	***************************************	2.50	4.36	1.15	Sundays Ex	Sunuays Ex	SunuaysEx									.	.			
4.01	* 2.37			- FD	Finlayson	62.7			3.53 M13	12.53				l			•••••					.				
4 M11 + 3.53 M 13	1 1			. RD	Kettle River	57.7	••••••	1.50		12.86													.			
7 † 3.45	* 2.13	•••••		RA	Willow River	1 1		1.22	3.27			· · · · · · · · · · · · · · · · · · ·														.
58 † 3.38	* 2.00			. SG	Sturgeon Lake	49.3		12.50 M 1	3.02	12.16 A M																
17 † 3.27	* 1.42			. MU	Moose Lake	43.4		12.10 PM	1	11.50							l					ļ	.			.:
37 † 3.18	* 1.27			. BR	Barnum	38.8		11.37	2.00 M11	11.30					~. 											
5† 3.08M11	* 1.07			. F	Mahtowa	32.8		10.57	1.24 M 1	11.05					•••••••											
3 P 12 † 2.56	*12.50		Δr	.	Otter Çreek	26.8		10.13 2 P	12.50	10.40				***************************************									. <u></u>			.
0 2.45	12.30		8.30 A M	un	Carlton	20.6		{ 9.15 8.15	12.15		***************************************								m	RAIN	G GO	ING	SOUT	Ħ		
8 † 2.41	†12.25		† 8.27	.	Thomson Jet	19.5		8.08	12.09	9.53															100	IE I
7 † 2.40	12.24		8.26	. K	Thomson	19.3		8.07	12.08 PM	9.52							No. 112	No. 116	No. 118	No. 120	No. 122	No. 124	No. 126	No. 128	NO. 130	日記
8 † 2.34	*12.13 A M		8.18	.	Howell	16.2		7.45	11.50	9.37	Ar	Ar_					PASSENGER	PASSENGER		PASSENGER	PASSENGER Sundays Ex	د	Sundays Ex	LACORIGEI	Daily	Dist
5 2.23 M1	,		8.03	BN	Short Line Park	11.3		. 7.15	11.22	9.12		3.85 P M			······································		Daily '	Daily		·				7.25 PM		u
	*11.43		7.53	. sı	Smithville	7.9	••••••	6.55	11.02	8.55	. † 8.12	† 3.27	Ar	Ar	Ar	Ar	6.25 A M	9.00 A M	7	1.20 PM	Ar 3.05 P M	3	1	1	9.30 P	2 0.0
0 2.10	11.36		7.47		West End Jet	5.8		6.40	10.50 M139	8.43 M 1	8.07	3.22	6.38 A M	9.08 A M			6.15	8.50		1.10	2.55		. 4.50	7.15	9.20	5.7
1 1	†11.34		† 7.46		West Superior Jct	5.5		6.38	10.47	8.40	. † 8.05	† 3.20	. † 6.37	1	† 1.47	5.28	(6.13		 	1	0.50		1.10	7.18	9.18	4.9
7 † 2.07	11.32		1	. ND		4.9	.,,	6.35140F	10.45	8.38	. † 8.04	. † 3.19	6.35 P12		1.45	5.25	{6.13 6.08	8.48		1.08	2.53		4.48	į.	9.13	
1 .	*11.30		7.43	wu		4.2		6.27	1	8.35	. † 8.02	. † 3.17	6,33	9.03	1.43	5.23	6.03	8.43		1.03	2.48		4.43	7.08	*9.12	1 1
l i	*11.28		7.41	ON	West Duluth 0.5 Oneota	8.7		6.24	10.32	8.33	8.00	† 3.15	. *6.31	*9.01	*1.41	*5.20	*6.02	*8.42		*1.02	*2.47		*4.42	*7.07	9.05	1.3
			li .	AU	1 2 4	1 2		6.07	10.22	8.22	. † 7.54	1	6.25	8.55	1.85	5.07	5.55	8,35		12.55	2.40		4.35	1		
	*11.20		7.34		20th Avenue	1.0		6.05	l .	8.20	7.53		6.23		1.33	5.05	5,53	8,33		. 12.53	2.38		4.33		. 9.03	4.55
	11.19		7.33		Rice's Point	9						1	1	1	1.30 PM	4 _ 5.02 PM	5.50 A	EA 08.8	۵	. 12.50 PM	2.35 Pl	м	4.30 PI	6.55 Pl	9.00 P	<u>" '''</u>
.00 A M 1.55 P M	11.15 PM		7.30 A	d Du	0.9	0		6.00 A M	10.15 A M	8.15 PM	1 7.50 A.M	4 3.05 P M	1 6.20 A M	1 8.50 A M Lv	Lv 1.30 PA	Lv 5.02 PM	Lv 5.50 A M	Lv 8.30 A 3	"	Lv Lv	Lv Z.35 F		Lv T.OO 2	Lv	Lv	-

TRAINS NOS. 3 AND 4 WILL HAVE ABSOLUTE RICHTS OVER ALL OTHER TRAINS.

St. Paul yard extends to and includes Claymont. White Bear yard extends to Lake Shore.

Duluth yard extends to a point one thousand feet north of North Switch at Oneota. Switch engines have the right to use main track in these limits, avoiding regular trains. Irregular

trains within yard limits will proceed with caution, looking out for switch engines, and sending flagmen ahead around curves.

Passenger trains will throw off Register Cards at Dispatcher's office.

Passenger trains will wait twenty minutes at White Bear for connections.

Trains Nos. 3 and 4 are Limited Passenger Trains and will not hold for variation for other Passenger Trains. Passenger Trains must clear these trains Five (5) Minutes, and all other trains must clear them ten (10) minutes at Meeting and Passing Points.

MINNEAPOLIS AND STILLWATER BRANCHES

TRAINS GOING NORTH

STATIONS	Distance from Minneapolis	Connec	ets with	No. 63	No. 59 PASSENGER Daily	No. 57	No. 55 WIS. CENT. PASSENGER Daily	No. 53	No. 51 PASSENGER Sundays Ex	FREIGHT	PASSENGER	No. 43 PASSENGER Connects with Nos. 3 and 2 Daily	DACCENCED	PASSENGER	PASSENGER	No. 35 FREIGHT Sundays Ex	No. 31 WIS. CENT. PASSENGER Sundays Ex	FREIGHT	FREIGHT Daily	No. 25 PASSENGER Connects with Nos. 1 and 8 Sundays Ex	No. 21 PASSENGER Connects with No. 6 Daily	Calls STAT
MINNEAPOLIS Last Minneapolis Owner Owner	1.0	[A	08							6.15	*4.30	1.45 PM 1.55 * 2.07 † 2.09							9.10 AM 9.37	7.55 A M 8.05 * 8.17 M22 * 8.19	Daily	S MINNEA NY East Minz Ros 1.0
M. & D. Junction Lake Shore WHITE BEAR	14.6		35 P M								4.50	* 2.20 2.30 M46							10.20 A M Ar	8.30 M 28 8.40		Lake S
White Bear Beach 0.6 0.7 0.7 0.8 0.8 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9	16.6 17.2				6.35 PM 6.35 M58 *6.39 *6.41						5.00 M56 *5.04 *5.06	2.40 * 2.44 * 2.46 * 2.50		Lv - 12.40 PM *12.44 *12.46		Lv 10.45 AM 10.51 10.54				8.50 * 8.54 * 8.56	* 6.45 A M * 6.48 * 6.50	White Bes
Duluth Junc Summit STILLWATER	21.8 24.0				6.55 7.00 7.10 PM		6.00 PM † 6.05 6.15 PM				5.20 *5.25 5.35 PM Ar	3.00 • 3.05	† 1.35	12.59 1.04 M44	11.35 P35		 9.30 A M † 9.35 9.45 A M Ar	9.20		9.09 M32 * 9.15 9.25 A M	 7.05 * .7.10 7.20 AM Ar	1 3.0

TRAINS GOING SOUTH

STATIONS Nillwater Stillwater	No. 22 FREIGHT Daily	PASSENGER Connects with No. 6 Daily		PASSENGER Connects with Nos. 8 and 1 Sundays Ex	WIS. CENT. PASSENGER Sundays Ex	STILLWATERTER	WIS CENT.	No. 38 PASSENGER Daily	No. 40	No. 42 WIS. CENT. PASSENGER Sundays Ex	FREIGHT	PASSENGER Connects with Nos. 2 and 3 Sundays Ex	PASSENGER Connects with No. 3 Sundays Only	No. 50 FREIGHT Sundays Ex	No. 54 WIS.CENT. PASSENGER Daily	PASSENGER Daily	PASSENGER Connects with No. 4 Sundays Ex Ar	PASSENGER Councets with No. 4 Sundays Only	No. 62	No. 64	No. 66 PASSENGER FOR STREET OF STREE	STATIONS
MINNEAPOLIS 27.8 East Minneapolis 26.8 		7.25 7.08		9.05 A M 8.55 M2 8.42	1							3.15 P M 3.05 * 2.52		4.10 PM 4.10 M47 3.45			7.05 6.50					
Owasso 20.8 Little Canada 17.3 M. & D. Junction 18.8	7.45			8.40 8.30 M2 8.20	5							* 2.50 * 2.40 2.30 M48		3.25 3.08 PM	 		* 6.48 * 6.40 M49 6.32	* 6.40				Owasso
								Ar			Ar		IAr		 	Ar D.			•••••••		A.	Lake Shore
White Bear Beach 11.2 10.6			-	* 8.02 * 8.00				10.43 AM *10.37 *10.85			1.37	2.18 * 2.12 * 2.10	1			* 4.45	* 6.15 * 6.13				11.25 PM 11.17 11.15	
Mahtomedi 9.0 3.0 June 6.0 Duluth June 6.0 Summit 3.8				. * 7.57 7.50 * 7.45	8.15 A M	9.00 M29 & 25 8.50	10.15 A M †10.15 †10.00 AM LV	1		Ar 12.15 P M		1	2.00		 Ar 3.50 PM † 3.45						11.12 11.05 11.00	

†-Trains do not stop.

1-Meals.

*-Stop on signal.

Minneapolis Branch trains going toward East Minneapolis have the right of track over trains of same or inferior class going from East Minneapolis.

Time Card Rules and Regulations of the Great Northern R'y will govern all Minneapolis Branch Trains between Minneapolis and East Minneapolis. Conductors and Engineers will provide themselves with Great Northern R'y Time Cards.

White Bear yard extends to Lake Shore. Switch engines have the right to use main track in these limits avoiding regular trains.

in these limits, avoiding regular trains.

Trains will reduce speed to ten (10) miles per hour over Dutchtown bridge at Stillwater.

Irregular trains within yard limits will proceed with caution, looking out for switch engines, and sending flagmen ahead around curves.

Passenger trains will wait 20 minutes at White Bear for connections.

The Branch Switches for Minneapolis and Stillwater must be kept locked on Main Line, excepting when trains are to pass to and from Stillwater and Minneapolis.

Conductors of all trains, and Engineers running without Conductors, will register at

NO SIDING AT OWASSO, WHITE BEAR BEACH OR DELLWOOD.

No. 35 will run to Stillwater regardless of No. 44. No. 31 will run to Stillwater regardless of No. 36. No. 37 will run to Stillwater regardless of No. 42.

TAYLORS FALLS BRANCH

	TRAINS	6 GOING	G EAST		ıty	a .		from Falls	Calls		TRAINS	GOING	WEST	
	-	No. 81 MIXED Sundays Ex	N o. 19	No. 7 PASSENGER Sundays Ex	l is	Distance from Wyoming.	STATIONS	Distance f Taylors F	elegraph	No. 8 PASSENGER Sundays Ex		No. 82 MIXED Sundays Ex		
		Lv 12.45 P M		Lv 5.55 P M		.0	WYOMING	20.5	wı	Ar 7.40 A M		4.20 P M		
				6.02	 	6.5	Chisago City	14.0		7.25		-		
		1.29		6.20		9.0	Lindstrom	11.5	MC	7.19				i
		1.36		6.25		10.7	Centre City	9.8	CN	7.14		i		
		1.52		6.33		14.0	Shafers	6.5		7.07			•••••	
		2.06		6.41		17.0	Franconia	3.5	FR	7.00		1 ' '	***************************************	
		2,20		8.50		20.0	Pass Denot	0.5		6.50				
••••••		2.25 P M		6.55 P M		20.5	TAYLORS FALLS	.0	FA	6.40 A M		2.50.PM		

SPECIAL RULES .- On Taylors Falls Branch west bound trains will have right to the road over trains of same or inferior class going in opposite direction.
No. 81 will run to Taylors Falls regardless of No. 82.

GRANTSBURG BRANCH

TR	RAINS	GOIN	G EAST		sity	om ,		om rg	Calls	1	rains	GOING	WEST	•
				No. 83 MIXED Sundays Ex	Siding Capacit in Cars	Distance from Rush City	STATIONS	Distance from Grantsburg	elegraph	No. 84 MIXED Sundays Ex	·			
				Lv 10.35 A M		.0	RUSH CITY	17.0	RC	1.05 PM				
				10.43		2.0	Martin's Spur St. Croix River	15.0		12.57				
.				11 05 A M		17.0	GRANTSBURG	.0	G	12.05 P M Lv				

SPECIAL RULES.—No. 83 will run to Grantsburg regardless of No. 84. Trains will not exceed six (6) miles per hour over St. Croix River Bridge.

Grantsburg Branch Trains will protect themselves by flag against Main Line Trains at South "Y" at Rush City.

CLOQUET BRANCH

1	RAINS	GOING	NORT	H	ity	ā		from	Calls	7	rains	GOING	SOUTI	X
	PASSENGER	MIXED	MIXED	No. 85 PASSENGER Sundays Ex	ding	Distance from Carlton	STATIONS	Distance fro	elegraph	PASSENGER		PASSENGER	No. 92 PASSENGER Sundays Ex	
			i	1	1	1	CARLTON	i I	KN	I		1 -	Ar 7.20 PM 7.00 PM	l .
•••••	Ar		Ar		l	I								
		1	1	1	1	l		1	1			l)		
				1		ļ								

SPECIAL RULES.—On Cloquet Branch no Train will leave Carlton or Cloquet until all Trains of the same or superior class due at these stations have arrived.

SANDSTONE BRANCH

					1		 		1	1		F		
								- 1						
-	•													
	1							-			ļ			
								ļ						_
	i		ł		1			- 1		`				
		l		-	1			1	ļ	ļ. ·	1			
					1		:							
											1	ľ		İ
		ļ			.		 ······	•••••			ļ			
			1)	1	ł .			1	1	1		1	1 '
	ļ	·····					 ***************************************							
	. '	<u> </u>		·	·									

OLD LINE-THOMSON JUNCTION TO WEST END JUNCTION

VIA FOND DU LAC

	TR	AINS GOI	ING NO	RTH					Hon		om	alls	TRAINS GOING SOUTH
•				P	PASSENGER	MIXED	PASSENGER	No. 141	nista m80	STATIONS	Distance fro	PA	No. 140 No. 142 No. 144 No. 146 PASSENGER PASSENGER MIXED Sundays Ex Sundays Ex Sundays Ex
										Thomson Junction			
				ï	Lv 6.15 PM	Lv 3.15 P)	L _V 11.30 A M	L ^V 7.15 A M	3.7	7 Greeley 2Fond du Lac	12.1 7.6 F	FN Ar	FN Ar 7.00 AM Ar 9.80 AM Ar 2.25 PM Ar 6.00 PM
					6.21	3,30 3,46	. 11.36	7.21 7.32	10.2	2New Duluth 0Spirit Lake	5.6 W		WD 6.54 9.24 2.16 5.47

No. 145 will run to West End Junction regardless of No. 146. No. 146 will run to Fond du Lac regardless of No. 147.

Conductors of all trains, and Engineers running without Conductors, over "Old Line" will register at Fond du Lac, noting whether or not they carried red signals.

SIGNALS AND RULES.

TO BE OBSERVED BY CONDUCTORS, ENGINEERS, STATION AGENTS, OPERATORS AND EMPLOYES ON THE SAINT PAUL AND DULUTH RAILROAD, WHO WILL BE HELD RESPONSIBLE FOR ANY VIOLATION OF THEM.

DOUBLE TRACK RULES.

Double track extends from double track switch at north end of Seventh Street Junction Tunnel to White Bear, and from passenger depot, Duluth, to double track switch at West End Junction.

South bound trains and engines on double track will take the right hand track when moving south; and north bound trains and engines on double track will take the right hand track when moving north. These tracks will be used in no other way except by special orders given by the Train Dispatcher.

While on double track all trains and engines will proceed regardless of trains moving in the opposite direction.

Inferior class trains will keep out of the way of superior class trains going in the same direction. Care and watchfulness must be exercised by all, and in case of stoppage on main track the rear must be instantly and fully protected by flag.

Double track switch at Seventh Street Junction will be kept set for the west double track or the right hand track when moving south, except when being used.

Double track switch at West End Junction will be kept set for the west double track, or the right hand track when moving south, except when being used.

Double track switch at Duluth passenger depot will be kept set for the west double track, or the right hand track when moving south, except when being used.

All trains going in either direction must approach these double track switches at a rate of speed not exceeding four miles per hour.

When trains are approaching each other on the double track, Engineers will sound the whistle and cause bell to be rung, as in approaching a station, and when a train is standing on double track, taking on and discharging passengers, trains from the opposite direction will come to a full stop, with engines opposite each other, and proceed slowly until trains are passed.

Interlocking switch stands and semaphores have been erected at M. & D. Junction, Twentieth Avenue, Hazelwood Park, Oneota and West End. Arm of signal raised horizontally or red light at masthead means track obstructed, and trains and engines must approach the signal at reduced speed and under full control and must come to a full stop before reaching point of danger and must not proceed until arm of signal is dropped or white light shown at masthead and all is seen to be clear. Arm of signal dropped to nearly a vertical position or white light at masthead means clear track. In case no white light is burning at masthead at night, stop and ascertain if all is clear before proceeding.

In the absence of semaphores, all trains and engines using cross-over tracks must be fully protected by flag.

SPECIAL RULES.

The line from Thomson Junction to West End Junction via Fond du Lac will be known and designated as the Old Line, and regular trains will run only on the lines on which they are scheduled unless by special order. Trains under special or "wild" orders will run via the New Line unless otherwise stated in such orders. Switches will be kept locked for New Line when not otherwise in use.

All trains will come to a full stop at railroad crossings and junction switches where STOP boards are exhibited.

At meeting and passing points inferior class trains must be on the siding and clear of the main track not less than five (5) minutes before a passenger train is due, and at passing points must not leave the Station until five (5) minutes after the passenger train has departed.

All persons not connected with yard or transfer service as switchmen are prohibited from riding on trains or engines in yard limits.

The Safety of Passengers and Trains is of the first importance, and all operations of working and repairing the Road must be subservient thereto. To this, with the regularity and punctuality of Trains, and the Comfort and Convenience of Passengers, all work must be entirely subordinate.

TIME.

1. The Clock in the Train Dispatcher's Office at St. Paul is the time by which the trains are to be run. Conductors and Engineers will compare their time daily when practicable.

REGISTERING.

2. Register Books will be found at Seventh Street Junction, White Bear, East Minneapolis, Stillwater, Wyoming and Rush City for branch trains, Taylors Falls Freight House, Hinckley, Carlton, Duluth and West Superior Passenger Depots. Conductors of all trains and Engineers running without a Conductor will register at these points, noting whether or not they carry Red Signals.

BULLETIN BOARDS.

3. Bulletin Boards will be found at Seventh Street Junction, White Bear, East Minneapolis, Stillwater, Hinckley, Carlton and Duluth Passenger Depot. No excuse will be received for orders left on Bulletins unobserved.

STONALS.

- 4. A Red Flag by day or a Red Lantern by night, when swung or placed upon the track, the Explosion of a Torpedo, the absence of lights on Switches where usually shown, and all signals violently given are signals of danger. On perceiving either the train must be brought to a full stop.
- 5. One Sound of the Whistle is the signal to apply the brakes. Two Sounds of the Whistle is the signal to let go the brakes. Three Sounds of the Whistle is the signal to back the train. Four Sounds of the Whistle is the signal that the Engine of the Train is carrying Red Signals for a following Train.

 Five Sounds of the Whistle is the signal that the Train has separated. Six Sounds of the Whistle is the signal for calling in the Flagman.

 Two Sounds of the Whistle while running, the first a second longer than the second, is the signal for approaching a Road Crossing.

 One Long Continued Sound of the Whistle is the signal for approaching a Station.
- 6. One Stroke of the Signal Bell on the Engine is the signal to stop. Two Strokes of the Bell is the signal to go ahead. Three Strokes of the Bell is the signal to back. Engineers will answer Bell signals with Whistle, and when flagged will answer signal by calling for brakes.
- 7. Two Red Flags, and after dark two Red Lanterns in addition, placed on the front of an Engine, indicates that the Train or Engine is followed by another Train. In case two Red Flags or Lanterns cannot be obtained, one Red Flag or Lantern shall indicate the same thing.
- 8. Two Red Lanterns must be placed on the rear car of all Trains that are on the road after dark; also on the tender of Engines running without Trains. Two Red Flags must be placed on the rear car of all Freight Trains during the day.
- 9. Signal Cords shall be used on all Passenger and Mixed Trains, and shall extend from the rear car to the signal bell on the Engine.
- 10. A Green Signal by day or a Green Lantern by night, at Telegraph Stations, indicate that Trains are to stop for orders.
- 11. Night Signals—To stop: Swing the Lantern across the track. To back: Raise and lower perpendicularly. To go ahead: Swing the Lantern over the head.
- 12. Head Lights upon Engines must be kept lighted when running after

RUNNING OF TRAINS.

- 13. Trains are Classed as to priority of right of road as follows: First, Passenger Trains. Second, Mixed Trains. Third, Freight Trains. Fourth, Work, Extra, and Special Trains.
- 14. Trains of an Inferior Class will wait indefinitely for Trains of a Superior Class going in opposite directions, and will keep entirely out of their way.
- 15. An Inferior Train, in case it cannot get orders, after waiting fifteen minutes beyond schedule time for a Superior Train going in the same direction, may proceed by leaving a written notice for the Conductor of the delayed Train, but will take the first siding on approach of said Train.

- 16. Regular Trains, after Becoming 12 Hours Late, lose their rights as per time table, and become irregular and can afterward proceed only on special orders.
- 17. Full Faced Figures denote meeting and passing points for Trains.
- 18. All Regular Trains Going South have the right to the track against Trains of the same or inferior class going North, and Trains going North, if delayed so as not to be able to make the meeting point on the leaving time of the Train going South, must keep back and out of the way of Trains of the same or superior class going South.
- 19. Trains Going South will hold five minutes for variation in watches at regular meeting points with Trains of the same class behind time, and observe the five minutes at succeeding Stations until the delayed Train is met. This five minutes must not be used by the Train going North as running time.
- 20. Trains Will Not Leave Stations before the time specified by the Time Card.
- 21. No Train Shall Leave a Station preceding a Station where it is to meet or be passed by a Train of a superior class, unless it shall be able to reach such Station AND TAKE SIDING without encroaching on the time of that Train.
- 22. An Extra Train or Engine, following a regular Train (whose Engine carries Red Signals for it), must always be taken and considered to be a part of, and to have all the rights of that Train AND NO MORE. Conductors and Engineers of other Trains must so regard it. In case the following Train should be delayed, and cannot keep up with its signal, it must not consider it has a right to follow the signals against Trains having the right to the road, though the Train carrying signals for it may have orders to run to a certain point against a Train having the right to the track; but the following Train, when unable to keep up with the Train carrying signals for it, MUST KEEP BACK AND OFF THE TIME Of all Trains having right to the track, without SPECIAL AND SEPARATE ORDERS.
- 23. An Extra Train or Engine following a Lealing Train must be kept near, but never less than a mile in distance from the Train ahead, except when near stations, in order that opposing Trains may have as little detention as is consistent with perfect safety, and MUST APPROACH all stations and fueling places WITH GREAT CARE, expecting to find the preceding train taking fuel or water at such stations, whether it may be a stopping place as per time table for that Train or not.
- 24. A Train or Engine Carrying Signals for an extra Train or Engine will not leave the Station where the signals are to be taken in, unless the Train or Engine it has carried signals for has arrived, without permission from the Train Dispatcher.
- 25. When Trains are to Pass each other, the Train having the right to the Road shall occupy the Main Track, excepting when there are special orders to the contrary, or it shall be impracticable thus to pass, in which case sufficient precaution must be used to prevent accident or unnecessary delay.
- 26. The Train that is to Side Track will enter on the approaching switch if practicable, and will never pass the station to back on to a siding, should it be necessary to do so, without flagging against the opposing Train.
- 27. Care Must be used in coming into all Stations. Always approach a Station on the supposition that a Train is to be met there, and is standing on the Main Track.
- 28. When Trains are Running over the Road in Heavy Storms, or immediately after such storms, Engineers will run very cautiously, and without regard to making Schedule Time. Run very slow in approaching all curves and places liable to wash, and see that your way is clear. In cases of doubt or uncertainty, always take the safe side. Run no risks.
- 29. Inferior Class Trains will keep five minutes off the time of Superior Class Trains.
- 30. In Case of Accident or Stoppage upon the Main Track, from any cause, Conductors must immediately and always station men with Red Flags by day or Red Lights by night, not less than fifteen telegraph poles distant in both directions, and have no right to assume that there are no Trains approaching from either direction. Special care must also be taken in case a Train gets behind time, and liable to be overtaken by a following Train, to guard agains accident.
- 31. When the Engineman Shuts off Steam at Stations where the Train is to stop, thereupon the Brakemen must apply their brakes, and, using their judgment, endeavor to stop at the Station without the necessity of the Engineer sounding his whistle. Too much sounding of the whistle impairs its value as a signal of danger. Brakemen must not slide the Wheels, and it is the duty of the Conductor, and a very important one, to see to this matter.

- 32. The Daily Orders given Working Trains will, unless some stated time be mentioned in the order, be considered as good from 6 A. M. until 7 P. M. of that day only. Should it be desired to go beyond the limits mentioned in the order a new order must be obtained. Working Trains occupying main track, at obscure places, must keep up signals, to warn all irregular trains.
- 33. When Freight Trains are Thirty Minutes Late, wood, gravel, and construction Trains will be allowed to use Main Track, by taking care to keep a man stationed, with Red Signals, a sufficient distance in the direction of the approaching train, to prevent accident, and Freight Trains will run with great care when on such portion of the road, keeping sharp lookout, with their Trains under full control.
- 34. No Extra Engine, with or without a Train, is allowed to pass over the road without permission of the General or Assistant Superintendent or Train Dispatcher.
- 35. In Case of Accident or Unavoidable Delay to a Train or Engine, to prevent it from reaching a Station except on the time of another Train, great care must be observed by sending a man with a Red Flag by day, or a Red Lantern by night, in the direction in which the Train is expected, to give notice of your position; or, should it become necessary to back a Train or Engine, great care must also be observed by running very slowly, and by sending a Flag well in advance around all Curves and Doubtful Points, to insure safety in case of meeting. You have no right to judge for yourselves. Engine or Trains may be following at all times.
- 36. In Any Case Where There is Room for a Doubt as to the right to the road or the safety of proceeding, from any cause, Always Adopt the Safe Course—keep signals far enough in both directions to obviate any danger.
- 37. Conductors Will Have Charge and Control of their Train and all persons employed on it, and will be run under his Orders, unless such orders conflict with these rules and involve any danger, in which case the Engineer will be held equally responsible.
- 38. Speed Over High Trestles between Thomson and Fond du Lac, must not exceed four (4) miles per hour.

SPECIAL INSTRUCTIONS IN REGARD TO MOVING TRAINS BY TELEGRAPH.

- 39. Safety Demands That All Persons connected with the movement of Trains by Telegraph should use the utmost care and watchfulness.
- 40. The Train Dispatcher on Duty will have full power to run any Train or Engine by Telegraph that he may think proper; but Trains on time will keep on their course unless arrested by Telegraphic order.
- 41. All Orders for the Movement of Trains by Telegraph will be addressed to the Conductor and Engineer, and written by the receiving Operator on "manifold paper," so arranged that three impressions shall be taken. The Conductor and Engineer addressed shall read the order carefully, and if understood shall sign it. It will then be repeated back over their signatures to the person giving it, who will, if the order is correctly understood, reply "O. K.," which must be endorsed over the proper signature upon the order, countersigned by the receiving Operator, with exact time of receiving the "O. K." Two impressions of the order, when properly endorsed, will be given to the Conductor, who will retain one and give the other to his Engineer. The Engineer will invariably read it before starting. The other impression will be kept by the Operator in his manifold book. No Train will run upon such an order until the "O. K." is received.
- 42. Should the Line from any Cause Fail to Work before the Operator has received the "O. K." he will not deliver such order.
- 43. Conductors and Engineers must not Leave a Station, when directed to run by special orders, without having the same in writing in their possession, properly signed and endorsed "O. K."
- 44. When an Order is Sent to a Train which may be carrying a Flag or Light for a following Train or Engine, in no case will the Train or Engine for which the Flag or Light is carried, avail itself of any special order which the Train bearing said Flags or Lights may have received, without an order to that effect.
- 45. When Orders have been Given to a Conductor to take down his signals, for the reason that the following Train has been unable to keep up, the Operator receiving the order must see that Trains approaching the Train for which signals were carried are informed of the signals having been carried to his Station, unless notified by the Dispatcher that he need not do so.

- 46. Should a Train be Held by Another between Telegraph Stations the Conductor may require of the first Train passing him, bound in the same direction, to Flag him to the next Telegraph Station, on arrival at which he must report for orders. The Conductor carrying such Flag shall report to the Train Dispatener, stating from what Station he Flagged the Train.
- 47. Should a Train be Held at a Telegraph Station where there is no night Operator, the Conductor is required to call the day Operator into the office to get orders for him.
- 48. When a Train has Orders to run, regardless of a specified Train, it gives the Train under such orders no rights over any other Train than the one specified.
- 49. All Orders and Messages relative to the movement of Trains must be written in full, and no abbreviations used except the Telegraph abbreviations "12" (How do you understand?) and "13" I understand.) The word "Wild" as used in train orders has the same meaning as "Avoiding Regular Trains"
- 50. All Trains or Engines will Come to a Full Stop at ALL Telegraph Stations, and Conductors running at night will report in person at every night Telegraph Office for orders. This rule does not excuse the Operator from showing all proper signals to stop Trains, or neglect in the prompt delivery of messages, but as an additional safeguard.
- 51. Operators Must at all Times have the Green Signals in readiness for use.
- 52. Operators are forbidden to Transmit any messages in regard to the movement of trains without a genuine signature. When Operators relieve each other, the Operator going off duty will see that all train orders and messages are carefully transferred to the Operator relieving him.
- 53. When an Operator Receives an order to hold a Train, or orders for an Expected Train, he must first put out the Green Signal, and then reply that Green Signal is Displayed. He will be careful to observe that the signal is not disturbed or hidden. The Green Signal must not be relied on exclusively to hold Trains. Operators are expected to watch closely for the expected train, using all necessary means to stop it. In case the Train, or any part of it, has already passed the Telegraph Office, although still at the Station, Operators' "13" must not be sent back until the Engineer or Conductor has been shown the order and understands that he is held. At all Register and Bulletin stations, whether a Green Signal is displayed or not, Conductors of all Trains and Engineers running without a Conductor, will, before leaving, get orders or a Clearance, signed by the Operator, stating that there are no orders for them, and at all stations where a Green Signal is displayed, you will get orders addressed to your own Train or Engine or a Clearance stating that there are no orders for you.

CONDUCTORS.

- 54. Conductors and Trainmen must be at the Station thirty minutes before leaving time of their Trains, and must not leave the terminal Stations of their route, without first examining the bulletin for Orders, nor pass a Station where there is a bulletin without looking for Orders.
- 55. Conductors will Ascertain, before leaving a Terminal Point, if all Trains due, of an equal or superior class, or Trains for which Signals were carried, have arrived.
- 56. Conductors of all Trains, and Engineers running without Conductors, immediately before starting out on their runs, will go in person to the Telegraph Office, to inquire if any special orders are there for them, and report to Train Dispatcher the name or number of Engine, and number of cars in their Train.
- 57. Conductors of All Trains will leave at Telegraph Stations with the Agent or Operator, a written statement, giving the number of Train, number of cars, and time of departure, which report must be transmitted as soon as practicable to the Train Dispatcher.
- 58. When a train loses fifteen or more minutes from any cause, the Conductor will report the cause of detention to Train Dispatcher from the first Telegraph Station. To keep the proper record of the movement of Trains, Conductors must keep informed of all causes of detention, and report correctly as

- 59. Conductors will see that Switches, after being used, are left on Main Line. Any Employe leaving a switch turned from the Main Track after using the same, will be dismissed from the service of the Company. Conductors, when at stations doing business, will attend to their switching personally, and will not absent themselves from duty without permission from the Superintendent or assistants. Flying switches are prohibited except at spur sidings.
- 60. Conductors, when leaving Cars on Side Tracks, will see that they are properly secured against their running, or possibility of their being blown, out on the main track by the wind; also that they are left out of the way far enough from the main track to clear all passing trains safely. In leaving loaded cars at any Station, they will leave them at the most convenient place for unloading, and in such cases they will advise and act in harmony with the Station Agent. While waiting at stations Conductors will do such switching as may be required by the Station Agent. Trains are run over the road to do the work. Conductors will always take freight into their caboose cars when there is no other place for it. They must also see that doors and windows of allear in their trains are kept closed and fastened. except when loaded with live stock.
- efformance of the duty of their Brakemen, and will, in all cases, when ascending or descending a grade, station themselves on the rear end of their Train, and see that their Brakemen are at their posts, and that no more than the regular rate of speed allowed to their Train is made when running over down grades. They will be required to do their business at Stations with as little detention to their Trains as possible, in order that the time allotted to Trains under their charge may be used for running time, and thus prevent any higher rate of speed being run than is specified on Time Schedule.
- 62. Conductors of Trains will, in no case, make arrangements for the meeting and passing of Trains, unless it becomes necessary from an accident, and then only when they have positive information as to the condition of the Trains upon the track, and when they are unable to communicate with the Superintendent or Train Dispatcher.
- 63. Conductors must know that their Trains are provided with a switch rope, axe, saw, crowbar, chains, wrecking frogs, Day and Night Signals, lanterns, and everything necessary to allow them to comply with the regulations of the road.
- 64. Conductors of Freight Trains will not, in any case, receive into their Trains cars containing freight, unless each car is accompanied by a separate Way-bill, which shall specify the destination and amount of such freight.
- 65. Great Importance is attached to the prompt delivery of Letters, Waybills and Dispatches consigned to the care of Conductors and Baggagemaster.
- 66. Conductors, Baggagemen and Brakemen are required to sear badges, and must never appear on duty without them.
- 67. As soon as a Passenger Train leaves a Station a Trainman must go to the middle of each Coach and announce distinctly what the next regular Station will be, and when the Train arrives at the Station the name must be invariably and distinctly called again in each Coach. At terminal Stations Conductors will not leave their Trains until all passengers have alighted, and will render them all needful assistance.

ENGINEERS.

- CS. Enginemen will not start with their Trains until they are directed to do so by the Conductor.
- 69. Engineers in Approaching a Station will sound the whistle at the distance of one-half of one mile before reaching Station, and not less than eighty rods before crossing a highway. The bell must be rung eighty rods before crossing a highway, and until it is passed.
- 70. Engineers of extra Trains will sound the whistle on approaching curves, and will approach all side tracks with great care, and be sure all switches by their targets are seen to be right before attempting to pass.
- 71. Engineers and Firemen should look back frequently to see that all is right where Trains are likely to break apart; in such cases GREAT CARE must be taken to keep the forward part out of the way of the detached part, and every precaution used to prevent a collision.

- 72. Engineers approaching Stations will bring their Trains under full control before passing the first switch. When moving about Stations, bell must be rung, and all proper caution used.
- 73. Engineers will not allow anyone not connected with their Train to ride on their Engines, except by permission of the Superintendent, or Superintendent of Machinery.
- 74. Although the Conductor has charge of the Train, the Engineer will not therefore be considered blameless if he RUN ANY UNNECESSARY RISK on the road, without all the prescribed precautions being observed which are necessary to perfect safety.
- 75. In Switching Trains the attention of both Enginemen and Firemen will be required to watch for Signals, one on each side of the Engine. Mcn giving signals must locate themselves so as to be plainly seen, and Signals given in such a manner as to be readily understood.
- 76. Engineers must know Personally that their Engines are supplied with all requisite tools and the necessary implements for use in case of accidents, and no excuse will be allowed for neglect of this precaution. They must use every possible care to avoid killing stock. Come to a full stop if necessary. Frequent occurrences of killing stock by the same Engineer will be considered evidence of carelessness, and will be followed by a dismissal from the service of the Company.
- 77. Dampers of Ashpans must in all cases be closed while Engines are crossing bridges or passing wood yards, or at any point where there is a large quantity of wood piled.
- 78. Engineers and Firemen are particularly directed not to throw any wood from the tender while in motion; if any wood is found too large for use, it should be thrown off at the next wood Station. Wood must not be piled on tenders in such a manner or quantity as to be liable to fall off.

STATION AGENTS.

- 79. Station Agents will be held responsible for the PROPER SEC URITY and POSITION OF THE SWITCHES, and must in no case allow them to be removed from the main track, except when a train has arrived which is to enter upon a turnout. They are also directed to be out and examine their switches and track, and see that everything is right, before the train passes.
- 80. Station Agents are directed to have the doors on all Cars on side tracks closed and securely fastened, and out of the way of passing Trains.
- 81. Station Agents will attend to the loading of baggage at their Stations, and see that it is properly checked or marked before putting aboard the Train, and Train Baggagemen will not receive baggage until it is checked or marked, except at Stations where there is no agent.
- 82. Station Agents will under no circumstances allow cars to be loaded or unloaded upon the main track, except they form a part of a Train; nor will they allow any OBSTRUCTION WHATEVER on or near the main track at their respective Stations.
- 83. Station Agents are not allowed to be absent without leave from the Superint-endent, except from illness, in which case they must immediately inform the Superintendent, and see that some competent person is intrusted with the duties.
- 84. Station Agents must be careful that all store supplies for the Stations are prudently and economically used, and that there is no waste of Oil, Fuel or Stationery.
- 85. Station Agents are requested to report all accidents occurring to Tr.ins at or near Stations; all damaged cars or goods brought to or left at their

- Stations destined elsewhere; and whenever freight is damaged by Trainmen in unloading at Stations, the Agents are requested to notify the Superintendent of the facts immediately, by telegraph or letter, giving full particulars, name of Conductor and men in charge of the Train at the time, and amount of damage and how caused, etc. Agents not complying with this rule will themselves be held responsible for the property damaged.
- 86. Station Agents are required to ommunicate such matters of interest or importance as may be useful in protecting the interest of the Company. They are also required to report to the Superintendent all violations of the Time Schedule regulations.

TRACKMEN.

- 87. In all Cases either by Day or Night, when repairing the track, so as to obstruct or endanger the passage of a Train, a Red Flag or Lanterns, as the case may be, must be placed on the track at least one-half mile, and a greater distance when necessary, each way from the place of danger.
- 88. No Wood, Ties, or Other Articles, must be piled within six feet of track.
- 89. Section Foremen will take particular care and see that the track, bridges, and cattle-guards are in safe condition, and will also notice the Telegraph lines, and if at any time they find them broken, down, or crossed must repair them immediately and notify the nearest Operator. They will not permit their hand-cars to be used upon the track after working hours, or on Sunday, except in case of accident.
- 90. Trackmen, in stormy weather, will be out and guard all points on the road liable to wash, or to disturbances of any kind, day or night time.
- 91. Foremen of Repairs, and men in their employ, must at all times hold themselves in readiness to aid the passage of Trains, and in case of accident or delay will obey the orders of the Conductors.
- 92. It is the Duty of all Section Foremen, after a storm or on extraordinary occasions, to immediately examine the track, bridges, culverts and cattle-guards on their sections, before passage of Trains. They will remove any obstructions, warn approaching Trains, and report to the Road Master and Train Dispatcher anything worthy of mention.
- 93. Constant Attention Must be Given to see that fences on each side of the road and at crossings are in good order; close all gates and put up bars found down; a break in the fence must in no case be passed by without being repaired when it is possible to mend it.

MISCELLANEOUS RULES.

- 94. All Accidents—such as getting off the Track, breaking cars, defects in cars and engines—must be reported at once to the Superintendent's office from the first Telegraph Station. Killing of cattle must be reported to the same office by the Conductor and Engineer on arrival at the end of the trip.
- 95. Conductors will Report in Writing to the Superintendent, all injuries to persons caused by their Train, giving number of Train and Engine, the names of all the employes on their Train; also, names of all others witnessing accidents, and all other information that may be useful as a matter of record.
- 96. Brakemen Must in all Cases be at their posts while their Train is in motion.
- 97. Every Conductor, Engineer, Station Agent, and Master of Road Repairs, must keep a copy of these rules and Time Schedule constantly on hand while on duty.
- 98. No Employe will Absent Himself from Duty without permission from the head of his department.
- 99. Any employe known to be addicted to the frequent or excessive use of intoxicating drinks will be discharged from the service.
- 100. All Rules that Conflict with this Time Table are abolished, and all former time tables are to be destroyed.

A. B. PLOUCH, General Manager.