



CONDENSED PROFILE AND TRACK CHART

IDAHO DIV. BRANCH LINES

LAPWAI BR. (2)


HOR. SCALE: 1 Inch = 2 Miles
VERT. " " " = 100 Feet

Office of Chief Engineer
St. Paul, Minn. July 1922

Revised Jan. 1, 1970

* Camas Prairie R.R.

Also Line to Riparia (3)
(See 3042-3 for Track Profile).



Track Sections

Track Diagram

Mile Post

LEGEND

- NAME OF STATION
- Passing Tracks
 - Yards
 - Water
 - Scales
 - Turntable or Wye

- RAIL BALLAST
- RAIL
 - GRAVEL
 - OTHER

Rail
Ballast

Curvature & Bridges

Year Constructed

1908

11- Cottonwood

12- Gran

50

55


60

1315
1142

1315
1427


COTTONWOOD

FENN




Br 461	3510°C	1200	1300	1400	1500	1600
Br 47	8°C	1200	1300	1400	1500	1600
Br 48	10°C	1200	1300	1400	1500	1600
Br 49	10°C	1200	1300	1400	1500	1600
Br 50	10°C	1200	1300	1400	1500	1600
Br 51	10°C	1200	1300	1400	1500	1600
Br 52	10°C	1200	1300	1400	1500	1600
Br 53	10°C	1200	1300	1400	1500	1600
Br 54	10°C	1200	1300	1400	1500	1600
Br 55	10°C	1200	1300	1400	1500	1600
Br 56	10°C	1200	1300	1400	1500	1600
Br 57	10°C	1200	1300	1400	1500	1600
Br 58	10°C	1200	1300	1400	1500	1600
Br 59	10°C	1200	1300	1400	1500	1600
Br 60	10°C	1200	1300	1400	1500	1600

8-Culdesac



1899 1900



For Details see Palace & Lewiston Profile 50

FE 141-C-66, 4" Ballast, 1/2" Sand, 1/2" Gravel & Shoulders Filled with 20" Run Gravel



4-Bishop

3202

3375

3218

55

60

65

WASHINGTON

INDIAN

MOSES

WILMA

6944

722.0

725.8

INPEL-736-NP73-U.S.727

90-39

100-41

90-42

100-52

706.6

706.6

706.6

709.6

722.0

725.8

744.8

2.5

1.50C

2.5

1.50C

2.5

1.50C

2.5

1.50C

2.5

1.50C

2.5

1.50C

2.5

1.50C

2.5

1.50C


2.5


1.50C

2.5

1.50C

2.5





25

30

35

PENAWAWA

SWIFT

SCHULTZ

ALMOTA

BOYART

N.P.E.L. 626-N.P. 627 U.S.E.L. 627

613.2

615.0

615.0

621.0

621.0

624.0

624.0

624.0

645.0

645.0

639.4

638.0

638.0

644.5

642.0

644.5

644.5

650.0

90-26

2° C

0° 30' C

3° C

1° 30' C

2° C

Br.

0° 30' C

1° 30' C

0° 45' C

0° 30' C

Br.

Br.

0° 30' C

2° C

Br.

Br.

1° C

2° C

1° 30' C

0° 30' C

2° C

0° 45' C

1° 15' C


Br.

3° C

0° 30' C

1° 15' C

2° 30' C



400

800

700

600

500

400

300

RIPARIA (O.W.R. & N. Depot.)
conn. with Snake Riv. Br.

Little Goose Lock & Dam
Dam EL. 650.0
Pool EL. 637.0

FLOOR LINE OF DAM

PROP. POOL

32.07 SINKER

U.P. Xing N.P.E.L. 550 = U.S. F.L. 551

540.1	.10
543.41	
545.51	.08
546.51	.15
547.51	.08
548.5	.08
548.57	.08
549.6	.08
	.00

550.0

557.4

551.0

562.2

554.0

1'30C
1'30C
1'30C
1'30C

1'30C
1'30C
1'30C

1'30C
1'30C
1'30C

1'30C
1'30C
1'30C