



# CONDENSED PROFILE AND TRACK CHART

ST. PAUL DIV. (7) BRANCH LINES

RED LAKE FALLS BR.

SHERACK BR.

HOR. SCALE: 1 Inch = 2 Miles

VERT. " " 1 " = 100 Feet

Office of Chief Engineer

St. Paul, Minn. July 1922.



Revised Jan. 1, 1970.

Track Sections

Track Diagram


Mile Post

LEGEND

NAME OF STATION		Passing Tracks
		Yards
	W	Water
	Z	Scales
	T	Turntable or Wye

RAIL

BALLAST



Rail


Ballast

Curvature & Bridges


Year Constructed


55

# RED LAKE FALLS BR.



ike Falls





100

95

90

CARTHAGE JCT - N.P.E.L. 243 = U.S.E.L. 837

KEY WEST

500

400

300

200

242.0

242.21

242.21

245.4

245.4

251.4

252.4

259.6

260.0

263.4

263.7

265.4

268.4

271.4

278.4

278.4

283.4

286.4

290.4

291.4

300.4

305.4

11.4

568.37

61-Mel

61-Mel

64-Mel

61-M

Br. 98

Br. 98

Br. 97

Br. 97

Br. 96

Br. 96

Br. 90

Br. 90

Br. 80

Br. 86

1887


EMERSON BR

RED RIVER RR

CHART

1116 1117 1118 1119 1120

61-Key West  
(Winter = 56 E.G.F.)



SHERACK N.P. EL. 257 = U.S. EL. 851

N.P. EL. 260 = U.S. EL. 854

KEY WEST  
Conn. with Red Lake Falls Br.

254.2	0.0	254.2	0.0
254.4	0.1	254.5	0.1
255.0	0.1	255.1	0.1
256.4	0.5	256.9	0.5
257.4	0.5	257.9	0.5
259.4	0.0	259.4	0.0
261.4	0.0	261.4	0.0
260.4	0.0	260.4	0.0
259.4	0.0	259.4	0.0
250.0	0.0	250.0	0.0
239.0	0.1	239.1	0.1
239.0	0.2	239.2	0.2
259.0	0.0	259.0	0.0
260.0	0.0	260.0	0.0
259.0	0.0	259.0	0.0
258.0	0.0	258.0	0.0
259.0	0.0	259.0	0.0
259.0	0.0	259.0	0.0

1895  
1887  
1964 - Melvin