



N.P. 463 B. E. 6-44

NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Grippala	Telegr	1201a M	8a M
R. J. Tawerna	✓	8a M	4p M
R. L. Klocke	✓	4 pm	1201a M

PLACE Chillum, Wash DATE June 1 1954
East BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1235a	1238a	1	none	507a	520a
5401	whit	By	605a	25	none	By	516a
X6018	✓	1020A	1037A	X1714	whit	-	815a
No 6	none	1214p	1217p	X7000	✓	✓	955A
X1905	whit	-	336p	No 5	none	328p	333p
No 26	none	By	406pm	X1905	whit	210p	-
				X5409	whit	By	518pm

1201a	Lite Rain BWW	40°	pt cldy cfm 52°	4noon
601a	pt rky BWW	40°	pt cldy BWW 52°	4pm

INSTRUCTIONS

1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memorandum, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
L. J. Niskola	telegr	1201a M	8a M
R. J. Tavernia	✓	8a M	4P M
R. L. Klocke	✓	4pm M	1201a M

PLACE Cle Elum, Wash DATE June 2 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
1st 2	green	1221a	1225a	1	none	439a	442a
2nd 2	green	By	105a	25	none	By	505a
3rd 2	none	By	140a	X6015	wht	✓	954A
6019	wht	By	546a	X6020	✓	✓	1252P
X7000	✓	✓	1045A	X6025	Green	318P	325P
No 6	None	1214P	1217P	Second 5	NINE	455pm	506pm
NO 26	NONE	By	410pm	X5408	WHT	810pm	830pm
X6017	WHT	830pm	930pm				
X1763	WHT	1135pm					

1201a clear calm 38° Noon cldy calm 65°
601a clear fog calm 36° 4pm cldy calm 65°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B.E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
Elen Richards	Telegr.	1201A M	8A M
R. L. Klocke	✓	4pm M	1201a M

PLACE Cle Elum DATE June 3 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
no 2	None	1240A	1246A	no 1	None	437A	441A
5402	white	by	610A	no 25	none	by	504A
5409	W	By	11A	X1763	W	dd	920A
No 6	None	1212P	1217P	X5410	W	By	1016A
NO 26	NONE	BY	408pm	5407	W	1201P	1230P
X1905	WHT	05	415pm	1905	W	240P	
X5408	✓	By	1035pm	No 5	None	314P	318P
				X6017	whit	By	845pm

4pm L^r Rain CALM 55a
wea - clear Calm - 49° above 1201 AM
cldy Calm - 46° above 6am

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE STATION RECORD OF TRAIN MOVEMENTS EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
Ellen Richards	Telegr	1201A M	8 A M
R. L. Klocke	-	4pm M	1201A M

PLACE Cle Elum DATE June 4 1954
BOUND East WEST BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
No 2	none	1246A	1255A	No 25	none	By	511A
5410	white	by	601A	No 1	none	517A	522A
X5406	w/		1112A	X2404	w/	-	1016A
No 6	No	1214	1217	X1902	w/	1205	-
1679	w/	DF	127P	No 2	No	322P	326P
No 26	NONE	BY	410pm	X6014	WHT	By	5pm
X6015	WHT	1005pm	1035pm	X5408	WHT	By	1115pm

1201AM cldy Lt W. Windy 46° above
6am Part cldy Lt W. Wind 42° above
12 noon - 100 P.M.W. 54

4pm Part cldy M.W. 58° above
INSTRUCTIONS
1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B.E. STATION RECORD OF TRAIN MOVEMENTS EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Niskala	telegr	1201a M	8a M
R. L. Klocke	-	4pm M	1201a M

PLACE Cle Elum, Wash DATE June 5 1954
BOUND East WEST BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
1763	wht	1205a		6020	wht.	280a	310a
2	none	1223a	1228a	1	none	440a	444a
1763	wht	1205a	1210a	25	none	By	71a
5407	wht	553a	610a	1763	w/	DF	925
No 6	No	1214	1217P	5400	w/	-	208P
X5404	w/	1258P	108P	No 5	No	316	320P
No 26	No	BY	405pm	X7001	WHT	BY	530pm
X6020	WHT	1010pm	1045pm				

1201a No calm 40°
601a - pt cldy calm 45°
noon cldy. H.W. 28°
4pm cldy L.W. 52°
#16pm LR M.W. 52am

INSTRUCTIONS
1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 **NORTHERN PACIFIC RAILWAY CO.**
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G J Grikhala	telep	1201a M	8a M
R Benson		8A M	4P M
		M	M

PLACE *Cle Elum Wash* DATE *June 6 1954*
 BOUND *East* BOUND *West*

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1213a	1218a	5406	whit	By	113a
5400	whit	By	623a	25	none	By	501a
7001	W	1105A	1115A	1	none	558a	6am
706	none	1221P	1223P	6016	W	By	855A
No 26	no	-	408P	5401	W	By	130P
X 5406	W	728P	746P	705	none	315 P	318 P
				6013	W	-	811 P
1301a	ft. eldy Bldg	40°	12 Noon	elgy LWW			52°A
601a	tele. Wash Palm	42°	4pm				52°

INSTRUCTIONS

1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 **NORTHERN PACIFIC RAILWAY CO.**
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G J Grikhala	telep	1201a M	8a M
Jerry R. Bray	Telep	8a M	4P M
J. W. Kabb		4P M	159P M

PLACE *Cle Elum, Wash* DATE *June 7 1954*
 BOUND *East* BOUND *West*

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
1 st 2	green	1227a	1230a	1	none	444a	447a
2 nd 2	none	By	123a	25	none	By	503a
6016	whit	By	544a	6019	whit	By	755a
7549	whit	630a	-	X 1879	whit	1201P	-
X 5401	whit	By	939a	X 5406	whit	235P	250P
No 6	none	1217P	1220P	No 5	no	313P	318P
X 1905	W	-	2 PM				
No 26	no	-	406P				
1201a	elgy Bldg		450				
601a	elgy Bldg		460				
1201 PM	elgy tele. Wash Palm		560				
4PM	CLR		1 PM				55

INSTRUCTIONS

1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkala	Telegr	1201a M	8a M
S. J. Lemhart	Telegr	8 A M	4 P M
R. S. Klocke		4pm M	1201a M

PLACE Cle Elum, Wash DATE June 8 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1215a	1219a	1	none	450a	453a
1763	wht	1225a		25	none	By	502a
6013	wht	By	542a	x1763	wht		940a
6019	wht	By	1126A	7000	wht	1115A	1135A
706	no	1232P	1237P	x5410	wht	By	153P
1905	wht	#	115P	x1905	wht	1120A	
No 26	NONE	By	408pm	7005	no	315P	318P
X1713	WHT	6pm		X5409	WHT	By	640pm
X6014	✓	810pm	846pm				

1201a sh calm 44°
501a pt cldy calm 40°
noon R. S. Klocke LWW 74°
4pm pt cldy LWW 65°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkala	Telegr	1201a M	8a M
S. J. Lemhart	Telegr	800A M	400P M
R. S. Klocke		4pm M	1201a M

PLACE Cle Elum, Wash DATE June 9 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1209a	1213a	1	none	502a	505a
7000	wht	By	634a	25	none	By	511a
706	no	1217P	1220P	1713	wht		730a
5410	wht	135P	150P	5402	wht	By	907a
No 26	NONE	By	413pm	5404	wht	By	1110A
X1763	WHT	1050P		X1905	wht	140P	
X5406	WHT	1126pm	11135pm	7005	no	314P	318P
				X6014	WHT	735pm	815pm

1201a sh calm 48°
500A ch calm 45°
4pm pt cldy MWW 59°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE
6-44

NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Gikkola	telegr	1201a M	8a M
F. W. Kobb	Telegr	8A M	4P M
R. L. Klocke		4pm M	1201a M

PLACE Clallam Wash DATE June 12 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1246a	1251a	25	none	By	502a
7001	whit	6 ¹⁰ a	635a	1	none	617a	620a
X5400	wl	1020A	1105A	X1763	wl	DK	805A
X1905	wl	DK	1140A	X1905	wl	1030	-
No 6	No	1215	1218P	X5407	wl	-	1140A
NO 26	NONE	By	406pm	X6016	wl	-	311P
X6020	WHT	1105pm	1125P	No 5	No	317P	321P
				X6017	WHT	845pm	9pm

1201a Lte Rain Kalon 52°
617a Lte Rain Kalon 48°
Wood c/c 1 Rain CHM 56°
4pm cldy LWW 55a

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E.
6-44

NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Gikkola	telegr	1201a M	8a M
S. J. Lemharit	telegr	800 A M	400P M
F. W. Kobb	-	4P M	1159P M

PLACE Clallam Wash DATE June 13 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1217a	1215a	1	none	502a	505a
5407	wht	By	351a	25	none	By	510a
ppr 2260	wht	By	434a	6015	wht	By	1056a
6016	wht	By	1091a	5401	wht	240P	250P
1st 6	Green	1214a	1217a	7005	No	319	322P
2nd 6	No	By	251P	X6018	wl	-	925P
1st 126	green	-	406P				
X5408	wl	-	529P				
2nd 126	No	-	801P				

1201a p cldy LWW 48°
601a cldy LWW 46°
4P CLR - M W.W 58°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 **NORTHERN PACIFIC RAILWAY CO.**
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Nikkola	Telegr	1201a M	8a M
R. J. Tawerapia	✓	8a M	4P M
R. L. Klocke	✓	1201a M	1201a M

PLACE Clatsop, Wash DATE June 16 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	None	1211a	1215a	1	None	449a	452a
5406	whit	By	740a	25	None	By	506a
X5405	✓	✓	1157A	X1690	whit	—	920A
No 6	Stone	1214p	1217p	X5404	✓	By	1010A
X1690	whit	140p	—	X1905	✓	155p	—
X1905	✓	—	325p	X1549	✓	—	230p
No 26	None	By	408p	No 5	None	318p	321p
X1713	whit	1140p	—	X5409	whit	755pm	810pm
1801a Pt. Eldy Lww 40°				noon pt cldy Lww 52°			
601a Lte Rain Lww 40°							
4pm pt cldy MWW 50°a							

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 **NORTHERN PACIFIC RAILWAY CO.**
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
Eileen Richards	Telegr	1201A M	8A M
R. J. Tawerapia	✓	8a M	4P M
R. L. Klocke	✓	4pm M	1201a M

PLACE Clatsop DATE June 17 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
No 2	None	1213A	1220A	No 1	None	436A	442A
7000	White	By	548A	No 25	None	By	504A
No 6	None	1218p	1221p	X1690	whit	—	850am
X6020	whit	1235p	1245p	X1713	✓	—	935A
X1690	✓	155p	—	X5400	✓	By	1044A
X1905	✓	—	230p	X1905	✓	11am	—
No 26	None	By	410pm	X5407	✓	By	119p
X6017	WHT	1115pm	1125pm	No 5	None	322p	325p
				X6016	whit	By	715pm
1201 AM Lte Rain Lww 40°a							
601 AM Pt cldy Clats 43°a							
4pm cldy MWW 51°a							
VLR							

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE
6-44

NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
Ellen Richards	Telgr	1201 A M	8 A M
F. W. Kobb	-	8 A M	4 P M
R. L. Klocke	-	4 P M	1201 A M

PLACE Clare Elum, Wash East DATE June 18 1954
BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
No 2	None	1224 A	1229 A	No 1	None	436 A	442 A
5409	White	By	238 A	No 25	None	By	501 A
No 6	No	1230 P	1233 P	6017	White	By	717 A
5400	W	-	1246 P	X 690	W	DA	755 A
1905	W	-	117 P	X 5402	W	-	926 A
1690	W	240 P	-	X 1905	W	11 AM	-
No 26	None	By	412 P	70001	W	By	117 P
X 6016	White	By	750 P	No 5	No	317	320 P
X 1713	White	935 P	-	X 6013	WHT	By	11 P
X 6017	WHT	By	1148 P				
1201 A	Clr Calm	42°					
6 A	Clr calm	38°					
Noon	✓	✓	68°				
4 P	Clr Calm	68°					

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E.
6-44

NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Mikhala	telegr	1201a M	8a M
F. W. Kobb	-	8A M	4P M
R. L. Klocke	-	4 P M	1201a M

PLACE Clare Elum Wn East DATE June 19 1954
BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1228a	1243a	1	None	444a	450a
5404	whit	By	608a	25	none	By	509a
X 7009	W	-	1038A	1713	W	DA	828A
No 6	No	1213 P	1217 P	6017	W	230 P	248 P
No 26	None	By	406 P	No 5	No	315	320 P
X 6013	WHT	850 P	910 P	X 5408	W	350 P	505 P
				X 6019	WHT	By	740 P
1201am	prt cldy	chm	52°				
601a	Clr Rain	Caln	50°				
Noon	c/c ltr Rain	Caln	66°				
4 P	Oldy Calm		65°				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G.J. Nikkala	telegr	1201a M	8a M
R.J. Tavernia	✓	8a M	4p M
F.W. Robb	✓	4p M	11:30p M

PLACE Cle Elum, Wash DATE June 20 1954
East BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1213a	1216a	1	none	437a	447a
5402	wht	205a	218a	25	none	By	503a
6017	wht	By	544a	X6015	wht	✓	950a
X5402	✓	✓	1034A	X5410	✓	✓	958A
No 26	None	1214p	1217p	No 5	None	315p	318p
X6018	W	945P	1011P	X6014	inf	456	458P
1201a Tele. Room Palm 540				601a pt. City Palm 520			
4PM City 67							

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G.J. Nikkala	telegr	1201a M	8a M
R.J. Tavernia	✓	8a M	4p M
F.W. Robb	✓	4p M	11:30p M

PLACE Cle Elum, Wash DATE June 21 1954
East BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1227a	1230a	1	none	437a	440a
6019	wht	By	543a	25	none	By	506a
X6015	✓	✓	929a	X1905	wht	1215p	—
No 6	None	1239p	1242p	X6018	✓	250p	301p
X1905	wht	—	205p	No 5	None	317p	321p
No 26	No	—	406p	7001	W	630P	624P
1763	W	920P					
1201a pt. City Palm 520				601a pt. City Palm 460			
4P CIA ✓ 810							

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkala	telegr	1201a M	8a M
R. J. Tavennia	✓	8a M	4P M
R. L. Klocke	✓	4Pm M	1201a M

PLACE Cle Elum Wash East BOUND West DATE June 27 1954

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1216a	1221a	1	none	453a	456a
5410	wht	By	545a	25	none	By	501a
X1905	✓		1130A	X7000	wht	✓	833A
No 6	None	1258p	101p	X1763	✓		840A
X6014	wht	115p	132p	X1905	✓	1030A	
No 26	NONE	By	406pm	X5400	✓	By	1037A
X6013	WHT	945p	1046p	No 5	None	315p	318p
				X5402	wht	By	530pm
1201a	alt Lwa		56°				
601a	pt play MWW		52°				
Noon	clock WW		70°				
4pm	chr Lt WW		70a				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkala	telegr	1201a M	8a M
R. J. Tavennia	✓	8a M	4P M
R. L. Klocke	✓	4 pm	1201a M

PLACE Cle Elum Wash East BOUND West DATE June 23 1954

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1214a	1218a	1	none	438a	441a
7001	wht	By	541a	25	none	By	501a
X7000	✓	1110A	1125A	X1905	wht	1110A	
No 6	None	1214p	1217p	X5405	✓	By	136p
X1905	wht		138p	No 5	None	315p	318p
No 26	None	By	409p	X5404	wht	230p	415pm
1763	wht	840p					
5400	wht	910p	955p				
2610	wht	By	1128p				
1201a	pt relay JWW		54°				
510a	alt MWW		50°				
4 pm	chr MWW		67a				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
R. J. Hollerman	Telgr	1201 a M	8 a M
R. J. Tavernia	✓	8 a M	4 P M
R. L. Klocke	✓	4 P M	1201 a M

PLACE Cl. Elum, Wash. DATE June 24 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
1st 2	Yrn	1210 a	1215 a	No 1	No	437 a	442 a
2nd 2	None	By	155 a	No 25	No	By	505 a
X5405	Wh	By	550 a	X6013	Wh	530 a	550 a
X5401	✓	✓	1058 a	X1763	wh	—	905 a
No 6	None	1214 P	1230 P	X1905	✓	1125 A	—
X1905	wh	—	130 P	X5408	✓	By	1228 P
no 26	NONE	By	409 pm	X6020	✓	✓	305 P
X5403	wh	By	845 P	No 5	None	315 P	318 P
				page X2602	wh	By	427 P
				X5410	wh	By	633 P
				X5402	wh	835 P	945 P

P.C.-Clm-53a-1201a.
Clm-Clm-48°-6am
Clm LWW 72° Noon
4pm P.C. LWW 72°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
R. J. Hollerman	Telgr	1201 a M	8 a M
F. W. Robb	✓	8 A M	4 P M
R. L. Klocke	✓	4 P M	1201 a M

PLACE Cl. Elum, Wash. DATE June 25 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
No 2	None	124 a	130 a	No 1	None	445 a	450 a
X5408	Wh	By	540 a	No 25	None	By	502 a
X6018	Wh	✓	1124 P	X1905	wh	1145	—
No 6	No	114	1215	X2409	wh	—	121
1905	wh	By	122 P	X1679	wh	By	249 P
No 26	NONE	By	412 pm	No 5	No	314	315
X6020	WHT	835 pm	920 pm	X6017	wh	826 P	415 pm
X1763	WHT	855 pm	—	X5400	WHT	By	750 pm

1201 a - P.C.-Clm-54°
6 a - P.C.-Clm-51°
Noon
4pm Clm Calm 85°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Nikkola	telegr	1201a M	8a M
F. W. Kobb	-	8a M	4p M
R. L. Kloche	-	4pm M	1201a M

PLACE Clifton Wash East DATE June 26 1954
BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1232a	1238a	1	none	443a	447a
5409	wht	By	614a	25	none	By	507a
5402	nl	1206P	1217P	1763	nl	-	825A
No 6	No	1223	1227P	No 5	No	313	318P
7026	none	By	407pm	X5403	wht	By	555P
				X5404	-	By	730pm
				X6015	wht	By	1008pm
1201a	Tele. Room	Clifton	60°				
601a	cldy	LWW	66				
Noon	cldy	CLM	65				
4pm	VLR	Chm	58°				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B.E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Nikkola	telegr	1201a M	8a M
R. J. Tavernia	-	8a M	4p M
F. W. Kobb	-	4p M	1159p M

PLACE Clifton Wash East DATE June 27 1954
BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	
2	none	1221a	1225a	1	none	437a	440a	
5410	wht	645a	725a	25	none	By	525a	
X6017	✓	1030A	1048a	X5406	wht	✓	1125a	
No 6	None	1214p	1217p	X7000	✓	✓	1255p	
No 26	none	-	407P	No 5	None	315p	318p	
				X6014	nl	-	540P	
1201a	pt. cldy	LWW	50°	4PM	PTLY	CLD	MWW	52°
601a	pt. cldy	LWW	48°					
Noon	cldy	LWW	52°					

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkola	telegr	1201a M	8a M
R. J. Tavernia	✓	8a M	4p M
J. W. Kabb	✓	4p M	1201a M

PLACE Cle Elum, Wash DATE June 28 1954
East BOUND West BOUND

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkola	telegr	1201a M	8a M
R. J. Tavernia	✓	8a M	4p M
R. J. Klocke	✓	4pm	1201a M

PLACE Cle Elum Wn DATE June 29 1954
East BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1232a	1239a	25	none	By	507a
6015	wht	By	618a	1	none	552a	555a
5406	wht	937a	750a	X7001	wht	1105A	1125A
No 6	none	1215p	1218p	X1905	✓	1212p	—
X1905	wht	—	150p	No 5	none	315p	318p
No 26	no	—	406p	X5404	wht	350p	406p
X1763	w	940	—				

1201a pt clby Lww 45°
601a pt aldy BWW 46°
4p CLR Lww 68°

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1219a	1225a	25	none	By	504a
5407	wht	By	615a	1	none	545a	548a
X1905	✓	—	1110A	X1763	wht	—	820A
No 6	none	1215p	1219p	X1905	✓	1020A	—
No 26	none	By	406pm	X6018	✓	By	1045A
X7000	WHT	615pm	635pm	No 5	none	315p	318p
				X6016	wht	By	440pm

1201a ch color 48°
530a ch color 42°
noon clr Lww 73°
4pm clr Lww 76°

INSTRUCTIONS

1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.

INSTRUCTIONS

1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 **NORTHERN PACIFIC RAILWAY CO.**
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
<i>A. J. Niskala</i>	<i>telegr</i>	<i>1201a M</i>	<i>8A M</i>
<i>R. J. Trayernia</i>	<i>✓</i>	<i>8a M</i>	<i>4p M</i>
<i>R. D. Noche</i>	<i>✓</i>	<i>4pm M</i>	<i>1201a M</i>

PLACE *Cle Elum Wash East* DATE *June 30* 19*54*
BOUND *West* BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
<i>2</i>	<i>none</i>	<i>1213a</i>	<i>1217a</i>	<i>25</i>	<i>none</i>	<i>By</i>	<i>503a</i>
<i>7001</i>	<i>whit</i>	<i>By</i>	<i>632a</i>	<i>✓</i>	<i>none</i>	<i>717a</i>	<i>790a</i>
<i>X5400</i>	<i>✓</i>	<i>1050A</i>	<i>1120A</i>	<i>X5402</i>	<i>whit</i>	<i>1105A</i>	<i>1120A</i>
<i>3606</i>	<i>none</i>	<i>1222p</i>	<i>1225p</i>	<i>X6019</i>	<i>✓</i>	<i>1150A</i>	<i>125p</i>
<i>X1905</i>	<i>whit</i>	<i>—</i>	<i>155p</i>	<i>X1905</i>	<i>✓</i>	<i>1155A</i>	<i>—</i>
<i>7026</i>	<i>none</i>	<i>By</i>	<i>411am</i>	<i>3605</i>	<i>none</i>	<i>315p</i>	<i>318p</i>
<i>X6018</i>	<i>whit</i>	<i>By</i>	<i>645pm</i>	<i>X5401</i>	<i>whit</i>	<i>525pm</i>	<i>548p</i>
<i>B102</i>	<i>whit</i>	<i>650am</i>	<i>—</i>				
<i>X1763</i>	<i>whit</i>	<i>1140am</i>	<i>—</i>				
<i>1201a pt.</i>	<i>oldy calm</i>		<i>58°</i>				
<i>601a</i>	<i>oldy calm</i>		<i>55°</i>				
<i>4pm</i>	<i>oldy calm</i>		<i>55°</i>				

INSTRUCTIONS

1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 **NORTHERN PACIFIC RAILWAY CO.**
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
		M	M
		M	M
		M	M

PLACE _____ DATE _____ 19____
BOUND _____ BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED

INSTRUCTIONS

1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.