



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkala	telegr	1201a M	8a M
R. J. Tavernia	✓	8a M	4p M
F. J. Kable	-	4p M	1159p M

PLACE Clatsop Wash East DATE August 2nd 1954
BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	11a	115a	5402	wht	150a	210a
5404	wht	By	738a	1	none	500a	503a
No 6	none	1222p	1225p	25	none	By	521a
X 1905	wht	-	120p	X 1791	wht	915A	955A
No 26	No	-	429p	X 5403	✓	1112A	1135A
X 1549	wl	115	-	X 1905	✓	1145A	-
1549	wht	1150p	-	X 6015	✓	By	255pm
				No 5	none	323p	326p
				X 6014	wl	-	1019P

1801a Cl Lww 640
601a pt cldy Mww 620
Noon cldy elm
4PM RLR Mww 700

INSTRUCTIONS
1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikkala	telegr	1201a M	8a M
R. J. Tavernia	✓	8a M	4p M
R. J. Klocke	✓	4pm M	1201a M

PLACE Clatsop Wash East DATE Aug 3rd 1954
BOUND West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1243a	1248a	6017	wht	1000a	130a
5407	wht	By	650a	25	none	By	515a
X 5402	✓	1025A	11am	1	none	743a	746
No 6	none	1220p	1224p	X 1679	wht	-	925am
X 1905	wht	-	205p	X 6016	✓	1205p	1220pm
No 26	none	By	413pm	X 1905	✓	1210p	-
X 5406	wht	905pm	940pm	X 7000	✓	By	202p
				No 5	none	323p	326p
				X 5401	wht	By	615pm
				X 5410	wht	1035pm	11pm

1201am cldy Bww 520
601a pt cldy Bww 500
Noon pt cldy Modww 680
4pm pt cldy Mww 620

INSTRUCTIONS
1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Gukhola	Telegr	1201a M	8a M
R. L. Klocke	✓	8a M	4p M
R. L. Klocke	✓	4pm M	1201a M

PLACE Cle Elum Wash DATE Aug 4 19 54
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1243a	1249a	25	none	438a	442a
6014	wht	By	550a	25	none	By	515a
X6016	✓	1040A	11am	X1905	wht	1150A	—
No 6	None	1214p	1217p	X5405	✓	By	210p
X1905	wht	—	210p	No 5	None	315p	319p
No 26	None	By	418p	X5403	wht	By	515pm
X5410	wht	455pm	520p	X5406	wht	By	920pm
X1830	wht	1150p		X7000	wht	10pm	11pm

1201a pt. cldy TWW 50°
601a pt. cldy TWW 46°
Noon pt. cldy TWW 66°
4pm pt. cldy mww 64°

INSTRUCTIONS
 1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
 2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
 3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
 4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
 5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
 6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
Ellen Richards	Telegr	1201A M	8 A M
R. L. Klocke	✓	8a M	4p M
R. L. Klocke	✓	4pm M	1201a M

PLACE Cle Elum Wash DATE Aug. 5 19 54
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
No 2	None	1240A	1245A	No 1	None	445A	450A
6015	white	by	552A	No 25	None	by	514A
X5403	✓	✓	1018A	X1830	wht	—	1025A
No 6	✓	1214p	1217p	X1905	✓	115A	—
X1905	✓	—	130p	No 5	None	315pm	318pm
No 26	None	By	412p	No 13	wht	4pm	415pm
X5406	wht	730pm	750pm	X5408	—	550 pm	625pm
				X5405	wht	By	920pm

1201A clr mod 222 54°
601A prt cldy TWW 54°
Noon pt. cldy TWW 66°
4pm pt. cldy BWW 67°

INSTRUCTIONS
 1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
 2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
 3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
 4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
 5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
 6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
Ellen Richards	Telegr	1201 A M	8 A M
R. L. Klocke	-	4 pm M	1201 A M

PLACE Cle Elum Wash DATE Aug. 6 1954
BOUND East West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
No 2	None	1256A	103A	7000	White	249A	302A
6013	White	By	630A	No 25	None	By	533A
X 5401	W	-	948A	No 1	None	543A	546A
No 6	No	1224P	1227P	X 6018	W	-	103P
No 26	None	By	416pm	X 7001	W	-	208P
X 1905	Wht	-	425pm	X 1905	W	228P	-
X 7000	Wht	By	735pm	No 5	No	327	330P
				X 5405	Wht	By	945pm
1201 A	prt cldy	LWW	56a				
601 A	cert	LWW	54a				
Noon	✓	LWW	76				
4pm	prt cldy	W	73a				

INSTRUCTIONS
 1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
 2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
 3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
 4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
 5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
 6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Nikola	Telegr	1201a M	8a M
R. L. Klocke	-	4 pm M	1201a M

PLACE Cle Elum Wash DATE Aug. 7 1954
BOUND East West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	None	1255a	100a	5401	Wht	100a	230a
1799	Wht	115a	-	X 199	None	504a	507a
7001	Wht	By	623a	25	None	By	516a
X 5405	W	1018A	1056A	7000	Wht	By	542a
No 6	No	1213	1217P	X 1799	W	Dr	1022A
No 26	None	By	416pm	X 6020	W	-	229P
X 6018	Wht	740pm	840pm	No 5	No	316	321P
				X 5407	Wht	By	535pm
				X 5409	Wht	By	840pm
1201a	ch calm	580					
601a	ch calm	50					
Noon	✓	LWW	78				
4pm	ch	MWW	76a				

INSTRUCTIONS
 1. This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
 2. Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
 3. The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
 4. The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
 5. For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
 6. The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Niekala	telegr	1201a M	8a M
R. J. Tagerma	✓	8a M	4P M
J. W. Kobb	✓	4P M	1159P M

PLACE Chelan, Wash DATE Aug 8 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
25	none	108a	110a	25	none	438a	441a
5401	whit by		554a	25	none	By	514a
X 7009	✓	945A	10A	X 5404	whit		1227P
No 26	NO	-	412P	No 5	none	312P	318P
X 5407	W	-	716P				823

1201a ch m whl 58°
601a ch m whl 54°
none ch LWW 76°
4PM ✓ H W W 66°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Niekala	telegr	1201a M	8a M
R. J. Tagerma	✓	8a M	4P M
J. W. Kobb	-	4P M	1159P M

PLACE Chelan, Wash DATE Aug 9 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
25	none	108a	110a	6016	whit by		1212a
X 5409	whit	11am	1116am	25	none	By	552a
No 6	none	1224P	1227P	X 5403	whit by		1201P
No 26	NO	-	420P	X 1905	✓	385P	
1902	W	Di	424P	No 5	none	349P	352P
X 1782	W	1142P	-	X 5402	W	516P	522P

1201a pt. ch m whl BWW 54°
601a pt. ch m whl LWW 52°
none ch LWW 72°
4PM ✓ ✓ 72°

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Niskala	telegr	1201a M	8a M
R. J. Tarnavia		8a M	4p M
R. S. Kloche		4pm	1201a M

PLACE Cle Elum, Wash DATE Aug 10 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1257a	101a	6019	whit	By	201a
6019	whit	By	445a	1	none	508a	512a
6019	whit	450a	545a	25	none	By	542a
706	none	1230p	1234p	X1905	whit	1120A	
X1905	whit		1240p	705	none	321p	325p
X6020	✓	By	1250p	X6015	whit	By	625pm
7026	none	By	412pm	X5400	whit	650pm	815pm
X5402	whit	815pm	905pm				
ppg X2610	whit	By	11pm				
1201a pt cldy Lww			54°				
601a ch Lww			52°				
Noon ch Lww			72°				
4pm pt chy mww			72°				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
G. J. Niskala	telegr	1201a M	8a M
R. J. Tarnavia		8a M	4p M
R. S. Kloche		4pm	1201a M

PLACE Cle Elum, Wash DATE Aug 11 1954
BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1247a	1252a	5410	whit	By	1213a
ppg X2604	whit	By	127a	1st	green	By	535a
6019	whit	By	353a	25	none	By	544a
X5403	✓	1120A	1140A	2nd	none	656a	659a
706	none	1221p	1224p	X1905	whit	1040A	
X1905	whit		1230p	X7001	✓	By	1204p
7026	none	By	415pm	X5406	✓	250p	250p
X1914	whit	5pm		705	none	316p	320p
X1914	whit	530p					
X5410	whit	715pm	730pm				
X1963	whit	112pm					
1201a ch calm			54°				
601a ch calm			52°				
Noon ch Lww			72°				
4pm ch mww			72°				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE STATION RECORD OF TRAIN MOVEMENTS EMPLOYEES ON DUTY

6-44

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Nikkala	telegr	1201a M	8a M
R. L. Klocke	✓	4pm M	1201a M

PLACE Clabham, Wash DATE Aug 14 1954
 BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
1st 2	green	1243a	1246a	5407	wht	430a	450a
2nd 2	green	By	126a	35	none	By	517a
3rd 2	none	By	257a	1	none	557a	603a
6013	wht	555a	630a	X 1782	wl	812A	902A
X 5407	wl	-	1121A	X 1763	wl	25	849
No 6	No	1813	1217	X 6008	wl	-	925A
No 26	none	By	415a	X 1905	wl	1107	1220
X 5407	wht	By	940pm	X 2302	wl	250P	306
X 5404	wht	By	520p				
1201a pt cldy			560				
601a pt cldy			540				
4pm cldy			60a				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. STATION RECORD OF TRAIN MOVEMENTS EMPLOYEES ON DUTY

6-44

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Nikkala	telegr	1201a M	8a M
R. J. Tavernier	✓	8a M	4p M
J. W. Robb	✓	4p M	1109P M

PLACE Clabham, Wash DATE Aug 15 1954
 BOUND East BOUND West

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
1st 2	green	1243a	1246a	5407	wht	430a	450a
2nd 2	green	By	126a	35	none	By	517a
3rd 2	none	By	257a	1	none	557a	603a
6013	wht	555a	630a	X 1782	wl	812A	902A
X 5407	wl	-	1121A	X 1763	wl	25	849
No 6	No	1813	1217	X 6008	wl	-	925A
No 26	none	By	415a	X 1905	wl	1107	1220
X 5407	wht	By	940pm	X 2302	wl	250P	306
X 5404	wht	By	520p				
1201a pt cldy			520				
601a pt cldy			520				
4pm cldy			620				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signalman, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 LARGE 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Mikhalo	telegr	1201a M	8a M
F. W. Kobb		8A M	4P M
J. L. Hall	telegr	400P M	1201a M

PLACE Cle Elum Wash DATE Aug 28 19 54
BOUND East West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1245a	1249a	25	none	By	57a
5408	wht	By	349a	No 1	No	920	925A
6020	W	-	1032A	X1763	W	DA	927A
No 6	No	1216	1221P	X1918	W	1119A	-
X1918	W	DA	1234P	X1713	W	1126A	1139A
No 26	No	by	419P	X7000	W	-	223P
15405	wht	by	702P	No 5	No	314P	310P
				X6047	wht	by	537P
				X2626	wht	by	823P
1201a	Chy	Caln	540				
601a	ply	Caln	570				
No 6	etc	✓	800				
600a	ply	Caln	910				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signaller, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.



N.P. 463 B. E. 6-44 NORTHERN PACIFIC RAILWAY CO.
STATION RECORD OF TRAIN MOVEMENTS
EMPLOYEES ON DUTY

NAME	OCCUPATION	WENT ON DUTY	WENT OFF DUTY
A. J. Mikhalo	telegr	1201a M	8a M
F. W. Kobb		8a M	4P M
J. L. Hall	telegr	400P M	1201a M

PLACE Cle Elum Wash DATE Aug 29 19 54
BOUND East West BOUND

TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED	TRAIN OR ENGINE	SIGNALS	TIME ARRIVED	TIME DEPARTED
2	none	1252a	1255a	5404	wht	By	1213a
5400	wht	By	551a	1	none	453a	455a
X7000	✓	✓	948A	25	none	By	515a
No 6	None	1215P	1217P	X6019	wht	✓	1153A
No 26	No	-	414P	No 5	None	315P	318P
X6017	W	620P	715P	X5403	W	-	639P
				X5409	W	-	709P
				X5405	W	-	1012P
1201am	Chy	Caln	560				
501am	ply	Caln	560				
No 6	ply	Caln	800				
401a	Chy	✓	750				

INSTRUCTIONS

- This record shall be made at each Station, Tower, Office, or Place from which the Time of Arrival, Departure, or Passing of Trains is Reported by Telegraph or Telephone.
- Each Operator, Signaller, and Leverman shall enter the time he goes on and off duty in the space provided for that purpose.
- The record of trains should be entered on this blank and reported to the superintendent, as provided for in Rule 222.
- The arrival is when a train stops, except when a train passes train order signal and takes side track; in such cases arrival is when engine passes train order signal. The departure is when rear end has passed 300 feet beyond train order signal, except in cases of a train on side track, in which event record should be made when train commences to occupy main track.
- For a train not stopping, the passing (departure) time is when rear end has passed 300 feet beyond train order signal.
- The time of trains must be entered on this report in ink, the figures must be plain, accurately and neatly made and at the time of occurrence and not from memory or memoranda, and the record must be preserved.

